

表 6 ウイルス性肝炎に関して定期的に受診していない理由

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|--------------------------------|------|-------|----|-------|----|-------|------|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 1 仕事が忙しいため | 3 | 9.4% | 6 | 16.7% | 9 | 13.2% | 2 | 8.7% | 2 | 8.3% | 4 | 8.5% | 5 | 9.1% | 8 | 13.3% | 13 | 11.3% |
| 2 経済的に余裕がないため | 2 | 6.3% | 4 | 11.1% | 6 | 8.8% | 4 | 17.4% | 2 | 8.3% | 6 | 12.8% | 6 | 10.9% | 6 | 10.0% | 12 | 10.4% |
| 3 職場の人に知られたくない など人の目が気になるため | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 4 面倒であるため | 6 | 18.8% | 3 | 8.3% | 9 | 13.2% | 0 | 0.0% | 5 | 20.8% | 5 | 10.6% | 6 | 10.9% | 8 | 13.3% | 14 | 12.2% |
| 5 自覚症状がないため | 13 | 40.6% | 7 | 19.4% | 20 | 29.4% | 3 | 13.0% | 10 | 41.7% | 13 | 27.7% | 16 | 29.1% | 17 | 28.3% | 33 | 28.7% |
| 6 医師に受診するように言わ れていないため | 12 | 37.5% | 18 | 50.0% | 30 | 44.1% | 4 | 17.4% | 11 | 45.8% | 15 | 31.9% | 16 | 29.1% | 29 | 48.3% | 45 | 39.1% |
| 7 完治したから | 5 | 15.6% | 4 | 11.1% | 9 | 13.2% | 13 | 56.5% | 3 | 12.5% | 16 | 34.0% | 18 | 32.7% | 7 | 11.7% | 25 | 21.7% |
| 8 その他 | 3 | 9.4% | 9 | 25.0% | 12 | 17.6% | 1 | 4.3% | 3 | 12.5% | 4 | 8.5% | 4 | 7.3% | 12 | 20.0% | 16 | 13.9% |




図 17 ウイルス性肝炎に関して定期的に受診していない理由

表 7 ウイルス性肝炎の治療経験

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|--------------|------|-------|----|-------|----|-------|------|-------|----|-------|-----|-------|-----|-------|----|-------|-----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 1 治療をしたことがない | 33 | 42.3% | 51 | 65.4% | 84 | 53.8% | 21 | 26.9% | 35 | 44.9% | 56 | 35.9% | 54 | 34.6% | 86 | 55.1% | 140 | 44.9% |
| 2 治療をしたことがある | 45 | 57.7% | 27 | 34.6% | 72 | 46.2% | 57 | 73.1% | 43 | 55.1% | 100 | 64.1% | 102 | 65.4% | 70 | 44.9% | 172 | 55.1% |




図 18 ウイルス性肝炎の治療経験 (B型肝炎)




図 19 ウイルス性肝炎の治療経験 (C型肝炎)




図 20 ウイルス性肝炎の治療経験（全体）

表 8 経験したことがある治療方法

| | 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|--|--------------------|------|-------|----|-------|----|-------|------|-------|----|-------|----|-------|----|-------|----|-------|-----|-------|
| | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 1 インターフェロンを用いた治療 | 1 これまでに経験した治療 | 17 | 37.8% | 4 | 14.8% | 21 | 29.2% | 46 | 80.7% | 35 | 81.4% | 81 | 81.0% | 63 | 61.8% | 39 | 55.7% | 102 | 59.3% |
| | 2 あなたがこの4週間に経験した治療 | 1 | 2.2% | 1 | 3.7% | 2 | 2.8% | 5 | 8.8% | 4 | 9.3% | 9 | 9.0% | 6 | 5.9% | 5 | 7.1% | 11 | 6.4% |
| 2 ウイルス量を下げる薬(リバビリン、ゼフィックス、ヘプセラ、バラクルード等の核酸アナログ製剤)を用いた治療 | 1 これまでに経験した治療 | 23 | 51.1% | 13 | 48.1% | 36 | 50.0% | 19 | 33.3% | 23 | 53.5% | 42 | 42.0% | 42 | 41.2% | 36 | 51.4% | 78 | 45.3% |
| | 2 あなたがこの4週間に経験した治療 | 15 | 33.3% | 6 | 22.2% | 21 | 29.2% | 1 | 1.8% | 5 | 11.6% | 6 | 6.0% | 16 | 15.7% | 11 | 15.7% | 27 | 15.7% |
| 3 肝臓を守る薬(強力ネオミノファーゲンCや、ウルソなど)を用いた治療 | 1 これまでに経験した治療 | 22 | 48.9% | 12 | 44.4% | 34 | 47.2% | 31 | 54.4% | 14 | 32.6% | 45 | 45.0% | 53 | 52.0% | 26 | 37.1% | 79 | 45.9% |
| | 2 あなたがこの4週間に経験した治療 | 4 | 8.9% | 2 | 7.4% | 6 | 8.3% | 16 | 28.1% | 6 | 14.0% | 22 | 22.0% | 20 | 19.6% | 8 | 11.4% | 28 | 16.3% |
| 4 【C型肝炎の方のみ】瀉血(しゃけつ)療法 | 1 これまでに経験した治療 | — | — | — | — | — | — | 1 | 1.8% | 1 | 2.3% | 2 | 2.0% | 1 | 1.0% | 1 | 1.4% | 2 | 1.2% |
| | 2 あなたがこの4週間に経験した治療 | — | — | — | — | — | — | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 5 わからない 特になし | 1 これまでに経験した治療 | 5 | 11.1% | 7 | 25.9% | 12 | 16.7% | 3 | 5.3% | 1 | 2.3% | 4 | 4.0% | 8 | 7.8% | 8 | 11.4% | 16 | 9.3% |
| | 2 あなたがこの4週間に経験した治療 | 10 | 22.2% | 4 | 14.8% | 14 | 19.4% | 17 | 29.8% | 16 | 37.2% | 33 | 33.0% | 27 | 26.5% | 20 | 28.6% | 47 | 27.3% |
| 6 その他 | 1 これまでに経験した治療 | 5 | 11.1% | 2 | 7.4% | 7 | 9.7% | 1 | 1.8% | 2 | 4.7% | 3 | 3.0% | 6 | 5.9% | 4 | 5.7% | 10 | 5.8% |
| | 2 あなたがこの4週間に経験した治療 | 1 | 2.2% | 0 | 0.0% | 1 | 1.4% | 3 | 5.3% | 4 | 9.3% | 7 | 7.0% | 4 | 3.9% | 4 | 5.7% | 8 | 4.7% |




図 21 経験したことがある治療方法




図 22 この4週間で経験したことがある治療方法

表 9 労働障害指数

| | B型肝炎 | | | C型肝炎 | | | 全体 男性 | | |
|----|------|------|------|------|------|------|-------|------|------|
| | 男 | 女 | 合計 | 男 | 女 | 合計 | 男 | 女 | 合計 |
| 平均 | 22.8 | 23.4 | 23.1 | 23.9 | 24.2 | 24.0 | 23.3 | 23.8 | 23.6 |

表 10 発揮できた生産性（0%を含めた値）

| | B型肝炎 | | | C型肝炎 | | | 全体 男性 | | |
|----|------|------|------|------|------|------|-------|------|------|
| | 男 | 女 | 合計 | 男 | 女 | 合計 | 男 | 女 | 合計 |
| 平均 | 77.3 | 81.4 | 79.4 | 72.8 | 69.9 | 71.3 | 75.1 | 75.6 | 75.4 |

表 11 発揮できた生産性（0%を除いた値）

| | B型肝炎 | | | C型肝炎 | | | 全体 男性 | | |
|----|------|------|------|------|------|------|-------|------|------|
| | 男 | 女 | 合計 | 男 | 女 | 合計 | 男 | 女 | 合計 |
| 平均 | 83.8 | 84.7 | 84.2 | 82.3 | 76.8 | 79.5 | 83.0 | 80.8 | 81.9 |

表 12 最近のこの4週間にウイルス性肝炎による症状が仕事の生産性に影響した程度

| | 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|-----------------------------------|---------|------|-------|----|-------|----|-------|------|-------|----|-------|----|-------|----|-------|----|-------|-----|-------|
| | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 1 大変な仕事でも終わることができた | 1 いつも | 25 | 32.1% | 25 | 32.1% | 50 | 32.1% | 23 | 29.5% | 26 | 33.3% | 49 | 31.4% | 48 | 30.8% | 51 | 32.7% | 99 | 31.7% |
| | 2 ほとんど | 23 | 29.5% | 20 | 25.6% | 43 | 27.6% | 23 | 29.5% | 22 | 28.2% | 45 | 28.8% | 46 | 29.5% | 42 | 26.9% | 88 | 28.2% |
| | 3 ときどき | 5 | 6.4% | 6 | 7.7% | 11 | 7.1% | 4 | 5.1% | 7 | 9.0% | 11 | 7.1% | 9 | 5.8% | 13 | 8.3% | 22 | 7.1% |
| | 4 あまりない | 6 | 7.7% | 5 | 6.4% | 11 | 7.1% | 8 | 10.3% | 6 | 7.7% | 14 | 9.0% | 14 | 9.0% | 11 | 7.1% | 25 | 8.0% |
| | 5 全くない | 19 | 24.4% | 22 | 28.2% | 41 | 26.3% | 20 | 25.6% | 17 | 21.8% | 37 | 23.7% | 39 | 25.0% | 39 | 25.0% | 78 | 25.0% |
| 2 注意力が散漫であった | 1 いつも | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 2 | 1.3% | 3 | 1.9% | 5 | 1.6% |
| | 2 ほとんど | 7 | 9.0% | 3 | 3.8% | 10 | 6.4% | 8 | 10.3% | 6 | 7.7% | 14 | 9.0% | 15 | 9.6% | 9 | 5.8% | 24 | 7.7% |
| | 3 ときどき | 10 | 12.8% | 15 | 19.2% | 25 | 16.0% | 7 | 9.0% | 18 | 23.1% | 25 | 16.0% | 17 | 10.9% | 33 | 21.2% | 50 | 16.0% |
| | 4 あまりない | 28 | 35.9% | 19 | 24.4% | 47 | 30.1% | 21 | 26.9% | 22 | 28.2% | 43 | 27.6% | 49 | 31.4% | 41 | 26.3% | 90 | 28.8% |
| | 5 全くない | 32 | 41.0% | 40 | 51.3% | 72 | 46.2% | 41 | 52.6% | 30 | 38.5% | 71 | 45.5% | 73 | 46.8% | 70 | 44.9% | 143 | 45.8% |
| 3 仕事の目標達成に集中することができた | 1 いつも | 22 | 28.2% | 24 | 30.8% | 46 | 29.5% | 16 | 20.5% | 17 | 21.8% | 33 | 21.2% | 38 | 24.4% | 41 | 26.3% | 79 | 25.3% |
| | 2 ほとんど | 26 | 33.3% | 24 | 30.8% | 50 | 32.1% | 22 | 28.2% | 30 | 38.5% | 52 | 33.3% | 48 | 30.8% | 54 | 34.6% | 102 | 32.7% |
| | 3 ときどき | 8 | 10.3% | 6 | 7.7% | 14 | 9.0% | 10 | 12.8% | 9 | 11.5% | 19 | 12.2% | 18 | 11.5% | 15 | 9.6% | 33 | 10.6% |
| | 4 あまりない | 4 | 5.1% | 5 | 6.4% | 9 | 5.8% | 6 | 7.7% | 6 | 7.7% | 12 | 7.7% | 10 | 6.4% | 11 | 7.1% | 21 | 6.7% |
| | 5 全くない | 18 | 23.1% | 19 | 24.4% | 37 | 23.7% | 24 | 30.8% | 16 | 20.5% | 40 | 25.6% | 42 | 26.9% | 35 | 22.4% | 77 | 24.7% |
| 4 仕事をやり終えるのに必要なエネルギーが十分あった | 1 いつも | 22 | 28.2% | 18 | 23.1% | 40 | 25.6% | 17 | 21.8% | 16 | 20.5% | 33 | 21.2% | 39 | 25.0% | 34 | 21.8% | 73 | 23.4% |
| | 2 ほとんど | 26 | 33.3% | 24 | 30.8% | 50 | 32.1% | 22 | 28.2% | 23 | 29.5% | 45 | 28.8% | 48 | 30.8% | 47 | 30.1% | 95 | 30.4% |
| | 3 ときどき | 6 | 7.7% | 9 | 11.5% | 15 | 9.6% | 10 | 12.8% | 12 | 15.4% | 22 | 14.1% | 16 | 10.3% | 21 | 13.5% | 37 | 11.9% |
| | 4 あまりない | 6 | 7.7% | 7 | 9.0% | 13 | 8.3% | 6 | 7.7% | 11 | 14.1% | 17 | 10.9% | 12 | 7.7% | 18 | 11.5% | 30 | 9.6% |
| | 5 全くない | 18 | 23.1% | 20 | 25.6% | 38 | 24.4% | 23 | 29.5% | 16 | 20.5% | 39 | 25.0% | 41 | 26.3% | 36 | 23.1% | 77 | 24.7% |
| 5 仕事のストレスをコントロールすることが困難だった | 1 いつも | 1 | 1.3% | 4 | 5.1% | 5 | 3.2% | 2 | 2.6% | 5 | 6.4% | 7 | 4.5% | 3 | 1.9% | 9 | 5.8% | 12 | 3.8% |
| | 2 ほとんど | 3 | 3.8% | 5 | 6.4% | 8 | 5.1% | 7 | 9.0% | 7 | 9.0% | 14 | 9.0% | 10 | 6.4% | 12 | 7.7% | 22 | 7.1% |
| | 3 ときどき | 9 | 11.5% | 15 | 19.2% | 24 | 15.4% | 8 | 10.3% | 16 | 20.5% | 24 | 15.4% | 17 | 10.9% | 31 | 19.9% | 48 | 15.4% |
| | 4 あまりない | 31 | 39.7% | 18 | 23.1% | 49 | 31.4% | 17 | 21.8% | 20 | 25.6% | 37 | 23.7% | 48 | 30.8% | 38 | 24.4% | 86 | 27.6% |
| | 5 全くない | 34 | 43.6% | 36 | 46.2% | 70 | 44.9% | 44 | 56.4% | 30 | 38.5% | 74 | 47.4% | 78 | 50.0% | 66 | 42.3% | 144 | 46.2% |
| 6 仕事を終わることを無理だと感じた | 1 いつも | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 3 | 1.9% | 2 | 1.3% | 5 | 1.6% |
| | 2 ほとんど | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 4 | 2.6% | 4 | 2.6% | 8 | 2.6% |
| | 3 ときどき | 6 | 7.7% | 13 | 16.7% | 19 | 12.2% | 7 | 9.0% | 12 | 15.4% | 19 | 12.2% | 13 | 8.3% | 25 | 16.0% | 38 | 12.2% |
| | 4 あまりない | 29 | 37.2% | 21 | 26.9% | 50 | 32.1% | 20 | 25.6% | 26 | 33.3% | 46 | 29.5% | 49 | 31.4% | 47 | 30.1% | 96 | 30.8% |
| | 5 全くない | 40 | 51.3% | 42 | 53.8% | 82 | 52.6% | 47 | 60.3% | 36 | 46.2% | 83 | 53.2% | 87 | 55.8% | 78 | 50.0% | 165 | 52.9% |
| 7 仕事で予想しなかった問題に直面したとき、解決に向けて集中できた | 1 いつも | 18 | 23.1% | 20 | 25.6% | 38 | 24.4% | 16 | 20.5% | 16 | 20.5% | 32 | 20.5% | 34 | 21.8% | 36 | 23.1% | 70 | 22.4% |
| | 2 ほとんど | 27 | 34.6% | 24 | 30.8% | 51 | 32.7% | 21 | 26.9% | 22 | 28.2% | 43 | 27.6% | 48 | 30.8% | 46 | 29.5% | 94 | 30.1% |
| | 3 ときどき | 10 | 12.8% | 10 | 12.8% | 20 | 12.8% | 14 | 17.9% | 15 | 19.2% | 29 | 18.6% | 24 | 15.4% | 25 | 16.0% | 49 | 15.7% |
| | 4 あまりない | 5 | 6.4% | 5 | 6.4% | 10 | 6.4% | 6 | 7.7% | 8 | 10.3% | 14 | 9.0% | 11 | 7.1% | 13 | 8.3% | 24 | 7.7% |
| | 5 全くない | 18 | 23.1% | 19 | 24.4% | 37 | 23.7% | 21 | 26.9% | 17 | 21.8% | 38 | 24.4% | 39 | 25.0% | 36 | 23.1% | 75 | 24.0% |
| 8 仕事の合間に休息を必要とした | 1 いつも | 4 | 5.1% | 7 | 9.0% | 11 | 7.1% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 8 | 5.1% | 11 | 7.1% | 19 | 6.1% |
| | 2 ほとんど | 13 | 16.7% | 5 | 6.4% | 18 | 11.5% | 6 | 7.7% | 12 | 15.4% | 18 | 11.5% | 19 | 12.2% | 17 | 10.9% | 36 | 11.5% |
| | 3 ときどき | 12 | 15.4% | 20 | 25.6% | 32 | 20.5% | 23 | 29.5% | 21 | 26.9% | 44 | 28.2% | 35 | 22.4% | 41 | 26.3% | 76 | 24.4% |
| | 4 あまりない | 22 | 28.2% | 16 | 20.5% | 38 | 24.4% | 19 | 24.4% | 14 | 17.9% | 33 | 21.2% | 41 | 26.3% | 30 | 19.2% | 71 | 22.8% |
| | 5 全くない | 27 | 34.6% | 30 | 38.5% | 57 | 36.5% | 26 | 33.3% | 27 | 34.6% | 53 | 34.0% | 53 | 34.0% | 57 | 36.5% | 110 | 35.3% |
| 9 共同作業において、他の人と協力して仕事ができる | 1 いつも | 15 | 19.2% | 23 | 29.5% | 38 | 24.4% | 19 | 24.4% | 21 | 26.9% | 40 | 25.6% | 34 | 21.8% | 44 | 28.2% | 78 | 25.0% |
| | 2 ほとんど | 35 | 44.9% | 22 | 28.2% | 57 | 36.5% | 23 | 29.5% | 23 | 29.5% | 46 | 29.5% | 58 | 37.2% | 45 | 28.8% | 103 | 33.0% |
| | 3 ときどき | 10 | 12.8% | 9 | 11.5% | 19 | 12.2% | 10 | 12.8% | 12 | 15.4% | 22 | 14.1% | 20 | 12.8% | 21 | 13.5% | 41 | 13.1% |
| | 4 あまりない | 2 | 2.6% | 4 | 5.1% | 6 | 3.8% | 5 | 6.4% | 5 | 6.4% | 10 | 6.4% | 7 | 4.5% | 9 | 5.8% | 16 | 5.1% |
| | 5 全くない | 16 | 20.5% | 20 | 25.6% | 36 | 23.1% | 21 | 26.9% | 17 | 21.8% | 38 | 24.4% | 37 | 23.7% | 37 | 23.7% | 74 | 23.7% |
| 10 眠れずに疲れていた | 1 いつも | 0 | 0.0% | 3 | 3.8% | 3 | 1.9% | 4 | 5.1% | 3 | 3.8% | 7 | 4.5% | 4 | 2.6% | 6 | 3.8% | 10 | 3.2% |
| | 2 ほとんど | 7 | 9.0% | 3 | 3.8% | 10 | 6.4% | 6 | 7.7% | 7 | 9.0% | 13 | 8.3% | 13 | 8.3% | 10 | 6.4% | 23 | 7.4% |
| | 3 ときどき | 11 | 14.1% | 17 | 21.8% | 28 | 17.9% | 11 | 14.1% | 16 | 20.5% | 27 | 17.3% | 22 | 14.1% | 33 | 21.2% | 55 | 17.6% |
| | 4 あまりない | 28 | 35.9% | 23 | 29.5% | 51 | 32.7% | 20 | 25.6% | 23 | 29.5% | 43 | 27.6% | 48 | 30.8% | 46 | 29.5% | 94 | 30.1% |
| | 5 全くない | 32 | 41.0% | 32 | 41.0% | 64 | 41.0% | 37 | 47.4% | 29 | 37.2% | 66 | 42.3% | 69 | 44.2% | 61 | 39.1% | 130 | 41.7% |

表 13 この4週間に通常発揮できた生産性

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|------|------|-------|----|-------|----|-------|------|-------|----|-------|----|-------|----|-------|----|-------|-----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 0% | 7 | 9.0% | 3 | 3.8% | 10 | 6.4% | 9 | 11.5% | 7 | 9.0% | 16 | 10.3% | 16 | 10.3% | 10 | 6.4% | 26 | 8.3% |
| 5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 0 | 0.0% | 1 | 0.6% | 1 | 0.3% |
| 10% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.6% | 2 | 1.3% | 3 | 1.0% |
| 15% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 2.6% | 2 | 1.3% | 0 | 0.0% | 2 | 1.3% | 2 | 0.6% |
| 20% | 3 | 3.8% | 2 | 2.6% | 5 | 3.2% | 2 | 2.6% | 1 | 1.3% | 3 | 1.9% | 5 | 3.2% | 3 | 1.9% | 8 | 2.6% |
| 25% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 2 | 1.3% | 1 | 0.6% | 3 | 1.0% |
| 30% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 2.6% | 3 | 3.8% | 5 | 3.2% | 2 | 1.3% | 3 | 1.9% | 5 | 1.6% |
| 35% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 40% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 1 | 0.6% | 2 | 1.3% | 3 | 1.0% |
| 45% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 1 | 0.6% | 1 | 0.6% | 2 | 0.6% |
| 50% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 8 | 5.1% | 8 | 5.1% | 16 | 5.1% |
| 55% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 1 | 0.6% | 2 | 1.3% | 3 | 1.0% |
| 60% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 2 | 1.3% | 1 | 0.6% | 3 | 1.0% |
| 65% | 3 | 3.8% | 0 | 0.0% | 3 | 1.9% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 4 | 2.6% | 1 | 0.6% | 5 | 1.6% |
| 70% | 1 | 1.3% | 4 | 5.1% | 5 | 3.2% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 5 | 3.2% | 8 | 5.1% | 13 | 4.2% |
| 75% | 1 | 1.3% | 4 | 5.1% | 5 | 3.2% | 0 | 0.0% | 4 | 5.1% | 4 | 2.6% | 1 | 0.6% | 8 | 5.1% | 9 | 2.9% |
| 80% | 6 | 7.7% | 8 | 10.3% | 14 | 9.0% | 9 | 11.5% | 8 | 10.3% | 17 | 10.9% | 15 | 9.6% | 16 | 10.3% | 31 | 9.9% |
| 85% | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 2 | 2.6% | 6 | 7.7% | 8 | 5.1% | 4 | 2.6% | 8 | 5.1% | 12 | 3.8% |
| 90% | 8 | 10.3% | 8 | 10.3% | 16 | 10.3% | 6 | 7.7% | 8 | 10.3% | 14 | 9.0% | 14 | 9.0% | 16 | 10.3% | 30 | 9.6% |
| 95% | 8 | 10.3% | 9 | 11.5% | 17 | 10.9% | 5 | 6.4% | 3 | 3.8% | 8 | 5.1% | 13 | 8.3% | 12 | 7.7% | 25 | 8.0% |
| 100% | 32 | 41.0% | 31 | 39.7% | 63 | 40.4% | 29 | 37.2% | 20 | 25.6% | 49 | 31.4% | 61 | 39.1% | 51 | 32.7% | 112 | 35.9% |




図 23 この4週間に通常発揮できた生産性

表 14 ウイルス性肝炎の症状や受診などによるこの4週間の病欠勤状況

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|-----|------|-------|----|-------|-----|-------|------|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 0日 | 71 | 91.0% | 70 | 89.7% | 141 | 90.4% | 67 | 85.9% | 74 | 94.9% | 141 | 90.4% | 138 | 88.5% | 144 | 92.3% | 282 | 90.4% |
| 1日 | 4 | 5.1% | 2 | 2.6% | 6 | 3.8% | 4 | 5.1% | 2 | 2.6% | 6 | 3.8% | 8 | 5.1% | 4 | 2.6% | 12 | 3.8% |
| 2日 | 2 | 2.6% | 4 | 5.1% | 6 | 3.8% | 3 | 3.8% | 1 | 1.3% | 4 | 2.6% | 5 | 3.2% | 5 | 3.2% | 10 | 3.2% |
| 3日 | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 0.6% | 1 | 0.6% | 2 | 0.6% |
| 4日 | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 2 | 1.3% | 1 | 0.6% | 3 | 1.0% |
| 5日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 0.6% | 0 | 0.0% | 1 | 0.3% |
| 6日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 7日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 8日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 9日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 10日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 0.6% | 0 | 0.0% | 1 | 0.3% |
| 11日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 12日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 13日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 14日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 15日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 16日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 17日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 18日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 19日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 20日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 21日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 22日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 23日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 24日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 25日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 26日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 27日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 28日 | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.6% | 1 | 0.3% |




図 24 ウイルス性肝炎の症状や受診などによるこの4週間の病欠欠勤状況

表 15 ウイルス性肝炎の症状や受診などによるこの4週間の早退状況

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|-----|------|-------|----|-------|-----|-------|------|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 0日 | 73 | 93.6% | 75 | 96.2% | 148 | 94.9% | 75 | 96.2% | 74 | 94.9% | 149 | 95.5% | 148 | 94.9% | 149 | 95.5% | 297 | 95.2% |
| 1日 | 4 | 5.1% | 1 | 1.3% | 5 | 3.2% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 5 | 3.2% | 3 | 1.9% | 8 | 2.6% |
| 2日 | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 0.6% | 1 | 0.6% | 2 | 0.6% |
| 3日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 4日 | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 1 | 0.6% | 1 | 0.6% | 2 | 0.6% |
| 5日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 6日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 1 | 0.6% | 1 | 0.6% | 2 | 0.6% |
| 7日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 8日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 9日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 10日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 11日 | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.6% | 1 | 0.3% |
| 12日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 13日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 14日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 15日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 16日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 17日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 18日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 19日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 20日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 21日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 22日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 23日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 24日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 25日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 26日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 27日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 28日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |




図 25 ウイルス性肝炎の症状や受診などによるこの4週間の早退状況

表 16 ウイルス性肝炎の症状や受診などによるこの4週間の遅刻状況

| 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|-----|------|-------|----|--------|-----|-------|------|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 0日 | 77 | 98.7% | 78 | 100.0% | 155 | 99.4% | 75 | 96.2% | 75 | 96.2% | 150 | 96.2% | 152 | 97.4% | 153 | 98.1% | 305 | 97.8% |
| 1日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 2 | 1.3% | 2 | 1.3% | 4 | 1.3% |
| 2日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 1 | 0.6% | 0 | 0.0% | 1 | 0.6% | 1 | 0.3% |
| 3日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 4日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 1 | 0.6% | 0 | 0.0% | 1 | 0.3% |
| 5日 | 1 | 1.3% | 0 | 0.0% | 1 | 0.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.6% | 0 | 0.0% | 1 | 0.3% |
| 6日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 7日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 8日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 9日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 10日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 11日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 12日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 13日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 14日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 15日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 16日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 17日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 18日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 19日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 20日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 21日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 22日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 23日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 24日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 25日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 26日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 27日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 28日 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |




図 26 ウイルス性肝炎の症状や受診などによるこの4週間の遅刻状況

表 17 職業性のストレス

| | 選択肢 | B型肝炎 | | | | | | C型肝炎 | | | | | | 合計 | | | | | |
|---|------------|------|-------|----|-------|----|-------|------|-------|----|-------|----|-------|----|-------|----|-------|-----|-------|
| | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | | 男 | | 女 | | 合計 | |
| | | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % | 人 | % |
| 1 他の人に感染させてしまうのではないかと不安である | 1 非常にそう思う | 5 | 6.4% | 5 | 6.4% | 10 | 6.4% | 3 | 3.8% | 7 | 9.0% | 10 | 6.4% | 8 | 5.1% | 12 | 7.7% | 20 | 6.4% |
| | 2 そう思う | 19 | 24.4% | 23 | 29.5% | 42 | 26.9% | 13 | 16.7% | 19 | 24.4% | 32 | 20.5% | 32 | 20.5% | 42 | 26.9% | 74 | 23.7% |
| | 3 そう思わない | 32 | 41.0% | 25 | 32.1% | 57 | 36.5% | 30 | 38.5% | 28 | 35.9% | 58 | 37.2% | 62 | 39.7% | 53 | 34.0% | 115 | 36.9% |
| | 4 全くそう思わない | 18 | 23.1% | 23 | 29.5% | 41 | 26.3% | 30 | 38.5% | 21 | 26.9% | 51 | 32.7% | 48 | 30.8% | 44 | 28.2% | 92 | 29.5% |
| | 5 わからない | 4 | 5.1% | 2 | 2.6% | 6 | 3.8% | 2 | 2.6% | 3 | 3.8% | 5 | 3.2% | 6 | 3.8% | 5 | 3.2% | 11 | 3.5% |
| 2 自分の職場でウイルス性肝炎について差別や偏見があると感じる | 1 非常にそう思う | 2 | 2.6% | 3 | 3.8% | 5 | 3.2% | 2 | 2.6% | 3 | 3.8% | 5 | 3.2% | 4 | 2.6% | 6 | 3.8% | 10 | 3.2% |
| | 2 そう思う | 5 | 6.4% | 10 | 12.8% | 15 | 9.6% | 7 | 9.0% | 16 | 20.5% | 23 | 14.7% | 12 | 7.7% | 26 | 16.7% | 38 | 12.2% |
| | 3 そう思わない | 31 | 39.7% | 28 | 35.9% | 59 | 37.8% | 32 | 41.0% | 31 | 39.7% | 63 | 40.4% | 63 | 40.4% | 59 | 37.8% | 122 | 39.1% |
| | 4 全くそう思わない | 28 | 35.9% | 30 | 38.5% | 58 | 37.2% | 32 | 41.0% | 22 | 28.2% | 54 | 34.6% | 60 | 38.5% | 52 | 33.3% | 112 | 35.9% |
| | 5 わからない | 12 | 15.4% | 7 | 9.0% | 19 | 12.2% | 5 | 6.4% | 6 | 7.7% | 11 | 7.1% | 17 | 10.9% | 13 | 8.3% | 30 | 9.6% |
| 3 仕事を選ぶ際に、肝炎ウイルスに感染していることで職種の範囲が狭まる | 1 非常にそう思う | 4 | 5.1% | 2 | 2.6% | 6 | 3.8% | 3 | 3.8% | 1 | 1.3% | 4 | 2.6% | 7 | 4.5% | 3 | 1.9% | 10 | 3.2% |
| | 2 そう思う | 10 | 12.8% | 14 | 17.9% | 24 | 15.4% | 17 | 21.8% | 25 | 32.1% | 42 | 26.9% | 27 | 17.3% | 39 | 25.0% | 66 | 21.2% |
| | 3 そう思わない | 35 | 44.9% | 25 | 32.1% | 60 | 38.5% | 30 | 38.5% | 28 | 35.9% | 58 | 37.2% | 65 | 41.7% | 53 | 34.0% | 118 | 37.8% |
| | 4 全くそう思わない | 19 | 24.4% | 31 | 39.7% | 50 | 32.1% | 26 | 33.3% | 17 | 21.8% | 43 | 27.6% | 45 | 28.8% | 48 | 30.8% | 93 | 29.8% |
| | 5 わからない | 10 | 12.8% | 6 | 7.7% | 16 | 10.3% | 2 | 2.6% | 7 | 9.0% | 9 | 5.8% | 12 | 7.7% | 13 | 8.3% | 25 | 8.0% |
| 4 肝炎ウイルスに感染しているため、就職(再就職、転職)がうまくいかない | 1 非常にそう思う | 2 | 2.6% | 0 | 0.0% | 2 | 1.3% | 1 | 1.3% | 1 | 1.3% | 2 | 1.3% | 3 | 1.9% | 1 | 0.6% | 4 | 1.3% |
| | 2 そう思う | 6 | 7.7% | 11 | 14.1% | 17 | 10.9% | 13 | 16.7% | 13 | 16.7% | 26 | 16.7% | 19 | 12.2% | 24 | 15.4% | 43 | 13.8% |
| | 3 そう思わない | 30 | 38.5% | 25 | 32.1% | 55 | 35.3% | 29 | 37.2% | 33 | 42.3% | 62 | 39.7% | 59 | 37.8% | 58 | 37.2% | 117 | 37.5% |
| | 4 全くそう思わない | 29 | 37.2% | 37 | 47.4% | 66 | 42.3% | 31 | 39.7% | 26 | 33.3% | 57 | 36.5% | 60 | 38.5% | 63 | 40.4% | 123 | 39.4% |
| | 5 わからない | 11 | 14.1% | 5 | 6.4% | 16 | 10.3% | 4 | 5.1% | 5 | 6.4% | 9 | 5.8% | 15 | 9.6% | 10 | 6.4% | 25 | 8.0% |
| 5 職場の健康診断によって、ウイルス性肝炎であることを職場の人に知られるかもしれないと不安である | 1 非常にそう思う | 2 | 2.6% | 5 | 6.4% | 7 | 4.5% | 1 | 1.3% | 4 | 5.1% | 5 | 3.2% | 3 | 1.9% | 9 | 5.8% | 12 | 3.8% |
| | 2 そう思う | 11 | 14.1% | 12 | 15.4% | 23 | 14.7% | 10 | 12.8% | 21 | 26.9% | 31 | 19.9% | 21 | 13.5% | 33 | 21.2% | 54 | 17.3% |
| | 3 そう思わない | 28 | 35.9% | 28 | 35.9% | 56 | 35.9% | 23 | 29.5% | 23 | 29.5% | 46 | 29.5% | 51 | 32.7% | 51 | 32.7% | 102 | 32.7% |
| | 4 全くそう思わない | 31 | 39.7% | 31 | 39.7% | 62 | 39.7% | 41 | 52.6% | 27 | 34.6% | 68 | 43.6% | 72 | 46.2% | 58 | 37.2% | 130 | 41.7% |
| | 5 わからない | 6 | 7.7% | 2 | 2.6% | 8 | 5.1% | 3 | 3.8% | 3 | 3.8% | 6 | 3.8% | 9 | 5.8% | 5 | 3.2% | 14 | 4.5% |
| 6 産業医などの健康管理担当者に相談した場合、ウイルス性肝炎であることを職場の人に知られるかもしれないと不安である | 1 非常にそう思う | 3 | 3.8% | 6 | 7.7% | 9 | 5.8% | 0 | 0.0% | 3 | 3.8% | 3 | 1.9% | 3 | 1.9% | 9 | 5.8% | 12 | 3.8% |
| | 2 そう思う | 9 | 11.5% | 13 | 16.7% | 22 | 14.1% | 7 | 9.0% | 14 | 17.9% | 21 | 13.5% | 16 | 10.3% | 27 | 17.3% | 43 | 13.8% |
| | 3 そう思わない | 30 | 38.5% | 25 | 32.1% | 55 | 35.3% | 27 | 34.6% | 28 | 35.9% | 55 | 35.3% | 57 | 36.5% | 53 | 34.0% | 110 | 35.3% |
| | 4 全くそう思わない | 32 | 41.0% | 30 | 38.5% | 62 | 39.7% | 40 | 51.3% | 29 | 37.2% | 69 | 44.2% | 72 | 46.2% | 59 | 37.8% | 131 | 42.0% |
| | 5 わからない | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 8 | 5.1% | 8 | 5.1% | 16 | 5.1% |
| 7 ウイルス性肝炎であることを開示することによって、異動や配置換えをされるかもしれない | 1 非常にそう思う | 2 | 2.6% | 2 | 2.6% | 4 | 2.6% | 1 | 1.3% | 2 | 2.6% | 3 | 1.9% | 3 | 1.9% | 4 | 2.6% | 7 | 2.2% |
| | 2 そう思う | 6 | 7.7% | 11 | 14.1% | 17 | 10.9% | 5 | 6.4% | 19 | 24.4% | 24 | 15.4% | 11 | 7.1% | 30 | 19.2% | 41 | 13.1% |
| | 3 そう思わない | 32 | 41.0% | 23 | 29.5% | 55 | 35.3% | 33 | 42.3% | 25 | 32.1% | 58 | 37.2% | 65 | 41.7% | 48 | 30.8% | 113 | 36.2% |
| | 4 全くそう思わない | 28 | 35.9% | 30 | 38.5% | 58 | 37.2% | 35 | 44.9% | 28 | 35.9% | 63 | 40.4% | 63 | 40.4% | 58 | 37.2% | 121 | 38.8% |
| | 5 わからない | 10 | 12.8% | 12 | 15.4% | 22 | 14.1% | 4 | 5.1% | 4 | 5.1% | 8 | 5.1% | 14 | 9.0% | 16 | 10.3% | 30 | 9.6% |
| 8 治療により仕事を継続することに支障がある | 1 非常にそう思う | 0 | 0.0% | 2 | 2.6% | 2 | 1.3% | 5 | 6.4% | 6 | 7.7% | 11 | 7.1% | 5 | 3.2% | 8 | 5.1% | 13 | 4.2% |
| | 2 そう思う | 11 | 14.1% | 13 | 16.7% | 24 | 15.4% | 16 | 20.5% | 21 | 26.9% | 37 | 23.7% | 27 | 17.3% | 34 | 21.8% | 61 | 19.6% |
| | 3 そう思わない | 34 | 43.6% | 22 | 28.2% | 56 | 35.9% | 30 | 38.5% | 22 | 28.2% | 52 | 33.3% | 64 | 41.0% | 44 | 28.2% | 108 | 34.6% |
| | 4 全くそう思わない | 26 | 33.3% | 30 | 38.5% | 56 | 35.9% | 24 | 30.8% | 23 | 29.5% | 47 | 30.1% | 50 | 32.1% | 53 | 34.0% | 103 | 33.0% |
| | 5 わからない | 7 | 9.0% | 11 | 14.1% | 18 | 11.5% | 3 | 3.8% | 6 | 7.7% | 9 | 5.8% | 10 | 6.4% | 17 | 10.9% | 27 | 8.7% |




図 27 「他の人に感染させてしまうのではないかと不安である」




図 28 「自分の職場でウイルス性肝炎について差別や偏見があると感じる」