

研究成果の刊行に関する一覧表

書籍

平成23年度

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|--|---|--------------------|--|------------------------------|-----------------|------|---------|
| Beata Shiratori, Hiroaki Saitoh, Siddiqi Umme-Ruman, Jingge Zhao, Haorile Chagan-Yasutan, Motoki Usuzawa, Chie Nakajima, Yasuhiko Suzuki & Toshio Hattori. | Immunological Diagnosis of Active and Latent TB | Pere-Joan Cardona | <i>Mycobacterium Tuberculosis/Book1</i> | Intech | Rijeka, Croatia | 2012 | 353-378 |
| Fukumoto M, Yamamoto Y | Long incubation period of cancer induced by internal exposure is attributed to the uneven distribution of deposited radionuclides at the microscopic level. | Nakashima M et al. | <i>New Challenge of Radiation Health Risk Management</i> | Nagasaki Newspaper Publisher | | 2012 | 161-7 |
| 福本 学 | 放射線被ばくによる発癌：特に内部被ばく発癌機構。 | 日本臨床分子形態学会 | 病気の分子形態学 | 学際企画 | | 2011 | 33-6 |
| 桑原義和, 福本 学, 中山健太郎 | ゲノムインプリンティングと卵巣腫瘍。 | 森 嵩英 | 卵子学 | 京都大学学術出版会 | | 2011 | 1104-18 |
| | | | | | | | |

平成25年度

| 著者氏名 | 論文タイトル名 | 書籍全体の 編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------------------------------|---|---------------|--------------|------------------------------|-----|------|------------------------------|
| 一瀬休生、 Ichinose, et al. | コレラ、特集・世 界に広がるトロピ カルディジェー ズ、 Operations at Biosafety Level III: The P3 Laboratory Institute of Tropical Medicine, | | 化学療法の領 域、 | 医薬ジャ ーナル社 iConcept | | 2013 | Vol.29, No.8, pp.70-79 |

雑誌
平成23年度

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------------------|---|---------|------|
| Siddiqi UR, Punp unich W, Chuchos ttaworn C, Jindak ul S, Ashino Y, Saitoh H, Okada M, Chotpittayasun ondh T, Hattori T. | Elevated anti-tuberculo s glycolipid antibody ti tres in healthy adults a nd tuberculosis patients in Thailand. | <i>Int J Tuberc Lung Dis.</i> | 16(4), | 532-538 | 2012 |
| Umme Ruman Si ddiqi, Prisca Susa n A. Leano, Haor ile Yasutan Chags an, Beata Shirator i, Hiroki Saitoh, Yugo Ashino, Ya suhiko Suzuki, T oshio Hattori and Elizabeth Telan. | Frequent detection of a nti-tubercular-glycolipid IgG and IgA antibodye s in the healthcare wor kers with latent tubercu losis infection in the P hilippines. | <i>Clin Dep Imm unol,</i> | In press (doi:10.1155 /2012/61070 7) | | |

| | | | | | |
|--|---|--|-------------|-----------|-------|
| Beata Shiratori, Jing Zhang, Osamu Usami, Haorile Chagan-Yasutan, Yasuhiko Suzuki, Chie Nakajima, Toshimitsu Uede, Toshio Hattori. | Quinolone-induced up-regulation of osteopontin gene promoter activity in human lung epithelial cell line A549. | <i>Antimicrobial Agents and Chemotherapy</i> | e-pub 12Mar | | 2012. |
| Hang'ombe M B, Nakajima C, Ishii A, Fukushima Y, Munyeme M, Matandiko W, Mweene A S, Suzuki Y | Rapid detection of Mycobacterium tuberculosis complex in Cattle and Lechwe (<i>Kobus leche kafuensis</i>) | <i>Vet. Sci. Dev.</i> | 1 | E5 | 2011 |
| Kim H, Nakajima C, Yokoyama K, Rahim Z, Kim Y-U, Oguri H, Suzuki Y | Impact of the E540V amino acid substitution in GyrB of Mycobacterium tuberculosis on Quinolone Resistance. | <i>Antimicrob. Agents Chemother.</i> | 55 | 3661-3667 | 2011 |
| Kim H, Nakajima C, Kim Y-U, Yokoyama K, Suzuki Y | Influence of lineage specific amino acid dimorphism in GyrA on the fluoroquinolone resistance of Mycobacterium | <i>Jpn. J. Infect. Dis.</i> | 65 | 72-74 | 2012 |
| Yokoyama K, Kim H, Mukai T, Matsuoka M, Nakajima C, Suzuki Y | Amino acid substitutions at position 95 in GyrA can add fluoroquinolone resistance to | <i>Antimicrob. Agents Chemother.</i> | 56 | 697-702 | 2012 |
| Ndembi N, Iwamoto S, Ngansop C, Lemey P, Abimiku A, Mbanya D, Kapteue L, Ido E. | High frequency of HIV-1 dual infections in Cameroon, West Central Africa. | <i>J Acquir Immune Defic Syndr</i> | 57(2) | e25-e27 | 2011 |
| Zhang W, Tong X, Nakasone T, Yue XT, Yamamoto N, Liu XY, Yang RG. | Activity of superior interferon gamma against HIV-1 in severe combined immunodeficient mice reconstituted with human peripheral blood leukocytes. | <i>Chin Med J</i> | 123 | 396-400 | 2011 |

| | | | | | |
|--|--|-------------------------------------|-----------|---------|------|
| Takahara Y, Matsuo S, Kuwano T, Tsukamoto T, Yamamoto H, Ishii H, Nakasone T, Takeda A, Inoue M, Iida A, Hara H, Shuto T, Hasegawa M, Sakawaki H, Horiike M, Miura T, Igarashi T, Naruse TK, Kimura A, Matano T. | Dominant induction of vaccine antigen-specific cytotoxic T lymphocyte responses after simian immunodeficiency virus challenge. | <i>Biochem Biophys Res Commun.</i> | 408 | 615-619 | 2011 |
| Hoffmann D, Garcia A, Harrigan R, Johnston I, Nakasone N, Garcia-Lerma JG, Heine W. | Measuring Enzymatic HIV-1 Susceptibility to Two Reverse Transcriptase Inhibitors as a Rapid and Simple Approach to HIV-1 Drug-Resistance Testing. | <i>PLoS ONE</i> | 6 | e22019 | 2011 |
| Shimura T, Kaku S, Ochiai Y et al. | Targeting the AKT/GSK3 β /cyclin D1/Cdk4 survival signaling pathways for eradication of tumor radioresistance acquired by fractionated radiotherapy. | <i>Int J Radiat Oncol Biol Phys</i> | 80(2) | 540-8 | 2011 |
| Kuwahara Y, Oikawa T, Ochiai Y et al. | Enhancement of autophagy is a potential modality for tumors refractory to radiotherapy. | <i>Cell Death Dis</i> | 2 | 177 | 2011 |
| Chagan-Yasutan H, Tsukasaki K, Takahashi Y et al. | Involvement of osteopontin and its signaling molecule CD44 in clinical pathological features of adult T cell leukemia. | <i>Leukemia Res</i> | 35(11) | 1484-90 | 2011 |
| Uyama A, Kondoh T, Nariyama N et al. | A narrow microbeam is more effective for tumor growth suppression than a wide microbeam: an in vivo study using implanted human glioma cells. | <i>J Synchrotron Radiat</i> | 18 (Pt 4) | 671-8 | 2011 |

| | | | | | |
|---|--|-------------------------------|-------|---------------------|------|
| Usui M, Yamaguchi S, Tanji Y | Atf6 α -null mice are glucose intolerant due to pancreatic β -cell failure on a high-fat diet but partially resistant to diet-induced insulin resistance. | <i>Metabolism</i> | Mar 2 | Epub ahead of print | 2012 |
| Matsuda Y, Ichida T, Fukumoto M | Hepatocellular carcinoma and liver transplantation: clinical perspective on molecular targeted strategies. | <i>Med Mol Morphol</i> | 44(3) | 117-24 | 2011 |
| Matsuda Y, Fukumoto M | Sorafenib: complexities of Raf-dependent and Raf-independent signaling are now unveiled. | <i>Med Mol Morphol</i> | 44(4) | 183-9 | 2011 |
| Atsuko Hachiya, Eiichi N. Kodama, Matthew M. Schuckmann, Karen A. Kirby, Eleftherios Michailidis, Yasuko Sakagami, Shinichi Oka, Kamalendra Singh, Stefan G. Sarafianos | K70Q adds high-level tenofovir resistance to "Q151M complex" HIV reverse transcriptase through the enhanced discrimination mechanism | <i>PLoS One</i> | 6 | e16242 | 2011 |
| Tanyaradzwa P. Ndongwe, Adeyemi O. Adedeji, Eleftherios Michailidis, Yee Tsuey Ong, Atsuko Hachiya, Bruno Marchand, Emily M. Ryan, Devendra K. Rai, Karen A. Kirby, Angela S. Whitley, Donald H. Burke, Marc Johnson, Shilei Ding, Yi-Min Zheng, Shan-Lu Liu, Ei-Ichi Kodama, Krista A. Delviks-Franckenberg, Vinay K. Pathak, Hiroaki Mitsuya, Michael A | Parniak, Kamalendra Singh, Stefan G. Sarafianos. Biochemical, inhibition, and inhibitor resistance studies of xenotropic murine leukemia virus-related virus reverse transcriptase | <i>Nucleic Acids Research</i> | 40 | 345-349 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|--|-------------|-----------------------|-----------|
| Siddiqi UR, Leano SA, Chagan-Yasutan H, Shiratori B, Saitoh H, Ashino Y, Suzuki Y, Hattori T and Telan E. | Frequent detection of anti-tubercular-glycolipid IgG and IgA antibodies in the healthcare workers with latent tuberculosis infection in the Philippines. | Clin Dev Immunol | | 610707,10pages | Epub 2012 |
| Siddiqi UR, Punpunich W, Chuchottaworn C, Jindakul S, Ashino Y, Saitoh H, Okada M, Chotpittayasunon dh T, Hattori T. | Elevated anti-tuberculous glycolipid antibody titres in healthy adults and tuberculosis patients in Thailand. | Int J Tuberc Lung Dis. | 2012 Feb 8. | [Epub ahead of print] | Epub 2012 |
| Shiratori B, Zhang J, Usami O, Chagan-Yasutan H, Suzuki Y, Nakajima C, Ueda T, and Hattori T. | Quinolone-induced up-regulation of osteopontin gene promoter activity in human lung epithelial cell line A549. | Antimicrobial Agents and Chemotherapy. | 56(6): | 2868-72. | 2012 |

| | | | | | |
|--|---|-----------------------------|---------|-----------|------|
| Siddiqi UR, Chagan-Yasutan H, Nakajima C, Saitoh H, Ashino Y, Usami O, Shiratori B, Usuzawa M, Suzuki Y and Hattori T. | Distinct clinical features in Nontuberculous mycobacterial disease with or without latent tuberculosis and infection. | Tohoku J. Exp. Med | 226(4) | :313-9. | 2012 |
| Li X, Qian H, Miyamoto F, Naito T, Kawaji K, Kajiwara K, Hattori T, Matsuoka M, Watanabe K, Oishi S, Fujii N, Kodama EN. | A simple, rapid, and sensitive system for the evaluation of anti-viral drugs in rats. | Biochem Biophys Res Commun. | 424(2) | : 257-61 | 2012 |
| Saitoh H, Chagan-Yasutan H, Ashino Y, Niki T, Hirashima M & Hattori T, | Rapid Decrease of Plasma Galectin-9 Levels in Patients with Acute HIV Infection after Therapy | Tohoku J. Exp. Med. | ;228(2) | : 157-61. | 2012 |
| Oonizu S, Arikawa T, Niki T, Kadowaki T, Ueno M, Nishi N, Yamauchi A, Hattori T, Masaki T and Hirashima M. | Cell Surface Galectin-9 Expressing Th Cells Regulate Th17 and Foxp3+ Treg Development by Galectin-9 Secretion. | PlosOne | 7(11) | : e48574 | 2012 |

| | | | | | |
|---|--|--------------------------------|---------|---------|----------|
| Usami O, Saitoh H, Ashino Y, Hattori T. | Acyclovir reduces the duration of fever in patients with infectious mononucleosis-like illness. | Tohoku J Exp Med. | 229(2): | 137-42. | 2013 |
| Chie Nakajima, Aki Tamaru, Zeaur Rahim, Ajay Poudel, Bhagwan Maharjan, Khin Aye, Hong Ling, Toshio Hattori, Tomotada Iwamoto, Yukari Fukushima, Haruka Suzuki, Yasuhiko Suzuki, and Takashi Matsuba | A simple multiplex PCR for the identification of Beijing family of Mycobacterium tuberculosis with a lineage-specific mutation in Rv0679c" | J Clin Microbiol. | | | in press |
| Poudel A, Maharjan B, Nakajima C, Fukushima Y, Pandey BD, Beneke A, Suzuki Y | Characterization of extensively drug-resistant <i>Mycobacterium tuberculosis</i> in Nepal | <i>Tuberculosis</i> | 93卷1号 | 84-88 | 2013 |
| Hang'ombe BM, Munyeme M, Nakajima C, Fukushima Y, Suzuki H, Matandiko M, Ishii A, Mweene AS, Suzuki Y | <i>Mycobacterium bovis</i> infection at the interface between domestic and wild animals in Zambia. | <i>BMC Veterinary Research</i> | 14卷8号 | 221 | 2012 |

| | | | | | |
|---|--|-------------------------------------|-------|---------------|------|
| Rahim Z, Nakajima C, Raqib R, Zaman K, Endtz HP, van der Zanden AGM, Suzuki Y | Molecular Mechanism of Rifampicin and Isoniazid Resistance in <i>M. tuberculosis</i> from Bangladesh. | <i>Tuberculosis</i> | 92卷6号 | 529-534 | 2012 |
| Poudel A, Nakajima C, Fukushima Y, Suzuki H, Pandey BD, Maharjan B, Suzuki Y | Molecular Characterization of Multidrug-Resista nt <i>Mycobacterium tuberculosis</i> Isolated in Nepal | Antimicrob. Agents Chemother. | 56卷6号 | 2831-283 6 | 2012 |
| Suzuki Y, Nakajima C, Tamaru A, Kim H, Matsuba T, Saito H | Sensitivities of ciprofloxacin-resis tant <i>Mycobacterium tuberculosis</i> clinical isolates to fluoroquinolones: Role of mutant DNA gyrase subunits in drug resistance. | Int. J. Antimicrob. Agents | 39卷5号 | 435-439 | 2012 |

| | | | | | |
|---|---|---|------------------|---------|------|
| Shingo Inoue, Ernest Wandera, Gabriel Miringu, Martin Bundi, Chika Narita, Salame Ashur, Allan Kwallah, Amina Galata, Mwajuma Abubakar, Sora Suka, Mohamed Shah, Mohamed Karama, Masahiro Horio, Masaaki Shimada and Yoshio Ichinose | The Naitm-Kemri P3 Laboratory in Kenya: Establishment, Features, Operation and Maintenance | Tropical Medicine and Health | Vol. 41 No. 1 | p.1-11 | 2013 |
| Akihiro Wada, Pooi-Fong Wong, Hironobu Hojo, Makoto Hasegawa, Akitoyo Ichinose, Rafael Llanes, Yoshinao Kubo, Masachika Senba, Yoshio Ichinose | Alarinate but not its alternative-splicing form, GALP (Galactosylated alanine-like peptide) has antimicrobial activity. | Biochemical and Biophysical Research Communications | Vol. 4 | | 2013 |
| Nakasone T, Murakami T, Yamamoto N. | Double oral administrations of emtricitabine/tenofovir prior to virus exposure protects against highly pathogenic SHIV infection in macaques. | Japanese Journal of Infectious Diseases | 65 | 345-349 | 2012 |

| | | | | | |
|--|--|--|---------|--------------------------|------|
| Nakasone T, Kurakawa S, Yamamoto M, Murakami T, Yamamoto N. | Single oral administration of the novel CXCR4 antagonist, KRH-3955, induces an efficient and long-lasting increase of white blood cell count in normal macaques, and prevents CD4 depletion in SIV-infected macaques: a preliminary study. | Medical Microbiology and Immunology | 2012 | 175-182 | 2012 |
| Y. Sasaki, K. Kakimoto, C. Dube, I. Sikazwe, C. Moyo, G. Syakant, K. Komada, S. Miyano, N. Ishikawa, K. Kita and I. Kai | Adherence to antiretroviral therapy (ART) during the early months of treatment in rural Zambia: influence of demographic characteristics and social surroundings of patients | Annals of Clinical Microbiology and Antimicrobials | 12 | 34 | 2012 |
| Shimura T, Nomura N, Oikawa T, Ochiai Y, Kakuda S, Kuwahara Y, Takai Y, Fukumoto M | Activation of the AKT/cyclin D1/Cdk4 survival signaling pathway in radioresistant cancer stem cells | Oncogenesis | 1 | e12; doi:10.1038/ocncsis | 2012 |
| Masuda T, Itoh K, Higashitsuji H, Higashitsuji H, Nakazawa N, Sakurai T, Liu Y, Tokuchi H, Fujita T, Zhao Y, Nishiyama H, Tanaka T, Fukumoto M, Ikawa M, Okabe M, Fujita J | Cold-inducible RNA-binding protein in (Cirp) interacts with Dyrk1b/Mirk and promotes proliferation of immature male germ cells in mice | Proc Natl Acad Sci U S A | 109(27) | 10885-9 | 2012 |

| | | | | | |
|---|--|----------------------------|--------|--|-------------|
| Fukuda T, Kino Y, Abe, Y, Yamashiro H, Kuwahara Y, Nihei H, Sano Y, Shimada A, Shimura T, Fukumoto M, Shinoda H, Obata Y, Saigusa S, Sekine t, Isogai E, Fukumoto M | Distribution of artificial radionuclides in abandoned cattle in the evacuation zone of the Fukushima Daiichi Nuclear Power Plant | PLOS ONE | 8(1) | e54312. doi:10.1371/journal.pone.0054312 | 2013 |
| Liu Y, Higashitsuji H, Higashitsuji Hi, Itoh K, Sakurai T, Koike K, Hirota K, Fukumoto M, Fujita J | Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing hypoxia-inducible factor-1 (HIF-1) and activating hypoxia-inducible factor-1 | Biochem Biophys Res Commun | 432(1) | 22-7, 2013. doi: 10.1016/j.bbrc | 2013.01.093 |
| 福本 学, 被災動物放射能評価グループ | 福島第一原子力発電所事故に伴う被災家畜の臓器別放射性セシウム濃度 | アイソトープニュース | No.696 | 10-3 | 2012 |
| 福本 学 | 被災動物における放射能と人との関わり | 畜産の研究 | 67(1) | 33-40 | 2013 |
| 福本 学, 被災動物線量評価グループ | 福島原発警戒区域内の家畜における放射性物質の動態 | 畜産システム研究会報 | 36 | 17-20 | 2013 |

平成 25 年度

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|---------------------|---------|---------|-------|
| 服部俊夫 | | | | | |
| Usami O, Saitoh H, Ashino Y, Hattori T: | Acyclovir reduces the duration of fever in patients with infectious | Tohoku J. Exp. Med. | 229(2): | 137-42, | 2013. |

| | | | | | |
|---|--|--------------------------|-----------|---------|-------|
| Izumi K, Kawaji K, Miyamoto F, Shimane K, Shimura K, Sakagami Y, Hattori T, Watanabe K, Oishi S, Fujii N, Matsuoka M, Kaku M, Sarafianos SG, Kodama EN: | Mechanism of resistance to S138A substituted enfuvirtide and its application to peptide design. | Int J Biochem Cell Biol. | J45(4): | 908-15, | 2013. |
| Shiratori Osamu, Hattori T, Yugo A. | A man from South Asia presenting with abdominal pain. | BMJ Case reports, | in press. | | |
| Chagan-Yasutani C, Ndhlovu LC, Lacuesta TL, Kubo T, Leano PS, Niki T, Oguma S, Morita K, Chew GM, Barbour JD, Telan EF, Hirashima M, Hattori T, Dinaano EM. | Galectin-9 plasma levels reflect adverse hematological and immunological features in acute dengue virus infection. | J. Clin. Vorol.. | 58; | 635-40, | 2013 |

| | | | | | |
|--|--|-------------------------|----------|--------------------|--------|
| Kadowaki T, Morishita A, Niki T, Hara J, Sato M, Tani J, Miyoshi H, Yoneyama H, Masaki T, Hattori T, Matsukawa A, Hirashima M. | Galectin-9 prolongs the survival of septic mice by expanding tim-3-expressing natural killer T cells and PDCA-1+ CD11c+ macrophages. | Crit Care. | 7(6): | Dec 9;1R284 epub | 2013 |
| 服部 俊夫 | POEM 症候群 ~ 発見の経緯から最近の話題まで ~ | 血液フロンティア | 23 巻 6 号 | 844(110)-849 (115) | (2013) |
| 服部俊夫、ホルロ | オステオポンチンは成人 T 細胞白血病リンパ腫 (ATL) の予後因子である | 医学のあゆみ | 印刷中 | | |
| 鈴木定彦 | | | | | |
| Phetsuksiri B, Rudeeaneksin J, Srisungngam S, Bunchoo S, Roienthong D, Mukai T, Nakajima C, Hamada S, Suzuki Y. | Applicability of in-house loop-mediated isothermal amplification for rapid identification of <i>Mycobacterium tuberculosis</i> complex grown on solid media. | <i>Jpn J Infect Dis</i> | 66巻3号 | 249-251 | 2013 |
| Nakajima C, Tamaru A, Rahim Z, Poudel A, Maharjan B, Aye KS, Ling H, Hattori T, Iwamoto T, Fukushima Y, Suzuki H, Suzuki Y, Matsuba T. | A simple multiplex PCR for the identification of Beijing family of <i>Mycobacterium tuberculosis</i> with a lineage-specific mutation in <i>Rv0679c</i> . | <i>J Clin Microbiol</i> | 51巻7号 | 2025-2032 | 2013 |

| | | | | | |
|--|--|---|-----------------|-----------|------|
| 山岡昇司 | | | | | |
| Nii-Trebi NI, Ibe S, Barnor JS, Ishikawa K, Brandful JA, Ofori SB, Yamaoka S, Ampofo WK, Sugiura W | HIV-1 drug-resistance surveillance among treatment-experienced and -naïve patients after the implementation of | PLoS One | 8(8) | e71972 | 2013 |
| 井戸栄治、山岡昇司 | 東京医科歯科大学がガーナ大学野口医学研究所で展開している2つの感染症研究プロジェクト. | ウイルス | 63 (1) | 79-86 | 2013 |
| 一瀬休生 | | | | | |
| Akihiro Wada, Pooi-Fong Wong, Hironobu Hojo, Makoto Hasegawa, Akitoyo Ichinose, Rafael Llanes, Yoshinao, Kubo Masachika Senba, Yoshio Ichinose | Alarin but not its alternative-splicing form, GALP (Galanin-like peptide) has antimicrobial activity. | Biochemical and Biophysical Research Communications | | | 2013 |
| Sheru Wanyua, Morris Ndemwa, Kensuke Goto, Junichi Tanaka, James K'Opiyo, Silas Okumu, Paul Diela, Satoshi Kaneko, Mohamed Karama, Yoshio Ichinose and Masaaki Shimada | Profile: The Mbita Health and Demographic Surveillance System | International Journal of Epidemiology | 42 | 1678-1685 | 2013 |
| 一瀬休生 | ケニア教育研究拠点活動とウイルス感染症研究 | ウイルス学会雑誌 | 第 63 巻 第 1 号 | 75-78 | 2013 |

| | | | | | |
|--|--|------------------------------|---------|----------|------|
| 仲宗根正 | | | | | |
| 仲宗根正 | 国立感染症研究所における HIV 関連曝露事故対策 | 日本バイオセーフティ学会・JBSA Newsletter | 3 | 6-12 | 2013 |
| 垣本和宏 | | | | | |
| Nozaki I, Kuriyama M, Manyepa P, Zyambo MK, Kakimoto K, Bärnighausen T | False Beliefs About ART Effectiveness, Side Effects and the Consequences of Non-retention and Non-adherence Among ART Patients in Livingstone, Zambia. | AIDS Behav. | 17(1) | 122-126 | 2013 |
| 垣本和宏 | HIV/エイズとジェンダ | 目で見える | (53) | 12-14 | 2013 |
| | - | WHO | | | |
| 福本学 | | | | | |
| Shimura T, Ochiai Y, Noma N, Oikawa T, Sano Y, Fukumoto M. | Cyclin D1 overexpression perturbs DNA replication and induces replication-associated DNA double-strand breaks in acquired radioresistant cells. | Cell Cycle | 12(5): | 773-82, | 2013 |
| Shimura T, Fukumoto M, Kunugita N | The role of cyclin D1 in response to long-term exposure to ionizing radiation. | Cell Cycle | 12(17): | 2738-43, | 2013 |

| | | | | | |
|---|--|---------|----------|--------|------|
| Yamashiro H, Abe Y, Fukuda T, Kino Y, Kawaguchi I, Kuwahara Y, Fukumoto M, Takahashi S, Suzuki M, Kobayashi J, Uematsu E, Tong B, Yamada T, Yoshida S, Sato E, Shinoda H, Sekine T, Isogai E, Fukumoto M | Effects of radioactive caesium on bull testes after the Fukushima nuclear plant accident | Sci Rep | Oct 8;3 | 2850 | 2013 |
| Sakurai T, Kudo M, Watanabe T, Itoh K, Higashitsuji H, Arizumi T, Inoue T, Hagiwara S, Ueshima K, Nishida N, Fukumoto M, Fujita J | Hypothermia protects against fulminant hepatitis in mice by reducing reactive oxygen species production | Dig Di | 31(5-6): | 440-6, | 2013 |

| | | | | | |
|---|--|---------------|------------------------------|---------|------|
| Funaki T, Kon S, Tanabe K, Natsume W, Sato S, Shimizu T, Yoshida N, Wong WF, Ogura A, Ogawa T, Inoue K, Ogonuki N, Miki H, Mochida K, Endoh K, Yomogida K, Fukumoto M, Horai R, Iwakura Y, Ito C, Toshimori K, Watanabe T, Satake M | The Arf GAP SMAP2 is necessary for organized vesicle budding from the trans-Golgi network and subsequent acrosome formation in spermiogenesis. | Mol Biol Cell | 24(17): | 2633-44 | 2013 |
| Kuwahara Y, Mori M, Kitahara S, Fukumoto M, Ezaki T, Mori S, Echigo S, Ohkubo Y, Fukumoto M | Targeting of tumor endothelial cells combining 2 Gy/day of X-ray with Everolimus is the effective modality for overcoming clinically relevant | Cancer Med | doi: 10.1002/ca m4.185 | | 2014 |
| | | | | | |