

別添 5

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kagami H, Agata H, Inoue M, Asahina I, Tojo A, Yamashita N, Imai K.	The use of bone marrow stromal cells (bone marrow-derived multipotent mesenchymal stromal cells) for alveolar bone tissue engineering: basic science to clinical translation.	Tissue Eng. Part B.			In press
Matsuoka F, Takeuchi I, Agata H, Kagami H, Shiono H, Kiyota Y, Honda H, Kato R.	Characterization of time-course morphological features for efficient prediction of osteogenic potential in human mesenchymal stem cells.	Biotechnol Bioeng.		doi: 10.1002/bit.25189.	In press
He H, Nagamura-Inoue T, Tsunoda H, Yuzawa M, Yamamoto Y, Yorozu P, Tojo A.	Stage-Specific Embryonic Antigen 4 is not a marker for proliferation and pluripotency in Wharton's Jelly-derived mesenchymal stem cells.	Tissue Eng. Part A.	20(7-8)	1314-24	2014
Konuma T, Kato S, Oiwa-Monna M, Tojo A, Takahashi S.	Pretransplant hyperferritinemia has no effect on the outcome of myeloablative cord blood transplantation for acute leukemia and myelodysplastic syndrome.	Ann Hematol.	93(6)	1071-2	2014
Nagamura-Inoue T., He H.	Umbilical cord-derived mesenchymal stem cells: Their advantages and potential clinical utility,	World J Stem Cells	6	195-202	2014
Murata M, Nishida T, Taniguchi S, Ohashi K, Ogawa H, Fukuda T, Mori T, Kobayashi H, Nakaseko C, Yamagata N, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Suzuki R, Naoe T.	Allogeneic transplantation for primary myelofibrosis with BM, peripheral blood or umbilical cord blood: an analysis of the JSHCT.	Bone Marrow Transplant.	49	355-60	2014

Kanda J, Nakasone H, Atsuta Y, Toubai T, Yokoyama H, Fukuda T, Taniguchi S, Ohashi K, Ogawa H, Eto T, Miyamura K, Morishima Y, Nagamura-Inoue T, Sakamaki H, Murata M.	Risk factors and organ involvement of chronic GVHD in Japan.	Bone Marrow Transplant.	49	228-35	2014
Atsuta Y, Suzuki R, Yamashita T, Fukuda T, Miyamura K, Taniguchi S, Uchida T, Ikegame K, Takahashi S, Kato K, Kawa K, Nagamura-Inoue T, Morishima Y, Sakamaki H, Kodaera Y; Japan Society for Hematopoietic Cell Transplantation.	Continuing increased risk of oral/esophageal cancer after allogeneic hematopoietic stem cell transplantation in adults in association with chronic graft-versus-host disease.	Ann Oncol.	25	435-41	2014
Agata A, Sumita Y, Asahina I, Tojo A, Kagami H,	Ischemic culture of dental pulp-derived cells is a useful model in which to investigate mechanisms of post-ischemic tissue recovery.	Histol Histopathol.	Aug;28(8)	985-91	2013
Xia D, Sumita Y, Liu Y, Tai Y, Wang J, Uehara M, Agata H, Kagami H, Fan Z, Asahina I, Wang S, Tran SD.	GDFs promote tenogenic characteristics on human periodontal ligament-derived cells in culture at late passages.	Growth Factors.	5	165-73	2013
Matsuoka F, Takeuchi I, Agata H, Kagami H, Shiono H, Kiyota Y, Honda H, Kato R.	Morphology-based prediction of osteogenic differentiation potential of human mesenchymal stem cells.	PLoS One.	2013;8(2)	e55082.	2013

Yokoyama K, Yokoyama N, Izaawa K, Kotani A, Harashima A, Hozumi K, Tojo A.	<i>In vivo</i> leukemogenic potential of an interleukin-7 receptor- α mutant in hematopoietic stem/progenitor cells.	Blood.	22(26)	4259-63	2013
Konuma T, Kato S, Ooi J, Oiwa-Monna M, Ebihara Y, Mochizuki S, Yuji K, Ohno N, Kawamata T, Jo N, Yokoyama K, Uchiharu K, Tojo A, Takahashi S.	The effect of ABO blood group incompatibility on the outcome of single-unit cord blood transplantation following myeloablative conditioning.	Biol Blood Marrow Transplant.	20(4)	577-81	2013
Konuma T, Kato S, Ooi J, Oiwa-Monna M, Ebihara Y, Mochizuki S, Yuji K, Ohno N, Kawamata T, Jo N, Uchiharu K, Asano S, Tojo A, Takahashi S.	Single-unit cord blood transplantation following G-CSF-combined myeloablative conditioning for myeloid malignancies not in remission.	Biol Blood Marrow Transplant.	20(3)	396-401	2013
Tomokuni A, Eguchi H, Hoshino H, Dewi DL, Nishikawa S, Kano Y, Miyoshi N, Tojo A, Kobayashi S, Gotoh N, Hinohara K, Fusaki N, Saito T, Suemizu H, Wada H, Kobayashi S, Marubashi S, Tanemura M, Doki Y, Mori M, Ishii H, Nagano H.	Effect of <i>in vivo</i> administration of reprogramming factors in the mouse liver.	Oncol Lett.	6(2)	323-8	2013
Oshima Y, Yuji K, Tanimoto T, Hinomura Y, Tojo A.	An association between acute myelogenous leukemia and the thrombopoietin receptor agonist in immune thrombocytopenia patients.	Int Med.	52(19)	2193-2201	2013

Oshima Y, Tsukamoto H, Tojo A.	Association of hepatitis B with antirheumatic drugs: a case-control study.	Mod Rheumatol.	23(4)	694-704	2013
Okuyama K, Iikawa T, Harnprasopwat R, Lu J, Yamashita R, Hara D, Toyoshima T, Chanda B, Kawamata T, Yokoyama K, Gertner B, Wang S, Ando K, Lodish HF, Tojo A, Kawamoto H, Kotani A.	miR-126-mediated control of cell fate in B cell-myeloid progenitors as a potential alternative to transcriptional factors.	Proc Natl Acad Sci USA.	110(33)	13410-5	2013
Chen MH, Soda Y, Izawa K, Kobayashi S, Tani K, Maruyama K, Tojo A, Asano S.	A versatile drug delivery system using streptavidin-tagged pegylated liposomes and biotinylated biomaterials.	Int J Pharm.	454(1)	478-85	2013
Kobayashi S, Tian Y, Ohno N, Yuji K, Ishigaki T, Isobe M, Tsuda M, Oyaizu N, Watanabe E, Watanabe N, Tani K, Tojo A, Uchimaru K.	The CD3 versus CD7 plot in multicolor flow cytometry reflects progression of disease stage in patients infected with HTLV-I.	PLoS One.	8(1)	e53728	2013
Mae H, Ooi J, Takahashi S, Kato S, Kawakita T, Ebihara Y, Tsuchi K, Nagamura F, Echizen H, Tojo A.	Acute kidney injury after myeloablative cord blood transplantation in adults: the efficacy of strict monitoring of vancomycin serum trough concentrations.	Transplant Infect Dis.	15	181-6	2013
Morimoto A, Shimazaki C, Takahashi S, Yoshikawa K, Nishimura R, Wakita H, Kobayashi Y, Kanegane H, Tojo A, Imamura T, Imashuku S; Japan LCH Study Group.	Therapeutic outcome of multifocal Langerhans cell histiocytosis in adults treated with the Special C regimen formulated by the Japan LCH Study Group.	Int J Hematol.	97	103-8	2013

Ebihara Y, Take dani H, Ishige I, Nagamura-Inou e T Wakitani S, Tojo A, Tsuji K.	Feasibility of autolog ous bone marrow me senchymal stem cells cultured with autolo gous serum for treat ment of hemophilic arthropathy.	Hemophilia.	19	e87-9	2013
Kanamori H, Miz uta S, Kako S, Kato H, Nishiwa ki S, Imai K, Shi gematsu A, Naka amae H, Tanaka M, Ikegame K, Yujiri T, Fukuda T, Minagawa K, Eto T, Nagamur a-Inoue T, Moris hima Y, Suzuki R, Sakamaki H, Tanaka J.	Reduced-intensity allo genic stem cell trans plantation for patients aged 50 years or old er with B-cell ALL i n remission: a retrosp ective study by the A dult ALL Working Gr oup of the Japan Soci ety for Hematopoietic Cell Transplantation.	Bone Marrow Transplant.	48	1513-8,	2013
Murata M, Nakas one H, Kanda J, Nakane T, Furu kawa T, Fukuda T, Mori T, Tanig uchi S, Eto T, O hashi K, Hino M, Inoue M, Og awa H, Atsuta Y, <u>Nagamura-Ino</u> <u>ue T</u> , Yabe H, Morishima Y, S akamaki H, Suz uki R.	Clinical Factors Pre dicting the Respons e of Acute Graft-ve rsus-Host Disease t o Corticosteroid Th erapy: An Analysis from the GVHD Working Group of t he Japan Society fo r Hematopoietic Ce ll Transplantation.	Biol Blood M arrow Trans plant.	19	1183-9	2013
Kurosawa S, Yak ushijin K, Yama guchi T, Atsuta Y, <u>Nagamura-In</u> <u>oue T</u> , Akiyama H, Taniguchi S, Miyamura K, Takahashi S, E to T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Su zuki R, Morishi ma Y, Sakamaki H, Fukuda T.	Recent decrease in n on-relapse mortality due to GVHD and i nfection after allogene ic hematopoietic cel l transplantation in n on-remission acute le ukemia.	Bone Marrow Transplant.	48	1198-22	2013

Nakasone H, Kanda J, Yano S, Atsuta Y, Ago H, Fukuda T, Kakiyama K, Adachi T, Yujiri T, Taniguchi S, Taniguchi J, Morishima Y, Nagamura T, Sakamaki H, Mori T, Murata M.	A case-control study of bronchiolitis obliterans syndrome following allogeneic hematopoietic stem cell transplantation.; GVHD Working Group of the Japanese Society for Hematopoietic Cell Transplantation.	Transpl Int.	26	631-9	2013
Nakasone H, Kurosawa S, Yakuhi K, Taniguchi S, Murata M, Ikegame K, Kobayashi T, Eto T, Miyamura K, Sakamaki H, Morishima Y, Nagamura T, Suzuki R, Fukuda T.	Impact of hepatitis C virus infection on clinical outcome in recipients after allogeneic hematopoietic cell transplantation.	Am J Hematol.	88	144-6	2013
Atsuta Y, Kanda J, Takanashi M, Morishima Y, Taniguchi S, Takahashi S, Ogawa H, Onohashi K, Ohno Y, Onishi Y, Aotsuka N, Nagamura-Inoue T, Kato K, Kanda Y.	Different effects of HLA disparity on transplant outcomes after single-unit cord blood transplantation between pediatric and adult patients with leukemia.	Haematologica.	98	814-22	2013
Yamamoto S, Ebihara Y, Mochizuki S, Kawakita T, Kato S, Ooi J, Takahashi S, Tojo A, Yusan N, Furukawa Y, Oyaizu N, Watanabe J, Sato K, Kimura F, Tsuji K.	Quantitative PCR detection of CEP110-FGFR1 fusion gene in a patient with 8p11 syndrome (letter to the editor).	Leuk Lymphoma.	4(9)	2068-9	2013

Ishiyama K, Takami A, Kanda Y, Nakao S, Hidaka M, Maeda T, Naoe T, Taniguchi S, Kawa K, Nagamura T , Tabuchi K, Atsuta Y, Sakamaki H.	Prognostic factors for acute myeloid leukemia patients with t(6;9)(p23;q34) who underwent an allogeneic hematopoietic stem cell transplant.	Leukemia	26	1416-9	2013
Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T , Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T.	Changes in incidence and causes of non-relapse mortality after allogeneic hematopoietic cell transplantation in patients with acute leukemia/myelodysplastic syndrome: an analysis of the Japan Transplant Outcome Registry.	Bone Marrow Transplant.	48(4)	529-36	2013