

- Hashimoto A, Hara Y, Shimizu I, Zhu W, Toko H, Katada A, Akazawa H, Oka T, Lee JK, Minamino T, Nagai T, Walsh K, Kikuchi A, Matsumoto M, Botto M, Shiojima I, Komuro I. Complement C1q activates canonical Wnt signaling and promotes aging-related phenotypes. *Cell.* 149(6):1298–313, 2012.
- 10) Higuchi K, Nakaoka Y, Shioyama W, Arita Y, Hashimoto T, Yasui T, Ikeoka K, Kuroda T, Minami T, Nishida K, Fujio Y, Yamauchi-Takahara K, Shirai M, Mochizuki N, Komuro I. Endothelial Gab1 deletion accelerates angiotensin II-dependent vascular inflammation and atherosclerosis in apolipoprotein E knockout mice. *Circ J.* 76(8):2031–40, 2012.
- 11) Masuda D, Sugimoto T, Tsujii K, Inagaki M, Nakatani K, Yuasa-Kawase M, Tsubakio-Yamamoto K, Ohama T, Nishida M, Ishigami M, Kawamoto T, Matsuyama A, Sakai N, Komuro I, Yamashita S. Correlation of fasting serum apolipoprotein B-48 with coronary artery disease prevalence. *Eur J Clin Invest.* 42(9):992–9, 2012.
- 12) Oka T, Hikoso S, Yamaguchi O, Taneike M, Takeda T, Tamai T, Oyabu J, Murakawa T, Nakayama H, Nishida K, Akira S, Yamamoto A, Komuro I, Otsu K. Mitochondrial DNA that escapes from autophagy causes inflammation and heart failure. *Nature.* 485(7397):251–5, 2012.
- 13) Matsumoto S, Nakatani D, Sakata Y, Suna S, Shimizu M, Usami M, Hara M, Sumitsuji S, Nanto S, Sasaki T, Hamasaki T, Sato H, Hori M, Komuro I. on Behalf of the Osaka Acute Coronary Insufficiency Study (OACIS) Group. Elevated Serum Heart-Type Fatty Acid-Binding Protein in the Convalescent Stage Predicts Long-Term Outcome in Patients Surviving Acute Myocardial Infarction. *Circ J.* Dec 29, 2012.
- 14) Suna S, Sakata Y, Nakatani D, Okuda K, Shimizu M, Usami M, Matsumoto S, Hara M, Ozaki K, Mizuno H, Minamino T, Takashima S, Nishino M, Matsumura Y, Takeda H, Tanaka T, Sato H, Hori M, Komuro I. Decreased mortality associated with statin treatment in patients with acute myocardial infarction and lymphotoxin-alpha C804A polymorphism. *Atherosclerosis.* Jan 25, 2013.
- 15) Nakatani D, Sakata Y, Suna S, Usami M, Matsumoto S, Shimizu M, Hara M, Uematsu M, Fukunami M, Hamasaki T, Sato H, Hori M, Komuro I. Osaka Acute Coronary Insufficiency Study (OACIS) Investigators. Impact of Beta Blockade Therapy on Long-Term Mortality After ST-Segment Elevation Acute Myocardial Infarction in the Percutaneous Coronary Intervention Era. *Am J Cardiol.* 111(4):457–64, 2013.
- 16) Matsumoto S, Sakata Y, Suna S, Nakatani D, Usami M, Hara M, Kitamura T, Hamasaki T, Nanto S, Kawahara Y, Komuro I. Circulating p53-responsive microRNAs are predictive indicators of heart failure after acute myocardial infarction. *Circ Res.* 113:322–326, 2013
- 17) Sakamoto A, Ishizaka N, Imai Y, Ando J, Nagai R, Komuro I. Association of serum IgG4 and soluble interleukin-2 receptor levels with epicardial adipose tissue and

- coronary artery calcification. *Clin Chim Acta*. 2014 Jan 20;428:63–9
- 18) Oka T, Akazawa H, Naito AT, Komuro I. Angiogenesis and cardiac hypertrophy: maintenance of cardiac function and causative roles in heart failure. *Circ Res*. 2014 Jan 31;114(3):565–71
 - 19) Kojima T, Imai Y, Komuro I. Giant coronary arteriovenous fistula between left superior pulmonary vein and left atrial appendage. *Europace*. 2014 Jan;16(1):39.
 - 20) Takahashi T, Asano Y, Amiya E, Hatano M, Tamaki Z, Takata M, Ozeki A, Watanabe A, Kawasaki S, Taniguchi T, Ichimura Y, Toyama T, Watanabe M, Hirata Y, Nagai R, Komuro I, Sato S. Clinical correlation of brachial artery flow-mediated dilation in patients with systemic sclerosis. *Mod Rheumatol*. 2014 Jan;24(1):106–11.
 - 21) Nakayama A, Morita H, Miyata T, Hoshina K, Nagayama M, Takanashi S, Sumiyoshi T, Komuro I, Nagai R. Predictors of mortality after emergency or elective repair of abdominal aortic aneurysm in a Japanese population. *Heart Vessels*. 2014 Jan;29(1):65–70.
 - 22) Fujita D, Takahashi M, Doi K, Abe M, Tazaki J, Kiyosue A, Myojo M, Ando J, Fujita H, Noiri E, Sugaya T, Hirata Y, Komuro I. Response of urinary liver-type fatty acid-binding protein to contrast media administration has a potential to predict one-year renal outcome in patients with ischemic heart disease. *Heart Vessels*. 2014 Feb 20.
 - 23) Takata M, Amiya E, Watanabe M, Ozeki A, Watanabe A, Kawasaki S, Nakao T, Hosoya Y, Uno K, Saito A, Murasawa T, Ono M, Nagai R, Komuro I. Brachial artery diameter has a predictive value in the improvement of flow-mediated dilation after aortic valve replacement for aortic stenosis. *Heart Vessels*. 2014 Feb 5.
 - 24) Yamagata K, Goto Y, Nishimasu H, Morimoto J, Ishitani R, Dohmae N, Takeda N, Nagai R, Komuro I, Suga H, Nureki O. Structural basis for potent inhibition of SIRT2 deacetylase by a macrocyclic peptide inducing dynamic structural change. *Structure*. 2014 Feb 4;22(2):345–52.
 - 25) Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, Yamamoto M, Shinozaki T, Miyauchi K, Nagao K, Hirayama A, Yoshimura M, Komuro I, Nagai R, Daida H. Significance of imbalance in the ratio of serum n-3 to n-6 polyunsaturated fatty acids in patients with acute coronary syndrome. *Am J Cardiol*. 2014 Feb 1;113(3):441–5.
 - 26) Taniguchi T, Sakata Y, Ohtani T, Mizote I, Takeda Y, Asano Y, Masuda M, Minamiguchi H, Kanzaki M, Ichibori Y, Nishi H, Toda K, Sawa Y, Komuro I. Usefulness of transient elastography for noninvasive and reliable estimation of right-sided filling pressure in heart failure. *Am J Cardiol*. 2014 Feb 1;113(3):552–8.
 - 27) Tada Y, Ogawa M, Watanabe R, Zempo H, Takamura C, Suzuki J, Dan T, Miyata T, Isobe M, Komuro I. Neovascularization induced by hypoxia inducible transcription factor is associated with the improvement of cardiac dysfunction in experimental autoimmune myocarditis. *Expert Opin Investig Drugs*. 2014 Feb;23(2):149–62.
 - 28) Gong H, Yan Y, Fang B, Xue Y, Yin P, Li L, Zhang G, Sun X, Chen Z, Ma H, Yang C, Ding Y, Yong Y, Zhu Y, Yang H, Komuro I, Ge J, Zou Y. Knockdown of nucleosome assembly protein 1-like 1 induces mesoderm formation and cardiomyogenesis via Notch signaling in murine induced pluripotent stem cells. *Stem Cells*. 2014 Mar 19.
 - 29) Imamura T, Kinugawa K, Murasawa T, Kagami Y, Endo M, Muraoka H, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O,

- Nawata K, Kyo S, Komuro I, Ono M. Cardiac allograft vasculopathy can be distinguished from donor-transmitted coronary atherosclerosis by optical coherence tomography imaging in a heart transplantation recipient. *Int Heart J.* 2014 Mar 28;55(2):178–80
- 30) Imamura T, Kinugawa K, Minatsuki S, Muraoka H, Kato N, Inaba T, Maki H, Hatano M, Yao A, Komuro I. Urine sodium excretion after tolvaptan administration is dependent upon baseline serum sodium levels. *Int Heart J.* 2014 Mar 28;55(2):131–7.
- 31) Nakayama A, Morita H, Hamamatsu A, Miyata T, Hoshina K, Nagayama M, Takanashi S, Sumiyoshi T, Komuro I. Coronary atherosclerotic lesions in patients with a ruptured abdominal aortic aneurysm. *Heart Vessels.* 2014 Mar 7.
- 32) Hara H, Yamashita H, Nakayama A, Hosoya Y, Ando J, Iijima K, Hirata Y, Komuro I. A rare case of anomalous origin of the left anterior descending artery from the pulmonary artery. *Int J Cardiol.* 2014 Mar 1;172(1):e66–8.
- 33) Akemi Yoshida, Masanori Asakura, Hiroshi Asanuma, Akira Ishii, Takuya Hasegawa, Tetsuo Minamino, Seiji Takashima, Hideaki Kanzaki, Takashi Washio and Masafumi Kitakaze. Derivation of a mathematical expression for predicting the time to cardiac events in patients with heart failure: A retrospective clinical study. *Hypertension Res.* 36:450–456, 2013.
- 34) Akemi Yoshida, Hatsue Ishibashi-Ueda, Naoaki Yamada, Hideaki Kanzaki, Takuya Hasegawa, Hiroyuki Takahama, Makoto Amaki, Masanori Asakura and Masafumi Kitakaze. Direct comparison of the diagnostic capability of cardiovascular magnetic resonance and endomyocardial biopsy in patients with heart failure. *European Journal of Heart Failure.* 15:166–175, 2013.
- 35) Ayako Takahashi, Masanori Asakura, Shin Ito, Kyung-Duk Min, Kazuhiro Shindo, Yi Yan, Yulin Liao, Satoru Yamazaki, Shoji Sanada, Yoshihiro Asano, Hatsue Ishibashi-Ueda, Seiji Takashima, Tetsuo Minamino, Hiroshi Asanuma, Naoki Mochizuki and Masafumi Kitakaze. Dipeptidyl-peptidase IV inhibition improves pathophysiology of heart failure and increases survival rate in pressure-overloaded mice. *Am. J. Physiol.* 304(10):H1361–1369, 2013
- 36) Hiroyuki Takahama, Hirokazu Shigematsu, Tomohiro Asai, Takashi Matsuzaki, Shoji Sanada, Hai Ying Fu, Keiji Okuda, Masaki Yamato, Hiroshi Asanuma, Yoshihiro Asano, Masanori Asakura, Naoto Oku, Issei Komuro, Masafumi Kitakaze and Tetsuo Minamino. Liposomal amiodarone augments anti-arrhythmic effects and reduces hemodynamic adverse effects in an ischemia/reperfusion rat model. *Cardiovasc. Drugs Ther.* 27(2):125–132, 2013
- 37) Atsuhiko Sakamoto, Masafumi Kitakaze, Shinichi Takamoto, Akiyoshi Namiki, Hiroshi Kisanuki, Saichi Hosoda and the JL-Knight study group. Landiolol, an ultra-short acting beta1-blocker, more effectively terminates atrial fibrillation than diltiazem after open heart surgery: A prospective, multicenter, randomized, open-label study (JL-Knight study). *Circ J* 76(5):1097–1101, 2012.
- 38) Akemi Yoshida, Hiroshi Asanuma, Hideyuki Sasaki, Shoji Sanada, Satoru Yamazaki, Yoshihiro Asano, Yoshiro Shinozaki, Hidezo Mori, Masanori Asakura, Tetsuo Minamino, Seiji Takashima, Masaru Sugimachi, Naoki Mochizuki and Masafumi Kitakaze. H₂ mediates cardioprotection via involvements of KATP channels and permeability transition pores of mitochondria in dogs. *Cardiovasc. Drugs Ther.* 26(3):217–226, 2012.

- 39) Chun-Yen Chen, Masanori Asakura, Hiroshi Asanuma, Takuya Hasegawa, Jun Tanaka , Norihisa Toh, Kyung-Duk Min, Hideaki Kanzaki, Hiroyuki Takahama, Makoto Amaki, Yumi Itoh, Go Ichien, Yoko Okumoto, Toru Funahashi, Jiyoong Kim and Masafumi Kitakaze. Plasma adiponectin levels predict cardiovascular events in the observational arita cohort study in Japan — The importance of plasma adiponectin levels—. *Hypertension Res.* 35(8):843–848, 2012.
- 40) Chun-Yen Chen, Akemi Yoshida, Masanori Asakura, Takuya Hasegawa, Hiroyuki Takahama, Makoto Amaki, Akira Funada , Hiroshi Asanuma, Hiroyuki Yokoyama, Jiyoong Kim, Hideaki Kanzaki, and Masafumi Kitakaze. Serum blood urea nitrogen and plasma brain natriuretic peptide and low diastolic blood pressure predict cardiovascular morbidity and mortality following discharge in acute decompensated heart failure patients. *Circ J* 76(10):2372–2379, 2012.
- 41) Ryoichi Sohma, Teruo Inoue, Shichiro Abe, Isao Taguchi, Mikgaku Kikuchi, Shigeru Toyoda, Takuo Arikawa, Yutaka Hikichi, Shoji Sanada, Hiroshi Asanuma, Masafumi Kitakaze and Koichi Node. Cardioprotective effects of low-dose combination therapy with a statin and an angiotensin receptor blocker in a rat myocardial infarction model. *Journal of Cardiology.* 59:91–96, 2012.
- 42) Taka-aki Matsuyama, Hatsue Ishibashi-Ueda, Yoshihiko Ikeda, Kazuyuki Nagatsuka, Kotaro Miyashita, Makoto Amaki, Hideaki Kanzaki and Masafumi Kitakaze. Critical multi-organ emboli originating from collapsed, vulnerable caseous mitral annular calcification. *Pathology International* 62:496–499, 2012.
- 43) Yulin Liao, Jianping Bin, Tao Luo, Hui Zhao, Catherine Ledent, Masanori Asakura, Dingli Xu, Seiji Takashima and Masafumi Kitakaze. CB1 cannabinoid receptor deficiency promotes cardiac remodeling induced by pressure overload in mice. *Int J Cardiol.* (in press) 2012.
- 44) Kitakaze M (4人略). Safety and tolerability of once-daily controlled-release carvedilol 10–80mg in Japanese patients with chronic heart failure. *Circ J.* 76(3): 668–74.2012.
- 45) Sanada S, Kitakaze M, Komuro I. The less embraces the greater in detecting multiple coronary artery disease. *Circ J.* 76(2): 299–300. 2012.
- 46) Liu W (7人略) Yamazaki S (9人略) Kitakaze M (4人略). Identification of RNF213 as a susceptibility gene for moyamoya disease and its possible role in vascular development. *PLoS One.* 6(7): e22542. 2011.
- 47) Sanada S, Komuro I , Kitakaze M. Pathophysiology of myocardial reperfusion injury: preconditioning, postconditioning, and translational aspects of protective measures. *Am J Physiol Heart Circ Physiol.* 301(5): H1723–41. 2011.
- 48) Xuan W (6人略) Kitakaze M. Detrimental effect of fractalkine on myocardial ischaemia and heart failure. *Cardiovasc Res.* 192(3): 385–93. 2011.
- 49) Ohara T (9人略) Kitakaze M. Dynamic changes in plasma total and high molecular weight adiponectin levels in acute heart failure. *J Cardiol.* 58(2): 181–90. 2011.
- 50) Liao Y (8人略) Kitakaze M. Deficiency of type 1 cannabinoid receptors worsens acute heart failure induced by pressure overload in mice. *Eur Heart J.* in press. 2011.
- 51) Kamiya CA, Kitakaze M (5人略) . Different characteristics of peripartum cardiomyopathy between patients complicated with and without hypertensive disorders. –Results from the Japanese Nationwide survey of

- peripartum cardiomyopathy-. Circ J. 75(8): 1975–81. 2011.
- 52) Nakajima I (7人略) Kitakaze M. Pre- and post-operative risk factors associated with cerebrovascular accidents in patients supported by left ventricular assist device. -Single center's experience in japan-. Circ J. 75(5): 1138–46. 2011.
- 53) Sato T (12人略) Kitakaze M. Utility of left ventricular systolic torsion derived from 2-dimensional speckle-tracking echocardiography in monitoring acute cellular rejection in heart transplant recipients. J Heart Lung Transplant. 30(5): 536–43. 2011.
- 54) Nishikawa K, Asai T, Shigematsu H, Shimizu K, Kato H, Asano Y, Takashima S, Mekada E, Oku N, Minamino T. Development of anti-HB-EGF immunoliposomes for the treatment of breast cancer. J Control Release. 160(2):274–80. 2012.
- 55) Muratsu J (2人略) Asano Y, Sakata Y (3人略) Komuro I. The impact of cardiac resynchronization therapy in an end-stage heart failure patient with a left ventricular assist device as a bridge to recovery. A case report. Int Heart J. 52(4): 246–7. 2011.
- 56) Hara M (3人略) Asano Y, Sakata Y (1人略) Komuro I. Clinical impact of off-label cardiac resynchronization therapy in end-stage heart failure patients on continuous intravenous inotrope. Clin Cardiol. 34(11): 714–20. 2011.
- 57) Ando H, Asai T, Koide H, Okamoto A, Maeda N, Tomita K, Dewa T, Minamino T, OkuN. Advanced cancer therapy by integrative antitumor actions via systemic administration of miR-499. J Control Release. 2014 May 10;181:32–9.
- 58) Minamino T, Toba K, Higo S, Nakatani D, Hikoso S, Umegaki M, Yamamoto K, Sawa Y, Aizawa Y, Komuro I. EPO-AMI-II study investigators.: Design and Rationale of Low-Dose Erythropoietin in Patients with ST-Segment Elevation Myocardial Infarction (EPO-AMI-II Study): A Randomized Controlled Clinical Trial. Cardiovasc Drugs Ther. 26(5):409–16. 2012.
- 59) Minamino T, Toba K, Nakatani D, Higo S, Ozawa T. Erythropoietin, progenitor cells and restenosis. Thrombosis and Haemostasis. 107(6); 1193. 2012.
- 60) Ishii T, Asai T, Oyama D, Fukuta T, Yasuda N, Shimizu K, Minamino T, Oku N. Amelioration of cerebral ischemia – reperfusion injury based on liposomal drug delivery system with asialo-erythropoietin. J Control Release. 160(1); 81–7. 2012.
- 61) Ishii T, Asai T, Fukuta T, Oyama D, Yasuda N, Agato Y, Shimizu K, Minamino T, Oku N. A single injection of liposomal asialo – erythropoietin improves motor function deficit caused by cerebral ischemia/reperfusion. Int J Pharm. 439(1–2):269–74. 2012.
- 62) Minamino T. Cardioprotection from ischemia /reperfusion injury: basic and translational research. Circ J. 76(5):1074–82. 2012.
- 63) Minamino T, (4人略). Erythropoietin, progenitor cells and restenosis. Thrombosis and Haemostasis. In press. 2012 .
- 64) Ishii T, (5人略), Minamino T, Oku N. Amelioration of cerebral

- ischemia-reperfusion injury based on liposomal drug delivery system with asialo-erythropoietin. *J Control Release.* Epub ahead of print. 2012.
- 65) Yoshimuta T, Okajima T, Ishibashi-Ueda H, Mori M, Higashi M, Hayashi K, Kawashiri MA, Yamagishi M. Circumferential hyperechogenicity as an ultrasound sign of infected abdominal aortic aneurysm. *Circulation* 128:415–6, 2013.
- 66) Matsuyama TA, Tanaka H, Adachi T, Jiang Y, Ishibashi-Ueda H, Takamatsu T. Intrinsic left atrial histoanatomy as the basis for reentrant excitation causing atrial fibrillation/flutter in rats. *Heart Rhythm* 10:1342–8, 2013.
- 67) Hata H, Fujita T, Shimahara Y, Sato S, Yanase M, Seguchi O, Murata Y, Ishibashi-Ueda H, Nakatani T, Kobayashi J. Pathological Analysis of the Aortic Valve after Long-Term Mechanical Circulatory Support. *J Heart Lung Transplant* 32:S279, 2013.
- 68) Fujita T, Toda K, Yanase M, Seguchi O, Murata Y, Ishibashi-Ueda H, Kobayashi J, Nakatani T. Risk factors for post-transplant low outputsyndrome. *Eur J Cardiothorac Surg.* 42(3):551–6. 2012.
- 69) Tsuburaya R (8人略) Ishibashi-Ueda H, Shimokawa H. Long-term treatment with nifedipine suppresses coronary hyperconstricting responses and inflammatory changes induced by paclitaxel-eluting stent in pigs in vivo: possible involvement of Rho-kinase pathway. *Eur Heart J.* 33(6):791–9, 2012.
- 70) Hao H, Ishibashi-Ueda H (6人略). Drug-eluting stent: importance of clinico-pathological correlations. *Circ J.* 75(7):1548–58, 2011.
- 71) JCS Joint Working Group. Guidelines for diagnosis and treatment of myocarditis (JCS 2009). *Circ J.* 75(3):734–43, 2011.
- 72) Schwenke DO (3人略) Ishibashi-Ueda H (4人略). Exogenous ghrelin improves blood flow distribution in pulmonary hypertension—assessed using synchrotron radiation microangiography. *Pflugers Arch.* 462(3):397–406, 2011.
- 73) Nakano I (1人略) Ishibashi-Ueda H (7人略). Sudden death from systemic rotavirus infection and detection of nonstructural rotavirus proteins. *J Clin Microbiol.* 49(12):4382–5, 2011.
- 74) Yamazaki S, Kobayashi H, Takashima S, Liu W, Okuda H, Yan J, Fujii Y, Hitomi T, Harada KH, Habu T, Koizumi A. Ablation of Rnf213 retards progression of diabetes in the Akita mouse. *Biochem Biophys Res Commun.* 2013 Feb 11.
- 75) Ichibori Y, Nakatani D, *Sakata Y, Tachibana K, Akasaka T, Saito S, Fukushima N, Sawa Y, Nanto S, Komuro I. Cardiac Allograft Vasculopathy Progression Associated With Intraplaque Neovascularization. *J Am Coll Cardiol.* 2013, 61, e149
- 76) Kajimoto K, Sato N, Keida T, Mizuno M, Sakata Y, Asai K, Takano T. Association between length of stay, frequency of in-hospital death, and causes of death in Japanese patients with acute heart failure syndromes. *Int J Cardiol.* in press
- 77) Minamiguchi H, *Sakata Y, Ohtani, T, Mizote I, Takeda Y, Mizuno H, Okuyama Y, Nakatani S, Fujita M, Watanabe T, Uematsu M, Komuro I. Usefulness of Overlapping of the E and A Waves of the

- Transmitral Flow as a Predictor of Responders to Cardiac Resynchronization Therapy. *Am J Cardiol*, 2013; 1: 1613
- 78) Taniguchi T, Ohtani T, Mizote I, Kanzaki M, Ichibori Y, Minamiguchi H, Asano Y, *Sakata Y, Komuro I. Switching from Carvedilol to Bisoprolol Ameliorates Adverse Effects in Heart Failure Patients with Dizziness or Hypotension. *J Cardiol* 2013; 25: 886
- 79) *Sakata Y. Visiting time and clinical findings on admission in patients with acute heart failure – Day and night, why is it so? *J Cardiol*, 2013; 61: 243
- 80) *Sakata Y, Ohtani T, Takeda Y, Yamamoto K, Mano T. Left ventricular stiffening as therapeutic target for heart failure with preserved ejection fraction. *Circ J*. 2013; 25;77:886–92.
- 81) Yoshioka D, Toda K, Sakaguchi T, Miyagawa S, Nishi H, Yoshikawa Y, Fukushima S, Saito S, Saito T, Shibasaki I, Sakata Y, Ohtani T, Sawa Y. Initial report of bridge to recovery in a patient with DuraHeart LVAD. *J Artif Organs*. in press
- 82) Tamaki S, Mano T, Sakata Y, Ohtani T, Takeda Y, Kamimura D, Omori Y, Tsukamoto Y, Ikeya Y, Kawai M, Kumanogoh A, Hagihara K, Ishii R, Higashimori M, Kaneko M, Miwa T, Hasuma H, Yamamoto K, Komuro I. Interleukin-16 promotes cardiac fibrosis and myocardial stiffening in heart failure with preserved ejection fraction. *PLoS ONE* 8(7): e68893. doi:10.1371/journal.pone.0068893
- 83) Kajimoto K, Sato N, Sakata Y, Takano T on behalf of the Acute Decompensated Heart Failure Syndromes investigators. Relationship between systolic blood pressure and preserved or reduced ejection fraction at admission in patients hospitalized for acute heart failure syndromes *Int J Cardiol*, in press
- 84) Tsukamoto Y, Mano T, Sakata Y, Ohtani T, Takeda Y, Tamaki S, Omori Y, Ikeya Y, Saito Y, Ishii R, Higashimori M, Kaneko M, Miwa T, Yamamoto K, Komuro I. A Novel Heart Failure Mice Model of Hypertensive Heart Disease by Angiotensin II Infusion, Nephrectomy, and Salt Loading. *Am J Physiol Heart Circ Physiol*. 2013;305:H1658–67
- 85) Takeda Y, Sakata Y*, Ohtani T, Tamaki S, Omori Y, Tsukamoto Y, Aizawa Y, Shimamura K, Shirakawa Y, Kuratani T, Sawa Y, Yamamoto K, Mano T, Komuro I. Endovascular Aortic Repair Increases Vascular Stiffness and Alters Cardiac Structure and Function. *Circ J*, 2014;78:322–8
- 86) Taniguchi T, Sakata Y*, Ohtani T, Mizote I, MD, Takeda Y, Asano Y, MD, Masuda Minamiguchi H, Kanzaki M, MD, Ichibori Y, Nishi H, Toda K, Sawa Y, MD, Komuro I Usefulness of Transient Elastography for Non-invasive and Reliable Estimation of Right-sided Filling Pressure in Heart Failure *Am J Cardiol*, 2013;61: 417–22
- 87) Yamamoto K, Origasa H, Suzuki Y, Takahashi T, Shinozaki T, Watanabe T, Sakata Y, Izumi C, Taira K, Hori M on behalf of the J-DHF Investigators. Relation of Risk Factors with Response to Carvedilol in Heart Failure with Preserved Ejection Fraction – A Report from the Japanese Diastolic Heart Failure Study

- (J-DHF)– J Cardiol, in press
- 88) Fukushima S, Saito S, Sakata Y, Sawa Y A Case of Everolimus–Associated Chylothorax in a Cardiac Transplant Recipient. *Transplantation Proceedings*. 2013; 45: 3144–46
 - 89) Okuyama Y, Matsuo M, Matsuo H, Sakaguchi Y, Takai H, Horiguchi Y, Ryomoto T, Adachi S, Amano T, Togawa M, Masuda M, Minamiguchi H, Nanto S, Komuro I, Sakata Y. Introduction of Point-of-Care Testing in Japanese Outpatient Clinics Is Associated With Improvement in Time in Therapeutic Rangein Anticoagulant-Treated Patients. *Circ J*, in press
 - 90) Sotomi Y, Sato N, Kajimoto K, Sakata Y, Mizuno M, Minami Y, Fujii K, Takano T, On behalf of the investigators of the Acute Decompensated Heart Failure Syndromes (ATTEND) Registry. Impact of pulmonary artery catheter on outcome in patients with acute heart failure syndromes with hypotension or receiving inotropes: From the ATTEND Registry. *Int J Cardiol*, 2014; 172: 165–72
 - 91) Yokoi K, Sumitsuji S, Kaneda H, Siegrist P, Okayama K, Ide S, Mizote I, Kumada M, Kuroda T, Tachibana K, Sakata Y, Nanto S. A Novel Homemade Snare, Safe, Economical and Size Adjustable. Eurointervention. in press
 - 92) Kamimura D, Ohtani T, Sakata Y, Mano T, Takeda Y, Tamaki S, Omori Y, Tsukamoto Y, Furutani K, Komiyama Y, Yoshika M, Takahashi H, Matsuda T, Baba A, Umemura S, Miwa T, Komuro I, Yamamoto K.
 - Ca²⁺ entry mode of Na⁺/Ca²⁺ exchanger as a new therapeutic target for heart failure with preserved ejection fraction. *Eur Heart J*. 33: 1408–16. 2012.
 - 93) Ohtani T, Mohammed SF, Yamamoto K, Dunlay SM, Weston SA, Sakata Y, Rodeheffer RJ, Roger VL, Redfield MM. Diastolic stiffness as assessed by diastolic wall strain is associated with adverse remodelling and poor outcomes in heart failure with preserved ejection fraction. *Eur Heart J*. 33: 1742–9. 2012.
 - 94) Minamiguchi H, Mizuno H, Masuda M, Sakata Y, Saito S, Nanto S, Sawa Y, Komuro I. Catheter ablation of focal atrial tachycardia originating from a donor heart after bicaval orthotopic heart transplantation guided by a noncontact mapping system. *Int Heart J*. 53:146–8. 2012.
 - 95) Omori Y, Ohtani T, Sakata Y, Mano T, Takeda Y, Tamaki S, Tsukamoto Y, Kamimura D, Aizawa Y, Miwa T, Komuro I, Soga T, Yamamoto K. L–Carnitine prevents the development of ventricular fibrosis and heart failure with preserved ejection fraction in hypertensive heart disease. *J Hypertens*. 30: 1834–44. 2012.
 - 96) Takeda Y, Nakatani S, Kuratani T, Mizote I, Sakata Y, Torikai K, Shimamura K, Nanto S, Komuro I, Sawa Y. Systolic anterior motion of the mitral valve and severe mitral regurgitation immediately after transcatheter aortic valve replacement *J Echocardiogr*. 10: 143–45. 2012.

- 97) Shudo Y, Nakatani S, Sakaguchi T, Miyagawa S, Yoshikawa Y, Takeda K, Saito S, Takeda Y, Sakata Y, Yamamoto K, Sawa Y.
Left ventricular mechanics following restrictive mitral annuloplasty for functional mitral regurgitation: Two-Dimensional speckle tracking echocardiographic study. Echocardiography. 29:445–50. 2012.
- 98) Kainuma S, Sakaguchi T, Saito S, Miyagawa S, Yoshikawa Y, Yamauchi T, Sakata Y, Takahashi A, Uehata T, Kuratani T, Sawa Y.
Implantation of a Jarvik 2000 left ventricular assist device as a bridge to eligibility for refractory heart failure with renal dysfunction. J Artif Organs. 15: 83–86. 2012.
- 99) Yoshida A, Mizote I, Sakata Y, Maeda T, Kanakura Y, Yamauchi-Takahara K, Komuro I.
Effect of vasodilators in patient with pulmonary hypertension associated with hemolytic anemia. Journal of Cardiology Cases. 6; e75–e77. 2012.
- 100) Hara M (4人略) Sakata Y, Komuro I.
A case of non-cardiogenic acute pulmonary edema in a patient with POEMS syndrome-associated pulmonary arterial hypertension. Ann Hematol. ;90:489–90. 2011.
- 101) Aizawa Y, Sakata Y (7人略) Komuro I, Yamamoto K.
Transition From Asymptomatic Diastolic Dysfunction To Heart Failure With Preserved Ejection Fraction: Roles of Systolic Function And Ventricular Distensibility. Circ J. 75; 596–602. 2011.
- 102) Wakabayashi K (6人略) Sakata Y, Yamamoto K, Daimon T, Masuyama T. Administration of angiotensin-converting enzyme inhibitors in associated with slow progression of mild aortic stenosis in Japanese patients. Heart Vessels. 26:252–7. 2011.
- 103) Hashimoto T, Sakata Y (10人略) Komuro I.
Pulmonary arterial hypertension associated with chronic active Epstein-Barr virus infection. Intern Med. 2011; 50: 119–24
- 104) Takeda Y, Sakata Y (7人略) Komuro I, Yamamoto K.
Competing risks of heart failure with preserved ejection fraction in diabetic patients. Eur J Heart Fail 2011; 13: 664–669
- 105) Takeda Y, Sakata Y (6人略) Komuro I, Yamamoto K.
Diabetic retinopathy is associated with impaired left ventricular relaxation. J Card Fail. 17:556–60. 2011.
- 106) Muratsu J (2人略) Asano Y, Sakata Y (3人略) Komuro I.
The impact of cardiac resynchronization therapy in an end-stage heart failure patient with a left ventricular assist device as a bridge to recovery. A case report. Int Heart J. 52(4):246–7. 2011.
- 107) Kamimura D, Ohtani T, Sakata Y (13人略) Komuro I, Yamamoto K.
Ca²⁺ entry mode of Na⁺/Ca²⁺ exchanger as a new therapeutic target for heart failure with preserved ejection fraction. Eur Heart J. in press. 2011.
- 108) Okazaki S (4人略) Sakata Y, Sakaguchi T, Kitagawa K.

- Cerebral Microbleeds Predict Impending Intracranial Hemorrhage in Infective Endocarditis, Cerebrovasc Dis. 32:483–488. 2011.
- 109) Takeda Y, Sakata Y (6人略) Komuro I, Yamamoto K. Diabetic retinopathy is associated with impaired left ventricular relaxation. J Card Fail. 17:556–60. 2011.
- 110) Hara M (3人略) Asano Y, Sakata Y, Nanto S, Komuro I. Clinical impact of off-label cardiac resynchronization therapy in end-stage heart failure patients on continuous intravenous inotrope. Clin Cardiol. 34:714–20. 2011.
- 111) Minami Y (7人略) Sakata Y (3人略) Kasanuki H, Takano T. Admission time, variability in clinical characteristics, and in-hospital outcomes in acute heart failure syndromes: Findings from ATTEND registry. Int J Cardiol. 153: 102–5. 2011.
- 112) Sakata Y. The Role of Right Ventricular Function in the Development of Heart Failure— What Should We Solve? – Circ J. 76:43–4. 2011.
- 113) Sasaki K (3人略) Sakata Y, Komuro I. A case of thyroid storm with multiple organ failure effectively treated with plasma exchange. Intern Med. 50:2801–5. 2011.
- (和文業績)
- 1) 朝野仁裕、小室一成 特集-心不全 心不全の原因診断の進歩 診断と治療 100(9):1558–1564. 2012. 診断と治療社
 - 2) 北風政史 循環生理学・循環薬理学・分子生物学は重症心不全を救えるか 浅沼博司、北風政史 疫学研究・大規模臨床試験より得られた EBM PROactive 日本臨床 70(3):301–308. 2012.
 - 3) 呼吸と循環 60(4):S5–S7, 2012.
 - 4) 北風政史 急性心筋梗塞治療における現状と 新展開 大阪府内科医会会誌 21(1):22–32, 2012.
 - 5) 朝倉正紀、北風政史 心筋症の分類と診断基準 循環器内科 71(6):491–495, 2012.
 - 6) 高濱博幸、北風政史 リモデリング予防の薬物療法 循環器内科 72(1):113–118, 2012.
 - 7) 北風政史 心血管保護を考えた糖尿病治療とは—その科学的エビデンスと臨床現場での実践— 飯塚医師会報 VOICE 127:27–28, 2012.
 - 8) 浅沼博司、朝倉正紀、金智隆、北風政史 耐糖能異常は心不全と連関するか？冠疾患誌 18:245–251, 2012.
 - 9) 浅沼博司、北風政史 アデノシンと臓器障害 Heart View 17(2):55–60, 2013.
 - 10) 天木誠、北風政史 DEBATE—大動脈弁狭窄症を有する高血圧患者における降圧薬投与—消極的な立場から 臨床高血圧 19(1):34–40, 2013.
 - 11) 朝倉正紀、北風政史 臨床研究ネットワーク:循環器臨床研究ネットワーク構築の重要性 医学のあゆみ 244(13):1196–1198, 2013.
 - 12) 高橋彩子、北風政史 COPD 患者の循環器疾患合併 循環器内科 74(1):23–28, 2013.
 - 13) 北風政史 心血管保護を考えた高血圧治療の実践～確実な降圧か、確実なRAS抑制か？～ 八王子市医師会報 No.307(493号)4–5, 2013.

- 14) 中野敦、北風政史 心筋疾患の診断で、MRI は心筋生検に取って代わられるか？ CIRCULATION Up-To-Date 8(6):683–706, 2013.
- 15) 北風政史 β 遮断薬は高齢者、糖尿病・慢性閉塞性肺疾患を合併する症例に使用禁忌か？ 臨床医のための循環器診療 No.19:32–34, 2013.
- 16) 朝倉正紀、北風政史 特発性心筋症 内分泌・糖尿病・代謝内科 37(5):527–533, 2013.
- 17) 浅沼博司、北風政史 アデノシンと臓器障害 Heart View 17(2):55–60, 2013.
- 18) 天木誠、北風政史 DEBATE—大動脈弁狭窄症を有する高血圧患者における降圧薬投与－消極的な立場から 臨床高血圧 19(1):34–40, 2013.
朝倉正紀、北風政史
- 19) 臨床研究ネットワーク：循環器臨床研究ネットワーク構築の重要性 医学のあゆみ 244(13):1196–1198, 2013.
高橋彩子、北風政史 COPD 患者の循環器疾患合併 循環器内科 74(1):23–28, 2013.
- 20) 北風政史 心血管保護を考えた高血圧治療の実践～確実な降圧か、確実なRAS抑制か？～ 八王子市医師会報 No.307(493 号)4–5, 2013.
- 21) 中野敦、北風政史 心筋疾患の診断で、MRI は心筋生検に取って代わられるか？ CIRCULATION Up-To-Date 8(6):683–706, 2013.
- 22) 北風政史 β 遮断薬は高齢者、糖尿病・慢性閉塞性肺疾患を合併する症例に使用禁忌か？ 臨床医のための循環器診療 No.19:32–34, 2013.
- 23) 朝倉正紀、北風政史 特発性心筋症 内分泌・糖尿病・代謝内科 37(5):527–533, 2013.
- 24) 浅沼博司、北風政史 心血管リスク症例における海外での報告 Diabetes Frontier 23(1):53–58, 2012.
- 25) 北風政史 循環生理学・循環薬理学・分子生物学は重症心不全を救えるか 呼吸と循環 60(4):S5–S7, 2012.
- 26) 浅沼博司、北風政史 疫学研究・大規模臨床試験より得られた EBM PROactive 日本臨床 70(3):301–308, 2012.
北風政史 急性心筋梗塞治療における現状と新展開 大阪府内科医会会誌 21(1):22–32, 2012.
- 27) 朝倉正紀、北風政史 心筋症の分類と診断基準 循環器内科 71(6):491–495, 2012.
- 28) 高濱博幸、北風政史 リモデリング予防の薬物療法 循環器内科 72(1):113–118, 2012.
- 29) 北風政史 心血管保護を考えた糖尿病治療とは－その科学的エビデンスと臨床現場での実践－ 飯塚医師会報 VOICE 127:27–28, 2012.
- 30) 浅沼博司、朝倉正紀、金智隆、北風政史 耐糖能異常は心不全と連関するか？ 冠疾患誌 18:245–251, 2012.

2. 学会発表

- 1) 小室一成 心不全の発症機序の解明から新しい治療へ. 日本臨床分子医学会 東京都、2013. 4. 13.
- 2) 小室一成 補体 C1q は老化を促進する 日本細胞生物学会 名古屋、2013. 6. 21
- 3) 小室一成 心不全治療の現状と将来展望日本循環器学会 札幌市、2013. 11. 23
- 4) Komuro I. Molecular mechanism of heart failure Wihuri Research Institute, Helsinki, 2013. 8. 19.
- 5) Kommuro I. Genetic and Molecular Determinants of Angiogenesis and Heart Failure Korea Socoety for Vascular Biology and Medicine Jeju 2013. 8. 22-23
- 6) 今津美樹、高濱博幸、浅沼博司、舟田晃、菅野康夫、大原貴裕、長谷川拓也、朝倉正紀、神崎秀明、安斎俊久、北風政史
- 7) Elevation of serum fibroblast growth factor 23 in patients with heart failure: A potential clinical significance. 第 21 回日本血管生物医学会学術集会 2013 年 9 月 26–28 日(大阪)
- 8) 高濱博幸、今津美樹、浅沼博司、舟田晃、菅野康夫、大原貴裕、長谷川拓也、朝倉正紀、神崎秀明、安斎俊久、北風政史: Serum fibroblast growth factor 23 as a surrogate marker in patients with heart failure 第 61 回日本心臓病学会学術集会 2013 年 9 月 20–22 日(熊本)
- 9) Imazu, M; Takahama, H; Asanuma, H; Funada, A; Ohara, T; Hasegawa, T; Asakura, M; Kanzaki, H; Anzai, T; Kitakaze, M Association between plasma indoxyl sulfate levels and cardiac hypertrophy in patients with heart failure. ESC Congress 2013, Aug.31–Sept.4 (Amsterdam, Holland)
- 10) Imazu, M; Takahama, H; Asanuma, H; Funada, A; Ohara, T; Hasegawa, T; Asakura, M; Kanzaki, H; Anzai, T; Kitakaze, M Clinical significance of serum fibroblast growth factor 23 as a surrogate marker of the cardiorenal hemodynamic state ESC Congress 2013, Aug.31–Sept.4 (Amsterdam, Holland)
- 11) 朝野仁裕 「パネルディスカッション 再生医療に貢献する技術」心筋細胞の可塑性を判断する病理学的臨床指標の開発 第 11 回日本再生医療学会総会 2012 年 6 月・横浜
- 12) 肥後修一朗、朝野仁裕 Featured Research Session 2 Title: Quantitative ChIP-sequence Analysis Reveals the Differentially Altered Active Epigenomic States in Murine Pressure-overloaded Failing Hearts 第 29 回国際心臓研究学会(ISHR)日本部会総会 2012 年 10 月・福岡
- 13) S Higo, Y Asano. Oral session: Novel Regulators of Cardiac Hypertrophy Title : Comprehensive quantitative epigenome mapping reveals the differential induction of histone H3 lysine 4 trimethylation marks in pressure-overloaded murine hearts 米国心臓協会学術集会 American Heart Association Scientific Sessions 2012 2012 年 11 月・Los Angeles、USA
- 14) 木岡秀隆、朝野仁裕 Young Investigator's Award Finalists Lectures Title : G0/G1 Switch Gene 2 Promotes Mitochondrial ATP Production and Protects Cardiomyocytes from the Energy Crisis under Hypoxia 第 77 回日

- 本循環器学会学術集会
2013年3月・横浜
- 15) 進藤一紘、朝倉正紀、閔庚徳、伊藤慎、高橋彩子、今津美樹、浅沼博司、北風政史
次世代シーケンサーを用いた新規心不全関連遺伝子の探索
第61回日本心臓病学会学術集会 2013年9月20-22日(熊本)
- 16) 長谷川拓也、朝倉正紀、江口和男、浅沼博司、天木誠、高濱博幸、舟田晃、菅野康夫、大原貴裕、神崎秀明、橋村一彦、友池仁暢、金智隆、安斎俊久、北風政史
BNPは冠動脈疾患発症リスクの代用マークーとなりうるか
第61回日本心臓病学会学術集会 2013年9月20-22日(熊本)
今津美樹、高濱博幸、浅沼博司、舟田晃、菅野康夫、大原貴裕、長谷川拓也、朝倉正紀、神崎秀明、安斎俊久、北風政史
Elevation of serum fibroblast growth factor 23 in patients with heart failure: A potential clinical significance. 第21回日本血管生物医学会学術集会 2013年9月26-28日(大阪)
- 17) 南野哲男.
日本循環器学会学術集会総会
プレナリーセッション<循環器病学のトランセレーショナルリサーチ>
「Academic Drug Development for Treatment of Acute Myocardial Infarction Using Nano-sized Liposomes」
2014年3月、東京
- 18) 南野哲男.
シンポジウム<心不全> Erythropoietin prevents cardiac remodeling after myocardial infarction: From Bench to Bedside, 第20回日本血管生物医学会学術集会・The 10th Korea-Japan Joint Symposium on Vascular Biology 2012年12月
- 19) 南野哲男.
- シンポジウム4<From Bedside to Bench, From Bench to Bedside>心筋梗塞患者に対するエポジンベータ投与による心機能改善効果に関する研究, 第49回日本臨床分子医学会学術集 2012年4月
- 20) 南野哲男
トップクス < Prevention of cardiac remodeling in heart failure: present status and future perspectives > 「Preventive effects of erythropoietin on cardiac remodeling after myocardial infarction」
第76回日本循環器学会総会・学術集会 2013年3月・横浜
- 21) 南野哲男
JCS/ISHR joint symposium < The challenges of translation from discovery to therapy in 21st century cardiovascular medicine > 「Design and Rationale of Low-Dose Erythropoietin in Patients with ST-Segment Elevation Myocardial Infarction (EPO-AMI-II Study): A Randomized Controlled Clinical Trial」
第76回日本循環器学会総会・学術集会 2013年3月・横浜
- 22) 肥後修一朗、南野哲男、小室一成. 心筋梗塞患者に対するエポエチンベータ投与による心機能改善効果に関する研究-II.
第17回日本心血管インターベンション治療学会近畿地方会アワード 2. 2011.8.
- 23) 南野哲男. シンポジウム<急性冠症候群の治療—Beyond the Reperfusion—Advances in the Treatment of Acute Coronary Syndrome — Beyond the Reperfusion—>心筋梗塞患者に対するエポエチンベータ投与による心機能改善効果に関する研究-II. 第75回日本循環器学会総会・学術集会 3. 2011.8.
- 24) 南野哲男. シンポジウム<急性心筋梗塞を対象とした臨床試験>心筋梗塞患者に

- に対するエポエチンベータ投与による心機能改善効果に関する研究-II, 第 20 回日本心血管インターベンション治療学.2011.7.
- 25) Imazu, M; Takahama, H; Asanuma, H; Funada, A; Ohara, T; Hasegawa, T; Asakura, M; Kanzaki, H; Anzai, T; Kitakaze, M Association between plasma indoxyl sulfate levels and cardiac hypertrophy in patients with heart failure.
ESC Congress 2013, Aug.31–Sept.4 (Amsterdam, Holland)
- 26) Ishibashi-Ueda H, Ikeda Y, Matsuyama T, Ohta-Ogo K, Takagi Y, Nakanishi N: Prostacyclin Analogues could reverse Histopathological Advanced Vascular Lesions of Idiopathic Pulmonary Arterial Hypertension. 第 76 回日本循環器学会総会, 福岡, 2012.3
- 27) 植田初江 他: 膜原病合併肺高血圧症における肺静脈病変の関与について. 剖検例と臨床データアンケート調査(厚労科研 PVOD 難治性疾患克服事業)から. 第 53 回日本呼吸器学会学術講演会、東京、2013.年 4 月
- 28) 植田初江: 慢性肺血栓塞栓症の病理. 第 102 回日本病理学会総会(ワークショウ), 札幌, 2013 年.6 月
- 29) Ishibashi-Ueda H, Ohta-Ogo K, Matsuyama T, Ikeda Y, Ogino H. Takayasu arteritis and aortic valve regurgitation: The histology of aortic valve of Takayasu arteritis at the time of valve replacement. 25th European Congress of Pathology, Lisbon, September 2013
- 30) 植田初江、池田善彦、松山高明、大郷恵子、橋村宏美
心臓移植と病理診断. 第 101 回日本病理学会総会(心筋生検研究会コンパニオン ミーティング)2012 年 4 月・東京
- 31) 植田初江、池田善彦、松山高明、大郷恵子
肺高血圧症の病理所見 第 52 回日本呼吸器学会(教育講演)2012 年 4 月・神戸
- 32) 植田初江
心臓移植の病理 —50 例の経験— 第 58 回日本病理学会秋期特別総会(B 演説) 2012 年 11 月・名古屋
- 33) 植田初江、池田善彦、松山高明、大郷恵子、橋村宏美、今北正美
50 例の心臓移植の経験と病理診断. 第 34 回心筋生検研究会(モーニングセミナー)2012 年 11 月・松本
- 34) 植田初江
ステント留置後の血管治癒反応を診る: 病理からみた DES 留置後変化 第 77 回日本循環器学会学術集会(トピックス)2013 年 3 月・横浜
- 35) Fujita T, Toda K, Kobayashi J, Yanase M, Seguchi O, Murata Y, Ishibashi-Ueda H, Nakatani T.
Risk factors for post-transplant low output syndrome. 25th annual meeting of the European Association for Cardio-Thoracic Surgery. 2011, Lisbon, Portugal.
Eur J Cardiothorac Surg. 2012 Feb. [Epub ahead of print].
- 36) Sato T, Yanase M, Murata Y, Seguchi O, Sunami H, Matsuyama T, Ikeda Y, Ishibashi-Ueda H, Nakatani T.
C4d Deposition of Capillary Endothelium, as a Marker of Antibody Mediated Rejection. The 12th Congress of the Asian Society of Transplantation. 2011, Seoul, Korea.
- 37) Morito D,(2人略), Yamazaki S,(4人略)
Structure and Function of Moyamoya

- Disease-Associated Protein
Mysterin/RNF213, IVBM 2014, 2013 年 4
月 Japan(Kyoto)
- 38) Akira Funada (1人略) Satoru Yamazaki,(10人略).
Impact of the Polymorphisms of Renin-Angiotensin System on Prognosis in Hypertrophic Cardiomyopathy in the Era of Cardiac Magnetic Resonance 第 77 回日本循環器学会学術総会 2013 年 3 月
- 39) 小谷友理、(1人略)、山崎 悟(3人略)
もやもや病関連タンパク質 mysterin による zebrafish の発生制御. 第 8 回臨床ストレス応答学会大会, 2013 年 11 月 小林 果、山崎 悟、(5人略).
- 40) ゼブラフィッシュモデルによるもやもや病感受性遺伝子 mysterin の機能解析 第 82 回日本衛生学会学術総会 2012 年 3 月
- 41) Daisuke Morito, (3人略) Satoru Yamazaki,(6人略).
Structure and Function of AAA+/ubiquitin ligase Mysterin/RNF213.FASEB summer research conferences “ Quality Life through Research. Saxtons River 2012 年 7 月 USA
- 42) Yuri Kotani,(1人略), Satoru Yamazaki(4人略).
Regulation of mysterin, a moyamoya disease-associated protein, by de-ubiquitinating enzyme. EMBO/EMBL Symposium “Quality Control-From Molecules to Organelles”, Heiderberg 2012 年 9 月 Germany
- 43) Akira Funada (1人略) Satoru Yamazaki,(10人略).
Impact of the Polymorphisms of Renin-Angiotensin System on Prognosis in Hypertrophic Cardiomyopathy in the Era of Cardiac Magnetic Resonance 第 77 回日本循環器学会学術総会 2013 年 3 月
- 44) Daisuke Morito (2人略) Satoru Yamazaki (9人略). 口頭発表: Structure and function of novel AAA+/Ubiquitin ligase mysterin. Cold Spring Harbor Asia Conference “Protein Homeostasis in Health & Disease ” Suzhou(China) 2011.9.26-30.
- 45) Ayako Takahashi (6人略) Satoru Yamazaki (6人略). 口頭発表 : Dipeptidyl-peptidase IV Inhibitor Improved Cardiac Function and Survival in Mice with Pressure Overload Heart Failure. 第 76 回日本循環器学会学術集会 福岡 2012.3.16-18.
- 46) 小林 果、山崎 悟 (5人略).
口頭発表: ゼブラフィッシュモデルによるもやもや病感受性遺伝子 mysterin の機能解析. 第 82 回日本衛生学会学術総会 京都 2012.3.25.
- 47) 大谷朋仁、坂田泰史 エプレレノンは値段の高いスピロノラクトンか 循環器内科 71(1):64-68, 2012.
- 48) 坂田泰史 左室駆出率を保った心不全症例における死亡様式:I-Preserve試験からの検討 FluidManagementRenaissance 2(1):75-76,2012.
- 49) 坂田泰史 慢性心不全の再入院予防の薬物治療 Therapeutic Research 33(1):38-44,2012.
- 50) 坂田泰史 強心薬 心臓 44(5):540-545,2012.
- 51) 坂田泰史 低 K 血症 FluidManagementRenaissance 2(2):34-40,2012.
- 52) 大森洋介・坂田泰史 心不全における心

- 腎連関 呼吸と循環 60(7):719–722,2012.
- 53) 坂田泰史 肺高血圧における左室の変形は何を語っているのか 月刊心エコー 13(5):482–490,2012.
- 54) 坂田泰史 Nohria分類とForrester分類 AnnualReview循環器 125–129,2012. 中外医学社.
- 55) 坂田泰史 心不全の新しい分類を臨床にどのように活用するか 心臓血管画像 116–118,2012. 産業開発機構株式会社.
- 56) 坂田泰史. Plenary Session2 :Progress in Heart Failure Treatment “Important Issues to be Challenged for Improvement of Left Ventricular Assist Device Therapy” 日本循環器学会 2014年3月22日(東京)
- 57) 坂田泰史. Controversy6 : Is the Prevalence of Cardiac Resynchronization Therapy in Japan Reasonable or Sufficient? “What should We Do for Increasing Rate of Responders?” 日本循環器学会 2014年3月22日(東京)
- 58) 坂田泰史. Morning Lecture13 :ステージD心不全における包括的治療の未来 “Important Problem is Stage D Heart Failure” 日本循環器学会 2014年3月22日(東京)
- 59) 坂田泰史. 心エコー図のnew trend 左室駆出率が保たれた心不全におけるリスク評価 Diastolic Wall Strainを用いた検討. 第59回 日本心臓病学会パネルディスカッション 神戸 2011.9.23.
- 60) 坂田泰史. 重症心不全における右室機能の役割 機能的僧帽弁修復術症例での検討. 第15回日本心不全学会シンポジウム 鹿児島 2011.10.14.
- 61) 坂田泰史. 臨床薬理と最新治療 重症心不全の最新治療:移植施設の最前線での薬物治療. 浜松市 第32回臨床薬理学会シンポジウム 2011.12.3.

H. 知的財産権の出願・登録状況

- 1、特許取得
申請中2件
- 2、実用新案登録
なし
- 3、その他
以上、特筆すべき事項

II. 研究成果の刊行物に関する一覧表

研究成果の刊行に関する一覧表

英文雑誌（主要文献）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsuoka K, Asano Y, Higo S, Tsukamoto O, Yan Y, Yamazaki S, Matsuzaki T, Kioka H, Kato H, Uno Y, Asakura M, Asanuma H, Minamino T, Aburatani H, Kitakaze M, Komuro I, Takashima S.	Noninvasive and quantitative live imaging reveals a potential stress-responsive enhancer in the failing heart.	FASEB J.	28	1870-9	2014
Kioka H, Kato H, Fujikawa M, Tsukamoto O, Suzuki T, Imamura H, Nakano A, Higo S, Yamazaki S, Matsuzaki T, Takafuji K, Asanuma H, Asakura M, Minamino T, Shintani Y, Yoshida M, Noji H, Kitakaze M, Komuro I, Asano Y (corresponding author), Takashima S.	Evaluation of intramitochondrial ATP levels identifies G0/G1 switch gene 2 as a positive regulator of oxidative phosphorylation.	Proc Natl Acad Sci U S A.	111	273-8	2014
Fukushima N, Matsuura K, Akazawa H, Honda A, Nagai T, Takahashi T, Seki A, Murasaki KM, Shimizu T, Okano T, Hagiwara N, Komuro I.	A crucial role of activin A-mediated growth hormone suppression in mouse and human heart failure.	PLoS One.	6	e27901	2011

Kitakaze M, Sarai N, Ando H, Sakamoto T, Nakajima H.	Safety and tolerability of once-daily controlled-release carvedilol 10-80 mg in Japanese patients with chronic heart failure.	Circ J.	76	668-74	2012
Sanada S, Komuro I, Kitakaze M.	Pathophysiology of myocardial reperfusion injury: preconditioning, postconditioning, and translational aspects of protective measures.	Am J Physiol Heart Circ Physiol. 2011 Nov;301(5):H1723-41	301	H1723-41	2011
Shimizu I, Yoshida Y, Katsuno T, Tateno K, Okada S, Moriya J, Yokoyama M, Nojima A, Ito T, Zechner R, Komuro I, Kobayashi Y, Minamino T.	p53-induced adipose tissue inflammation is critically involved in the development of insulin resistance in heart failure.	Cell Metab	15	51-64	2012
Yamazaki S, Kobayashi H, Takashima S, Liu W, Okuda H, Yan J, Fujii Y, Hitomi T, Harada KH, Habu T, Koizumi A.	Ablation of Rnf213 retards progression of diabetes in the Akita mouse.	Biochem Biophys Res Commun.	432	519-25	2013

Ichibori Y, Nakatani D, Sakata Y, Tachibana K, Akasaka T, Saito S, Fukushima N, Sawa Y, Nanto S, Komuro I	Cardiac Allograft Vasculopathy Progression Associated With Intraplaque Neovascularization	J Am Coll Cardiol.	61	e149	2013
Tsukamoto Y, Mano T, Sakata Y, Ohtani T, Takeda Y, Tamaki S, Omori Y, Ikeya Y, Saito Y, Ishii R, Higashimori M, Kaneko M, Miwa T, Yamamoto K, Komuro I	A Novel Heart Failure Mice Model of Hypertensive Heart Disease by Angiotensin II Infusion, Nephrectomy, and Salt Loading.	Am J Physiol Heart Circ Physiol.	305	H1658 -67	2013
Taniguchi T, Sakata Y, Ohtani T, Mizote I, Takeda Y, Asano Y, Masuda M, Minamiguchi H, Kanzaki M, Ichibori Y, Nishi H, Toda K, Sawa Y, Komuro I	Usefulness of transient elastography for noninvasive and reliable estimation of right-sided filling pressure in heart failure	Am J Cardiol.	113	552-8	2014
Yoshida A, Asanuma H, Sasaki H, Sanada S, Yamazaki S, Asano Y, Shinozaki Y, Mori H, Shimouchi A, Sano M, Asakura M, Minamino T, Takashima S, Sugimachi M, Mochizuki N, Kitakaze M.	H(2) mediates cardioprotection via involvements of K(ATP) channels and permeability transition pores of mitochondria in dogs.	Cardiovasc Drugs Ther.	26	217-26	2012