

II．研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okada Y, Wu D, Trynka G, Raj T, Terao C, Ikari K, Kochi Y, Ohmura K, Suzuki A, Yoshida S, Graham RR, Manoharan A, Ortmann W, Bhangale T, Denny JC, Carroll RJ, Eyler AE, Greenberg JD, Kremer JM, Pappas DA, Jiang L, Yin J, Ye L, Su DF, Yang J, Xie G, Keystone E, Westra HJ, Esko T, Metspalu A, Zhou X, Gupta N, Mirel D, Stahl EA, Diogo D, Cui J, Liao K, Guo MH, Myouzen K, Kawaguchi T, Coenen MJ, van Riel PL, van de Laar MA, Guchelaar HJ, Huizinga TW, Dieudé P, Mariette X, Louis Bridges Jr S, Zhernakova A, Toes RE, Tak PP, Miceli-Richard C, Bang SY, Lee HS, Martin J, Gonzalez-Gay MA, Rodriguez-Rodriguez L, Rantapää-Dahlqvist S, Arlestig L, Choi HK, Kamatani Y, Galan P, Lathrop M; the RACI consortium; the GARNET consortium, Eyre S, Bowes J, Barton A, de Vries N, Moreland LW, Criswell LA, Karlson EW, Taniguchi A, Yamada R, Kubo M, Liu JS, Bae SC, Worthington J, Padyukov L, Klareskog L, Gregersen PK, Raychaudhuri S, Stranger BE, De Jager PL, Franke L, Visscher PM, Brown MA, Yamanaka H, Mimori T, Takahashi A, Xu H, Behrens TW, Siminovitch KA, Momohara S, Matsuda F, Yamamoto K, Plenge RM.	Genetics of rheumatoid arthritis contributes to biology and drug discovery.	Nature	506	376-81	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshida S, Ikari K, Furuya T, Toyama Y, Taniguchi A, <u>Yamanaka H</u> , Momohara S.	GC polymorphism associated with serum 25-hydroxyvitamin D level is a risk factor for hip fracture in Japanese patients with rheumatoid arthritis: 10-year follow-up of the Institute of Rheumatology, Rheumatoid Arthritis cohort study.	Arthritis Res Ther	16	R75	2014
Hamaguchi Y, Fujimoto M, Matsushita T, Kaji K, Komura K, Hasegawa M, Kodera M, Muroi E, Fujikawa K, Seshima M, Yamada H, <u>Yamada R</u> , Sato S, Takehara K, Kuwana M.	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome.	PLoS One	8	e60442	2013
Cui J, Stahl EA, Saevarsdottir S, Miceli C, Diogo D, Trynka G, Raj T, Mirkov MU, Canhao H, Ikari K, Terao C, Okada Y, Wedrén S, Askling J, <u>Yamanaka H</u> , <u>Momohara S</u> , Taniguchi A, Ohmura K, <u>Matsuda F</u> , <u>Mimori T</u> , Gupta N, Kuchroo M, Morgan AW, Isaacs JD, Wilson AG, Hyrich KL, Herenius M, Doorenspleet ME, Tak PP, Crusius JB, van der Horst-Bruinsma IE, Wolbink GJ, van Riel PL, van de Laar M, Guchelaar HJ, Shadick NA, Allaart CF, Huizinga TW, Toes RE, Kimberly RP, Bridges SL Jr, Criswell LA, Moreland LW, Fonseca JE, de Vries N, Stranger BE, De Jager PL, Raychaudhuri S, Weinblatt ME, Gregersen PK, Mariette X, Barton A, Padyukov L, Coenen MJ, Karlson EW, Plenge RM.	Genome-Wide Association Study and Gene Expression Analysis Identifies CD84 as a Predictor of Response to Etanercept Therapy in Rheumatoid Arthritis.	PLoS Genet	9	e1003394	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Terao C, Hashimoto M, Yamamoto K, Murakami K, Ohmura K, Nakashima R, Yamakawa N, Yoshifuji H, Yukawa N, Kawabata D, Usui T, Yoshitomi H, Furu M, Yamada R, Matsuda F, Ito H, Fujii T, Mimori T.	Three Groups in the 28 Joints for Rheumatoid Arthritis Synovitis - Analysis Using More than 17,000 Assessments in the KURAMA Database.	PLoS One	8	e59341	2013
Terao C, Ohmura K, Kawaguchi Y, Nishimoto T, Kawasaki A, Takehara K, Furukawa H, Kochi Y, Ota Y, Ikari K, Sato S, Tohma S, Yamada R, Yamamoto K, Kubo M, Yamanaka H, Kuwana M, Tsuchiya N, Matsuda F, Mimori T.	PLD4 as a novel susceptibility gene for systemic sclerosis in a Japanese population.	Arthritis Rheum	65	472-80	2013
Terao C, Hashimoto M, Furu M, Nakabo S, Ohmura K, Nakashima R, Imura Y, Yukawa N, Yoshifuji H, Matsuda F, Ito H, Fujii T, Mimori T.	Inverse association between air pressure and rheumatoid arthritis synovitis: an observational study.	PLoS One	9	e85376	2014
Terao C, Yoshifuji H, Kimura A, Matsumura T, Ohmura K, Takahashi M, Shimizu M, Kawaguchi T, Chen Z, Naruse TK, Sato-Otsubo A, Ebana Y, Maejima Y, Kinoshita H, Murakami K, Kawabata D, Wada Y, Narita I, Tazaki J, Kawaguchi Y, Yamanaka H, Yurugi K, Miura Y, Maekawa T, Ogawa S, Komuro I, Nagai R, Yamada R, Tabara Y, Isobe M, Mimori T, Matsuda F.	Two susceptibility loci to Takayasu arteritis reveal a synergistic role of the IL12B and HLA-B regions in a Japanese population.	Am J Hum Genet	93	289-97.	2013
Suzuki T, Ikari K, Yano K, Inoue E, Toyama Y, Taniguchi A, Yamanaka H, Momohara S.	PADI4 and HLA-DRB1 are genetic risks for radiographic progression in RA patients, independent of ACPA status: results from the IORRA cohort study.	PLoS One	8	e61045	2013
Katayama M, Ohmura K, Yukawa N, Terao C, Hashimoto M, Yoshifuji H, Kawabata D, Fujii T, Iwakura Y, Mimori T.	Neutrophils are essential as a source of IL-17 in the effector phase of arthritis.	PLoS One	8	e62231	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okada Y, Terao C, Ikari K, Kochi Y, Ohmura K, Suzuki A, Kawaguchi T, Stahl EA, Kurreeman FA, Nishida N, Ohmiya H, Myouzen K, Takahashi M, Sawada T, Nishioka Y, Yukioka M, Matsubara T, Wakitani S, Teshima R, Tohma S, Takasugi K, Shimada K, Murasawa A, Honjo S, Matsuo K, Tanaka H, Tajima K, Suzuki T, Iwamoto T, Kawamura Y, Tanii H, Okazaki Y, Sasaki T, Gregersen PK, Padyukov L, Worthington J, Siminovitch KA, Lathrop M, Taniguchi A, Takahashi A, Tokunaga K, Kubo M, Nakamura Y, Kamatani N, <u>Mimori T</u> , <u>Plenge RM</u> , <u>Yamanaka H</u> , <u>Momohara S</u> , <u>Yamada R</u> , <u>Matsuda F</u> , <u>Yamamoto K</u> .	Meta-analysis identifies nine new loci associated with rheumatoid arthritis in the Japanese population.	Nat Genet	44	511-6	2012
Myouzen K, Kochi Y, Okada Y, Terao C, Suzuki A, Ikari K, Tsunoda T, Takahashi A, Kubo M, Taniguchi A, <u>Matsuda F</u> , Ohmura K, <u>Momohara S</u> , <u>Mimori T</u> , <u>Yamanaka H</u> , Kamatani N, <u>Yamada R</u> , Nakamura Y, <u>Yamamoto K</u> .	Functional variants in NFKBIE and RTKN2 involved in activation of the NF-kappaB pathway are associated with rheumatoid arthritis in Japanese.	PLoS Genet	8	e1002949	2012
Onuki R, <u>Yamada R</u> , Yamaguchi R, Kanehisa M, Shibuya T.	Population model-based inter-diplotype similarity measure for accurate diplotype clustering.	J Comput Biol	19	55-67	2012
Ohmura K, Terao C, <u>Mimori T</u> .	Recent advances on the genetics of rheumatoid arthritis: current topics and the future.	Inflamm Regen	32	90-98	2012
Terao C, Ohmura K, Ikari K, Kochi Y, Maruya E, Katayama M, Yurugi K, Shimada K, Murasawa A, Honjo S, Takasugi K, Matsuo K, Tajima K, Suzuki A, <u>Yamamoto K</u> , <u>Momohara S</u> , <u>Yamanaka H</u> , <u>Yamada R</u> , <u>Saji H</u> , <u>Matsuda F</u> , <u>Mimori T</u> .	ACPA-negative RA consists of two genetically distinct subsets based on RF positivity in Japanese.	PLoS One	7	e40067	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Terao C, Ikari K, Ohmura K, Suzuki T, Iwamoto T, Takasugi K, Saji H, Taniguchi A, <u>Momohara S</u> , <u>Yamanaka H</u> , <u>Matsuda F</u> , <u>Mimori T</u> .	Quantitative effect of HLA-DRB1 alleles to ACPA levels in Japanese rheumatoid arthritis: no strong genetic impact of shared epitope to ACPA levels after stratification of HLA-DRB1*09:01.	Ann Rheum Dis	71	1095-7	2012
Terao C, Ohmura K, Kochi Y, Ikari K, Maruya E, Katayama M, Shimada K, Murasawa A, Honjo S, Takasugi K, Matsuo K, Tajima K, Suzuki A, <u>Yamamoto K</u> , <u>Momohara S</u> , <u>Yamanaka H</u> , <u>Yamada R</u> , <u>Saji H</u> , <u>Matsuda F</u> , <u>Mimori T</u> .	A large-scale association study identified multiple HLA-DRB1 alleles associated with ACPA-negative rheumatoid arthritis in Japanese subjects.	Ann Rheum Dis	70	2134-9	2011
Suzuki T, Ikari K, Kawaguchi Y, Yano K, Iwamoto T, Kawamoto M, Toyama Y, Taniguchi A, <u>Yamanaka H</u> , <u>Momohara S</u> .	Non-synonymous variant (Gly307Ser) in CD226 is associated with susceptibility in Japanese rheumatoid arthritis patients.	Mod Rheumatol		e-pub	2012
Shidara K, Inoue E, Hoshi D, Tanaka E, Seto Y, Nakajima A, <u>Momohara S</u> , Taniguchi A, <u>Yamanaka H</u> .	The influence of individual joint impairment on functional disability in rheumatoid arthritis using a large observational database of Japanese patients.	J Rheumatol	39	476-80	2012
Nakajima A, Inoue E, Shidara K, Hoshi D, Sato E, Seto Y, Tanaka E, Taniguchi A, <u>Momohara S</u> , <u>Yamanaka H</u> .	Standard treatment in daily clinical practice for early rheumatoid arthritis improved disease activity from 2001 to 2006.	Mod Rheumatol	21	594-7	2011