

研究成果の刊行に関する一覧表

書籍 なし

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shimoda, M., Bolduc, A., Takezaki, M., Amtani, Y., Huang, L., Nutt S. L., Kamanaka, M., Flavell, R. A., Mellor A. L, <u>Tsubata, T.</u> and Koni, P.	Constitutively CD40-activated B cells regulate CD8 T cell inflammatory response by IL-10 induction.	J. Immunol.	190	3189-3196.	2013
Xu, M., Hou, R., Sato-Hayashizaki, A., Man, R., Zhu, C., Wakabayashi, C., Hirose, S., Adachi, T. and <u>Tsubata, T.</u>	<i>CD72^c</i> is a modifier gene that regulates <i>Fas^{dpr}</i> -induced autoimmune disease.	J. Immunol.	190	5436-5445.	2013
Aslam, M., Kishi, Y. and <u>Tsubata, T.</u>	Excess CD40L does not rescue anti-DNA B cells from clonal anergy.	F1000 Research	2	218	2013

Naito-Matsui, Y., Takada, S., Kano, Y., Iyoda, T., Sugai, M., Shimizu, A., Inaba, K., Nitschke, L., Tsubata, T., Oka, S., Kozutsumi, Y. and Takematsu, H.	Functional evaluation of activation-dependent alterations in the sialoglycan composition of T cells.	J. Biol. Chem.	289	1564-1579.	2014
Kawai, Y., Ouchida, R., Yamasaki, S., Dragone, L., <u>Tsubata,</u> <u>T.</u> and J.-Y. Wang	LAPTM5 promotes lysosomal degradation of intracellular but not the cell surface CD3 ζ .	Immunol. Cell Biol. (in press).	-	-	2014
Nakabayashi, M., Tsukahara, Y., Iwasaki-Miyamoto, Y., Mihori-Shimazaki, M., Yamada, S., Inaba, S., Oda, M., Shimizu, M., Makishima, M., Tokiwa, H., Ikura, T. and Ito, N.	Crystal structures of hereditary vitamin D-resistant rickets-associated vitamin D receptor mutants R270L and W282R bound to 1,25-dihydroxyvitamin D3 and synthetic ligands.	J. Med. Chem.	56	6745–6760	2013
Masuno, H., Ikura, T., Morizono, D., Orita, I., Yamada, S., Shimizu, M. and Ito, N.	Crystal structures of complexes of vitamin D receptor ligand-binding domain with lithocholic acid derivatives.	J. Lipid. Res.	54	2206–2213	2013
Ikura, T. and Ito, N	The peptidyl-prolyl isomerase activity of FK506 binding protein 12 prevents tau peptide from aggregating.	Protein Eng. Des. Sel.	26	539–546	2013
Higo, K., Ikura, T., Oda, M., Morii, H., Takahashi, J., Abe, R. and <u>Ito, N.</u>	High resolution crystal structure of the Grb2 SH2 domain with a phosphopeptide derived from CD28.	PLoS ONE.	8	e74482	2013
Hara, A., Imamura, A., Ando, H., Ishida, H. and Kiso, M.	A New Chemical Approach to Human ABO Histo-Blood Group Type 2 Antigens	Molecules	19	414-437	2014

Konishi, M., Immamura, A., Fujikawa, K., Ando, H., Ishida, H. and Kiso, M.	Extending the Glucosyl Ceramide Cassette Approach: Application in the Total Synthesis of Ganglioside GalNAc-GM1b.	Molecules	18	15153-1518 1	2013
M. Nagae and Y. Yamaguchi	Three-dimensional structural aspects of protein-polysaccharide interactions	Int. J. Mol. Sci.	15	3768-83	2014
N. Yasa T. Koyama G.P. Subedi Y. Yamaguchi M. Matsushita and Y. Fujita-Yamaguchi	Expression and structural characterization of anti-T-antigen single-chain antibodies (scFvs) and analysis of their binding to T-antigen by surface plasmon resonance and NMR spectroscopy.	J. Biochem	154	521-9	2013
S. Hanashima C. Sato, H. Tanaka, T. Takahashi, K. Kitajima, and Y. Yamaguchi	NMR study into the mechanism of recognition of the degree of polymerization by oligo/polysialic acid antibodies.	Bioorg. Med. Chem.	21	6069-76	2013