

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Retic (10 ⁹ /L)	-1	Mean	61.2 I ¹	51.7	64.3	62.1	69.0	49.4
		S.D.	8.1	13.5	8.7	29.5	20.3	16.4
		N	4	4	4	4	4	4
	1	Mean	122.1 I ¹	127.2	89.3	65.9	83.0	65.0
		S.D.	28.2	81.5	44.9	9.6	32.4	31.9
		N	4	4	4	4	4	4
	2	Mean	115.3 I ¹	96.6	106.5	97.3	104.0	78.5
		S.D.	24.3	48.7	61.3	22.4	29.1	34.3
		N	4	4	4	4	4	4
	3	Mean	107.8 I ¹	120.7	98.8	109.2	99.1	163.3 n1 ²
		S.D.	30.3	32.8	40.1	25.7	18.1	.
		N	4	4	4	4	4	1
	4	Mean	127.8 I ¹	97.2	117.9	129.0	127.1	145.9 n1 ²
		S.D.	37.1	35.5	24.6	31.7	10.4	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
PLT (10 ³ /μL)	-1	Mean	369 I ¹	431	383	437	442	443
		S.D.	107	67	68	75	102	91
		N	4	4	4	4	4	4
	1	Mean	376 I ¹	440	376	427	391	464
		S.D.	102	97	47	62	57	127
		N	4	4	4	4	4	4
	2	Mean	379 I ¹	444	382	400	465	654 dd ²
		S.D.	95	85	70	38	75	203
		N	4	4	4	4	4	4
	3	Mean	358 I ¹	383	357	399	375	400 n1 ³
		S.D.	88	64	81	30	86	.
		N	4	4	4	4	4	1
	4	Mean	359 I ¹	370	330	417	370	382 n1 ³
		S.D.	96	62	67	39	98	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [dd - Test: Dunnett 2 Sided p < 0.01]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
WBC (10 ³ /μL)	-1	Mean	7.98 I ¹	9.47	9.22	9.49	7.70	9.15
		S.D.	1.81	1.66	1.07	0.85	0.68	2.55
		N	4	4	4	4	4	4
	1	Mean	7.78 I ¹	7.24	7.61	7.97	6.10	6.93
		S.D.	0.91	0.76	2.48	1.09	0.93	1.12
		N	4	4	4	4	4	4
	2	Mean	10.92 I ¹	8.72	8.65	10.61	9.63	8.51
		S.D.	3.52	1.58	3.96	1.75	0.90	4.13
		N	4	4	4	4	4	4
	3	Mean	8.03 I ¹	7.93	8.22	8.67	6.14	8.20 n1 ³
		S.D.	1.39	3.46	2.18	2.23	0.57	.
		N	4	4	4	4	4	1
	4	Mean	8.62 R ²	8.22	9.04	10.46	8.10	7.15 n1 ³
		S.D.	1.66	1.15	2.27	0.19	1.05	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [R - Automatic Transformation Selected: Rank]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%Neut (%)	-1	Mean	40.6 I ¹	50.3	42.5	32.1	37.4	48.6
		S.D.	12.8	8.5	11.2	9.2	2.2	15.1
		N	4	4	4	4	4	4
	1	Mean	35.3 I ¹	35.4	30.9	30.5	37.0	46.4
		S.D.	8.6	8.7	8.2	5.7	3.8	10.8
		N	4	4	4	4	4	4
	2	Mean	46.3 I ¹	37.4	36.6	32.4	38.8	44.9
		S.D.	14.1	14.6	9.7	13.4	11.8	20.8
		N	4	4	4	4	4	4
	3	Mean	55.1 I ¹	50.9	48.0	44.8	41.5	48.4 n ^{1 2}
		S.D.	12.5	8.8	9.5	4.3	4.1	.
		N	4	4	4	4	4	1
	4	Mean	40.0 I ¹	33.7	33.3	32.8	30.4	34.4 n ^{1 2}
		S.D.	12.8	7.6	7.5	8.2	9.1	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%Lymph (%)	-1	Mean	54.1 I ¹	44.8	51.3	62.1	57.9	46.6
		S.D.	13.1	7.8	9.7	10.2	2.3	13.6
		N	4	4	4	4	4	4
	1	Mean	58.7 I ¹	58.9	62.5	64.2	57.2	46.0
		S.D.	9.8	8.7	7.4	8.0	3.8	9.5
		N	4	4	4	4	4	4
	2	Mean	48.4 I ¹	56.6	57.4	61.2	55.9	48.0
		S.D.	14.7	13.8	10.7	16.0	11.9	18.3
		N	4	4	4	4	4	4
	3	Mean	40.1 I ¹	44.8	46.2	50.5	53.8	46.7 n1 ²
		S.D.	12.5	9.1	8.4	5.7	3.8	.
		N	4	4	4	4	4	1
	4	Mean	54.4 I ¹	60.6	60.2	61.6	64.3	60.1 n1 ²
		S.D.	13.9	6.9	8.2	10.7	8.8	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%Mono (%)	-1	Mean	3.4 I ¹	3.6	3.5	3.8	3.6	3.4
		S.D.	1.0	0.8	0.6	1.8	0.9	0.9
		N	4	4	4	4	4	4
	1	Mean	4.0 I ¹	4.4	3.7	3.7	4.5	6.3
		S.D.	1.2	0.9	0.7	2.7	1.4	1.4
		N	4	4	4	4	4	4
	2	Mean	3.8 I ¹	4.6	3.7	4.4	3.8	5.6
		S.D.	1.3	0.6	0.7	2.7	1.6	2.1
		N	4	4	4	4	4	4
	3	Mean	3.4 L ²	3.3	3.4	3.1	3.5	3.5 n1 ³
		S.D.	0.6	0.4	0.6	2.2	1.4	.
		N	4	4	4	4	4	1
	4	Mean	3.7 I ¹	4.0	3.5	3.6	3.8	3.9 n1 ³
		S.D.	0.8	0.7	0.6	2.8	1.3	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [L - Automatic Transformation Selected: Log]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%Eos (%)	-1	Mean	1.2 L ¹	0.7	1.8	1.0	0.5	0.7
		S.D.	0.6	0.5	2.7	0.5	0.3	0.7
		N	4	4	4	4	4	4
	1	Mean	1.4 R ²	0.7	2.0	0.8	0.5	0.4
		S.D.	0.6	0.3	2.9	0.1	0.3	0.2
		N	4	4	4	4	4	4
	2	Mean	1.1 L ¹	0.8	1.7	1.1	0.7	0.5
		S.D.	0.5	0.4	2.0	0.3	0.4	0.3
		N	4	4	4	4	4	4
	3	Mean	0.8 L ¹	0.5	1.8	0.7	0.4	0.4 n1 ³
		S.D.	0.6	0.2	2.8	0.3	0.3	.
		N	4	4	4	4	4	1
	4	Mean	1.4 L ¹	1.0	2.1	1.2	0.8	0.7 n1 ³
		S.D.	0.7	0.6	2.6	0.2	0.5	.
		N	4	4	4	4	4	1

1 [L - Automatic Transformation Selected: Log]

2 [R - Automatic Transformation Selected: Rank]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%Baso (%)	-1	Mean	0.4 ¹	0.4	0.4	0.4	0.3	0.4
		S.D.	0.1	0.0	0.2	0.1	0.1	0.1
		N	4	4	4	4	4	4
	1	Mean	0.2 ¹	0.3	0.4	0.3	0.2	0.2
		S.D.	0.1	0.1	0.1	0.0	0.1	0.1
		N	4	4	4	4	4	4
	2	Mean	0.3 ¹	0.3	0.3	0.3	0.3	0.4
		S.D.	0.1	0.1	0.1	0.0	0.1	0.1
		N	4	4	4	4	4	4
	3	Mean	0.3 ¹	0.3	0.3	0.3	0.2	0.3 ^{n1³}
		S.D.	0.1	0.1	0.1	0.2	0.1	.
		N	4	4	4	4	4	1
4	Mean	0.2 ¹	0.3	0.3	0.4 ^{d²}	0.3	0.3 ^{n1³}	
	S.D.	0.1	0.0	0.1	0.1	0.1	.	
	N	4	4	4	4	4	1	

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [d - Test: Dunnett 2 Sided p < 0.05]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
%LUC (%)	-1	Mean	0.4 ¹	0.3	0.5	0.7	0.4	0.4
		S.D.	0.2	0.2	0.2	0.5	0.1	0.1
		N	4	4	4	4	4	4
	1	Mean	0.4 ¹	0.4	0.6	0.6	0.6	0.6
		S.D.	0.2	0.1	0.2	0.3	0.2	0.3
		N	4	4	4	4	4	4
	2	Mean	0.3 ^{L²}	0.5	0.5	0.7	0.5	0.7
		S.D.	0.1	0.2	0.1	0.2	0.1	0.6
		N	4	4	4	4	4	4
	3	Mean	0.4 ¹	0.4	0.4	0.5	0.7	0.7 ^{n1³}
		S.D.	0.1	0.1	0.1	0.3	0.3	.
		N	4	4	4	4	4	1
	4	Mean	0.4 ¹	0.4	0.6	0.5	0.6	0.7 ^{n1³}
		S.D.	0.1	0.1	0.3	0.2	0.0	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [L - Automatic Transformation Selected: Log]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Neut (10 ³ /μL)	-1	Mean	3.24 L ¹	4.75	3.89	3.02	2.87	4.64
		S.D.	1.15	1.13	1.02	0.84	0.19	2.51
		N	4	4	4	4	4	4
	1	Mean	2.77 I ²	2.57	2.37	2.38	2.27	3.29
		S.D.	0.90	0.72	0.88	0.21	0.50	1.32
		N	4	4	4	4	4	4
	2	Mean	5.35 I ²	3.43	3.43	3.60	3.81	4.44
		S.D.	3.06	1.88	2.43	2.15	1.46	4.16
		N	4	4	4	4	4	4
	3	Mean	4.50 I ²	4.26	3.95	3.87	2.54	3.97 n1 ³
		S.D.	1.51	2.45	1.43	1.03	0.25	.
		N	4	4	4	4	4	1
	4	Mean	3.60 I ²	2.83	3.09	3.44	2.51	2.46 n1 ³
		S.D.	1.78	0.96	1.23	0.91	1.05	.
		N	4	4	4	4	4	1

1 [L - Automatic Transformation Selected: Log]

2 [I - Automatic Transformation Selected: Identity (No Transformation)]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Lymph (10 ³ /μL)	-1	Mean	4.33 I ¹	4.25	4.74	5.91	4.47	4.09
		S.D.	1.44	1.14	1.13	1.28	0.56	1.17
		N	4	4	4	4	4	4
	1	Mean	4.54 I ¹	4.25	4.69	5.17	3.47	3.12
		S.D.	0.67	0.72	1.41	1.23	0.48	0.42
		N	4	4	4	4	4	4
	2	Mean	4.99 I ¹	4.78	4.65	6.31	5.31	3.55
		S.D.	1.01	0.56	1.12	1.03	0.73	0.15
		N	4	4	4	4	4	4
	3	Mean	3.16 I ¹	3.31	3.74	4.42	3.31	3.83 n1 ³
		S.D.	0.82	0.88	1.05	1.36	0.38	.
		N	4	4	4	4	4	1
	4	Mean	4.52 I ¹	4.93	5.32	6.43 dd ²	5.16	4.30 n1 ³
		S.D.	0.34	0.35	0.80	1.02	0.62	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [dd - Test: Dunnett 2 Sided p < 0.01]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Mono (10 ³ /μL)	-1	Mean	0.26 I ¹	0.34	0.32	0.36	0.27	0.30
		S.D.	0.05	0.11	0.07	0.18	0.06	0.05
		N	4	4	4	4	4	4
	1	Mean	0.31 I ¹	0.32	0.28	0.27	0.28	0.43
		S.D.	0.09	0.09	0.11	0.15	0.10	0.09
		N	4	4	4	4	4	4
	2	Mean	0.42 R ²	0.40	0.30	0.50	0.37	0.42
		S.D.	0.20	0.06	0.10	0.40	0.17	0.03
		N	4	4	4	4	4	4
	3	Mean	0.27 I ¹	0.27	0.29	0.24	0.22	0.29 n1 ⁴
		S.D.	0.06	0.13	0.12	0.10	0.11	.
		N	4	4	4	4	4	1
	4	Mean	0.33 L ³	0.33	0.33	0.38	0.30	0.28 n1 ⁴
		S.D.	0.12	0.03	0.12	0.30	0.08	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

3 [L - Automatic Transformation Selected: Log]

2 [R - Automatic Transformation Selected: Rank]

4 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Eos (10 ³ /μL)	-1	Mean	0.09 L ¹	0.07	0.18	0.09	0.04	0.06
		S.D.	0.04	0.05	0.29	0.06	0.02	0.07
		N	4	4	4	4	4	4
	1	Mean	0.11 R ²	0.05	0.21	0.07	0.03	0.03
		S.D.	0.04	0.03	0.33	0.01	0.02	0.01
		N	4	4	4	4	4	4
	2	Mean	0.11 R ²	0.06	0.20	0.12	0.06	0.04
		S.D.	0.05	0.02	0.32	0.03	0.03	0.01
		N	4	4	4	4	4	4
	3	Mean	0.06 L ¹	0.04	0.18	0.06	0.03	0.03 n1 ³
		S.D.	0.04	0.02	0.30	0.02	0.02	.
		N	4	4	4	4	4	1
	4	Mean	0.13 L ¹	0.08	0.22	0.12	0.06	0.05 n1 ³
		S.D.	0.08	0.04	0.30	0.02	0.04	.
		N	4	4	4	4	4	1

1 [L - Automatic Transformation Selected: Log]

2 [R - Automatic Transformation Selected: Rank]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#Baso (10 ³ /μL)	-1	Mean	0.03 I ¹	0.04	0.04	0.04	0.03	0.03
		S.D.	0.01	0.01	0.01	0.01	0.01	0.01
		N	4	4	4	4	4	4
	1	Mean	0.02 I ¹	0.02	0.03	0.02	0.02	0.02
		S.D.	0.01	0.01	0.01	0.01	0.01	0.00
		N	4	4	4	4	4	4
	2	Mean	0.03 I ¹	0.02	0.03	0.03	0.02	0.03
		S.D.	0.01	0.01	0.01	0.00	0.00	0.01
		N	4	4	4	4	4	4
	3	Mean	0.02 I ¹	0.02	0.02	0.03	0.01	0.03 n1 ³
		S.D.	0.01	0.01	0.01	0.02	0.01	.
		N	4	4	4	4	4	1
	4	Mean	0.02 I ¹	0.03	0.03	0.04 d ²	0.02	0.02 n1 ³
		S.D.	0.01	0.01	0.01	0.01	0.01	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [d - Test: Dunnett 2 Sided p < 0.05]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
#LUC (10 ³ /μL)	-1	Mean	0.03 I ¹	0.03	0.05	0.07	0.03	0.03
		S.D.	0.01	0.02	0.02	0.05	0.01	0.01
		N	4	4	4	4	4	4
	1	Mean	0.03 L ²	0.03	0.04	0.05	0.04	0.04
		S.D.	0.01	0.01	0.02	0.03	0.01	0.02
		N	4	4	4	4	4	4
	2	Mean	0.03 I ¹	0.04	0.04	0.07	0.05	0.05
		S.D.	0.01	0.01	0.02	0.02	0.01	0.04
		N	4	4	4	4	4	4
	3	Mean	0.03 I ¹	0.03	0.03	0.05	0.04	0.06 n1 ³
		S.D.	0.00	0.01	0.02	0.02	0.03	.
		N	4	4	4	4	4	1
	4	Mean	0.03 I ¹	0.03	0.05	0.06	0.04	0.05 n1 ³
		S.D.	0.01	0.02	0.01	0.02	0.01	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [L - Automatic Transformation Selected: Log]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
PT (s)	-1	Mean	10.0 I ¹	10.2	9.7	9.6	9.8	9.9
		S.D.	0.5	0.6	0.1	0.4	0.4	0.4
		N	4	4	4	4	4	4
	1	Mean	9.8 R ²	10.3	9.7	9.7	10.0	19.5
		S.D.	0.4	0.4	0.4	0.5	0.1	11.6
		N	4	4	4	4	4	4
	2	Mean	9.9 R ²	10.3	9.8	9.9	10.6	17.3
		S.D.	0.4	0.3	0.5	0.3	0.7	3.5
		N	4	4	4	4	4	4
	3	Mean	10.1 I ¹	10.3	9.9	9.8	10.7	18.5 n1 ³
		S.D.	0.3	0.5	0.5	0.3	0.6	.
		N	4	4	4	4	4	1
	4	Mean	10.0 I ¹	10.2	9.8	9.6	10.6	20.0 n1 ³
		S.D.	0.5	0.4	0.4	0.2	0.7	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [R - Automatic Transformation Selected: Rank]

3 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
APTT (s)	-1	Mean	24.5 I ¹	24.0	23.1	23.3	24.5	23.9
		S.D.	1.9	2.1	2.1	0.4	2.2	0.8
		N	4	4	4	4	4	4
	1	Mean	24.3 L ²	24.5	23.8	23.6	25.6	32.2 dd ³
		S.D.	1.8	2.0	1.5	0.4	2.8	5.4
		N	4	4	4	4	4	4
	2	Mean	24.1 I ¹	23.3	23.0	23.6	25.7	33.4 dd ³
		S.D.	2.3	2.7	1.7	0.7	2.0	2.6
		N	4	4	4	4	4	4
	3	Mean	24.4 I ¹	24.1	23.4	23.1	25.5	32.4 n1 ⁴
		S.D.	1.9	2.1	2.0	0.5	2.4	.
		N	4	4	4	4	4	1
	4	Mean	24.4 I ¹	22.9	23.3	22.9	25.7	34.3 n1 ⁴
		S.D.	2.0	1.2	1.8	0.9	2.7	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

3 [dd - Test: Dunnett 2 Sided p < 0.01]

2 [L - Automatic Transformation Selected: Log]

4 [n1 - This group has only one value: Data was not statistically analyzed.]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 11 Hematology (females)

Sex: Female			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
Fib (mg/dL)	-1	Mean	161.8 I ¹	160.4	166.1	159.9	179.5	162.8
		S.D.	14.7	24.4	13.7	24.7	17.7	18.3
		N	4	4	4	4	4	4
	1	Mean	199.7 I ¹	185.0	184.3	171.7	199.0	232.0
		S.D.	19.4	31.7	36.3	21.1	26.2	32.3
		N	4	4	4	4	4	4
	2	Mean	174.0 I ¹	178.3	172.8	165.2	176.9	190.4
		S.D.	23.8	26.9	23.9	16.3	17.8	29.5
		N	4	4	4	4	4	4
	3	Mean	176.3 I ¹	185.2	177.0	182.1	173.1	236.1 n1 ²
		S.D.	12.7	34.9	26.4	14.9	29.2	.
		N	4	4	4	4	4	1
	4	Mean	177.0 I ¹	180.6	183.3	215.7	204.3	230.4 n1 ²
		S.D.	10.9	33.4	15.0	45.5	26.1	.
		N	4	4	4	4	4	1

1 [I - Automatic Transformation Selected: Identity (No Transformation)]

2 [n1 - This group has only one value: Data was not statistically analyzed.]

TK13152

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 12 Clinical chemistry - List of abbreviations -

Abbreviation	Expansion
AST	Aspartate aminotransferase
ALT	Alanine aminotransferase
ALP	Alkaline phosphatase
LD	Lactate dehydrogenase
CK	Creatine kinase
GGT	γ -glutamyl transferase
GLDH	Glutamate dehydrogenase
LAP	Leucine aminopeptidase
GLU	Glucose
BIL	Total bilirubin
UN	Urea nitrogen
CRE	Creatinine
CHO	Total cholesterol
TG	Triglycerides
PL	Phospholipids
IP	Inorganic phosphorus
CA	Calcium
NA	Sodium
K	Potassium
CL	Chloride
TP	Total protein
ALB	Albumin
A/G	Albumin/globulin ratio
T-BA	Total bile acid
CRP	C-reactive protein

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Table 13 Clinical chemistry (males)

Sex: Male			Control 0.5%CMC-Na	Low TM5509 2 mg/kg/day	Low-Mid TM5509 6 mg/kg/day	Mid TM5509 20 mg/kg/day	Mid-High TM5509 80 mg/kg/day	High TM5509 300 mg/kg/day
Week(s) Relative to Start Date								
AST (U/L)	-1	Mean	28 R ¹	32	28	27	35	34
		S.D.	4	9	1	5	11	7
		N	4	4	4	4	4	4
	1	Mean	31 I ²	31	26	26	30	50 dd ³
		S.D.	5	9	2	7	3	2
		N	4	4	4	4	4	4
	2	Mean	27 R ¹	29	25	28	32	123
		S.D.	3	6	3	3	8	150
		N	4	4	4	4	4	4
	3	Mean	28 R ¹	30	28	30	32	50
		S.D.	1	7	3	1	7	6
		N	4	4	4	4	4	3
	4	Mean	28 I ²	29	29	29	33	50 dd ³
		S.D.	5	5	2	6	7	12
		N	4	4	4	4	4	3

1 [R - Automatic Transformation Selected: Rank]
3 [dd - Test: Dunnett 2 Sided p < 0.01]

2 [I - Automatic Transformation Selected: Identity (No Transformation)]