

TK13152

Page: 44

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	PLT	PLT	PLT	PLT	PLT	WBC	WBC	WBC	WBC	WBC
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	502	399	366	404	412	8.60	8.46	9.20	8.84	10.32
RP4F02	499	519	453	436	474	9.64	6.34	13.02	6.31	10.71
RP4F03	391	394	384	363	395	9.13	8.61	10.80	7.90	10.49
RP4F04	355	395	398	391	388	10.59	8.46	9.43	11.62	10.31
Mean	437	427	400	399	417	9.49	7.97	10.61	8.67	10.46
S.D.	75	62	38	30	39	0.85	1.09	1.75	2.23	0.19
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	%Neut	%Neut	%Neut	%Neut	%Neut	%Lymph	%Lymph	%Lymph	%Lymph	%Lymph
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	33.6	31.4	28.6	44.3	24.4	62.9	64.2	65.9	52.2	71.7
RP4F02	44.1	38.1	52.0	49.9	43.6	47.9	53.0	38.0	42.5	46.6
RP4F03	27.9	26.8	27.6	39.4	29.3	65.6	68.2	66.3	55.8	65.3
RP4F04	22.7	25.5	21.4	45.7	33.7	72.1	71.2	74.6	51.5	62.9
Mean	32.1	30.5	32.4	44.8	32.8	62.1	64.2	61.2	50.5	61.6
S.D.	9.2	5.7	13.4	4.3	8.2	10.2	8.0	16.0	5.7	10.7
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 46

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	%Mono	%Mono	%Mono	%Mono	%Mono	%Eos	%Eos	%Eos	%Eos	%Eos
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	2.4	2.7	3.5	2.4	2.0	0.4	0.8	1.0	0.6	1.1
RP4F02	6.4	7.6	8.3	6.3	7.7	0.8	0.8	1.0	0.8	1.4
RP4F03	3.6	2.9	3.4	2.4	3.3	1.2	0.9	1.4	1.1	1.1
RP4F04	2.6	1.5	2.2	1.4	1.5	1.5	0.8	0.8	0.4	1.0
Mean	3.8	3.7	4.4	3.1	3.6	1.0	0.8	1.1	0.7	1.2
S.D.	1.8	2.7	2.7	2.2	2.8	0.5	0.1	0.3	0.3	0.2
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	%Baso	%Baso	%Baso	%Baso	%Baso	%LUC	%LUC	%LUC	%LUC	%LUC
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	0.4	0.3	0.3	0.2	0.5	0.3	0.6	0.7	0.4	0.3
RP4F02	0.5	0.2	0.2	0.2	0.3	0.4	0.2	0.4	0.3	0.4
RP4F03	0.4	0.3	0.3	0.4	0.3	1.4	0.9	0.9	0.9	0.8
RP4F04	0.3	0.3	0.3	0.5	0.3	0.7	0.7	0.6	0.5	0.6
Mean	0.4	0.3	0.3	0.3	0.4	0.7	0.6	0.7	0.5	0.5
S.D.	0.1	0.0	0.0	0.2	0.1	0.5	0.3	0.2	0.3	0.2
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 48

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	#Neut	#Neut	#Neut	#Neut	#Neut	#Lymph	#Lymph	#Lymph	#Lymph	#Lymph
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	2.89	2.65	2.63	3.91	2.52	5.41	5.43	6.07	4.61	7.39
RP4F02	4.25	2.42	6.76	3.15	4.67	4.62	3.36	4.95	2.68	5.00
RP4F03	2.54	2.30	2.98	3.11	3.07	5.99	5.87	7.16	4.40	6.85
RP4F04	2.41	2.16	2.02	5.31	3.48	7.63	6.02	7.04	5.99	6.49
Mean	3.02	2.38	3.60	3.87	3.44	5.91	5.17	6.31	4.42	6.43
S.D.	0.84	0.21	2.15	1.03	0.91	1.28	1.23	1.03	1.36	1.02
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	#Mono	#Mono	#Mono	#Mono	#Mono	#Eos	#Eos	#Eos	#Eos	#Eos
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	0.21	0.23	0.32	0.21	0.20	0.03	0.07	0.10	0.06	0.12
RP4F02	0.62	0.48	1.08	0.39	0.82	0.07	0.05	0.13	0.05	0.15
RP4F03	0.33	0.25	0.37	0.19	0.34	0.11	0.08	0.15	0.09	0.11
RP4F04	0.28	0.13	0.21	0.16	0.16	0.16	0.07	0.08	0.04	0.10
Mean	0.36	0.27	0.50	0.24	0.38	0.09	0.07	0.12	0.06	0.12
S.D.	0.18	0.15	0.40	0.10	0.30	0.06	0.01	0.03	0.02	0.02
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 50

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	#Baso	#Baso	#Baso	#Baso	#Baso	#LUC	#LUC	#LUC	#LUC	#LUC
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	0.03	0.03	0.03	0.02	0.05	0.03	0.05	0.06	0.03	0.03
RP4F02	0.05	0.01	0.03	0.01	0.03	0.04	0.01	0.05	0.02	0.05
RP4F03	0.03	0.03	0.03	0.03	0.03	0.13	0.08	0.10	0.07	0.08
RP4F04	0.04	0.02	0.03	0.06	0.03	0.07	0.06	0.05	0.06	0.06
Mean	0.04	0.02	0.03	0.03	0.04	0.07	0.05	0.07	0.05	0.06
S.D.	0.01	0.01	0.00	0.02	0.01	0.05	0.03	0.02	0.02	0.02
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	PT	PT	PT	PT	PT	APTT	APTT	APTT	APTT	APTT
	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)	(s)
	-1	1	2	3	4	-1	1	2	3	4
RP4F01	9.9	10.1	10.1	10.2	9.9	23.5	23.6	24.3	23.7	22.6
RP4F02	9.0	9.2	9.5	9.5	9.3	23.0	23.1	22.7	22.8	21.9
RP4F03	9.8	9.5	9.9	9.8	9.6	23.7	23.7	23.5	22.7	22.8
RP4F04	9.8	10.1	10.0	9.8	9.5	22.8	24.1	23.8	23.3	24.1
Mean	9.6	9.7	9.9	9.8	9.6	23.3	23.6	23.6	23.1	22.9
S.D.	0.4	0.5	0.3	0.3	0.2	0.4	0.4	0.7	0.5	0.9
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid TM5509 20 mg/kg/day	Fib	Fib	Fib	Fib	Fib
	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)
	-1	1	2	3	4
RP4F01	173.0	188.9	177.1	196.4	197.3
RP4F02	188.1	183.7	178.7	192.6	203.1
RP4F03	141.3	172.5	161.3	165.3	180.0
RP4F04	137.2	141.7	143.7	174.0	282.3
Mean	159.9	171.7	165.2	182.1	215.7
S.D.	24.7	21.1	16.3	14.9	45.5
N	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	RBC	RBC	RBC	RBC	RBC	HGB	HGB	HGB	HGB	HGB
	(10 ⁶ /μL)	(10 ⁶ /μL)	(10 ⁶ /μL)	(10 ⁶ /μL)	(10 ⁶ /μL)	(g/dL)	(g/dL)	(g/dL)	(g/dL)	(g/dL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	5.38	5.17	5.05	5.07	5.14	13.4	12.9	12.6	12.7	13.0
RP5F02	5.45	5.19	5.02	4.92	5.17	12.8	12.1	11.7	11.5	12.1
RP5F03	5.27	5.22	5.31	5.01	5.22	12.8	12.6	12.9	12.1	12.7
RP5F04	5.21	4.66	4.83	4.75	5.08	13.1	11.8	12.0	11.9	12.7
Mean	5.33	5.06	5.05	4.94	5.15	13.0	12.4	12.3	12.1	12.6
S.D.	0.11	0.27	0.20	0.14	0.06	0.3	0.5	0.5	0.5	0.4
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 54

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	HCT	HCT	HCT	HCT	HCT	MCV	MCV	MCV	MCV	MCV
	(%)	(%)	(%)	(%)	(%)	(fL)	(fL)	(fL)	(fL)	(fL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	42.4	40.4	39.6	40.2	43.3	78.8	78.2	78.3	79.1	84.2
RP5F02	41.0	37.9	36.9	36.8	39.6	75.3	73.0	73.5	74.7	76.6
RP5F03	41.7	40.9	42.1	39.5	41.7	79.1	78.4	79.2	78.8	79.9
RP5F04	42.8	37.4	39.2	39.5	44.3	82.1	80.2	81.1	83.1	87.3
Mean	42.0	39.2	39.5	39.0	42.2	78.8	77.5	78.0	78.9	82.0
S.D.	0.8	1.8	2.1	1.5	2.1	2.8	3.1	3.2	3.4	4.7
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	MCH	MCH	MCH	MCH	MCH	MCHC	MCHC	MCHC	MCHC	MCHC
	(pg)	(pg)	(pg)	(pg)	(pg)	(g/dL)	(g/dL)	(g/dL)	(g/dL)	(g/dL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	24.8	25.1	25.0	25.0	25.2	31.5	32.0	31.9	31.5	30.0
RP5F02	23.6	23.2	23.3	23.3	23.3	31.3	31.8	31.7	31.2	30.4
RP5F03	24.3	24.2	24.3	24.2	24.4	30.8	30.9	30.7	30.7	30.5
RP5F04	25.1	25.2	24.9	25.1	25.1	30.5	31.5	30.6	30.2	28.8
Mean	24.5	24.4	24.4	24.4	24.5	31.0	31.6	31.2	30.9	29.9
S.D.	0.7	0.9	0.8	0.8	0.9	0.5	0.5	0.7	0.6	0.8
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 56

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	%Retic	%Retic	%Retic	%Retic	%Retic	#Retic	#Retic	#Retic	#Retic	#Retic
	(%)	(%)	(%)	(%)	(%)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ⁹ /L)	(10 ⁹ /L)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	1.4	1.4	1.3	1.8	2.6	75.6	69.9	66.5	90.9	135.0
RP5F02	1.0	0.8	2.0	1.8	2.6	54.6	43.8	99.4	86.3	132.3
RP5F03	1.8	2.2	2.1	1.9	2.1	94.8	115.7	114.0	93.4	111.9
RP5F04	1.0	2.2	2.8	2.7	2.5	51.0	102.5	135.9	125.9	129.2
Mean	1.3	1.7	2.1	2.1	2.5	69.0	83.0	104.0	99.1	127.1
S.D.	0.4	0.7	0.6	0.4	0.2	20.3	32.4	29.1	18.1	10.4
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	PLT	PLT	PLT	PLT	PLT	WBC	WBC	WBC	WBC	WBC
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	348	326	364	313	272	7.35	6.69	8.77	5.67	9.62
RP5F02	384	388	474	307	327	7.15	4.75	10.58	5.91	7.38
RP5F03	580	466	544	491	501	7.62	6.75	10.22	6.97	7.44
RP5F04	457	384	477	388	381	8.67	6.19	8.95	6.02	7.96
Mean	442	391	465	375	370	7.70	6.10	9.63	6.14	8.10
S.D.	102	57	75	86	98	0.68	0.93	0.90	0.57	1.05
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 58

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	%Neut	%Neut	%Neut	%Neut	%Neut	%Lymph	%Lymph	%Lymph	%Lymph	%Lymph
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	38.2	41.9	36.0	41.3	41.7	56.8	53.6	59.7	54.7	54.1
RP5F02	40.0	35.6	51.7	47.3	32.5	55.2	58.2	44.6	48.9	62.3
RP5F03	35.1	37.5	43.6	38.7	27.2	59.2	54.7	48.4	53.6	65.1
RP5F04	36.1	32.9	24.0	38.5	20.0	60.3	62.1	71.0	58.1	75.5
Mean	37.4	37.0	38.8	41.5	30.4	57.9	57.2	55.9	53.8	64.3
S.D.	2.2	3.8	11.8	4.1	9.1	2.3	3.8	11.9	3.8	8.8
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	%Mono	%Mono	%Mono	%Mono	%Mono	%Eos	%Eos	%Eos	%Eos	%Eos
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	4.1	3.4	3.1	3.1	3.0	0.2	0.2	0.4	0.1	0.4
RP5F02	3.5	4.7	2.8	2.9	3.9	0.4	0.3	0.3	0.4	0.5
RP5F03	4.4	6.4	6.2	5.6	5.5	0.8	0.8	1.0	0.8	1.4
RP5F04	2.3	3.5	3.2	2.4	2.7	0.4	0.7	0.9	0.3	0.9
Mean	3.6	4.5	3.8	3.5	3.8	0.5	0.5	0.7	0.4	0.8
S.D.	0.9	1.4	1.6	1.4	1.3	0.3	0.3	0.4	0.3	0.5
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 60

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	%Baso					%LUC				
	%Baso	%Baso	%Baso	%Baso	%Baso	%LUC	%LUC	%LUC	%LUC	%LUC
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	0.2	0.2	0.3	0.1	0.3	0.4	0.6	0.4	0.6	0.5
RP5F02	0.3	0.4	0.2	0.2	0.2	0.6	0.9	0.4	0.4	0.6
RP5F03	0.2	0.1	0.2	0.2	0.2	0.3	0.5	0.6	1.1	0.6
RP5F04	0.5	0.2	0.3	0.3	0.3	0.4	0.5	0.6	0.5	0.6
Mean	0.3	0.2	0.3	0.2	0.3	0.4	0.6	0.5	0.7	0.6
S.D.	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.0
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	#Neut	#Neut	#Neut	#Neut	#Neut	#Lymph	#Lymph	#Lymph	#Lymph	#Lymph
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	2.81	2.80	3.16	2.34	4.01	4.17	3.59	5.23	3.10	5.20
RP5F02	2.86	1.69	5.47	2.80	2.40	3.95	2.77	4.71	2.89	4.60
RP5F03	2.67	2.53	4.46	2.70	2.03	4.51	3.69	4.95	3.74	4.84
RP5F04	3.13	2.04	2.15	2.32	1.59	5.23	3.84	6.35	3.50	6.01
Mean	2.87	2.27	3.81	2.54	2.51	4.47	3.47	5.31	3.31	5.16
S.D.	0.19	0.50	1.46	0.25	1.05	0.56	0.48	0.73	0.38	0.62
N	4	4	4	4	4	4	4	4	4	4

TK13152

Page: 62

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	#Mono	#Mono	#Mono	#Mono	#Mono	#Eos	#Eos	#Eos	#Eos	#Eos
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	0.30	0.23	0.27	0.18	0.29	0.01	0.01	0.04	0.01	0.04
RP5F02	0.25	0.22	0.30	0.17	0.29	0.03	0.01	0.03	0.02	0.03
RP5F03	0.33	0.43	0.63	0.39	0.41	0.06	0.06	0.10	0.05	0.11
RP5F04	0.20	0.22	0.29	0.14	0.22	0.04	0.04	0.08	0.02	0.07
Mean	0.27	0.28	0.37	0.22	0.30	0.04	0.03	0.06	0.03	0.06
S.D.	0.06	0.10	0.17	0.11	0.08	0.02	0.02	0.03	0.02	0.04
N	4	4	4	4	4	4	4	4	4	4

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 6 Hematology (females)

Sex: Female Week(s) Relative to Start Date

Mid-High TM5509 80 mg/kg/day	#Baso	#Baso	#Baso	#Baso	#Baso	#LUC	#LUC	#LUC	#LUC	#LUC
	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)	(10 ³ /μL)
	-1	1	2	3	4	-1	1	2	3	4
RP5F01	0.02	0.02	0.03	0.01	0.03	0.03	0.04	0.04	0.04	0.04
RP5F02	0.02	0.02	0.02	0.01	0.02	0.04	0.04	0.05	0.02	0.04
RP5F03	0.02	0.01	0.02	0.01	0.01	0.02	0.03	0.06	0.08	0.04
RP5F04	0.04	0.01	0.02	0.02	0.02	0.04	0.03	0.05	0.03	0.05
Mean	0.03	0.02	0.02	0.01	0.02	0.03	0.04	0.05	0.04	0.04
S.D.	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.03	0.01
N	4	4	4	4	4	4	4	4	4	4