

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 9 Absolute and relative organ weights (males)

Sex: Male Day(s): 29 Relative to Start Date

High TM5509 300 mg/kg/day	Pancreas (%)	Adrenal Right (mg)	Adrenal Right (mg%)	Adrenal Left (mg)	Adrenal Left (mg%)	Adrenal Total (mg)	Adrenal Total (mg%)	Kidney Right (g)	Kidney Right (%)	Kidney Left (g)	Kidney Left (%)	Kidney Total (g)	Kidney Total (%)	Testis Right (g)
RP6M01	0.156	238	9.15	283	10.88	521	20.04	5.26	0.202	5.56	0.214	10.82	0.416	0.42
RP6M03	0.187	179	5.77	232	7.48	411	13.26	5.46	0.176	5.86	0.189	11.32	0.365	1.94
RP6M04	0.142	185	6.15	251	8.34	436	14.49	6.11	0.203	6.17	0.205	12.28	0.408	1.36
Mean	0.162	.	.	.	.	456	15.93	.	.	.	.	11.47	0.396	.
S.D.	0.023	.	.	.	.	58	3.61	.	.	.	.	0.74	0.027	.
N	3	.	.	.	.	3	3	.	.	.	.	3	3	.

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 9 Absolute and relative organ weights (males)

Sex: Male Day(s): 29 Relative to Start Date

High TM5509 300 mg/kg/day	Testis	Testis	Testis	Testis	Testis	Epididymis	Epididymis	Epididymis	Epididymis	Epididymis	Epididymis	Prostate	Prostate	Seminal
	Right (%)	Left (g)	Left (%)	Total (g)	Total (%)	Right (g)	Right (%)	Left (g)	Left (%)	Total (g)	Total (%)	(g)	(%)	Vesicle (g)
RP6M01	0.0162	0.42	0.0162	0.84	0.0323	0.38	0.0146	0.42	0.0162	0.80	0.0308	0.36	0.0138	0.62
RP6M03	0.0626	2.30	0.0742	4.24	0.1368	0.52	0.0168	0.56	0.0181	1.08	0.0348	0.27	0.0087	1.10
RP6M04	0.0452	1.39	0.0462	2.75	0.0914	0.38	0.0126	0.40	0.0133	0.78	0.0259	0.33	0.0110	1.18
Mean	.	.	.	2.61	0.0868	.	.	.	.	0.89	0.0305	0.32	0.0112	0.97
S.D.	.	.	.	1.70	0.0524	.	.	.	.	0.17	0.0045	0.05	0.0026	0.30
N	.	.	.	3	3	.	.	.	.	3	3	3	3	3

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 9 Absolute and relative organ weights (males)

Sex: Male Day(s): 29 Relative to Start Date

High TM5509 300 mg/kg/day	Seminal Vesicle (%)
RP6M01	0.0238
RP6M03	0.0355
RP6M04	0.0392
Mean	0.0328
S.D.	0.0080
N	3

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Control 0.5%CMC-Na	Final Bodyweight (kg)	Brain (g)	Brain (%)	Pituitary (mg)	Pituitary (mg%)	Thyroid Right (mg)	Thyroid Right (mg%)	Thyroid Left (mg)	Thyroid Left (mg%)	Thyroid Total (mg)	Thyroid Total (mg%)	Submandib ul ar gland (g)	Submandib ul ar gland (%)	Thymus (g)
RP1F01	2.76	54.2	1.96	40	1.45	215	7.79	211	7.64	426	15.43	2.03	0.0736	1.089
RP1F02	3.54	68.7	1.94	48	1.36	100	2.82	123	3.47	223	6.30	2.94	0.0831	1.124
RP1F03	2.62	50.1	1.91	40	1.53	109	4.16	105	4.01	214	8.17	2.78	0.1061	0.873
RP1F04	2.80	60.4	2.16	37	1.32	230	8.21	207	7.39	437	15.61	2.13	0.0761	1.432
Mean	2.93	58.4	1.99	41	1.41	.	.	.	.	325	11.38	2.47	0.0847	1.130
S.D.	0.41	8.1	0.11	5	0.09	.	.	.	.	123	4.85	0.46	0.0148	0.230
N	4	4	4	4	4	.	.	.	.	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Control 0.5%CMC-Na	Thymus (%)	Lung Right (g)	Lung Right (%)	Lung Left (g)	Lung Left (%)	Lung Total (g)	Lung Total (%)	Heart (g)	Heart (%)	Liver (g)	Liver (%)	Spleen (g)	Spleen (%)	Pancreas (g)
	RP1F01	0.0395	6.39	0.232	5.03	0.182	11.42	0.414	8.30	0.301	56.3	2.04	2.467	0.089
RP1F02	0.0318	8.77	0.248	7.18	0.203	15.95	0.451	10.49	0.296	69.2	1.95	3.204	0.091	5.22
RP1F03	0.0333	6.45	0.246	4.88	0.186	11.33	0.432	9.30	0.355	57.8	2.21	1.934	0.074	3.79
RP1F04	0.0511	6.35	0.227	5.03	0.180	11.38	0.406	10.74	0.384	55.0	1.96	2.123	0.076	4.29
Mean	0.0389	.	.	.	.	12.52	0.426	9.71	0.334	59.6	2.04	2.432	0.082	4.06
S.D.	0.0088	.	.	.	.	2.29	0.020	1.13	0.043	6.5	0.12	0.560	0.009	0.96
N	4	.	.	.	.	4	4	4	4	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Control 0.5%CMC-Na	Pancreas (%)	Adrenal Right (mg)	Adrenal Right (mg%)	Adrenal Left (mg)	Adrenal Left (mg%)	Adrenal Total (mg)	Adrenal Total (mg%)	Kidney Right (g)	Kidney Right (%)	Kidney Left (g)	Kidney Left (%)	Kidney Total (g)	Kidney Total (%)	Ovary Right (mg)
RP1F01	0.106	192	6.96	244	8.84	436	15.80	4.72	0.171	4.93	0.179	9.65	0.350	463
RP1F02	0.147	299	8.45	362	10.23	661	18.67	6.30	0.178	6.77	0.191	13.07	0.369	246
RP1F03	0.145	156	5.95	156	5.95	312	11.91	3.82	0.146	3.95	0.151	7.77	0.297	51
RP1F04	0.153	209	7.46	252	9.00	461	16.46	5.55	0.198	5.64	0.201	11.19	0.400	153
Mean	0.138	.	.	.	.	468	15.71	.	.	.	.	10.42	0.354	.
S.D.	0.021	.	.	.	.	145	2.82	.	.	.	.	2.25	0.043	.
N	4	.	.	.	.	4	4	.	.	.	.	4	4	.

General Footnote: [Relative organ weights: Organ to final body weight ratios]

TK13152

Page: 4

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Control 0.5%CMC-Na	Ovary Right (mg%)	Ovary Left (mg)	Ovary Left (mg%)	Ovary Total (mg)	Ovary Total (mg%)	Uterus (g)	Uterus (%)
	RP1F01	16.78	170	6.16	633	22.93	7.77
RP1F02	6.95	161	4.55	407	11.50	8.22	0.232
RP1F03	1.95	87	3.32	138	5.27	6.60	0.252
RP1F04	5.46	395	14.11	548	19.57	9.86	0.352
Mean	.	.	.	432	14.82	8.11	0.279
S.D.	.	.	.	217	7.97	1.35	0.053
N	.	.	.	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low TM5509 2 mg/kg/day	Final Bodyweight (kg)	Brain (g)	Brain (%)	Pituitary (mg)	Pituitary (mg%)	Thyroid Right (mg)	Thyroid Right (mg%)	Thyroid Left (mg)	Thyroid Left (mg%)	Thyroid Total (mg)	Thyroid Total (mg%)	Submandib ul ar gland (g)	Submandib ul ar gland (%)	Thymus (g)
RP2F01	2.59	61.8	2.39	44	1.70	174	6.72	165	6.37	339	13.09	2.20	0.0849	0.592
RP2F02	2.85	68.5	2.40	54	1.89	185	6.49	179	6.28	364	12.77	2.51	0.0881	1.540
RP2F03	3.35	67.0	2.00	43	1.28	107	3.19	111	3.31	218	6.51	2.53	0.0755	1.200
RP2F04	2.94	60.5	2.06	51	1.73	172	5.85	153	5.20	325	11.05	2.55	0.0867	1.627
Mean	2.93	64.5	2.21	48	1.65	.	.	.	.	312	10.86	2.45	0.0838	1.240
S.D.	0.32	3.9	0.21	5	0.26	.	.	.	.	64	3.03	0.17	0.0057	0.469
N	4	4	4	4	4	.	.	.	.	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]



TK13152

Page: 6

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low TM5509 2 mg/kg/day	Thymus (%)	Lung Right (g)	Lung Right (%)	Lung Left (g)	Lung Left (%)	Lung Total (g)	Lung Total (%)	Heart (g)	Heart (%)	Liver (g)	Liver (%)	Spleen (g)	Spleen (%)	Pancreas (g)
RP2F01	0.0229	6.37	0.246	5.32	0.205	11.69	0.451	8.63	0.333	55.9	2.16	2.811	0.109	4.87
RP2F02	0.0540	6.51	0.228	5.27	0.185	11.78	0.413	7.49	0.263	52.2	1.83	3.048	0.107	4.11
RP2F03	0.0358	7.88	0.235	6.63	0.198	14.51	0.433	12.88	0.384	65.5	1.96	2.567	0.077	5.52
RP2F04	0.0553	7.42	0.252	6.03	0.205	13.45	0.457	10.33	0.351	54.6	1.86	2.203	0.075	4.77
Mean	0.0420	.	.	.	.	12.86	0.439	9.83	0.333	57.1	1.95	2.657	0.092	4.82
S.D.	0.0156	.	.	.	.	1.37	0.020	2.34	0.051	5.8	0.15	0.361	0.018	0.58
N	4	.	.	.	.	4	4	4	4	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low TM5509 2 mg/kg/day	Pancreas (%)	Adrenal Right (mg)	Adrenal Right (mg%)	Adrenal Left (mg)	Adrenal Left (mg%)	Adrenal Total (mg)	Adrenal Total (mg%)	Kidney Right (g)	Kidney Right (%)	Kidney Left (g)	Kidney Left (%)	Kidney Total (g)	Kidney Total (%)	Ovary Right (mg)
	RP2F01	0.188	259	10.00	318	12.28	577	22.28	4.93	0.190	4.84	0.187	9.77	0.377
RP2F02	0.144	180	6.32	222	7.79	402	14.11	4.97	0.174	4.81	0.169	9.78	0.343	86
RP2F03	0.165	236	7.04	274	8.18	510	15.22	5.75	0.172	5.86	0.175	11.61	0.347	202
RP2F04	0.162	213	7.24	290	9.86	503	17.11	6.07	0.206	5.71	0.194	11.78	0.401	140
Mean	0.165	.	.	.	.	498	17.18	.	.	.	.	10.74	0.367	.
S.D.	0.018	.	.	.	.	72	3.62	.	.	.	.	1.11	0.027	.
N	4	.	.	.	.	4	4	.	.	.	.	4	4	.

General Footnote: [Relative organ weights: Organ to final body weight ratios]

A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low TM5509 2 mg/kg/day	Ovary Right (mg%)	Ovary Left (mg)	Ovary Left (mg%)	Ovary Total (mg)	Ovary Total (mg%)	Uterus (g)	Uterus (%)
	RP2F01	2.70	73	2.82	143	5.52	4.41
RP2F02	3.02	122	4.28	208	7.30	8.77	0.308
RP2F03	6.03	176	5.25	378	11.28	6.15	0.184
RP2F04	4.76	155	5.27	295	10.03	6.42	0.218
Mean	.	.	.	256	8.53	6.44	0.220
S.D.	.	.	.	102	2.61	1.79	0.062
N	.	.	.	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low-Mid TM5509 6 mg/kg/day	Final Bodyweight (kg)	Brain (g)	Brain (%)	Pituitary (mg)	Pituitary (mg%)	Thyroid Right (mg)	Thyroid Right (mg%)	Thyroid Left (mg)	Thyroid Left (mg%)	Thyroid Total (mg)	Thyroid Total (mg%)	Submandib ul ar gland (g)	Submandib ul ar gland (%)	Thymus (g)
RP3F01	2.94	61.6	2.10	53	1.80	96	3.27	88	2.99	184	6.26	2.02	0.0687	1.187
RP3F02	2.79	68.7	2.46	47	1.68	139	4.98	130	4.66	269	9.64	2.13	0.0763	2.048
RP3F03	2.57	52.0	2.02	44	1.71	191	7.43	165	6.42	356	13.85	2.44	0.0949	0.585
RP3F04	3.14	60.4	1.92	49	1.56	239	7.61	283	9.01	522	16.62	2.15	0.0685	1.899
Mean	2.86	60.7	2.13	48	1.69	.	.	.	.	333	11.59	2.19	0.0771	1.430
S.D.	0.24	6.8	0.23	4	0.10	.	.	.	.	144	4.57	0.18	0.0124	0.677
N	4	4	4	4	4	.	.	.	.	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

TK13152

Page: 10

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low-Mid TM5509 6 mg/kg/day	Thymus (%)	Lung Right (g)	Lung Right (%)	Lung Left (g)	Lung Left (%)	Lung Total (g)	Lung Total (%)	Heart (g)	Heart (%)	Liver (g)	Liver (%)	Spleen (g)	Spleen (%)	Pancreas (g)
RP3F01	0.0404	8.12	0.276	6.50	0.221	14.62	0.497	9.32	0.317	71.6	2.44	2.451	0.083	5.01
RP3F02	0.0734	6.37	0.228	5.09	0.182	11.46	0.411	9.00	0.323	53.8	1.93	3.922	0.141	4.23
RP3F03	0.0228	6.87	0.267	5.58	0.217	12.45	0.484	8.29	0.323	51.1	1.99	4.461	0.174	4.87
RP3F04	0.0605	8.17	0.260	6.41	0.204	14.58	0.464	10.08	0.321	66.2	2.11	2.747	0.087	3.97
Mean	0.0493	.	.	.	.	13.28	0.464	9.17	0.321	60.7	2.12	3.395	0.121	4.52
S.D.	0.0223	.	.	.	.	1.58	0.038	0.74	0.003	9.8	0.23	0.953	0.044	0.50
N	4	.	.	.	.	4	4	4	4	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low-Mid TM5509 6 mg/kg/day														
	Pancreas (%)	Adrenal Right (mg)	Adrenal Right (mg%)	Adrenal Left (mg)	Adrenal Left (mg%)	Adrenal Total (mg)	Adrenal Total (mg%)	Kidney Right (g)	Kidney Right (%)	Kidney Left (g)	Kidney Left (%)	Kidney Total (g)	Kidney Total (%)	Ovary Right (mg)
RP3F01	0.170	217	7.38	276	9.39	493	16.77	5.71	0.194	5.72	0.195	11.43	0.389	124
RP3F02	0.152	256	9.18	305	10.93	561	20.11	5.03	0.180	5.01	0.180	10.04	0.360	114
RP3F03	0.189	170	6.61	209	8.13	379	14.75	4.96	0.193	4.96	0.193	9.92	0.386	122
RP3F04	0.126	227	7.23	278	8.85	505	16.08	5.56	0.177	5.36	0.171	10.92	0.348	143
Mean	0.159	.	.	.	.	485	16.93	.	.	.	.	10.58	0.371	.
S.D.	0.027	.	.	.	.	76	2.28	.	.	.	.	0.72	0.020	.
N	4	.	.	.	.	4	4	.	.	.	.	4	4	.

General Footnote: [Relative organ weights: Organ to final body weight ratios]

TK13152

Page: 12

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Low-Mid TM5509 6 mg/kg/day	Ovary Right (mg%)	Ovary Left (mg)	Ovary Left (mg%)	Ovary Total (mg)	Ovary Total (mg%)	Uterus (g)	Uterus (%)
	RP3F01	4.22	88	2.99	212	7.21	7.75
RP3F02	4.09	240	8.60	354	12.69	7.66	0.275
RP3F03	4.75	151	5.88	273	10.62	3.45	0.134
RP3F04	4.55	84	2.68	227	7.23	5.47	0.174
Mean	.	.	.	267	9.44	6.08	0.212
S.D.	.	.	.	64	2.70	2.05	0.068
N	.	.	.	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Mid TM5509 20 mg/kg/day	Final Bodyweight (kg)	Brain (g)	Brain (%)	Pituitary (mg)	Pituitary (mg%)	Thyroid Right (mg)	Thyroid Right (mg%)	Thyroid Left (mg)	Thyroid Left (mg%)	Thyroid Total (mg)	Thyroid Total (mg%)	Submandib ul ar gland (g)	Submandib ul ar gland (%)	Thymus (g)
RP4F01	2.53	63.3	2.50	40	1.58	132	5.22	217	8.58	349	13.79	1.49	0.0589	2.176
RP4F02	2.92	55.2	1.89	47	1.61	221	7.57	211	7.23	432	14.79	3.10	0.1062	0.598
RP4F03	2.54	56.7	2.23	48	1.89	96	3.78	100	3.94	196	7.72	2.46	0.0969	0.934
RP4F04	3.31	65.5	1.98	49	1.48	120	3.63	85	2.57	205	6.19	2.09	0.0631	2.372
Mean	2.83	60.2	2.15	46	1.64	.	.	.	.	296	10.62	2.29	0.0813	1.520
S.D.	0.37	5.0	0.28	4	0.18	.	.	.	.	115	4.30	0.67	0.0237	0.885
N	4	4	4	4	4	.	.	.	.	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]



TK13152

Page: 14

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Mid TM5509 20 mg/kg/day	Thymus (%)	Lung Right (g)	Lung Right (%)	Lung Left (g)	Lung Left (%)	Lung Total (g)	Lung Total (%)	Heart (g)	Heart (%)	Liver (g)	Liver (%)	Spleen (g)	Spleen (%)	Pancreas (g)
RP4F01	0.0860	6.72	0.266	5.61	0.222	12.33	0.487	7.91	0.313	47.7	1.89	3.232	0.128	3.79
RP4F02	0.0205	8.33	0.285	6.48	0.222	14.81	0.507	10.00	0.342	74.5	2.55	3.144	0.108	3.68
RP4F03	0.0368	7.69	0.303	6.06	0.239	13.75	0.541	9.25	0.364	61.8	2.43	3.843	0.151	4.61
RP4F04	0.0717	10.39	0.314	7.48	0.226	17.87	0.540	9.97	0.301	68.0	2.05	3.889	0.117	6.06
Mean	0.0537	.	.	.	.	14.69	0.519	9.28	0.330	63.0	2.23	3.527	0.126	4.54
S.D.	0.0303	.	.	.	.	2.35	0.026	0.98	0.029	11.4	0.31	0.394	0.019	1.10
N	4	.	.	.	.	4	4	4	4	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Mid TM5509 20 mg/kg/day	Pancreas (%)	Adrenal Right (mg)	Adrenal Right (mg%)	Adrenal Left (mg)	Adrenal Left (mg%)	Adrenal Total (mg)	Adrenal Total (mg%)	Kidney Right (g)	Kidney Right (%)	Kidney Left (g)	Kidney Left (%)	Kidney Total (g)	Kidney Total (%)	Ovary Right (mg)
RP4F01	0.150	186	7.35	224	8.85	410	16.21	4.44	0.175	4.94	0.195	9.38	0.371	111
RP4F02	0.126	327	11.20	383	13.12	710	24.32	7.18	0.246	7.10	0.243	14.28	0.489	108
RP4F03	0.181	213	8.39	270	10.63	483	19.02	4.68	0.184	4.60	0.181	9.28	0.365	171
RP4F04	0.183	199	6.01	238	7.19	437	13.20	5.47	0.165	5.43	0.164	10.90	0.329	143
Mean	0.160	.	.	.	.	510	18.18	.	.	.	.	10.96	0.389	.
S.D.	0.027	.	.	.	.	137	4.73	.	.	.	.	2.33	0.069	.
N	4	.	.	.	.	4	4	.	.	.	.	4	4	.

General Footnote: [Relative organ weights: Organ to final body weight ratios]

TK13152

Page: 16

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Mid TM5509 20 mg/kg/day	Ovary Right (mg%)	Ovary Left (mg)	Ovary Left (mg%)	Ovary Total (mg)	Ovary Total (mg%)	Uterus (g)	Uterus (%)
RP4F01	4.39	72	2.85	183	7.23	4.50	0.178
RP4F02	3.70	261	8.94	369	12.64	7.07	0.242
RP4F03	6.73	187	7.36	358	14.09	6.68	0.263
RP4F04	4.32	139	4.20	282	8.52	11.90	0.360
Mean	.	.	.	298	10.62	7.54	0.261
S.D.	.	.	.	86	3.27	3.12	0.075
N	.	.	.	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]

## A 4-Week Oral Dose Toxicity Study of TM5509 in Cynomolgus Monkeys

## Appendix 10 Absolute and relative organ weights (females)

Sex: Female Day(s): 29 Relative to Start Date

Mid-High TM5509 80 mg/kg/day	Final Bodyweight (kg)	Brain (g)	Brain (%)	Pituitary (mg)	Pituitary (mg%)	Thyroid Right (mg)	Thyroid Right (mg%)	Thyroid Left (mg)	Thyroid Left (mg%)	Thyroid Total (mg)	Thyroid Total (mg%)	Submandib ul ar gland (g)	Submandib ul ar gland (%)	Thymus (g)
RP5F01	3.38	70.5	2.09	35	1.04	215	6.36	224	6.63	439	12.99	3.02	0.0893	0.636
RP5F02	2.75	61.1	2.22	50	1.82	294	10.69	258	9.38	552	20.07	1.58	0.0575	0.561
RP5F03	2.91	65.4	2.25	50	1.72	116	3.99	126	4.33	242	8.32	2.23	0.0766	0.562
RP5F04	2.47	63.4	2.57	43	1.74	58	2.35	102	4.13	160	6.48	2.18	0.0883	0.472
Mean	2.88	65.1	2.28	45	1.58	.	.	.	.	348	11.96	2.25	0.0779	0.558
S.D.	0.38	4.0	0.20	7	0.36	.	.	.	.	179	6.06	0.59	0.0148	0.067
N	4	4	4	4	4	.	.	.	.	4	4	4	4	4

General Footnote: [Relative organ weights: Organ to final body weight ratios]