

研究成果の刊行に関する一覧表

雑誌【欧文】

発表者氏名	論文タイトル名	発表誌名	巻号, ページ	出版年
Tanaka Y. , Hirata S.	Is it possible to withdraw biologics from therapy in rheumatoid arthritis?	Clinical Therapeutics		In press.
Tanaka Y. , Hirata S., Sawamura F., Saito K. et al.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Annals of the Rheumatic Diseases		In press.
Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, Tanaka Y.	The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells.	Annals of the Rheumatic Diseases		In press.
Kondo M, Yamaoka K, Oka da Y, Tanaka Y. et al.	IL-17 inhibits chondrogenic differentiation of human mesenchymal stem cells.	Plos ONE		In press.
Kawashiri SY , Kawakami A. et.al	Improvement of plasma endothelin-1 and nitric oxide in patients with systemic sclerosis by bosentan therapy.	Rheumatology International	34(2):221-225	2014
Tanaka Y.	Next stage of RA treatment: TNF-inhibitor-free remission will be a possible treatment goal?	Annals of the Rheumatic Diseases	72:ii124-ii127	2013
O'Shea JJ, Kontzias A, Yamaoka K, Tanaka Y. , Laurence A.	Janus kinase inhibitors in autoimmune diseases.	Annals of the Rheumatic Diseases	72:ii111-115	2013
Tanaka Y. , Hirata S., Saleem B., Emery P.	Discontinuation of biologics in patients with rheumatoid arthritis.	Clinical and Experimental Rheumatology	31(Suppl78): S22-S27	2013

Kameda H, <u>T</u> <u>anaka Y</u> , Ta keuchi T. et.al	A merged presentation of clinical and radiographic data using probability plots in a clinical trial, the JESMR study.	Annals of the Rheumatic Diseases	72:310-312	2013
van der Heijde D, <u>Tanaka Y</u> , et.al and the ORAL Scan investigators.	Tofacitinib (CP-690,550) in patients with rheumatoid arthritis on methotrexate: 12 month data from a 24 month Phase 3 randomized radiographic study.	Arthritis & Rheumatism	65:559-570	2013
Iwata S, <u>Saito K</u> , Tokunaga M, <u>Tanaka Y</u> .	Persistent memory B cell down-regulation after 6-year remission induced by rituximab therapy in patients with systemic lupus erythematosus.	Lupus	22:538-540	2013
Kuriya G, <u>Kawakami A</u> , Abiru N. et.al	Double deficiency in IL-17 and IFN- γ signalling significantly suppresses the development of diabetes in the NOD mouse.	Diabetologia.	56(8): 1773-1780	2013
Kobayashi M, <u>Kawakami A</u> . et.al	Genetic deletion of granzyme B does not confer resistance to the development of spontaneous diabetes in non-obese diabetic mice.	Clinical & Experimental Immunology	173(3):411-418	2013
Shirai T, Fujii H, Saito S, Ishii T, Yamada H, Miyagi S, Sekiguchi S, Kawagishi N, Nose M, <u>Harigae H</u> .	Polyarteritis nodosa clinically mimicking nonocclusive mesenteric ischemia.	World Journal of Gastroenterology	19(23):3693-3698.	2013
Shirai T, Fujii H, Ono M, Watanabe R, Shirota Y, Saito S, <u>Ishii T</u> , Nose M, <u>Harigae H</u> .	A novel autoantibody against ephrin type B receptor 2 in acute necrotizing meningoencephalopathy.	Journal of Neuroinflammation	18;10:128.	2013

雑誌【和文】

発表者氏名	論文タイトル名	発表誌名	巻号, ページ	出版年
浦田幸朋、 <u>石井智徳</u> 、 <u>張替秀郎</u> 、 佐々木毅、その他 12 名	東北地方における B 型肝炎再活性化前向き研究について	最新医学	68(3) ,395-402	2013