

- Kegel, A.H. (1951). Physiologic therapy for urinary stress incontinence. *The Journal of the American Medical Association*, 146, 915-917.
- Kim, H.; Suzuki, T.; Yoshida, Y. & Yoshida, H. (2007). Effectiveness of multidimensional exercises for the treatment of stress urinary incontinence in elderly community-dwelling Japanese women: a randomized, controlled, crossover trial. *Journal of the American Geriatrics Society*, 55, 1932-1939.
- Kim, H.; Yoshida, H.; Hu, X.; Yukawa, H.; Shinkai, S.; Kumagai, S.; Fujiwara, Y.; Yoshida, Y.; Furuna, T.; Sugiura, M.; Ishizaki, T. & Suzuki, T. (2004). Risk factors associated with onset of urinary incontinence in community-dwelling elderly population: a 4-year follow-up study. *Nihon Koshu Eisei Zasshi*, 51, 612-622 [Article in Japanese].
- Kim, H.; Yoshida, H. & Suzuki, T. (2011a). The effects of multidimensional exercise treatment on community-dwelling elderly Japanese women with stress, urge, and mixed urinary incontinence: A randomized controlled trial. *International Journal of Nursing Studies*, 48, 1165-1172.
- Kim, H.; Yoshida, H. & Suzuki, T. (2011b). Effects of exercise treatment with or without heat and steam generating sheet on urine loss in community-dwelling Japanese elderly women with urinary incontinence. *Geriatrics and Gerontology International*, 11, 452-459.
- Kim, H (2012). Behavioral Treatment for Geriatric Syndrome, Geriatrics, Craig S. Atwood (Ed.), ISBN: 978-953-51-0080-5, InTech, DOI: 10.5772/33556. Available from: <http://www.intechopen.com/books/geriatrics/behavioral-treatment-for-geriatric-syndrome>.
- Lagro-Janssen, T. & van Weel, C. (1998). Long-term effect of treatment of female incontinence in general practice. *British Journal of General Practice*, 48,1735-1738.
- Landi, F.; Cesari, M.; Russo, A.; Onder, G.; Lattanzio, F. & Bernabei, R. (2003). Potentially reversible risk factors and urinary incontinence in frail older people living in community. *Age and Ageing*, 32,194-199.
- McDowell, B.J.; Engberg, S.; Sereika, S.; Donovan, N.; Jubeck, M.E.; Weber, E. & Engberg, R. (1999). Effectiveness of behavioral therapy to treat incontinence in homebound older adults. *Journal of the American Geriatrics Society*, 47,309-318.
- Ostaszkievicz, J.; Johnston, L. & Roe, B. (2004). Timed voiding for the management of urinary incontinence in adults. *Cochrane Database of Systematic Reviews*, Issue 1, CD002802.
- Peattie, A.B.; Plevnik, S. & Stanton, S.L. (1988). Vaginal cones: a conservative method of treating genuine stress incontinence. *British Journal of Obstetrics and Gynecology*, 95,1049-1053.
- Sand, P.K.; Richardson, D.A.; Staskin, D.R.; Swift, S.E.; Appell, R.A.; Whitmore, K.E. & Ostergard, D.R. (1995). Pelvic floor electrical stimulation in the treatment of genuine stress incontinence: A multicenter, placebo-controlled trial. *American Journal of Obstetrics and Gyencology*, 173, 72-79.
- Subak, L.L.; Whitcomb, E.; Shen, H.; Saxton, J.; Vittinghoff, E. & Brown, J.S. (2005). Weight loss: A novel and effective treatment for urinary incontinence. *The Journal of Urology*, 174, 190-195.
- Subak, L.L.; Wing, R.; West, D.S.; Franklin, F.; Vittinghoff, E.; Creasman, J.M.; Richter, H.E.; Myers, D.; Burgio, K.L.; Gorin, A.A.; Macer, J.; Kusek, J.W. & Grady, D. (2009). Weight loss to treat urinary incontinence in overweight and obese women. *The New England Journal of Medicine*, 360,481-490.

- Tsai, T.J. & Chen, C.F. (1993). Effects of heat therapy on renal hemodynamics, compensatory hypertrophy and glomerulonephritis in rats. *Nephron*, 63, 207-213.
- Wallace, S.A.; Roe, B.; Williams, K. & Palmer, M. (2004). Bladder training for urinary incontinence in adults. *Cochrane Database of Systematic Reviews, Issue 1*, CD001308.
- Wyman, J.F.; Fantl, J.A.; McClish, D.K. & Bump, R.C. (1998). Comparative efficacy of behavioral interventions in the management of female urinary incontinence. Continence Program for Women Research Group. *American Journal of Obstetrics and Gynecology*, Vol.179, No.4, pp. 999-1007.

平成 25 年度 厚生労働科学研究費補助金（長寿科学総合研究事業）  
先進的自立支援機器を用いた介護予防の効果検証

平成 25 年度 総括・分担研究報告書

発行責任者 研究代表者 鈴木 隆雄  
発 行 愛知県大府市森岡町源吾 35  
国立長寿医療研究センター  
TEL 0562-46-2311  
FAX 0562-45-0184