

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
鈴木隆雄	サルコペニア予防の重要性	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	2-9
島田裕之	サルコペニアの操作的定義	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	12-21
原田敦	臨床におけるサルコペニアの診断"	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	64-71
下方浩史, 安藤富士子	サルコペニアのスクリーニング指標	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	72-80
金憲経, 吉田英世	高齢者におけるサルコペニアの発見と対処法の構築	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	106-114
鈴木芽久美, 島田裕之	サルコペニアと障害高齢者	監修 / 鈴木隆雄 編集 / 島田裕之	サルコペニアの基礎と臨床	真興交易	東京	2011	133-139
原田敦, 松井康素, 下方浩史	認知症高齢者と骨粗鬆症との関連は	監修 / 転倒予防医学研究会 編集 / 武藤芳照, 鈴木みずえ"	認知症者の転倒予防とリスクマネジメント - 病院・施設・自宅でのケア -	日本医事新報社	東京	2011	51-54

原田敦	第4章大腿骨頸部 / 転子部骨折の 予防	日本整形外 科学会診療 ガイドライ ン委員会 大腿骨頸部 / 転子部骨 折診療ガイ ドライン策 定委員会	大腿骨頸部 / 転子部骨 折診療ガイ ドライン改 訂第2版	南江堂	東京	2011	48-59
原田敦	運動器疾患	葛谷雅文, 鈴 木裕介	症状から学 ぶ医療知識	中央法規	東京	2012	186-194
Shimada H	Glucose uptake during exercise in skeletal muscles evaluated by positron emission tomography	Chia-Hung Hsieh	Positron Emission Tomography - Current Clinical and Research Aspects	InTech	Croatia	2012	319-336
Kim H	Behavioral treatment for geriatric syndrome	Craig Atwood Edit	Geriatrics	InTech	Croatia	2012	85-104
金憲経	I. 転倒リスク評 価—歩行速度—, —環境因子—; III. 転倒予防—運動—	鳥羽研二	高齢者の転倒 予防ガイドラ イン	Medical View	東京	2012	17-19 38-42 119-122
大久保善 郎, 金憲 経	III. 介護予防編 6. 転倒予防に向けた エクササイズ	田中喜代次, 田畑泉	エクササイズ 科学	文光堂	東京	2012	245-256
金憲経	複合介入	西谷誠	サルコペニア —その成因と 運動・栄養	医歯薬出 版株式会 社	東京	2013	140-146
松井康素, 原田敦	関節疾患、ロコモ ティブシンドロ ーム	日本老年医 学会	老年医学 系統講義テ キスト	日本老年 医学会	東京	2013	245-249

島田裕之	Part-6 その他の介入法: 運動	葛谷雅文 雨海照祥	栄養・運動で予防するサルコペニア	医歯薬出版株式会社	東京	2013	134-139
幸篤武, 安藤富士子, 下方浩史	概念・定義・疫学—Q.3 罹患の実態について教えてください	関根里恵, 小川純人	サルコペニア 24 のポイント	フジメディカル出版	大阪	2013	17-21
安藤富士子, 下方浩史	病態生理—Q.4 サルコペニア高齢者の特徴は? (遺伝子, 性差, 原疾患, 生活習慣など)	関根里恵, 小川純人	サルコペニア 24 のポイント	フジメディカル出版	大阪	2013	22-26
島田裕之, 吉田大輔	サルコペニアの診断—Q.8 サルコペニアの診断基準はありますか	関根里恵, 小川純人	サルコペニア 24 のポイント	フジメディカル出版	大阪	2013	42-46
金憲経	サルコペニアの診断—Q.10 診断のための臨床症候について教えてください	関根里恵, 小川純人	サルコペニア 24 のポイント	フジメディカル出版	大阪	2013	52-56
Kim H	Behavioral therapy for urinary incontinence.	Eric Chung	Urinary Incontinence: Causes, Epidemiology	Nova Science Publishers Inc	New York	2013	71-88
原田敦	ヒッププロテクターの使用評価状況	井上剛伸	ヒトの運動機能と移動のための次世代技術開発	エヌ・ティー・エス	東京	2014	69-72

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kim H, Suzuki T, Yoshida H	The effects of multidimensional exercise on functional decline, urinary incontinence, and fear of falling in community-dwelling elderly women with multiple symptoms of geriatric syndrome: A randomized controlled and 6-month follow-up trial	Arch Gerontol Geriatr	52	99-105	2011
Shimada H, Suzukawa M, Ishizaki T, Kobayashi K, Kim H, Suzuki T	Relationship between subjective fall risk assessment and falls and fall – related fractures in frail elderly people	BMC Geriatr	11	40	2011
Sakuma M, Endo N, Hagino H, Harada A, Matsui Y, Nakano T, Nakamura K	Serum 25-hydroxyvitamin D status in hip and spine-fracture patients in Japan	J Orthop Sci	16	418-423	2011
Doyo W, Kozakai R, Kim H-Y, Ando F, Shimokata H	Spatio-temporal components of the three-dimensional gait analysis of community-dwelling middle-aged and elderly Japanese: age- and sex-related differences	Geriatr Gerontol Int	11	39-49	2011
Kuzuya M, Enoki H, Hasegawa J, Izawa S, Hirakawa Y, Shimokata H, Iguchi A	Impact of caregiver burden on adverse health outcomes in community-dwelling dependent older care recipients	Am J Geriatr Psych	19	382-391	2011
Sugiura M, Nakamura M, Ogawa K, Ikoma Y, Ando F, Shimokata H, Yano M	Dietary patterns of antioxidant vitamin and carotenoid intake associated with bone mineral density: findings from post-menopausal Japanese female subjects	Osteoporosis Int	22	143-152	2011

<u>Shimada H</u> , Tiedemann A, Lord SR, <u>Suzukawa M</u> , Makizako H, Kobayashi K, <u>Suzuki T</u>	Physical factors underlying the association between lower walking performance and falls in older people: a structural equation model	Arch Gerontol Geriatr	53	131-134	2011
Suzukawa M, <u>Shimada H</u> , Tamura M, <u>Suzuki T</u> , Inoue N	The relationship between the subjective risk rating of specific tasks and falls in frail elderly people	J Phys Ther Sci	23	425-429	2011
Abe T, <u>Suzuki T</u> , <u>Yoshida H</u> , <u>Shimada H</u> , Inoue N	The relationship between pulmonary function and physical function and mobility in community-dwelling elderly women aged 75 years or older	J Phys Ther Sci	23	443-449	2011
Hasidate H, <u>Shimada H</u> , Shiomi T, Sasamoto N	Usefulness of the subjective risk rating of specific tasks for falling in frail elderly people	J Phys Ther Sci	23	519-524	2011
<u>Kim H</u> , <u>Yoshida H</u> , <u>Suzuki T</u>	The effects of multidimensional exercise treatment on community-dwelling elderly Japanese women with stress, urge, and mixed urinary incontinence: a randomized controlled trial	Int J Nurs Stud	48	1165-1172	2011
<u>Kim H</u> , <u>Yoshida H</u> , <u>Suzuki T</u>	Effects of exercise treatment with or without heat and steam generating sheet on urine loss in community-dwelling Japanese elderly women with urinary incontinence	Geriatr Gerontol Int	11	452-459	2011
<u>Shimada H</u> , Sturnieks D, Endo Y, Kimura Y, <u>Suzuki T</u> , Oda K, Ishii K, Ishiwata K	Relationship between whole body oxygen consumption and skeletal muscle glucose metabolism during walking in older adults: FDG PET study	Aging Clin Exp Res	23	175-182	2011

鈴木芽久美, 島田裕之, 渡辺修一郎, 小林久美子, 鈴木隆雄	要介護高齢者における運動機能と6ヶ月後のADL低下との関係	理学療法学	38	10-16	2011
鈴木隆雄, 島田裕之, 清水容子, 吉田英世	地域在住の女性後期高齢者における血中ビタミンD濃度と転倒発生に関する縦断研究	Osteoporosis Japan	19	97-100	2011
鈴木隆雄	転倒の疫学と予防対策 - ロコモティブシンドロームの視点から	医学のあゆみ	236	325-331	2011
仲貴子, 及川清志, 平田崇, 荒木友希, 鈴木隆雄	装着型歩行アシストロボットによる歩行トレーニング	PTジャーナル	45	163-170	2011
牧迫飛雄馬, 古名丈人, 島田裕之, 赤沼智美, 吉田裕人, 井平光, 横山香理, 鈴木隆雄	後期高齢者における新規要介護認定の発生と5m歩行時間との関連: 39か月間の縦断研究.	理学療法学	38	27-33	2011
水本淳, 鈴木芽久美, 牧迫飛雄馬, 土井剛彦, 島田裕之	ステップエルゴメーターのアイソキネティック運動におけるピークパワーと身体機能との関連	理学療法科学	26	139-142	2011
原田敦	サルコペニアの定義, 診断基準, サルコペニアの診かた	Modern Physician	31	1279-1282	2011
下方浩史, 安藤富士子	サルコペニアの疫学	Modern Physician	31	1283-1287	2011
島田裕之	筋力と身体活動の評価法	Modern Physician	31	1296-1299	2011
島田裕之, 吉田大輔	虚弱とサルコペニア (概念の相違)	Geriat. Med	49	291-295	2011
下方浩史, 安藤富士子	虚弱の危険因子、高齢者の虚弱 - 評価と対策 -	Geriat. Med	49	303-306	2011
鈴木隆雄	超高齢社会の実像を踏まえた健康福祉政策	公衆衛生	75	266-271	2011

<u>鈴木隆雄</u>	加齢と身体機能の変化	臨床栄養	118	552-560	2011
<u>鈴木隆雄</u>	加齢性筋肉減少症(サルコペニア)の診断と治療	総合臨床	60	2320-2322	2011
Saito K, Yokoyama T, <u>Yoshida H</u> , <u>Kim H</u> , <u>Shimada H</u> , Yoshida Y, Iwasa H, Shimizu Y, Kondo Y, Honda S, Maruyama N, Ishigami A, <u>Suzuki T</u>	A significant relationship between plasma vitamin C concentration and physical performance among Japanese elderly women	J Gerontol A Biol Sci Med Sci	67(3)	295-301	2012
<u>Kim H</u> , <u>Suzuki T</u> , Saito K, <u>Yoshida H</u> , Kobayashi H, Kato H, Katayama M	Effects of exercise and amino-acid supplementation on body composition and physical function in community-dwelling elderly Japanese sarcopenic women: A randomized controlled trial	J Am Geriatr Soc	60(1)	16-23	2012
Terabe Y, <u>Harada A</u> , Tokuda H, Okuizumi H, Nagaya M, <u>Shimokata H</u>	Vitamin D deficiency in elderly women in nursing homes: Investigation with consideration of decreased activation function from the kidneys	J Am Geriatr Soc	60(2)	251-255	2012
Iwasa H, Yoshida Y, Kai I, <u>Suzuki T</u> , <u>Kim H</u> , <u>Yoshida H</u>	Leisure activities and cognitive function in elderly community-dwelling individuals in Japan: a 5-year prospective cohort study	J Psychosom Res	72(2)	159-164	2012
Yoshida D, <u>Shimada H</u> , <u>Harada A</u> , Matsui Y, Sakai Y, <u>Suzuki T</u>	Estimation of appendicular muscle mass and fat mass by near infrared spectroscopy in older persons	Geriatr Gerontol Int	12(4)	652-658	2012
Kozakai R, Ando F, Kim HY, Rantanen T, <u>Shimokata H</u>	Regular exercise history as a predictor of exercise in old age among community-dwelling Japanese older people	J Phys Fitness Sports Med	1	1-8	2012

<u>Shimada H</u>	Imaging of glucose uptake during walking in elderly adults	Current Aging Science	5	51-57	2012
原田敦, 秋下雅弘, 江頭正人, 金憲経, 金信敬, 神崎恒一, 重本和宏, 島田裕之, 下方浩史, 鈴木隆雄, 橋本有弘, 細井孝之	特別報告 サルコペニア:定義と診断に関する欧州関連学会のコンセンサスー高齢者のサルコペニアに関する欧州ワーキンググループの報告ーの監訳とQ&A	日老医誌	49(6)	788-805	2012
下方浩史, 安藤富士子	日常生活機能と骨格筋量, 筋力との関連	日老医誌	49	195-198	2012
下方浩史, 安藤富士子	疫学研究からのサルコペニアとそのリスク - 特に栄養との関連	日老医誌	49	721-725	2012
<u>金憲経</u>	虚弱・サルコペニアへの介入研究	日老医誌	49	726-730	2012
<u>原田敦</u>	巻頭言 - 運動器障害は虚弱における身体的脆弱性にどこまで関与しているのか -	CLINICAL CALCIUM	22(4)	11-12	2012
<u>原田敦</u>	転倒・骨折患者にみられる虚弱(Frailty)	CLINICAL CALCIUM	22(4)	27-33	2012
<u>原田敦</u>	転倒リスクの評価と転倒予防	CLINICAL CALCIUM	22(6)	68-72	2012
<u>原田敦</u>	骨粗鬆症性椎体骨折に対する我が国での医療行為	整形外科最小侵襲手術ジャーナル	64	15-18	2012
<u>原田敦</u>	ロコモティブシンドロームの原因疾患と治療 大腿骨近位部骨折	臨床と研究	11	31-34	2012
竹村真里枝, <u>原田敦</u>	高齢者の骨折	Journal of Clinical Rehabilitation	21(12)	1168-1176	2012

細井孝之, 黒田龍彦, 中村利孝, 白木正孝, 太田博明, 原田敦, 森聖二郎, 大橋靖雄, 折茂肇	全国的データベースを用いた骨粗鬆症性骨折の予防と治療に関する研究	Osteoporosis Japan	20(4)	661-668	2012
安藤富士子, 今井具子, 加藤友紀, 大塚礼, 松井康素, 竹村真里枝, 下方浩史	血清カロテノイドと2年後の骨粗鬆症/骨量減少発症リスクに及ぼす影響	日本未病システム学会雑誌	18	89-92	2012
大矢敏久, 内山靖, 島田裕之, 牧迫飛雄馬, 土井剛彦, 吉田大輔, 上村一貴, 鈴木隆雄	手段的日常生活活動の自立した地域在住高齢者における転倒恐怖感に関連する要因の検討	日老医誌	49(4)	457-462	2012
橋立博幸, 島田裕之, 潮見泰藏, 笹本憲男	高齢者における筋力増強運動を含む機能的トレーニングが生活機能に及ぼす影響	理学療法学	39(3)	159-166	2012
水本淳, 島田裕之, 井平光, 野村知広, 古名丈人, 鈴川芽久美	ステップエルゴメーターのアイソキネティック運動におけるピークパワーと筋活動特性との関連	理学療法科学	27(4)	411-415	2012
金憲経	地域在住高齢者におけるサルコペニア予防のための包括的介入	日本未病システム学会雑誌	18	66-73	2012
金憲経	地域在住高齢女性におけるサルコペニアと口コモティブシンドローム	Japanese Journal of Rehabilitation Medicine	49(9)	596-599	2012
原田敦	特集 サルコペニア - 筋研究の最前線 - サルコペニアの定義や診断基準	Bone Joint Nerve	3(1)	9-13	2013
島田裕之, 吉田大輔	サルコペニア診断のための筋量、筋力の評価法	Bone Joint Nerve	3(1)	61-66	2013
金憲経	筋肉への運動や栄養による介入—現状と今後と展望—	Bone Joint Nerve	3(1)	89-95	2013

齋藤充, 原田敦, 村木重之, 重本和宏	特集 サルコペニア - 筋研究の最前線 - 座談会 サルコペニア - 筋研究の最前線 -	Bone Joint Nerve	3(1)	139-149	2013
松井康素, 原田敦	特集 老化と生体運動機能 老化 Review 関節の	CLINICAL CALCIUM	23(1)	15-22	2013
金憲経	身体活動の指導からみた高齢者支援 - 老年症候群の早期予防のための支援 -	大阪体育学研究	51	41-46	2013
Shimada H, Ishii K, Ishiwata K, Oda K, Suzukawa M, Makizako H, Doi T, Suzuki T	Gait adaptability and brain activity during unaccustomed treadmill walking in healthy elderly females	Gait Posture	38	203-208	2013
Shimada H, Makizako H, Doi T, Yoshida D, Tsutsumimoto K, Anan Y, Uemura K, Ito T, Lee S, Park H, Suzuki T	Combined prevalence of frailty and mild cognitive impairment in a population of elderly Japanese people	JAMDA	14	518-524	2013
Shimada H, Suzuki T, Suzukawa M, Makizako H, Doi T, Yoshida D, Tsutsumimoto T, Anan Y, Uemura K, Ito T, Lee S, Park H	Performance-based assessments and demand for personal care in older Japanese people	BMJ Open	3	e002424	2013
Yoshida D, Suzuki T, Shimada H, Park H, Makizako H, Doi T, Anan Y, Tsutsumimoto K, Uemura K, Ito T, Lee S	Using two different algorithms to determine the prevalence of sarcopenia	Geriatr Gerontol Int	14(Suppl.1)	46-51	2014
Yoshida D, Shimada H, Park H, Anan Y, Ito T, Harada A, Suzuki T	Development of an equation for estimating appendicular skeletal muscle mass in Japanese older adults using bioelectrical impedance analysis	Geriatr Gerontol Int			in press

Kojima N, <u>Kim H</u> , Saito K, <u>Yoshida H</u> , Yoshida Y, Hirano H, <u>Obuchi S</u> , <u>Shimada H</u> , <u>Suzuki T</u>	Association of knee-extension strength with instrumental activities of daily living in community-dwelling older adults	Geriatr Gerontol Int				in press
Yoshimatsu T, Yoshida D, <u>Shimada H</u> , Komatsu T, <u>Harada A</u> , <u>Suzuki T</u>	Relation between near-infrared spectroscopy and subcutaneous fat and muscle thickness measured by ultrasonography in Japanese community-dwelling elderly	Geriatr Gerontol Int	13	351-357	2013	
<u>Kim H</u> , <u>Suzuki T</u> , Saito K, <u>Yoshida H</u> , Kojima N, Kim M, Sudo M, Yamashiro Y, Tokimitsu I	Effects of exercise and tea catechins on muscle mass, strength and walking ability in community-dwelling elderly Japanese sarcopenic women: A randomized controlled trial	Geriatr Gerontol Int	13	458-465	2013	
Yoshida Y, Iwasa H, Kumagai S, <u>Suzuki T</u> , <u>Yoshida H</u>	Limited Functional health literacy, health information sources, and health behavior among community-dwelling older adults in Japan	ISRN Geriatrics				in press
Yoshimura N, Akune T, Fujiwara S, Shimizu Y, <u>Yoshida H</u> , Omori G, Sudo A, Nishiwaki Y, Yoshida M, Shimokata H, <u>Suzuki T</u> , Muraki S, Oka H, Nakamura K	Prevalence of knee pain, lumbar pain and its coexistence in Japanese men and women: The Longitudinal Cohorts of Motor System Organ (LOCOMO) study	J Bone Miner Metab				in press
曾根稔雅, 中谷直樹, 遠又靖丈, 相田潤, 大久保一郎, 大原里子, 大淵修一, 杉山みち子, 安村誠司, 鈴木隆雄, 辻一郎	介護予防サービス利用者における生活機能の予後予測及び効果的な運動器の機能向上プログラムの実施内容に対する評価	日衛誌	68	11-21	2013	

Ito S, <u>Harada A</u> , Kasai T, Sakai Y, Takemura M, Matsui Y, Hida T, Ishiguro N	Use of alfacalcidol in osteoporotic patients with low muscle mass may increase muscle mass: An investigation using a patient database	Geriatr Gerontol Int	14(Suppl.1)	122-128	2014
Nishiyama KK, Ito M, <u>Harada A</u> , Boyd SK	Classification of women with and without hip fracture based on quantitative computed tomography and finite element analysis	Osteoporos Int	25(2)	619-626	2014
Matsui Y, Takemura M, <u>Harada A</u> , Ando F, Shimokata H	Effects of knee extensor muscle strength on the incidence of osteopenia and osteoporosis after six years	J Bone Miner Metab			in press
Matsui Y, Fujita R, <u>Harada A</u> , Sakurai T, Nemoto T, Noda N, Toba K	The association of grip strength and related indices with independence of activities of daily living in the elderly, investigated by a newly-developed grip strength measuring device	Geriatr Gerontol Int	14(Suppl.2)	77-86	2014
Matsui Y, Fujita R, <u>Harada A</u> , Sakurai T, Nemoto T, Noda N, Toba K	A new grip-strength measuring device for detailed evaluation of muscle contraction among the elderly	Journal of Frailty & Aging			in press
Hida T, <u>Harada A</u> , Imagama S, Ishiguro N	Managing sarcopenia and its related-fractures to improve quality of life in geriatric populations	Aging and Disease			in press
Hida T, Ishiguro N, Shimokata H, Sakai Y, Matsui Y, Takemura M, Terabe Y, <u>Harada A</u>	High prevalence of sarcopenia and reduced leg muscle mass in Japanese patients immediately after a hip fracture	Geriatr Gerontol Int	13(2)	413-420	2013

Tauchi R, Imagama S, Inoh H, Yukawa Y, Kanemura T, Sato K, Matsubara Y, <u>Harada A</u> , Hachiya Y, Kamiya M, Yoshihara H, Ito Z, Ando K, Ishiguro N	Risk factors for a poor outcome following surgical treatment of cervical spondylotic amyotrophy: a multicenter study	Eur Spine J	22(1)	156-161	2013
Matsui Y, Takemura M, <u>Harada A</u> , Ando F, Shimokata H	Utility of “loco-check,” self-checklist for “Locomotive Syndrome” as a tool for estimating the physical dysfunction of elderly people	Health	5(12A)	97-102	2013
Kimura M, Moriyasu A, Kumagai S, Furuna T, Akita S, Kimura S, <u>Suzuki T</u>	Community-based intervention to improve dietary habits and promote physical activity among older adults: a cluster randomized trial	BMC Geriatr	13	8	2013
<u>原田敦</u>	サルコペニアとロコモティブシンドローム	医学のあゆみ	248(9)	703-709	2014
飛田哲朗, <u>原田敦</u>	サルコペニアの診断法～高齢者の転倒・骨折予防を目的として～	CLINICAL CALCIUM	23(5)	707-712	2013
<u>原田敦</u>	サルコペニアの診断	腎と骨代謝	26(2)	119-125	2013
<u>原田敦</u>	医療面接・身体診察	日本臨床	71	211-216	2013
<u>原田敦</u>	片足立ち訓練やスクワット訓練による筋力強化が有効 サルコペニアの予防	Medical Tribune	46(23)	24	2013
<u>原田敦</u> , 若尾典充, 根本哲也	大腿骨近位部の骨構造と骨強度 - 加齢変化と治療による変化 -	CLINICAL CALCIUM	23(7)	943-950	2013
<u>原田敦</u>	サルコペニアの概念と現状ならびに診断について	ANTI-AGING MEDICINE	9(4)	18-21	2013
<u>原田敦</u>	知る、診る、防ぐ！ロコモティブシンドローム 虚弱	関節外科	32(10)	1129-1133	2013

Hashidate H, <u>Shimada H</u> , Shiomi T, Shibata M, Sawada K, Sasamoto N	Measuring indoor life-space mobility at home in frail older adults with difficulty to perform outdoor activities	Geriatr Phys Ther	36	109-114	2013
稲葉康子, <u>大淵修一</u> , 新井 武志, 柴喜崇, 岡浩一郎, 渡辺修一郎, 木村憲, 長澤弘	地域在住高齢者に対する運動介入が1年後の運動行動に与える影響 ランダム化比較試験	日老医誌	50(6)	788-796	2013
<u>金憲経</u> , 鈴木隆雄, <u>吉田英世</u> , 島田裕之, 山城由華吏, 須藤元喜, 仁木佳文	都市部在住高齢女性の膝痛、尿失禁、転倒に関連する歩行要因	日老医誌	50(4)	528-535	2013
Kim M, <u>Kim H</u>	Accuracy of segmental multi-frequency bioelectrical impedance analysis for whole-body and appendicular fat mass and lean soft tissue mass in frail women aged 75 years and older	Eur J Clin Nutr	67	395-400	2013
Sakurai R, Fujiwara Y, Saito K, Fukuya T, Kim MJ, Yasunaga M, <u>Kim H</u> , Ogawa K, Tanaka C, Tsunoda N, Muraki E, Suzuki K, Shinkai S, Watanabe S	Effects of a comprehensive intervention program including hot bathing, on overweight adults: A randomized controlled trial	Geriatr Gerontol Int	13	638-645	2013
Iwasa H, Kai I, Yoshida Y, <u>Suzuki T</u> , <u>Kim H</u> , <u>Yoshida H</u>	Global cognition and 8-year survival among Japanese community-dwelling older adults	Int J Geriatr Psychiatry	28	841-849	2013
須藤元喜, 山城由華吏, 上野加奈子, <u>金憲経</u>	シート式圧力センサーを用いて計測した歩容左右差による年齢推定	日生理人類会誌	18	125-132	2013
<u>金憲経</u>	サルコペニア予防と健康増進	Geriatr Med	51	937-940	2013

<u>Kim H, Suzuki T, Saito K, Kim M, Kojima N, Ishizaki T, Yamashiro Y, Hosoi E, Yoshida H</u>	Effectiveness of exercise with or without thermal therapy for community-dwelling elderly Japanese women with non-specific knee pain: A randomized controlled trial	Arch Gerontol Geriatr	57	352-359	2013
Sakamoto K, Endo N, <u>Harada A, Sakada T, Tsushita K, Kita K, Hagino H, Sakai A, Yamamoto N, Okamoto T, Liu M, Kokaze A, Suzuki H</u>	Why not use your own body weight to prevent falls? A randomized, controlled trial of balance therapy to prevent falls and fractures for elderly people who can stand on one leg for ≤15 s	J Orthop Sci	18(1)	110-120	2013
<u>金憲経</u>	サルコペニアに対する運動・栄養による介入効果	医学のあゆみ	248	747-752	2013
<u>Kim H, Yoshida H, Suzuki T</u>	Falls and fractures in participants and excluded non-participants of a fall prevention exercise program for elderly women with a history of falls: 1-year follow-up study	Geriatr Gerontol Int			in press
<u>Kim H, Yoshida H, Hu X, Saito K, Yoshida Y, Kim M, Hirano H, Kojima N, Hosoi E, Suzuki T</u>	Association between self-reported urinary incontinence and musculoskeletal conditions in community-dwelling elderly women: A cross-sectional study	Neurourol Urodyn			in press