

### III．研究成果の刊行に関する一覧表

#### 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sugimoto K, Shiraki K, Takei Y, Ito M, Nobori T, Suzuki H, Dissanayaka SK, Meno K, Asashima M, Uchida K.	Serum protein isoform profiles indicate the progression of hepatitis C virus-induced liver diseases.	Int. J. Mo.l Med.	31	943-950	2013
Shimazui T, Yoshikawa K, Miyazaki J, Kojima T, Inai H, Ando S, Uemura H, Uchida K, Nishiyama H.	Systemic transduction of p16INK4A antitumor peptide inhibits the growth of MBT-2 mouse bladder tumor cell line grafts.	Int. J. Oncol.	42	543-548	2013
Oishi H, Itoh S, Matsumoto K, Ishitobi H, Suzuki R, Ema M, Kojima T, Uchida K, Kato M, Miyata T, Takahashi S.	Delayed cutaneous wound healing in Fam129b/Minerva- deficient mice.	J. Biochem	152	549-555	2012

Takase H, Matsumoto K, Yamadera R, Kubota Y, Otsu A, Suzuki R, Ishitobi H, Mochizuki H, Kojima T, Takano S, <u>Uchida K</u> , Takahashi S, Ema M.	Genome-wide identification of endothelial cell-enriched genes in the mouse embryo.	Blood	120	914-923	2012
Kusakabe M, Hasegawa K, Hamada M, Nakamura M, Ohsumi T, Suzuki H, Tran MT, Kudo T, <u>Uchida K</u> , Ninomiya H, Chiba S, Takahashi S.	c-Maf plays a crucial role for the definitive erythropoiesis that accompanies erythroblastic island formation in the fetal liver.	Blood	118	1374-85	2011
Endo G, Tachikawa H, Fukuoka Y, Aiba M, Nemoto K, Shiratori Y, Matsui Y, Doi M, <u>Asada T</u> .	How perceived social support relates to suicidal ideation: A Japanese social resident survey..	Int. J. Soc. Psychiatr y		Epub ahead of print	2013

<p>Kondo T, Asai M, Tsukita K, Kutoku Y, Ohsawa Y, Sunada Y, Imamura K, Egawa N, Yahata N, Okita K, Takahashi K, Asaka I, Aoi T, Watanabe A, Watanabe K, Kadoya C, Nakano R, Watanabe D, Maruyama K, Hori O, Hibino S, Choshi T, Nakahata T, Hioki H, Kaneko T, Naitoh M, Yoshikawa K, Yamawaki S, Suzuki S, Hata R, Ueno S, Seki T, Kobayashi K, Toda T, Murakami K, Irie K, Klein WL, Mori H, <u>Asada T</u>, Takahashi R, Iwata N, Yamanaka S, Inoue H.</p>	<p>Modeling Alzheimer's disease with iPSCs reveals stress phenotypes associated with intracellular A<math>\beta</math> and differential drug responsiveness.</p>	<p>Cell Stem Cell</p>	<p>12</p>	<p>487-496</p>	<p>2013</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------	-----------	----------------	-------------

Nose M, Kodama C, Ikejima C, Mizukami K, Matsuzaki A, Tanaka S, Yoshimura A, Yasuno F, <u>Asada T.</u>	ApoE4 is not associated with depression when mild cognitive impairment is considered.	Int J Geriatr Psychiatry.	28	155-163	2013
Yasuno F, Tanimukai S, Sasaki M, Ikejima C, Yamashita F, Kodama C, Mizukami K, <u>Asada T.</u>	Combination of antioxidant supplements improved cognitive function in the elderly.	. J. Alzheimers Dis.	32	895-903	2012
Ikejima C, Hisanaga A, Meguro K, Yamada T, Ouma S, Kawamuro Y, Hyouki K, Nakashima K, Wada K, Yamada S, Watanabe I, Kakuma T, Aoyama Y, Mizukami K, <u>Asada T.</u>	Multicentre population-based dementia prevalence survey in Japan: a preliminary report.	Psychogeriatrics.	12	120-123	2012

Yasuno F, Tanimukai S, Sasaki M, Ikejima C, Yamashita F, Kodama C, Hidaka S, <u>Mizukami K,</u> Asada T.	Effect of plasma lipids, hypertension and APOE genotype on cognitive decline.	Neurobiol Aging	33	2633-2640	2012
Hidaka S, Ikejima C, Kodama C, Nose M, Yamashita F, Sasaki M, Kinoshita T, Tanimukai S, <u>Mizukami K,</u> Takahashi H, Kakuma T, Tanaka S, <u>Asada T.</u>	Prevalence of depression and depressive symptoms among older Japanese people: comorbidity of mild cognitive impairment and depression.	Int J Geriatr Psychiatr y	27	271-279	2012
Mizukami K, Abrahamson EE, Mi Z, Ishikawa M, Watanabe K, Kinoshita S, Asada T, Ikonomic MD	Immunohistochemical analysis of ubiquilin-1 in the human hippocampus: association with neurofibrillary tangle pathology.	Neuropat hology	34	11-8	2014  Epub 2013 Jul 21.

Yasuno F, Tanimukai S, Sasaki M, Hidaka S, Ikejima C, Yamashita F, Kodama C, Mizukami K, Michikawa M, <u>Asada T.</u>	Association between Cognitive Function and Plasma Lipids of the Elderly After Controlling for Apolipoprotein E Genotype.	Am J Geriatr Psychiatr y	40	2709-14	2011
Ota M, Nemoto K, Sato N, Mizukami K, Yamashita F, <u>Asada T.</u>	Relationship between white matter T2 hyperintensity and cortical volume changes on magnetic resonance imaging in healthy elders.	Int J Geriatr Psychiatr y.	26	886	2011
Mizukami K, Ishikawa M, Akatsu H, Abrahamson EE, Ikonovic MD, Asada T.	An immunohistochemical study of the serotonin 1A receptor in the hippocampus of subjects with Alzheimer's disease.	Neuropat hology	31	503	2011