

長谷川成人: 神経疾患と異常タンパク質.
第 13 回北海道神経変性疾患治療研究会,
札幌 [2012. 9. 14]

秋山治彦、長谷川成人、野中隆: 「脳の
老化を科学する」第 10 回 サイエンスカ
フェ in 上北沢 東京 [2012. 8. 3]

長谷川成人: 神経疾患における異常タン
パク質のプロテオミクス解析. 日本プロ
テオーム学会 2012 年大会 シンポジウム
S5 医学の最前線とプロテオミクス, 東京
[2012. 7. 27]

長谷川成人: 神経疾患研究とプロテオミ
クス. 「包括脳ネットワーク」リソース・
技術開発支援拠点「神経細胞プロテオミ
クス」チュートリアル「神経科学へのプロ
テオミクスの応用」仙台 [2012. 7. 25]

長谷川成人: 分子間の Propagation の機
序と蛋白癌仮説. 神経変性疾患に関する
調査研究班 平成 24 年度ワークショップ
Propagation 仮説最前線 - 分子から
細胞、細胞から個体へ -, 東京 [2012. 7.
20]

長谷川成人: 神経変性疾患は「蛋白癌」
か?. 名古屋大学グローバル COE プログ
ラム 機能分子医学への神経疾患・腫瘍の
融合拠点
グローバル COE 第 5 回国内シンポジウム,
名古屋 [2012. 7. 19]

長谷川成人, 野中隆, 辻浩史, 玉岡晃, 吉
田眞理, 村山繁雄, David Mann, 新井哲
明, 秋山治彦: ALS と TDP-43 の生化学.
第 53 回神経病理学会総会シンポジウム 2
「筋萎縮性側索硬化症: TDP-43 の発見と
その後」, 新潟 [2012. 6. 30]

長谷川成人, 野中隆, 増田 (鈴掛雅美, 辻
浩史, 玉岡晃, 吉田眞理, 村山繁雄, 新井

哲明, 秋山治彦: 「蛋白癌」としての神経
変性疾患. 第 53 回神経学会総会シンポジ
ウム S (3) 神経変性疾患の病態解明・そ
の病態とバイオマーカーの開発を目指し
て, 東京 [2012. 5. 25]

長谷川成人: 認知症研究の最前線 -異
常たんぱく質を排除しろ-. 第 1 回 都医
学研 都民講座「たんぱく質からみた健
康と病気」, 東京 [2012. 4. 18]

長谷川成人: 「蛋白癌」としてのアルツ
ハイマー病. 北海道大学 IBL 寄附講座シ
ンポジウム, アルツハイマー病研究の進
展と治療戦略. 平成 23 年 2 月 23 日,
札幌 [2012. 2. 23]

長谷川成人: 異常タンパク分子から解
明される神経変性疾患の新しい考え方.
首都大学東京 化学コースセミナー, 東京
[2012. 2. 3]

1) Michikawa M.

Isoform-dependent functions of
apolipoprotein E and Alzheimer disease
Invited speaker, the department seminar
at Mayo Clinic
June 8, 2011, Jacksonville, FL, USA

Michikawa M.

Isoform-dependent and -independent
functions of apolipoprotein E and
Alzheimer disease The International
Conference of Korean Society for
Gerontology, July 9, 2011, Busan, Korea.

Michikawa M., Hosono T, Mouri A,
Nishitsuji K., Nakamura T., Jung C.G.,
Kontani M., Tokuda H, Kawashima H,
Kiso Y, Nabeshima T.

Arachidonic acid diet prevents memory
impairment and brain Abeta deposition
in Tg2576 mice.

Symposium: PUFA and its derivatives-

brain, neuroprotective agents for senescence, ISN-ESN, Athens, Greece, Aug 30, 2011.

Michikawa M. ApoE dependent and independent Abeta clearance pathways in the brain. Mount Sinai University, School of Medicine, January 6, 2012, New York, NY, USA

Zou K, Liu J, Watanabe A, Liu S, Tanabe C, Maeda T, Oba R, Michikawa M, Komano H. Two active domains of ACE are essential for Abeta43-converting activity. ISN-ESN, Athens, Greece, Aug 31, 2011.

道川 誠 アルツハイマー病分子病態ならびに認知機能障害に対する不飽和脂肪酸経口摂取の影響 日本基礎老化学会第34回大会 シンポジウム「脳機能と健康食品、漢方」2011年6月17日、東京

Liu JJ, Liu S, Watanabe A, Tanabe C, Maeda T, Michikawa M, Zou K, Komano H.
Abeta43-converting activity requires two active domains of ACE 日本生化学会大会 2011年9月23日、京都

道川 誠 Isoform-dependent functions of apolipoprotein E in cholesterol transport and Alzheimer disease. 日本生化学会大会 シンポジウム"Cholesterol in brain diseases" 2011年9月23日、京都

星野瞳、新美しおり、細野知美、道川 誠、神奈木玲児、内村健治 セレクチンリガンド形成に関わる硫酸転移酵素は生後マウス発達脳における5D4ケラタン硫酸糖鎖抗

原の発現を制御する
日本生化学会大会 2011年9月23日、京都

新美しおり、星野瞳、細野知美、道川 誠、内村健治 アルツハイマー病モデルマウス脳に発現するコンドロイチン硫酸グリコサミノグリカンの構造解析 日本生化学会大会 2011年9月23日、京都

道川 誠 アルツハイマー病研究の進歩—特に脂質代謝と関連して
第19回東北老年期認知症研究会
平成23年11月26日 仙台

新美しおり、星野瞳、細野友美、道川 誠、内村健治 アルツハイマー病モデルマウス脳に発現する細胞外マトリックスコンドロイチン硫酸糖鎖の構造解析 日本認知症学会、平成23年11月11日、東京

安野史彦、谷向知、佐々木恵、日高真池嶋千秋、山下典生、児玉千稲、水上勝義、道川 誠、朝田隆 高齢者認知機能の経時変化に及ぼす血中脂質濃度、血圧およびApoE遺伝子多型の影響 日本認知症学会、平成23年11月11日、東京

山内玲奈、ゾウクン、鄭且均、道川 誠 The renin-angiotensin system modulates APP and ApoE metabolism. 日本認知症学会、平成23年11月11日、東京

吉池裕二、及川尚人、道川 誠、滝川修高島明彦、柳澤勝彦 タウ関連病態に影響をおよぼす因子の解析 日本認知症学会、平成23年11月11日、東京

Tomoki Sasaki, Nobumasa Takasugi, Satoko Osawa, Taisuke Tomita, Takeshi Iwatsubo: Functional analysis of a novel domain modulating γ -secretase-mediated cleavage within

amyloid precursor protein. Gordon Research Conference on Regulated Proteolysis of Cell Surface Proteins. July 10-15, 2011, Davidson College, Davidson, NC

Shizuka Takagi, Taisuke Tomita, Takeshi Iwatsubo: The monoclonal antibody targeting the juxtamembrane region of TMD1 of Presenilin 1 decreases the γ -secretase activity. Gordon Research Conference on Regulated Proteolysis of Cell Surface Proteins. July 10-15, 2011, Davidson College, Davidson, NC

Taisuke Tomita, Shizuka Takagi, Takeshi Iwatsubo: The α -helical structure of the hydrophilic loop1 of presenilin 1 contributes to the formation of the substrate binding site. Gordon Research Conference on Regulated Proteolysis of Cell Surface Proteins. July 10-15, 2011, Davidson College, Davidson, NC

Taisuke Tomita, Nobumasa Takasugi, Tomoki Sasaki, Satoko Osawa, Satoshi Yokoshima, Tohru Fukuyama, Virginia Lee, John Trojanowski, Takeshi Iwatsubo: BACE1 activity is modulated by cell-associated sphingosine-1-phosphate. The Alzheimer's Association International Conference on Alzheimer's Disease (ICAD) 2011, July 16-21, 2011, Paris, France

Taisuke Tomita: Notch-Notch ligand interactions modulate the levels of synaptic vesicle proteins in neurons. The Notch Meeting. October 2-6, 2011, Athens, Greece

Kunimichi Suzuki, Yukari Hayashi, Soichiro Nakahara, Ryuta Koyama, Norio Matsuki, Taisuke Tomita, Takeshi

Iwatsubo: Proteolytic processing of neuroligin 1 modulates its spinogenic function. Neuroscience 2011. November 12-16, 2011, Washington DC

Aya Tominaga, Shizuka Takagi, Taisuke Tomita, Takeshi Iwatsubo: Structural analysis of transmembrane domain 4 of Presenilin 1, a catalytic subunit of γ -secretase. Neuroscience 2011. November 12-16, 2011, Washington DC

Yuichi Morohashi, Kunihiko Kanatsu, Taisuke Tomita, Takeshi Iwatsubo: PICALM impacts the production and secretion of A β 42 in cultured cells. Neuroscience 2011. November 12-16, 2011, Washington DC

Sho Takatori, Ikuo Hayashi, Takeshi Kawamura, Tatsuhiko Kodama, Takao Hamakubo, Takeshi Iwatsubo, Taisuke Tomita: γ -Secretase interacting tetraspanin protein CD81 is involved in the internalization of the γ -secretase and its substrates to the endocytic compartment. 2011年6月28日~7月1日 第30回内藤カンファレンス 生体膜ダイナミクスと脂質生物学[II]脂質ドメイン、脂肪滴、疾患 札幌

Kunihiko Kanatsu, Yuichi Morohashi, Taisuke Tomita, Takeshi Iwatsubo: The role of phosphatidylinositol binding clathrin assembly protein (PICALM) in the metabolism of amyloid precursor protein. 2011年6月28日~7月1日 第30回内藤カンファレンス 生体膜ダイナミクスと脂質生物学[II]脂質ドメイン、脂肪滴、疾患 札幌

大木優、肥後拓也、島田尚明、大沢智子、福山透、横島聡、富田泰輔、岩坪威： γ セクレターゼモジュレーターGSM-1のA

ミロイドペプチド切断調節機構の解析
2011年11月11日-13日 第30回 日本
認知症学会学術集会 東京

山下雄大、一色隼人、諸橋雄一、富田泰輔、岩坪威：Notchの γ セクレターゼ切断を制御するXPR1の機能解析 2011年11月11日-13日 第30回 日本認知症学会学術集会 東京

一色隼人、山下雄大、石渡智之、諸橋雄一、富田泰輔、岩坪威：Identification and functional analysis of a genetic regulator for γ -secretase substrate trafficking. 2011年11月11日-13日 第30回 日本認知症学会学術集会 東京

竹尾浩史、谷村瞬、ザハリエブイヴァン クラスイミロブ、横島聡、福山透、富田泰輔、岩坪威：光親和性標識を用いたフェニルイミダゾール型 γ セクレターゼモジュレーター的作用標的分子の同定 2011年11月11日-13日 第30回 日本認知症学会学術集会 東京

石渡智之、一色隼人、桑原知樹、諸橋雄一、三谷昌平、富田泰輔、岩坪威：Functional analysis of *sft-4* in the *C. elegans* Notch pathway. 2011年11月11日-13日 第30回 日本認知症学会学術集会 東京

Hayato Isshiki, Yuta Yamashita, Tomoyuki Ishiwata, Yuichi Morohashi, Taisuke Tomita, Takeshi Iwatsubo: Identification and functional analysis of a genetic regulator for the trafficking of γ -secretase substrate. 2011年11月14-15日 第6回日本Notch研究会 野田

Kunihiko Kanatsu, Yuichi Morohashi, Taisuke Tomita, Takeshi Iwatsubo : PICALM regulates the endocytosis of γ -secretase. 2011年11月14-15日 第6

回日本Notch研究会 野田

Koji Takeo, Shun Tanimura, Ivan Krasimirov Zahariev, Satoshi Yokoshima, Tohru Fukuyama, Taisuke Tomita, Takeshi Iwatsubo: Molecular target of phenylimidazole-type γ -secretase modulators. 2011年11月14-15日 第6回日本Notch研究会 野田

Tomoyuki Ishiwata, Hayato Isshiki, Tomoki Kuwahara, Yuichi Morohashi, Shohei Mitani, Taisuke Tomita, Takeshi Iwatsubo: Functional analysis of *sft-4* in the *C. elegans* Notch pathway. 2011年11月14-15日 第6回日本Notch研究会 野田

Saido, T.C. Effect of Neprilysin deficiency on deposition of pyroglutamy amyloid β peptide and apolipoprotein E in ATT-Tg mice. 10th International Conference on Alzheimer's and Parkinson's Disease (AD/PD 2011), Barcelona, Spain 2011, 3.

Saido, T.C. Metabolism of amyloid β peptide and pathogenesis of Alzheimer's disease. The 5th Annual Meeting of Korean Society for Neurodegenerative Diseases-A New Perspective on Neurodegenerative Disease. Seoul, Korea, 2011, 10.

西道隆臣. アミロイド代謝ダイナミクスとアルツハイマー病. 認知症研究を知る若手研究者の集まり, 大府, 日本, 2011, 7.

Saido, T.C. Catabolism and anabolism in amyloid β peptide. AACL-Nagasaki Symposium: Japan-Korea Joint Conference on Brain Aging and Neurodegeneration: Molecular Perspective and Regional Bridging, Nagasaki, Japan, 2011, 11.

Hasegawa M : Molecular pathology of
TDP-43 proteinopathies. 3rd World
Congress of Asian Psychiatry 2011,
Melbourne [2011. 8. 2]

H. 特許申請
なし

II.研究成果の刊行に関する一覧表

論文一覧

著者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ito J, Kheirollah A, Nagayasu Y, Ueda H, Yokoyama S, Michikawa M.	Involvement of cdc42/Rho kinase in apoA-I-mediated cholesterol efflux through interaction between cytosolic lipid-protein particles and microtubules in rat astrocytes.	J Neurosci Res			In press
Okihara H ² , Ito J, Kokai S, Ishida T, Hiranuma M, Kato C, Yabushita T, Ishida K, Ono T, Michikawa M	Liquid diet induces memory impairment accompanied by a decreased number of hippocampal neurons in mice	J Neurosci Res			In press
Hoshino H, Foyez T, Ohtake-Niimi S, Takeda-Uchimura Y, Michikawa M, Kadomatsu K and Uchimura K	KSGal6ST is essential for the 6-sulfation of galactose within keratan sulfate in early postnatal brain	J Histochem Cytochem,			
Oue H, Miyamoto Y, Okada S, Koretake K, Jung CG, Michikawa, M, Akagawa, Y.	Tooth loss induces memory impairment and neuronal cell loss in APP transgenic mice.	Behav Brain Res	252	318-325	2013
Zou K, Liu J, Watanabe A, Hiraga S, Liu S, Tanabe C, Maeda T, Terayama Y, Takahashi S, Michikawa M, Komano H	A β 43 is the earliest depositing A β species in APP transgenic mouse brain and is converted to	Am J Pathol	182	2322-2331	2013

	A β 41 by two active domains of ACE.				
Ito J, Nagayasu Y, Hoshikawa M, Kato K.H., Miura Y, Asai K, Hayashi H, Yokoyama Y, Michikawa M.	Enhancement of FGF-1 release along with cytosolic proteins from rat astrocytes by hydrogen peroxide.	Brain Res.,	1552:	12-21	2013
Kanatsu K, Morohashi, Suzuki M, Kuroda H, Watanabe T, Tomita T*, Iwatsubo T	Decreased CALM expression reduces A β 42 to total A β through clathrin-mediated endocytosis of γ -secretase.	Nat. Comm.	5	3386	2014
Ohki Y, Shimada N, Higo T, Tokoshima S, Fukuyama T, Tomita T*, Iwatsubo T	Binding of longer A β to transmembrane domain 1 of presenilin 1 impacts on A β 42 generation.	Mol. Neurodegener.	9(1)	7	2014
Taniguchi A, Sasaki D, Shiohara A, Iwatsubo T, Tomita T*, Sohma Y, Kanai M	Attenuated aggregation and neurotoxicity of amyloid- γ peptide by catalytic photo-oxidation.	Angew. Chem. Int. Ed. Engl.	53(5)	1382-1385	2014
Li Y, Hsueh-Jeng Lu S, Tsai CJ, Bohm C, Qamar S, Dodd RB, McDonald B, Meadows W, Jeoh A, McLeod A, Chen F, Arimon M, Berezovska O, Hyman BT, Tomita T, Iwatsubo T, Schmitt-Ulms, S, Fraser P, St.	Biophysical analysis of reciprocal allosteric interactions between γ -secretase inhibitor and initial substrate binding sites give insight into	Structure	22(1)	125-135	2014

George-Hyslop P	human presenilin-1 complex function.				
Hoshi M, Ohki Y, Ito K, Tomita T, Iwatsubo T, Ishimaru Y, Abe K, Asakura T	Experimental detection of proteolytic activity in a signal peptide peptidase of <i>Arabidopsis thaliana</i> .	BMC Biochem	14	16	2013
Takasugi N, Sasaki T, Ebinuma I, Osawa S, Isshiki H, Takeo K, Tomita T*, Iwatsubo T	FTY720/Fingolimod, a sphingosine analogue, reduces amyloid- β production in neurons.	PLoS ONE	8(5)	e64050	2013
Morohashi Y, Tomita T*	Protein trafficking and maturation regulates intramembrane proteolysis.	BBA-Biomembranes	1828(12)	2855-61	2013
Tomita T*, Iwatsubo T	Structural biology of presenilins and signal peptide peptidases.	J. Biol. Chem.	288(21)	14673-14680	2013
Nilsson, P., Loganathan, K., Sekiguchi, M., Matsuba, Y., Hui, K., Tsubuki, S., Tanaka, M., Iwata, N., Saito, T., Saido, T.C.	A β secretion and plaque formation depend on autophagy.	Cell Reports	5(19)	61-69	2013
Sörgjerd, K.M., Zako, T., Sakono, M., Stirling, P.C., Leroux, M.R., Saito, T., Nilsson, P., Sekimoto, M., Saido, T.C.	Human prefoldin inhibits amyloid- β (A β) fibrillation and contributes to formation of nontoxic A β aggregates.	Biochemistry	52	3532-3542	2013
Funamoto, S., Sasaki, T., Ishihara, S., Nobuhara, M.,	Substrate ectodomain is critical for	Nat. Commun.	4:2529	doi:10.1038/ncomms35	2013

Nakano, M., Watanabe-Takahashi, M., Saito, T., Kakuda, N., Miyasaka, T., Nishikawa, K., <u>Saido,</u> <u>T.C.</u> , Ihara, Y.	substrate preference and inhibition of γ - secretase.			29	
Iwata, A., Nagata, K., Hatsuta, H., Takuma H., Bundo, M., Iwamoto, K., Tamaoka, A., Murayama, S., <u>Saido,</u> <u>T.</u> , Tsuji, S.	Altered CpG methylation in sporadic Alzheimer's disease is associated with APP and MAPT dysregulation.	Hum. Mol. Genet.	23	648-656	2013
Maruyama, M., Shimada, H., Suhara, T., Shinotoh, H., Ji, B., Maeda, J., Zhang, M.R., Trojanowski, J.Q., Lee, V.M., Ono, M., Masamoto, K., Takano, H., Sahara, N., Iwata, N., Okamura, N., Furumoto, S., Kudo, Y., Chang, Q., <u>Saido,</u> <u>T.C.</u> , Takashima, A., Lewis, J., Jang, M.K., Aoki, I., Ito, H., Higuchi, M.	Imaging of tau pathology in a tauopathy mouse model and in Alzheimer patients compared to normal controls.	Neuron	79	1094- 1108	2013
Hosokawa M, Arai T, Yamashita M, Tsuji H, Nonaka T, Masuda- Suzukake M, Tamaoka A, Hasegawa M, Akiyama H.	Differential diagnosis of amyotrophic lateral sclerosis from Guillain- Barré syndrome by quantitative determination of TDP-43 in cerebrospinal fluid.	Int J Neurosci.			in press
Hasegawa M, Watanabe S, Kondo H, Akiyama H, Mann	3R and 4R tau isoforms in paired helical	Acta Neuropathol.	127	303-5	2014

DM, Saito Y, Murayama S	filaments in Alzheimer's disease.				
Mann DM, Rollinson S, Robinson A, Bennion Callister J, Thompson JC, Snowden JS, Gendron T, Petrucelli L, Masuda-Suzukake M, Hasegawa M, Davidson Y, Pickering-Brown S.	Dipeptide repeat proteins are present in the p62 positive inclusions in patients with frontotemporal lobar degeneration and motor neurone disease associated with expansions in C9ORF72.	Acta Neuropathol Commun.	1	68	2013
Dan A, Takahashi M, Masuda-Suzukake M, Kametani F, Nonaka T, Kondo H, Akiyama H, Arai T, Mann DM, Saito Y, Hatsuta H, Murayama S, Hasegawa M.	Extensive deamidation at asparagine residue 279 accounts for weak immunoreactivity of tau with RD4 antibody in Alzheimer's disease brain.	Acta Neuropathol Commun.	1	54	2013
Nonaka T, Masuda- Suzukake M, Arai T, Hasegawa Y, Akatsu H, Obi T, Yoshida M, Murayama S, Mann DM, Akiyama H, Hasegawa M.	Prion-like properties of pathological TDP-43 aggregates from diseased brains.	Cell Rep.	4	124-34	2013
Moujalled D, James JL, Parker SJ, Lidgerwood GE, Duncan C, Meyerowitz J, Nonaka T, Hasegawa M, Kanninen KM, Grubman A, Liddell JR, Crouch PJ, White AR.	Kinase Inhibitor Screening Identifies Cyclin- Dependent Kinases and Glycogen Synthase Kinase 3 as Potential Modulators of TDP-43 Cytosolic Accumulation	PLoS One.	8	e67433	2013

	during Cell Stress.				
Masuda-Suzukake M, Nonaka T, Hosokawa M, Oikawa T, Arai T, Akiyama H, Mann DM, Hasegawa M.	Prion-like spreading of pathological alpha-synuclein in brain.	Brain.	136	1128-38	2013
Kimura T, Tsutsumi K, Taoka M, Saito T, Masuda-Suzukake M, Ishiguro K, Plattner F, Uchida T, Isobe T, Hasegawa M, Hisanaga S.	Isomerase Pin1 Stimulates Dephosphorylation of Tau Protein at Cyclin-dependent Kinase (Cdk5)-dependent Alzheimer Phosphorylation Sites.	J Biol Chem.	288	7968-77	2013

Kakiya, N., Saito, T., Nilsson, P., Matsuba, Y., Tsubuki, S., Takei, N., Nawa, H., <u>Saido T.C.</u>	Cell-surface expression of the major A β degrading enzyme, neprilysin, depends on phosphorylation by MEK and dephosphorylation by protein phosphatase 1a.	J. Biol. Chem.,	287	29362-29372	2012
Abramowski, D., Rabe, S., Upadhaya, A.R., Reichwald, J., Danner, S., Staab, D., Capetillo-Zarate, E., Yamaguchi, H., <u>Saido, T.C.</u> , Wiederhold, K.H., Thal, D.R., Staufenbiel, M.	Transgenic expression of intraneuronal A β 42 but not A β 40 leads to cellular A β lesions, degeneration, and functional impairment without typical Alzheimer's disease	J. Neurosci.	32	1273-1283	2012

	pathology.				
Schlenzig, D., Rönicke, R., Cynis, H., Ludwig, H.H., Scheel, E., Reymann, K., <u>Saido, T.</u> , Hause, G., Schilling, S., Demuth, H.U.	N-terminal Pyroglutamate (pGlu) formation of A β 38 and A β 40 Enforces Oligomer Formation and Potency to Disrupt Hippocampal LTP.	J. Neurochem.	121	774-784	2012
Iwata, N., Sekiguchi, M., Hattori, Y., Takahashi, A., Asai, M., Ji, B., Higuchi, M., Staufenbiel, M., Muramatsu, S., <u>Saido T.C.</u>	Global brain delivery of neprilysin gene by intravascular administration of AAV vector in mice.	Sci. Rep.		in press	2013
Zou K, Liu J, Watanabe A, Hiraga S, Liu S, Tanabe C, Maeda T, Terayama Y, Takahashi S, <u>Michikawa M</u> , Komano H	A β 43 is the earliest depositing A β species in APP transgenic mouse brain and is converted to A β 41 by two active domains of ACE	Am. J. Pathol.		In press	2013
Hosono-Fukao T, Ohtake-Niimi S, Hoshino H, Akatsu H, Hossain M, Nishitsuji K, van Kuppevelt, Kimata K, <u>Michikawa M</u> , Wyss-Coray T,	Heparan Sulfate Subdomains that are Degraded by Sulf Accumulate in Cerebral Amyloid β Plaques of	Am. J. Pathol.	180	2056-2067	2012

Uchimura K.	Alzheimer's Disease : Evidence from Mouse Models and Patients				
Yasuno F, Tanimukai S, Sasaki M, Hidaka S, Ikejima C, Yamashita F, Kodama C, Mizukami K, <u>Michikawa M</u> , Asada T	Association between cognitive function and plasma lipids of the elderly after controlling for apolipoprotein E genotype.	Am. J. Geriat. Psychiat	20	574-583	2012
Takeo K, Watanabe N, Tomita T*, Iwatsubo T	Contribution of @-secretase cofactors to the formation of catalytic pore of presenilin 1.	J Biol Chem	287	25834-25843	2012
Suzuki K, Hayashi Y, Nakahara S, Kumazaki H, Prox J, Horiuchi K, Zeng M, Tanimura S, Nishiyama Y, Osawa S, Sehara-Fujisawa A, Saftig P, Yokoshima S, Fukuyama T, Matsuki N, Koyama R, Tomita T*, Iwatsubo T	Activity-dependent Cleavage of Neuroligin 1.	Neuron	76	410-422	2012
Takagi-Niidome S, Osawa S, Tomita T*, Iwatsubo T	Inhibition of @-secretase activity by a monoclonal antibody against the extracellular hydrophilic loop of presenilin 1.	Biochemistry	52	61-69	2013
Imamura Y, Umezawa N, Osawa S, Iwatsubo T, Kato N, Tomita T*, Higuchi T	Effect of helical conformation and side-chain structure on @-secretase	J Med Chem			In press

	inhibition by α -peptide foldamers: Insight into substrate recognition.				
Masuda-Suzukake M, Nonaka T, Hosokawa M, Oikawa T, Arai T, Akiyama H, Mann D, Hasegawa M,	Prion-like spreading of pathological alpha-synuclein in brain.	Brain		in press	2013
Ogaki K, Li Y, Takanashi M, Ishikawa KI, Kobayashi T, Nonaka T, Hasegawa M, Kishi M, Yoshino H, Funayama M, Tsukamoto T, Shioya, Y Kokochi M, Imai H, Sasaki R, Kokubo Y, Kuzuhara S, Motoi Y, Tomiyama H, Hattori N.	Analyses of the MAPT, PGRN, and C9orf72 mutations in Japanese patients with FTLT, PSP, and CBS.	Parkinsonism & Related Disorders	19	15-20.	2013
Hosokawa M, Arai T, Masuda-Suzukake M, Nonaka T, Yamashita M, Akiyama H, Hasegawa M	Methylene blue reduced abnormal tau accumulation in P301L tau transgenic mice.	PLoS One	7	e52389	2012
Tsuji H, Arai T, Kametani F, Nonaka T, Yamashita M, Suzukake M, Hosokawa M, Yoshida M, Hatsuta H, Takao M, Saito Y, Murayama M, Akiyama H, Hasegawa M, Mann DMA, Tamaoka A.	Molecular analysis and biochemical classification of TDP-43 proteinopathy.	Brain	135	3380–3391	2012
Egawa N, Kitaoka S, Tsukita K, Naitoh M, Takahashi K,	Drug-Screening Platform for ALS Using	Sci Transl Med	4	145ra104.	2012

Yamamoto T, Adachi F, Kondo T, Okita K, Asaka I, Takashi Aoi T, Watanabe A, Yamada Y, Morizane A, Takahashi J, Ayaki T, Ito H, Yoshikawa K, Yamawaki S, Suzuki S, Watanabe D, Hioki H, Kaneko T, Makioka K, Okamoto K, Takuma H, Tamaoka A, Hasegawa K, Nonaka T, Hasegawa M, Kawata A, Yoshida M, Nakahata T, Takahashi R, Marchetto MCN, Gage FH, Yamanaka S, Inoue H. A (2012).	Patient-Specific Induced Pluripotent Stem Cells.				
Parker SJ, Meyerowitz J, James JL, Liddell JR, Nonaka T, Hasegawa M, Kanninen KM, Lim SC, Paterson BM, Donnelly PS, Crouch PJ, White AR.	Inhibition of TDP-43 accumulation by bis(thiosemicarbazonato)-copper complexes.	PLoS One	7	e42277	2012
Kokubo Y, Taniguchi A, Hasegawa M, Hayakawa Y, Morimoto S, Yoneda M, Hirokawa Y, Shiraishi T, Saito Y, Murayama S, Kuzuhara S.	α -Synuclein Pathology in the Amyotrophic Lateral Sclerosis/Parkinsonism Dementia Complex in the Kii Peninsula, Japan.	J Neuropathol Exp Neurol.	71	625-30.	2012
Wang Y, Shi M, Chung KA, Zabetian CP, Leverenz JB, Berg D, Srujijes K,	Phosphorylated α -Synuclein in Parkinson's Disease.	Sci Transl Med.	4	121ra20	2012

Trojanowski JQ, Lee VMY, Siderowf AD, Hurtig H, Litvan I, Schiess MC, Peskind E, Masuda M, Hasegawa M, Lin X, Pan C, Galasko D, Goldstein DS, Jensen PH, Yang H, Cain KC, Zhang J					
Shahpasand K, Uemura I, Saito T, Asano T, Hata K, Shibata K, Toyoshima Y, Hasegawa M, and Hisanaga S.	Regulation of mitochondrial transport and inter-microtubule spacing by Tau phosphorylation at the sites hyperphosphorylated in Alzheimer's disease.	J Neurosci.	32	2430-2441	2012
Takahashi M, China Y, Nonaka T, Hasegawa M, Watanabe N, Arai T.	Prolonged nitric oxide treatment induces tau aggregation in SH-SY5Y cells,	Neurosci Lett	510	48– 52	2012
Saito, T., Suemoto, T., Brouwers, N., Slegers, K., Funamoto, S., Mihira, M., Matsuba, Y., Yamada, K., Nilsson, P., Takano, J., Nishimura, M., Iwata, N., Van Broeckhoven, C., Ihara, Y., <u>Saido, T.C.</u>	Potent amyloidogenicity and pathogenicity of A β 43.	Nat. Neurosci.	14	1023-1032	2011
Takano, J., Mihira, N., Fujioka, R., Hosoki, E., Chishti, A.H., <u>Saido, T.C.</u>	Vital role of the calpain-calpastatin system for placental integrity-dependent embryonic	Mol. Cell Biol.	31	4097-4106	2011

	survival.				
Asai, M., Yagishita, S., Iwata, N., <u>Saido, T.C.</u> , Ishiura, S., Maruyama, K.	An alternative metabolic pathway of amyloid precursor protein C-terminal fragments via cathepsin B in a human neuroglioma model	FASEB J.	25	3720-3730	2011
Yahata, N., Asai, M., Kitaoka, S., Takahashi, K., Asaka, I., Hioki, H., Kaneko, T., Maruyama, K., <u>Saido, T.C.</u> , Nakahata T, Asada T, Yamanaka S, Iwata N, Inoue H.	Anti-A β drug screening platform using human iPS cell-derived neurons for the treatment of Alzheimer's disease	PLoS One	6	e25788	2011
Sato, K., Minegishi, S., Takano, J., Plattner, F., Saito, T., Asada, A., Kawahara, H., Iwata, N., <u>Saido, T.C.</u> , Hisanaga, S-I.	Calpastatin, an endogenous calpain-inhibitor protein, regulates the cleavage of the Cdk5 activator p35 to p25	J. Neurochem.	117	505-515	2011
Higuchi, M., Iwata, N., Matsuba, Y., Takano, J., Suemoto, T., Maeda, J., Ji, B., Ono, M., Staufenbiel, M., Suhara, T., <u>Saido, T.C.</u>	Mechanistic involvement of the calpain-calpastatin system in Alzheimer neuropathology.	FASEB J	in press		2011

Tsuji H, Nonaka T, Yamashita M, Suzukake M, Kametani F, Akiyama H, Mann DM, Tamaoka A and Hasegawa M	Epitope mapping of antibodies against TDP-43 and detection of protease-resistant fragments of pathological TDP-43 in amyotrophic lateral sclerosis and frontotemporal lobar degeneration.	Biochem Biophys Res Commun	417	116-121.	2012
Iguchi Y, Katsuno M, Takagi S, Ishigaki S, Niwa JI, Hasegawa M, Tanaka F, Sobue G	Oxidative stress induced by glutathione depletion reproduces pathological modifications of TDP-43 linked to TDP-43 proteinopathies.	Neurobiol Dis.		In press.	2012
Foulds PG, Mitchell JD, Parker A, Turner R, Green G, Diggle P, Hasegawa M, Taylor M, Mann DM, and Allsop D	Phosphorylated alpha-synuclein can be detected in blood plasma and is potentially a useful biomarker for Parkinson's disease.	FASEB J	25	4127-37	2011
Foulds PG, Yokota O, Thurston A, Davidson Y, Ahmed Z, Holton J, Thompson JC, Akiyama H, Arai T, Hasegawa M, Gerhard A, Allsop and Mann DM	Post mortem cerebrospinal fluid α -synuclein levels are raised in multiple system atrophy and distinguish this from the other α -synucleinopathies, Parkinson's disease and Dementia with Lewy bodies.	Neurobiol Dis	45	188-95	2011
Hasegawa M,	Molecular Dissection	J Mol Neurosci	45	480-485	2011

Nonaka T, Tsuji H, Tamaoka A, Yamashita M, Kametani F, Yoshida M, Arai T, Akiyama H	of TDP-43 Proteinopathies.				
Nonaka T and Hasegawa M	In vitro recapitulation of aberrant protein inclusions in neurodegenerative diseases, New cellular models of neurodegenerative diseases.	Commun & Integ Biol	4	501-502	2011
Meyerowitz J, Parker SJ, Vella LJ, Ng DCh, Price KA, Liddell JR, Caragounis A, Li QX, Masters CL, Nonaka T, Hasegawa M, Bogoyevitch MA, Kanninen KM, Crouch PJ, White AR	C-Jun N-terminal kinase controls TDP-43 accumulation in stress granules induced by oxidative stress.	Mol Neurodegener	6	57	2011
長谷川成人, 新井哲明, 野中隆, 亀谷富由樹, 秋山治彦	病理構造物の解析からみちびかれた精神神経疾患の新しい考え方.	精神医学,	53	1201-1206	2011
鈴掛雅美, 長谷川成人	: 認知症学, 神経原線維変化の形成と分布.	日本臨床,	69	148-152	2011
團彩帆, 長谷川成人:	認知症学, FTDP-17 の分子生物学.	日本臨床,	69	379-383	2011
Takasugi N, Sasaki T, Suzuki K, Osawa S, Isshiki H, Hori Y, Shimada N, Higo T, Yokoshima S, Fukuyama T, Lee VMY,	BACE1 activity is modulated by cell-associated sphingosine-1-phosphate in neurons.	J Neurosci	31	6850-6857	2011