

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tomita O, Iijima K, Ishibashi T, Osumi T, Kobayashi K, Okita H, Saito M, Mori T, Shimizu T, Kiyokawa N.	Sensitivity of SNX2-ABL1 toward tyrosine kinase inhibitors distinct from that of BCR-ABL1.	Leuk Res.	38(3)	361-70.	2014
Masuzawa A, Kiyotani C, Osumi T, Shioda Y, Iijima K, Tomita O, Nakabayashi K, Oboki K, Yasuda K, Sakamoto H, Ichikawa H, Hata K, Yoshida T, Matsumoto K, Kiyokawa N, Mori T.	Poor responses to tyrosine kinase inhibitors in a child with precursor B-cell acute lymphoblastic leukemia with SNX2-ABL1 chimeric transcript.	Eur J Haematol.	92(3)	263-7.	2014
Kobayashi K, Mitsui K, Ichikawa H, Nakabayashi K, Matsuoka M, Kojima Y, Takahashi H, Iijima K, Ootsubo K, Oboki K, Okita H, Yasuda H, Sakamoto, Hata K, Yoshida T, Matsumoto K, Kiyokawa N, Ohara A.	ATF7IP as a novel PDGFRB fusion partner in acute lymphoblastic leukemia in children.	Br J Haematol.	in press		
Kiyokawa N, Iijima K, Tomita O, Miharu M, Hasegawa D, Kobayashi K, Okita H, Kajiwara M, Shimada H, Inukai T, Makimoto A, Fukushima T, Nanmoku T, Koh K, Manabe A, Kikuchi A, Sugita K, Fujimoto J, Hayashi Y, Ohara A.	Significance of CD66c expression in childhood acute lymphoblastic leukemia.	Leuk Res.	38(1)	42-8.	2014
Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R.	Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies.	Leuk Res Treatment.	2013	238528	2013
Tomizawa D, Tawa A, Watanabe T, Saito AM, Kudo K, Taga T, Iwamoto S, Shimada A, Terui K, Moritake H, Kinoshita A, Takahashi H, Nakayama H, Kiyokawa N, Isoyama K, Mizutani S, Hara J, Horibe K, Nakahata T, Adachi S.	Appropriate dose reduction in induction therapy is essential for the treatment of infants with acute myeloid leukemia: a report from the Japanese Pediatric Leukemia/Lymphoma Study Group.	Int J Hematol.	98(5)	578-88.	2013
Ueno H, Okita H, Akimoto S, Kobayashi K, Nakabayashi K, Hata K, Fujimoto J, Hata J, Fukuzawa M, Kiyokawa N.	DNA methylation profile distinguishes clear cell sarcoma of the kidney from other pediatric renal tumors.	PLoS One.	26;8(4)	e62233	2013
Kato M, Yasui N, Seki M, Kishimoto H, Sato-Otsubo A, Hasegawa D, Kiyokawa N, Hanada R, Ogawa S, Manabe A, Takita J, Koh K.	Aggressive transformation of juvenile myelomonocytic leukemia associated with duplication of oncogenic KRAS due to acquired uniparental disomy.	J Pediatr.	162(6)	1285-8.	2013
Yamazaki F, Nakazawa A, Osumi T, Shimojima N, Tanaka T, Nakagawara A, Shimada H.	Two cases of neuroblastoma comprising two distinct clones.	Pediatr Blood Cancer.	61	760-762	2014
Hiura H, Toyoda M, Okae H, Sakurai M, Miyauchi N, Sato A, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Nishino K, Umezawa A, Arima T.	Stability of genomic imprinting in human induced pluripotent stem cells.	BMC Genet.	14	32	2013

Attarbaschi A, Beishuizen A, Mann G, Rosolen A, Mori T, Uyttebroeck A, Niggli F, Csoka M, Krenova Z, Mellgren K, Kabickova E, Chiang AK, Reiter A, Williams D, Burkhardt B; on behalf of the European Intergroup for Childhood Non-Hodgkin Lymphoma (EICNHL) and the international Berlin-Frankfurt-Münster (i-BFM) Study Group.	Children and adolescents with follicular lymphoma have an excellent prognosis with either limited chemotherapy or with a "watch and wait" strategy after complete resection.	Annals of Hematology	92	1537-41	2013
Williams D, Mori T, Reiter A, Woessman W, Rosolen A, Wrobel G, Zsiros J, Uyttebroeck A, Marky I, Le Deley MC, Brugières L; for the European Intergroup for Childhood Non-Hodgkin Lymphoma, the Japanese Pediatric Leukemia/Lymphoma Study Group.	Central nervous system involvement in anaplastic large cell lymphoma in childhood: Results from a multicentre European and Japanese study.	Pediatr Blood Cancer	60	E118-21.	2013
Iwao T, Toyota M, Miyagawa Y, Okita H, Kiyokawa N, Akutsu H, Umezawa A, Nagata K, Matsunaga T.	Differentiation of Human Induced Pluripotent Stem Cells into Functional Enterocyte-Like Cells Using a Simple Method.	Drug Metab Pharmacokin et.	in press		
Nakamura H, Liao H, Minami K, Toyoda M, Akutsu H, Miyagawa Y, Okita H, Kiyokawa N, Umezawa A, Imadome KI, Inoue N, Fujiwara S.	Human cytomegalovirus induces apoptosis in neural stem/progenitor cells derived from induced pluripotent stem cells by generating mitochondrial dysfunction and endoplasmic reticulum stress.	Herpesviridae.	4(1):	2	2013
Yamazoe T, Shiraki N, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A, Sasaki Y, Kume K, Kume S.	A synthetic nanofibrillar matrix promotes in vitro hepatic differentiation of embryonic stem cells and induced pluripotent stem cells.	J Cell Sci.	126(Pt 23):	5391-9.	2013
Kondo Y, Iwao T, Nakamura K, Sasaki T, Takahashi S, Kamada N, Matsubara T, Gonzalez FJ, Akutsu H, Miyagawa Y, Okita H, Kiyokawa N, Toyoda M, Umezawa A, Nagata K, Matsunaga T, Ohmori S.	An Efficient Method for Differentiation of Human Induced Pluripotent Stem Cells into Hepatocyte-Like Cells Retaining Drug Metabolizing Activity.	Drug Metab Pharmacokin et.	in press		
Shiba N, Ohki K, Park MJ, Sotomatsu M, Kudo K, Ito E, Sako M, Arakawa H, Hayashi Y.	SETBP1 mutations in juvenile myelomonocytic leukaemia and myelodysplastic syndrome but not in paediatric acute myeloid leukaemia.	Br J Haematol.	99 :	154-161	2014
Shiba N, Funato M, Ohki K, Park MJ, Mizushima Y, Adachi S, Kobayashi M, Kinoshita A, Sotomatsu M, Arakawa H, Tawa A, Horibe K, Tsukimoto I, Hayashi Y.	Mutations of the GATA2 and CEBPA genes in paediatric acute myeloid leukaemia.	Br Haematol	J164 :	142-159	2014
Sano H, Shimada A, Tabuchi K, Taki T, Murata C, Park MJ, Ohki K, Sotomatsu M, Adachi S, Tawa A, Kobayashi R, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, Hayashi Y.	WT1 mutation in pediatric patients with acute myeloid leukemia: a report from the Japanese Childhood AML Cooperative Study Group.	Int Hematol	J98:	437-445	2013
Yoshida K, Toki T, Okuno Y, Kanezaki R, Shiraishi Y, Sato-Otsubo A, Sanada M, Park MJ, Terui K, Suzuki H, Kon A, Nagata Y, Sato Y, Wang R, Shiba N, Chiba K, Tanaka H, Hama A, Muramatsu H, Hasegawa D, Nakamura K, Kanegane H, Tsukamoto K, Adachi S, Kawakami K, Kato K, Nishimura R, Izraeli S, Hayashi Y, Miyano S, Kojima S, Ito E, Ogawa S.	The landscape of somatic mutations in Down syndrome-related myeloid disorders.	Nat Genet.,	45 :	1293-1299	2013
Park MJ, Sotomatsu M, Ohki K, Arai K, Maruyama K, Kobayashi T, Nishi A, Sameshima K, Takagi T, Hayashi Y.	Liver disease is frequently observed in Down syndrome patients with transient abnormal myelopoiesis.	Int Hematol	J99 :	154-161	2014

Nishimura R, Takita J, Sato-Otsubo A, Kato M, Koh K, Hanada R, Tanaka Y, Kato K, Maeda D, Fukayama M, Sanada M, Hayashi Y, Ogawa S.	Characterization of genetic lesions in rhabdomyosarcoma using a high-density single nucleotide polymorphism array.	Cancer Sci	104	856-864	2013
Shiba N, Ichikawa H, Taki T, Park MJ, Jo A, Mitani S, Kobayashi T, Shimada A, Sotomatsu M, Arakawa H, Adachi S, Tawa A, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, Hayashi Y.	NUP98-NSD1 gene fusion and its related gene expression signature are strongly associated with a poor prognosis in pediatric acute myeloid leukemia.	Genes Chromosomes Cancer.	52	683-693	2013
Shiraishi Y, Sato Y, Chiba K, Okuno Y, Nagata Y, Yoshida K, Shiba N, Hayashi Y, Kume H, Homma Y, Sanada M, Ogawa S, Miyano S.	An empirical Bayesian framework for somatic mutation detection from cancer genome sequencing data.	Nucleic Acids Res.	41	e89	2013
Toki T, Kanezaki R, Kobayashi E, Kaneko H, Suzuki M, Wang R, Terui K, Kanegane H, Maeda M, Endo M, Mizuochi T, Adachi S, Hayashi Y, Yamamoto M, Shimizu R, Ito E.	Naturally occurring oncogenic GATA1 mutants with internal deletions in transient abnormal myelopoiesis in Down syndrome.	Blood	121	3181-3184	2013
Wakai K, Sano H, Shimada A, Shiozawa Y, Park MJ, Sotomatsu M, Yanagisawa R, Koike K, Kozawa K, Ryo A, Tsukagoshi H, Kimura H, Hayashi Y.	Cytomegalovirus retinitis during maintenance therapy for T-cell acute lymphoblastic leukemia.	J Pediatr Hematol Oncol	35	162-163	2013
Sakata-Yanagimoto M, Enami T, Yoshida K, Shiraishi Y, Ishii R, Miyake Y, Muto H, Tsuyama N, Sato-Otsubo A, Okuno Y, Sakata S, Kamada Y, Nakamoto-Matsubara R, Tran NB, Izutsu K, Sato Y, Ohta Y, Furuta J, Shimizu S, Komeno T, Sato Y, Ito T, Noguchi M, Noguchi E, Sanada M, Chiba K, Tanaka H, Suzukawa K, Nanmoku T, Hasegawa Y, Nureki O, Miyano S, Nakamura N, Takeuchi K, Ogawa S, Chiba S.	Somatic RHOA mutation in angioimmunoblastic T cell lymphoma.	Nat Genet.	46(2)	171-5	2014
Lin TL, Nagata Y, Kao HW, Sanada M, Okuno Y, Huang CF, Liang DC, Kuo MC, Lai CL, Lee EH, Shih YS, Tanaka H, Shiraishi Y, Chiba K, Lin TH, Wu JH, Miyano S, Ogawa S, Shih LY.	Clonal leukemic evolution in myelodysplastic syndromes with TET2 and IDH1/2 mutations.	Haematologica.	99(1)	28-36.	2014
Hosono N, Makishima H, Jerez A, Yoshida K, Przychodzen B, McMahon S, Shiraishi Y, Chiba K, Tanaka H, Miyano S, Sanada M, Gomez-Segui I, Verma AK, McDevitt MA, Sekeres MA, Ogawa S, Maciejewski JP.	Recurrent genetic defects on chromosome 7q in myeloid neoplasms.	Leukemia.	in press		2014
Becker H, Yoshida K, Blagitko-Dorfs N, Claus R, Pantic M, Abdelkarim M, Niemöller C, Greil C, Hackanson B, Shiraishi Y, Chiba K, Tanaka H, Miyano S, Döhner K, Schnittger S, Henneke P, Niemeyer C, Flotho C, Pfeifer D, Ogawa S, Lübbert M	Tracing the development of acute myeloid leukemia in CBL-syndrome	Blood.	in press		2014
Yoshida K, Sanada M, Ogawa S.	Deep sequencing in cancer research.	Jpn J Clin Oncol.	43(2)	110-115.	2013
Yin D, Ogawa S, Kawamata N, Leiter A, Ham M, Li D, Doan NB, Said JW, Black KL, Phillip Koeffler H.	miR-34a functions as a tumor suppressor modulating EGFR in glioblastoma multiforme.	Oncogene.	32(9)	1155-1163.	2013

Terao C, Yoshifuji H, Kimura A, Matsumura T, Ohmura K, Takahashi M, Shimizu M, Kawaguchi T, Chen Z, Naruse TK, Sato-Otsubo A, Ebana Y, Maejima Y, Kinoshita H, Murakami K, Kawabata D, Wada Y, Narita I, Tazaki J, Kawaguchi Y, Yamanaka H, Yurugi K, Miura Y, Maekawa T, Ogawa S, Komuro I, Nagai R, Yamada R, Tabara Y, Isobe M, Mimori T, Matsuda F.	Two susceptibility loci to Takayasu arteritis reveal a synergistic role of the IL12B and HLA-B regions in a Japanese population.	Am J Hum Genet.	93(2):	289-297.	2013
Taketani T, Takita J, Ueyama J, Kanai R, Kumori K, Maruyama R, Hayashi K, Ogawa S, Fukuda S, Yamaguchi S.	Ectopic Neuroblastoma in Monozygotic Twins With Different Ages of Onset: Possible Twin-to-Twin Metastasis In Utero With Distinct Genetic Alterations After Birth	Journal of pediatric hematology/oncology.	in press		
Takada M, Higuchi T, Tozuka K, Takei H, Haruta M, Watanabe J, Kasai F, Inoue K, Kurosumi M, Miyazaki M, Sato-Otsubo A, Ogawa S, Kaneko Y.	Alterations of the genes involved in the PI3K and estrogen-receptor pathways influence outcome in human epidermal growth factor receptor 2-positive and hormone receptor-positive breast cancer patients treated with trastuzumab-containing neoadjuvant chemotherapy.	BMC cancer.	13:	241.	2013
Sato Y, Yoshizato T, Shiraishi Y, Maekawa S, Okuno Y, Kamura T, Shimamura T, Sato-Otsubo A, Nagae G, Suzuki H, Nagata Y, Yoshida K, Kon A, Suzuki Y, Chiba K, Tanaka H, Niida A, Fujimoto A, Tsunoda T, Morikawa T, Maeda D, Kume H, Sugano S, Fukayama M, Aburatani H, Sanada M, Miyano S, Homma Y, Ogawa S.	Integrated molecular analysis of clear-cell renal cell carcinoma.	Nat Genet.	45(8):	860-867.	2013
Sakaguchi H, Okuno Y, Muramatsu H, Yoshida K, Shiraishi Y, Takahashi M, Kon A, Sanada M, Chiba K, Tanaka H, Makishima H, Wang X, Xu Y, Doisaki S, Hama A, Nakanishi K, Takahashi Y, Yoshida N, Maciejewski JP, Miyano S, Ogawa S, Kojima S.	Exome sequencing identifies secondary mutations of SETBP1 and JAK3 in juvenile myelomonocytic leukemia.	Nat Genet.	45(8):	937-941.	2013
Saida S, Watanabe K, Sato-Otsubo A, Terui K, Yoshida K, Okuno Y, Toki T, Wang R, Shiraishi Y, Miyano S, Kato I, Morishima T, Fujino H, Umeda K, Hiramatsu H, Adachi S, Ito E, Ogawa S, Ito M, Nakahata T, Heike T.	Clonal selection in xenografted TAM recapitulates the evolutionary process of myeloid leukemia in Down syndrome.	Blood.	121(21):	4377-4387.	2013
Ohba R, Furuyama K, Yoshida K, Fujiwara T, Fukuhara N, Onishi Y, Manabe A, Ito E, Ozawa K, Kojima S, Ogawa S, Harigae H.	Clinical and genetic characteristics of congenital sideroblastic anemia: comparison with myelodysplastic syndrome with ring sideroblast (MDS-RS).	Ann Hematol.	92(1):	1-9.	2013
Ninomiya H, Kato M, Sanada M, Takeuchi K, Inamura K, Motoi N, Nagano H, Nomura K, Sakao Y, Okumura S, Mano H, Ogawa S, Ishikawa Y.	Allelotypes of lung adenocarcinomas featuring ALK fusion demonstrate fewer onco- and suppressor gene changes.	BMC cancer.	13(1):	8.	2013
Muto T, Sashida G, Oshima M, Wendt GR, Mochizuki-Kashio M, Nagata Y, Sanada M, Miyagi S, Saraya A, Kamio A, Nagae G, Nakaseko C, Yokote K, Shimoda K, Koseki H, Suzuki Y, Sugano S, Aburatani H, Ogawa S, Iwama A.	Concurrent loss of Ezh2 and Tet2 cooperates in the pathogenesis of myelodysplastic disorders.	J Exp Med.	210(12):	2627-2639.	2013

Makishima H, Yoshida K, Nguyen N, Przychodzen B, Sanada M, Okuno Y, Ng KP, Gudmundsson KO, Vishwakarma BA, Jerez A, Gomez-Segui I, Takahashi M, Shiraishi Y, Nagata Y, Guinta K, Mori H, Sekeres MA, Chiba K, Tanaka H, Muramatsu H, Sakaguchi H, Paquette RL, McDevitt MA, Kojima S, Sauntharajah Y, Miyano S, Shih LY, Du Y, Ogawa S, Maciejewski JP.	Somatic SETBP1 mutations in myeloid malignancies.	Nat Genet.	45(8):	942-946.	2013
Mae S, Shono A, Shiota F, Yasuno T, Kajiwara M, Gotoda-Nishimura N, Arai S, Sato-Otsubo A, Toyoda T, Takahashi K, Nakayama N, Cowan CA, Aoi T, Ogawa S, McMahon AP, Yamanaka S, Osafune K.	Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripotent stem cells.	Nat Commun.	4:	1367.	2013
Lee DH, Amanat S, Goff C, Weiss LM, Said JW, Doan NB, Sato-Otsubo A, Ogawa S, Forscher C, Koeffler HP.	Overexpression of miR-26a-2 in human liposarcoma is correlated with poor patient survival.	Oncogenesis	2	e47.	2013
Kunishima S, Okuno Y, Yoshida K, Shiraishi Y, Sanada M, Muramatsu H, Chiba K, Tanaka H, Miyazaki K, Sakai M, Ohtake M, Kobayashi R, Iguchi A, Niimi G, Otsu M, Takahashi Y, Miyano S, Saito H, Kojima S, Ogawa S.	ACTN1 Mutations Cause Congenital Macrothrombocytopenia.	Am J Hum Genet.	92(3)	431-438.	2013
Kunishima S, Imai T, Kobayashi R, Kato M, Ogawa S, Saito H.	Bernard-Soulier syndrome caused by a hemizygous GPIIb/IIIa mutation and 22q11.2 deletion.	Pediatr Int.	55(4)	434-437.	2013
Kon S, Minegishi N, Tanabe K, Watanabe T, Funaki T, Wong WF, Sakamoto D, Higuchi Y, Kiyonari H, Asano K, Iwakura Y, Fukumoto M, Osato M, Sanada M, Ogawa S, Nakamura T, Satake M.	Smad1 deficiency perturbs receptor trafficking and predisposes mice to myelodysplasia.	The Journal of clinical investigation	123(3):	1123-1137.	2013
Kon A, Shih LY, Minamino M, Sanada M, Shiraishi Y, Nagata Y, Yoshida K, Okuno Y, Bando M, Nakato R, Ishikawa S, Sato-Otsubo A, Nagae G, Nishimoto A, Haferlach C, Nowak D, Sato Y, Alpermann T, Nagasaki M, Shimamura T, Tanaka H, Chiba K, Yamamoto R, Yamaguchi T, Otsu M, Obara N, Sakata-Yanagimoto M, Nakamaki T, Ishiyama K, Nolte F, Hofmann WK, Miyawaki S, Chiba S, Mori H, Nakauchi H, Koeffler HP, Aburatani H, Haferlach T, Shirahige K, Miyano S, Ogawa S.	Recurrent mutations in multiple components of the cohesin complex in myeloid neoplasms.	Nat Genet.	45(10):	1232-1237.	2013
Kitamura K, Yoshida K, Shiraishi Y, Chiba K, Tanaka H, Furukawa K, Miyano S, Ogawa S, Kunishima S.	Normal neutrophil myosin IIA localization in an immunofluorescence analysis can rule out MYH9 disorders.	J Thromb Haemost.	11(11):	2071-2073.	2013
Kawamata N, Moreilhon C, Saitoh T, Karasawa M, Bernstein BK, Sato-Otsubo A, Ogawa S, Raynaud S, Koeffler HP.	Genetic differences between Asian and Caucasian chronic lymphocytic leukemia. International journal of oncology	2013	43(2):	561-565.	2013
Hira A, Yabe H, Yoshida K, Okuno Y, Shiraishi Y, Chiba K, Tanaka H, Miyano S, Nakamura J, Kojima S, Ogawa S, Matsuo K, Takata M, Yabe M.	Variant ALDH2 is associated with accelerated progression of bone marrow failure in Japanese Fanconi anemia patients.	Blood.	in press		
Haferlach T, Nagata Y, Grossmann V, Okuno Y, Bacher U, Nagae G, Schnittger S, Sanada M, Kon A, Alpermann T, Yoshida K, Roller A, Nadarajah N, Shiraishi Y, Shiozawa Y, Chiba K, Tanaka H, Koeffler HP, Klein HU, Dugas M, Aburatani H, Kohlmann A, Miyano S, Haferlach C, Kern W, Ogawa S.	Landscape of Genetic Lesions in 944 Patients with Myelodysplastic Syndromes.	Leukemia.	in press		

Gomez-Segui I, Makishima H, Jerez A, Yoshida K, Przychodzen B, Miyano S, Shiraishi Y, Husseinzadeh HD, Guinta K, Clemente M, Hosono N, McDevitt MA, Moliterno AR, Sekeres MA, Ogawa S, Maciejewski JP.	Novel recurrent mutations in the RAS-like GTP-binding gene RIT1 in myeloid malignancies.	Leukemia	27(9):	1943-1946.	2013
Damm F, Chesnaïs V, Nagata Y, Yoshida K, Scourzic L, Okuno Y, Itzykson R, Sanada M, Shiraishi Y, Gelsi-Boyer V, Renneville A, Miyano S, Mori H, Shih LY, Park S, Dreyfus F, Guerci-Bresler A, Solary E, Rose C, Cheze S, Prebet T, Vey N, Legentil M, Duffourd Y, de Botton S, Preudhomme C, Birnbaum D, Bernard OA, Ogawa S, Fontenay M, Kosmider O.	BCOR and BCORL1 mutations in myelodysplastic syndromes and related disorders.	Blood.	122(18):	3169-3177.	2013
Asanuma S, Yamagishi M, Kawanami K, Nakano K, Sato-Otsubo A, Muto S, Sanada M, Yamochi T, Kobayashi S, Utsunomiya A, Iwanaga M, Yamaguchi K, Uchimarū K, Ogawa S, Watanabe T.	Adult T-cell leukemia cells are characterized by abnormalities of Helios expression that promote T cell growth.	Cancer Sci	104(8):	1097-1106.	2013
Yamaguchi Y, Takenobu H, Ohira M, Nakazawa A, Yoshida S, Akita N, Shimozato O, Iwama A, Nakagawara A, Kamijo T.	Novel 1p tumour suppressor Dnmt1-associated protein 1 regulates MYCN/ataxia telangiectasia mutated/p53 pathway.	Eur J Cancer	in press.		2013
Yu F, Gao W, Yokochi T, Suenaga Y, Ando K, Ohira M, Nakamura Y, Nakagawara A.	RUNX3 interacts with MYCN and facilitates protein degradation in neuroblastoma.	Oncogene.	in press		
Suenaga Y, Islam SM, Alagu J, Kaneko Y, Kato M, Tanaka Y, Kawana H, Hossain S, Matsumoto D, Yamamoto M, Shoji W, Itami M, Shibata T, Nakamura Y, Ohira M, Haraguchi S, Takatori A, and Nakagawara A.	NCYM, a cis-antisense gene of MYCN, encodes a de novo evolved protein that inhibits GSK3beta resulting in the stabilization of MYCN in human neuroblastomas.	PLOS Genet	10(1):	e1003996	2014
Hasan, MK, Nafady A, Takatori A, Kishida S, Ohira M, Suenaga Y, Hossain S, Akter J, Ogura A, Nakamura Y, Kadomatsu K, Nakagawara A.	ALK is a MYCN target gene and regulates cell migration and invasion in neuroblastoma.	Sci Rep.	3	3450	2013
Zhu Y, Li Y, Haraguchi S, Yu M, Ohira M, Ozaki T, Nakagawa A, Ushijima T, Isogai E, Koseki H, Nakamura Y, Kong C, Mehlen P, Arakawa H, Nakagawara A.	Dependence receptor UNC5D1 mediates nerve growth factor depletion-induced neuroblastoma regression.	J Clin Invest.	123(7):	2935-47,	2013
Asada K, Watanabe N, Nakamura Y, Ohira M, Westermann F, Schwab M, Nakagawara A, Ushijima T.	Stronger prognostic power of the CpG island methylator phenotype than methylation of individual genes in neuroblastomas.	Jpn J Clin Oncol.	43(6):	641-5,	2013
Takagi D, Tatsumi Y, Yokochi T, Takatori A, Ohira M, Kamijo T, Kondo S, Fujii Y, Nakagawara A.	Novel adaptor protein Shf interacts with ALK receptor and negatively regulates its downstream signals in neuroblastoma.	Cancer Sci.	104(5):	563-72	2013
Shaza S. A. Mahmoud, Takashi Fukushima, Takashi Shimizu, Tomohei Nakao, Ryoko Yamaguchi, Hiroko Fukushima, Hiroki Wada, Toru Nanmoku, and Ryo Sumazaki.	Persistent Low Level Epstein-Barr Virus DNAemia in Childhood Cancer Survivors.	Pediatric Hematology and Oncology	30:	216–225	2013
Hiroko Fukushima, Takashi Fukushima, Ryoko Suzuki, Takashi Enokizono, Maki Matsunaga, Tomohei Nakao, Kazutoshi Koike, Kensaku Mori, Kiyoshi Matsueda and Ryo Sumazaki	Continuous regional arterial infusion effective for children with acute necrotizing pancreatitis even under neutropenia.	Pediatrics International	55,	11–e13	2013