

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
	該当無し						

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Onda K, Iijima K, Katagiri YU, Okita H, Saito M, Shimizu T, Kiyokawa N.	Differential effects of BAFF on B cell precursor acute lymphoblastic leukemia and Burkitt lymphoma.	Int J Hematol.	91(5)	808-19	2010
Kaneko T, Okita H, Nakajima H, Iijima K, Ogasawara N, Miyagawa Y, Katagiri YU, Nakagawa A, Kiyokawa N, Sato T, Fujimoto J.	Neuroblastoma cells can be classified according to distinctive glycosphingolipid expression profiles identified by liquid chromatography-tandem mass spectrometry.	Int J Oncol.	37(5)	1279-88	2010
Kobayashi R, Yamato K, Tanaka F, Takashima Y, Inada H, Kikuchi A, Kumagai MA, Sunami S, Nakagawa A, Fukano R, Fujita N, Mitsui T, Tsurusawa M, Mori T.; Lymphoma Committee, Japanese Pediatric Leukemia/Lymphoma Study Group.	Retrospective analysis of non-anaplastic peripheral T-cell lymphoma in pediatric patients in Japan.	Pediatr Blood Cancer.	54(2)	212-5	2010
Tsurusawa M, Shimomura Y, Asami K, Kikuta A, Watanabe A, Horikoshi Y, Matsushita T, Kanegane H, Ohta S, Iwai A, Mugishima H, Koizumi S; Japanese Childhood Cancer and Leukemia Study Group.	Long-term results of the Japanese Childhood Cancer and Leukemia Study Group studies 811, 841, 874 and 911 on childhood acute lymphoblastic leukemia.	Leukemia.	24(2)	335-44	2010
Yamaji K, Okamoto T, Yokota S, Watanabe A, Horikoshi Y, Asami K, Kikuta A, Hyakuna N, Saikawa Y, Ueyama J, Watanabe T, Okada M, Taga T, Kanegane H, Kogawa K, Chin M, Iwai A, Matsushita T, Shimomura Y, Hori T, Tsurusawa M; Japanese Childhood Cancer Leukemia Study Group.	Minimal residual disease-based augmented therapy in childhood acute lymphoblastic leukemia: a report from the Japanese Childhood Cancer and Leukemia Study Group.	Pediatr Blood Cancer.	55(7)	1287-95	2010
Maeda N, Horibe K, Kato K, Kojima S, Tsurusawa M.	Survey of childhood cancer survivors who stopped follow-up physician visits.	Pediatr Int.	52(5)	806-12	2010
Shiba N, Kato M, Park MJ, Sanada M, Ito E, Fukushima K, Sako M, Arakawa H, Ogawa S, Hayashi Y.	CBL mutations in juvenile myelomonocytic leukemia and pediatric myelodysplastic syndrome.	Leukemia.	24(5)	1090-2	2010
Thoennissen NH, Krug UO, Lee DH, Kawamata N, Iwanski GB, Lasho T, Weiss T, Nowak D, Koren-Michowitz M, Kato M, Sanada M, Shih LY, Nagler A, Raynaud SD, Muller-Tidow C, Mesa R, Haferlach T, Gilliland DG, Tefferi A, Ogawa S, Koefler HP.	Prevalence and prognostic impact of allelic imbalances associated with leukemic transformation of Philadelphia chromosome-negative myeloproliferative neoplasms.	Blood.	115(14)	2882-90	2010
Shiba N, Taki T, Park MJ, Nagasawa M, Kanazawa T, Takita J, Ohnishi H, Sotomatsu M, Arakawa H, Hayashi Y.	CBL mutation in childhood therapy-related leukemia.	Leukemia	25(8)	1356-8.	2011

Inukai T, Kiyokawa N, Campana D, Coustan-Smith E, Kikuchi A, Kobayashi M, Takahashi H, Koh K, Manabe A, Kumagai M, Ikuta K, Hayashi Y, Tsuchida M, Sugita K, Ohara A.	Clinical significance of early T-cell precursor acute lymphoblastic leukaemia: Results of the Tokyo Children's Cancer Study Group Study L99-15.	Brit J Haematol.	156(3)	358-65.	2012
Iwamoto S, Deguchi T, Ohta H, Kiyokawa N, Tsurusawa M, Yamada T, Takase K, Fujimoto J, Hanada R, Hori H, Horibe K, Komada Y.	Flow cytometric analysis of de novo acute lymphoblastic leukemia in childhood: report from the Japanese Pediatric Leukemia/Lymphoma Study Group.	Int J Hematol.	94(2)	185-92.	2011
Sekimizu M, Sunami S, Nakazawa A, Hayashi Y, Okimoto Y, Saito AM, Horibe K, Tsurusawa M, Mori T.	Chromosome abnormalities in advanced stage T-cell lymphoblastic lymphoma of children and adolescents: a report from Japanese Paediatric Leukaemia/Lymphoma Study Group (JPLSG) and review of the literature.	Br J Haematol.	154(5)	612-7.	2011
Shima H, Tokuyama M, Tanizawa A, Tono C, Hamamoto K, Muramatsu H, Watanabe A, Hotta N, Ito M, Kurosawa H, Kato K, Tsurusawa M, Horibe K,	Distinct impact of imatinib on growth at prepubertal and pubertal ages of children with chronic myeloid leukemia.	J Pediatr.	159(4)	676-81.	2011
Taga T, Shimomura Y, Horikoshi Y, Ogawa A, Itoh M, Okada M, Ueyama J, Higa T, Watanabe A, Kanegane H, Iwai A, Saiwakawa Y, Kogawa K, Yamanaka J, Tsurusawa M.	Continuous and high-dose cytarabine combined chemotherapy in children with down syndrome and acute myeloid leukemia: Report from the Japanese children's cancer and leukemia study group (JCCLSG) AML 9805 down study.	Pediatr Blood Cancer.	57(1)	36-40.	2011
Ohta H, Iwamoto S, Kiyokawa N, Tsurusawa M, Deguchi T, Takase K, Fujimoto J, Horibe K, Komada Y.	Flow cytometric analysis of de novo acute myeloid leukemia in childhood: report from the Japanese Pediatric Leukemia/Lymphoma Study Group.	Int J Hematol.	93(1)	135-7.	2011
Shimomura Y, Baba R, Watanabe A, Horikoshi Y, Asami K, Hyakuna N, Iwai A, Matsushita T, Yamaji K, Hori T, Tsurusawa M; Japanese Childhood Cancer and Leukemia Study Group (JCCLSG).	Assessment of late cardiotoxicity of pirarubicin (THP) in children with acute lymphoblastic leukemia.	Pediatr Blood Cancer.	57(3)	461-6.	2011
Isogai E, Ohira M, Ozaki T, Oba S, Nakamura Y, Nakagawara A.	Oncogenic LMO3 collaborates with HEN2 to enhance neuroblastoma cell growth through transactivation of Mash1.	PLOS One	6(5)	e19297	2011
Akter J, Takatori A, Hossain MS, Ozaki T, Nakagawa A, Ohira M, Suenaga Y, Nakagawara.	A.Expression of NLRR3 orphan receptor gene is negatively regulated by MYCN and Miz-1, and its downregulation is associated with unfavorable outcome in neuroblastoma.	Clin Cancer Res.	17(21)	6681-92.	2011
Takita J, Chen Y, Okubo J, Sanada M, Adachi M, Ohki K, Nishimura R, Hanada R, Igarashi T, Hayashi Y, Ogawa S.	Aberrations of NEGR1 on 1p31 and MYEOV on 11q13 in neuroblastoma.	Cancer Sci	102(9)	1645-50.	2011
Ogawa S, Takita J, Sanada M, Hayashi Y.	Oncogenic mutations of ALK in neuroblastoma.	Cancer Science.	102(2)	302-8.	2011
Shiba N, Hasegawa D, Park MJ, Murata C, Matsubara A, Ogawa C, Manabe A, Arakawa H, Ogawa S, Hayashi Y.	CBL mutation in chronic myelomonocytic leukemia secondary to familial platelet disorder with propensity to develop acute myeloid leukemia.	Blood.	119(11)	2612-4.	2012
Shiba N, Park MJ, Taki T, Takita J, Hiwatari M, Kanazawa T, Sotomatsu M, Ishii E, Arakawa H, Ogawa S, Hayashi Y.	CBL mutations in infant acute lymphoblastic leukaemia.	Br J Haematol.	156(5)	672-4.	2012
Takita J, Yoshida K, Sanada M, Nishimura R, Okubo J, Motomura A, Hiwatari M, Oki K, Igarashi T, Hayashi Y, Ogawa S.	Novel splicing-factor mutations in juvenile myelomonocytic leukemia.	Leukemia.	26(8)	1879-81.	2012

Okubo J, Takita J, Chen Y, Oki K, Nishimura R, Kato M, Sanada M, Hiwatari M, Hayashi Y, Igarashi T, Ogawa S.	Aberrant activation of ALK kinase by a novel truncated form ALK protein in neuroblastoma.	Oncogene	31(44)	4667-76.	2012
Shiba N, Taki T, Park MJ, Shimada A, Sotomatsu M, Adachi S, Tawa A, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, Arakawa H, Hayashi Y.	DNMT3A mutations are rare in childhood acute myeloid leukaemia, myelodysplastic syndromes and juvenile myelomonocytic leukaemia.	Br J Haematol	56(3)	413-4.	2012
Iijima K, Yamada H, Miharu M, Imadome KI, Miyagawa Y, Akimoto S, Kobayashi K, Okita H, Nakazawa A, Fujiwara S, Fujimoto J, Kiyokawa N.	ZNF385B is characteristically expressed in germinal center B cells and involved in B-cell apoptosis.	Eur J Immunol.	42(12)	3405-15.	2012
Sato B, Katagiri YU, Iijima K, Yamada H, Ito S, Kawasaki N, Okita H, Fujimoto J, Kiyokawa N.	The human CD10 lacking an N-glycan at Asn(628) is deficient in surface expression and neutral endopeptidase activity.	Biochim Biophys Acta.	1820(11)	1715-23.	2012
Yamada H, Iijima K, Tomita O, Taguchi T, Miharu M, Kobayashi K, Okita H, Saito M, Shimizu T, Kiyokawa N.	Effects of insulin-like growth factor-1 on B-cell precursor acute lymphoblastic leukemia.	Int J Hematol	97(1)	73-82	2013
Kobayashi K, Mitsui K, Ichikawa H, Nakabayashi K, Matsuoka M, Kojima Y, Takahashi H, Iijima K, Ootsubo K, Oboki K, Okita H, Yasuda H, Sakamoto, Hata K, Yoshida T, Matsumoto K, Kiyokawa N, Ohara A.	ATF7IP as a novel PDGFRB fusion partner in acute lymphoblastic leukemia in children.	Br J Haematol.	in press		
Kiyokawa N, Iijima K, Tomita O, Miharu M, Hasegawa D, Kobayashi K, Okita H, Kajiwara M, Shimada H, Inukai T, Makimoto A, Fukushima T, Nanmoku T, Koh K, Manabe A, Kikuchi A, Sugita K, Fujimoto J, Hayashi Y, Ohara A.	Significance of CD66c expression in childhood acute lymphoblastic leukemia.	Leuk Res.	38(1)	42-8.	2014
Masuzawa A, Kiyotani C, Osumi T, Shioda Y, Iijima K, Tomita O, Nakabayashi K, Oboki K, Yasuda K, Sakamoto H, Ichikawa H, Hata K, Yoshida T, Matsumoto K, Kiyokawa N, Mori T.	Poor responses to tyrosine kinase inhibitors in a child with precursor B-cell acute lymphoblastic leukemia with SNX2-ABL1 chimeric transcript.	Eur J Haematol.	92(3)	263-7.	2014
Tomita O, Iijima K, Ishibashi T, Osumi T, Kobayashi K, Okita H, Saito M, Mori T, Shimizu T, Kiyokawa N.	Sensitivity of SNX2-ABL1 toward tyrosine kinase inhibitors distinct from that of BCR-ABL1.	Leuk Res.	38(3)	361-70.	2014
Ueno H, Okita H, Akimoto S, Kobayashi K, Nakabayashi K, Hata K, Fujimoto J, Hata J, Fukuzawa M, Kiyokawa N.	DNA methylation profile distinguishes clear cell sarcoma of the kidney from other pediatric renal tumors.	PLoS One.	26;8(4)	e62233	2013
Hyakuna N, Shimomura Y, Watanabe A, Taga T, Kikuta A, Matsushita T, Kogawa K, Kawakami C, Horikoshi Y, Iwai T, Okamoto Y, Tsurusawa M, Asami K; Japanese Childhood Cancer and Leukemia Study Group (JCCLSG).	Assessment of corticosteroid-induced osteonecrosis in children undergoing chemotherapy for acute lymphoblastic leukemia: a report from the Japanese Childhood Cancer and Leukemia Study Group.	J Pediatr Hematol Oncol.	36(1)	22-9.	2014
Yamashita Y, Shimada A, Yamada T, Yamaji K, Hori T, Tsurusawa M, Watanabe A, Kikuta A, Asami K, Saito AM, Horibe K.	IKZF1 and CRLF2 gene alterations correlate with poor prognosis in Japanese BCR-ABL1-negative high-risk B-cell precursor acute lymphoblastic leukemia.	Pediatr Blood Cancer.	60(10)	1587-92.	2013
Tsurusawa M, Mori T, Kikuchi A, Mitsui T, Sunami S, Kobayashi R, Takimoto T, Saito A, Watanabe T, Fujimoto J, Nakazawa A, Ohshima K, Horibe K; lymphoma committee of the Japanese Pediatric Leukemia/Lymphoma Study Group.	Improved treatment results of children with B-cell non-Hodgkin lymphoma: A report from the Japanese Pediatric Leukemia/Lymphoma Study Group B-NHL03 study.	Pediatr Blood Cancer.	61(7)	1215-21.	2014

Yamazaki F, Nakazawa A, Osumi T, Shimojima N, Tanaka T, Nakagawara A, Shimada H.	Two cases of neuroblastoma comprising two distinct clones.	Pediatr Blood Cancer.	61	760-762	2013
Shiba N, Funato M, Ohki K, Park MJ, Mizushima Y, Adachi S, Kobayashi M, Kinoshita A, Sotomatsu M, Arakawa H, Tawa A, Horibe K, Tsukimoto I, Hayashi Y.	Mutations of the GATA2 and CEBPA genes in paediatric acute myeloid leukaemia.	Br J Haematol	164 :	142-159	2014
Shiba N, Ichikawa H, Taki T, Park MJ, Jo A, Mitani S, Kobayashi T, Shimada A, Sotomatsu M, Arakawa H, Adachi S, Tawa A, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, Hayashi Y.	NUP98-NSD1 gene fusion and its related gene expression signature are strongly associated with a poor prognosis in pediatric acute myeloid leukemia.	Genes Chromosomes Cancer.	52	683-693	2013
Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R.	Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies.	Leuk Res Treatment.	2013	238528	2013
Takagi D, Tatsumi Y, Yokochi T, Takatori A, Ohira M, Kamijo T, Kondo S, Fujii Y, Nakagawara A.	Novel adaptor protein Shf interacts with ALK receptor and negatively regulates its downstream signals in neuroblastoma.	Cancer Sci.	104(5):	563-72	2013
Asada K, Watanabe N, Nakamura Y, Ohira M, Westermann F, Schwab M, Nakagawara A, Ushijima T.	Stronger prognostic power of the CpG island methylator phenotype than methylation of individual genes in neuroblastomas.	Jpn J Clin Oncol.	43(6):	641-5,	2013