

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|--|----|----------------|------|
| J.Oya, Y.Kawata, N.Niki, T.Sugiura, N.Tanabe, Y.Takiguchi, K.Tatsumi | Developments of thrombosis detection algorithm using the contrast enhanced CT images | Joint Meeting combining, The Third meeting of the Japanese Society of Pulmonary Functional Imaging, 5th International Workshop for Pulmonary Functional Imaging | | 164 | 2011 |
| A.S.Maklad, M.Matsuhiro, Y.Kawata, N.Niki, T.Utsunomiya, M.Shimada, H.Nishitani | Extraction of liver region from CT dataset based on blood vessel information 【Best Poster Award受賞】 | International Forum on Medical Imaging in Asia 2011 | | pp.283-2 86 | 2011 |
| Y.Hu, M.S.Ahamed, E.Takahashi, H.Suzuki, Y.Kawata, N.Niki, M.Suzuki, N.Moriyama G.Iinuma | Extraction of colon segments from multi-slice CT images for colon cancer screening | International Forum on Medical Imaging in Asia 2011 | | pp.287-2 89 | 2011 |
| <u>N.Niki</u> | 【Invited talk】 Chest CT images | International Conference on Medical Biometrics | | | 2010 |
| <u>N.Niki</u> | 【Invited talk】 Computational anatomy for CAD | International Journ al of Computer A ssisted Radiology and Surgery | | | 2010 |

研究成果の刊行に関する一覧表

H23年度 (2011年)

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|-------------------|-------------|----------|------|
| 島田直樹、大崎洋充、村野剛志、寺内隆司、篠原広行、森山紀之 | FDG-PET/CT検査における物理学的指標に基づいた収集時間の最適化 | 日本放射線技術学会雑誌 | 67巻10号 | | 2011 |
| Tomimatsu H, Kanematsu M, Goshima S, Watanabe H, Ono H, Asano T, Kondo H, Hoshi H, <u>Moriyama N</u> | Uneven haustra on CT colonography: a clue for the detection of transperitoneal invasion from gastric cancer | Abdominal Imaging | | | 2011 |
| Goshima S, Kanematsu M, Watanabe H, Kondo H, Mizuno N, Kawada H, Shiratori Y, Onozuka M, <u>Moriyama N</u> , Bae KT. | Gadoxetate disodium-enhanced MR imaging: differentiation between early-enhancing non-tumorous lesions and hypervascular hepatocellular carcinomas | Eur J Radiol | 79(2) | 108-112 | 2011 |
| Watanabe H, Kanematsu M, Goshima S, Kondo H, Onozuka M, <u>Moriyama N</u> , Bae KT. | Staging hepatic fibrosis: comparison of gadoxetate disodium-enhanced and diffusion-weighted MR imaging--preliminary observations | Radiology | 259(1) | 142-150 | 2011 |
| Tsuge Y, Kanematsu M, Goshima S, Kondo H, Yokoyama R, Miyoshi T, Onozuka M, <u>Moriyama N</u> , Bae KT. | Abdominal vascular and visceral parenchymal contrast enhancement in MDCT: effects of injection duration | Eur J Radiol | 80(2) | 259-264 | 2011 |
| Kondo H, Kanematsu M, Goshima S, Watanabe H, Onozuka M, <u>Moriyama N</u> , Bae KT. | Aortic and hepatic enhancement at multidetector CT: Evaluation of optimal iodine dose determined by lean body weight | Eur J Radiol | 80(3) | 273-277 | 2011 |
| Satoshi Goshima, Masayuki Kanematsu, Tatsuori Kobayashi, Takahiro Furukawa, Xuejun Zhang, Hiroshi Fujita, Haruo Watanabe, Hiroshi Kondo, <u>Noriyuki Moriyama</u> , Kyongrae T.Bae | Staging Hepatic Fibrosis: Computer-Aided Analysis of Hepatic Contours on Gadolinium Ethoxybenzyl Diethylenetriaminepentaacetic Acid-Enhanced Hepatocyte-Phase Magnetic Resonance Imaging | Hepatology | ,Vol.55 No1 | 328-329 | 2012 |
| Masayuki Kanematsu, Hiroshi Kondo, Satoshi Goshima, Yusuke Tsuge, Haruo Watanabe, <u>Noriyuki Moriyama</u> | Giant High-Flow Type Pulmonary Arteriovenous Malformation: Coil Embolization with Flow Control by Balloon Occlusion and Anchored Detachable Coil | Korean J Radiol | 13(1) | 0000-114 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|-------------------------------|----------|-----------|------|
| 藤井博史 | 放射性核種標識抗体を用いた放射免疫療法の展望 | Isotope News | 685 | 8-11 | 2011 |
| Kazumasa Inoue, Estuo Moriya, Takayuki Suzuki, Yoshiko Ohnuki, Takashi Sato, Hideaki Kitamura, Tatsuya Sasaki, Masahiro Fukushi, <u>Noriyuki Moriyama</u> , <u>Hirofumi Fujii</u> | The usefulness of fully three-dimensional OSEM algorithm on lymph node metastases from lung cancer with ¹⁸ F-FDG PET/CT | Ann Nucl Med | 25 (4) | 277-287 | 2011 |
| Kazumasa Inoue, Fangbing Liu, Jack Hoppin, Elaine P. Lunsford, Christian Lackas, Jacob Hesterman, Robert E. Lenkinski, <u>Hirofumi Fujii</u> , John V. Frangioni | High-Resolution Computed Tomography of Single Breast Cancer Microcalcifications In Vivo | Molecular Imaging | 10 (4) | 295-304 | 2011 |
| Masashi Ueda, Takashi Kudo, Yasuko Mutou, Izumi Ogihara Umeda, Azusa Miyano, Kei Ogawa, Masahiro Ono, <u>Hirofumi Fujii</u> , Shinae Kizaka-Kondoh, Masahiro Hiraoka, Hideo Saji | Evaluation of [¹²⁵ I]IPOS as a molecular imaging probe for hypoxia-inducible factor-1-active regions in a tumor: Comparison among single-photon emission computed tomography/X-ray computed tomography imaging, autoradiography, and immunohistochemistry | Cancer Sci | 102 (11) | 2090-2096 | 2011 |
| Atsuya Takeda, Noriko Yokosuka, Toshio Ohashi, Etsuo Kunieda, <u>Hirofumi Fujii</u> , Yousuke Aoki, Naoko Sanuki, Naoyoshi Koike, Yukihiko Ozawa | The maximum standardized uptake value (SUVmax) on FDG-PET is a strong predictor of local recurrence for localized non-small-cell lung cancer after stereotactic body radiotherapy (SBRT) | Radiother Oncol | 101 (2) | 291-297 | 2011 |
| Kodai Ujiie, Naoki Kanayama, Kei Asai, Mikio Kishimoto, Yusuke Ohara, Yoshimasa Akashi, Keiichi Yamada, Shinji Hashimoto, Tatsuya Oda, Nobuhiro Ohkohchi, Hideto Yanagihara, Eiji Kita, Masayuki Yamaguchi, <u>Hirofumi Fujii</u> , Yukio Nagasaki | Preparation of highly dispersible and tumor-accumulative, iron oxide nanoparticles Multi-point anchoring of PEG-b-poly(4-vinylbenzylphosphonate) improves performance significantly | Colloids Surf B Biointerfaces | 88 (2) | 771-778 | 2011 |
| Sadaaki Kimura, Izumi O. Umeda, <u>Noriyuki Moriyama</u> , <u>Hirofumi Fujii</u> | Synthesis and evaluation of a novel ^{99m} Tc-labeled bioreductive probe for tumor hypoxia imaging | Bioorg Med Chem Lett | 21 (24) | 7359-7362 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|----------------------------------|-----------|---------|---------------|
| Minoru Mitsuda, Masayuki Yamaguchi, Toshihiro Furuta, Akira Nabetani, Akira Hirayama, Atsushi Nozaki, Mamoru Niitsu, <u>Hirofumi Fujii</u> | Multiple-animal MR Imaging using a 3T clinical scanner and multi-channel coil for volumetric analysis in a mouse tumor model | Magn Reson Med Sci | 10 (4) | 229-237 | 2011 |
| Izumi O. Umeda, Kotaro Tani, Keisuke Tsuda, Masamitsu Kobayashi, Mayumi Ogata, Sadaaki Kimura, Mitsuyoshi Yoshimoto, Shuji Kojima, Kunikazu Moribe, Keiji Yamamoto, <u>Noriyuki Moriyama</u> , <u>Hirofumi Fujii</u> | High resolution SPECT imaging for visualization of intratumoral heterogeneity using a SPECT/CT scanner dedicated for small animal imaging | Ann Nucl Med | 26 (1) | 67-76 | 2012 |
| 藤井博史、梅田泉、山口雅之、吉本光喜 | がん診療への応用を目指した高精度イメージング技術の開発 | 血液内科 | 64 (1) | 73-80 | 2012 |
| Daisuke Suzuki, Masayuki Yamaguchi, Toshiharu Furuta, Yasuo Okuyama, Kohki Yoshikawa, <u>Hirofumi Fujii</u> | Central high signal in inflammatorily swollen lymph nodes on SPIO-enhanced interstitial MR lymphograms: a mimic of lymph node metastasis | Magn Reson Med Sci | 11 (1) | 61-63 | 2012 |
| <u>Kakinuma R</u> , Ashizawa K, Kobayashi T, Fukushima A, Hayashi H, Kondo T, Machida M, Matsusako M, Minami K, Oikado K, Okuda M, Takamatsu S, Sugawara M, Gomi S, Muramatsu Y, Hanai K, Muramatsu Y, Kaneko M, Tsuchiya R, <u>Moriyama N</u> , | Comparison of sensitivity of lung nodule detection between radiologists and technologists on low-dose CT lung cancer screening images | The British Journal of Radiology | | | 2012 (印刷中) |
| <u>Kakinuma R</u> , Ashizawa K, Kuriyama K, Fukushima A, Ishikawa H, Kamiya H, Koizumi N, Maruyama Y, Minami K, Nitta N, Oda S, Oshiro Y, Kusumoto M, Murayama S, Murata K, <u>Muramatsu Y</u> , <u>Moriyama N</u> | Measurement of focal ground-glass opacity diameters on CT images: interobserver agreement in regard to identifying increases in the size of ground-glass opacities | Acad Radiol | 19 | 389-394 | 2012 |
| <u>Nachiko Uchiyama</u> , Takayuki Kinoshita, Sadako Akashi et al. | Diagnostic Performance of Combined Full Field Digital Mammography Digital Breast Tomosynthesis (DBT) in comparison with Full Field Digital Mammography (FFDM). | Int J Comput Assist Radiol Surg. | 6 Suppl 1 | 32-33 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---------------------|--------|-----------|------|
| 内山菜智子 | 乳腺デジタルトモシンセシスについて | INNERVISION | 26(7) | 38-41 | 2011 |
| 内山菜智子 | 乳腺デジタルトモシンセシスについて ～SIEMENS Mammomat Inspiration の臨床応用 | 映像情報 | 43(12) | 1006-1011 | 2011 |
| 石川 勉、梶 靖、五十嵐誠治、関口 隆三、黒木 嘉典、山邊裕一郎 | 画像診断と病理 「低分化進行胃癌」 | 画像診断 | 31(10) | 984-985 | 2011 |
| Seiko Kuroki-Suzuki、 Yoshifumi Kuroki、Katsuhiro Nasu、Chieko Nagashima、Minoru Machida、Yukio Muramatsu、Noriyuki Moriyama | Pancreatic cancer screening employing noncontrast magnetic resonance imaging combined with ultrasonography | Jpn J Radiol | 29 | 265-271 | 2011 |
| 佐竹光夫、松元祐司 | EOBの画像診断 | Liver Cancer | 17(1) | 1-8 | 2011 |
| 戸田孝祐、後藤田直人、小嶋基寛、加藤祐一郎、木下敬弘、高橋進一郎、小西大、小林達伺、佐竹光夫、木下 平 | 細胆管細胞癌成分を伴う肝内胆管癌の1例 | Liver Cancer | 17(2) | 115-123 | 2011 |
| 久野博文、女屋博昭、佐竹光夫. | RSNA Award Report; LL-NRE4253: Evaluation of Laryngeal and Hypopharyngeal Cancer : MRI and CT with Introduction of Dual-Energy CT. | Rad Fan | 10(2): | 68-69 | 2012 |
| 久野博文、女屋博昭、佐竹光夫. | Educational Exhibit; Magna Cum Laude受賞報告 | INNERVISION | 27(2) | 53-54 | 2012 |
| Tochigi N, Tsuta K, Maeshima AM, Shibuki Y, Asamura H, Hasegawa H, Tsuda H. | Malignant pulmonary epithelioid hemangioendothelioma with hilar lymph node metastasis. | Ann. Diagn. Pathol. | 15(3) | 207-212 | 2011 |
| Yamada K, Maeshima AM, Taniguchi H, Kawabata Y, Nomoto J, Maruyama D, Kim S-W, Watanabe T, Konayashi Y, Tobinai K, Tsuda H | Follicular lymphoma with marked monocytoid/plasmacytoid differentiation and tiny/indistinct follicles: a report of four cases. | Leuk. Lymphoma | 52(5) | 804-813 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|----------------------------|--------|-----------|------|
| Tsuta K, Tanabe Y, Yoshida A, Maeshima AM, Asamura H, <u>Tsuda H</u> | Utility of 10 immunohistochemical markers including novel markers (desmocollin-3, glypican 3, S100A2, S100A7, and Sox-2) for differential diagnosis of squamous cell carcinoma from adenocarcinoma of the lung. | J. Thorac. Oncol. | 6(7) | 1190-1199 | 2011 |
| Yoshida A, Tsuta K, Nakamura H, Kohno T, Takahashi F, Asamura H, Fukayama M, Shibata T, Furuta K, <u>Tsuda H</u> | Comprehensive histological analysis of 54 ALK-rearranged lung carcinomas | Am. J. Surg. Pathol. | 35(8) | 1226-1234 | 2011 |
| Yamamoto S, <u>Tsuda H</u> , Shimazaki H, Yoshikawa T, Takano M, Kuzuya K, Kigawa J, Tsuda H, Kurachi H, Sugiyama T, Kikuchi Y, Tamai S, Matsubara O. | Clear cell adenocarcinoma with a component of poorly differentiated histology: a poor prognostic subgroup of ovarian clear cell adenocarcinoma. | Int. J. Gynecol. Pathol., | 30(5) | 431-441 | 2011 |
| Takatsu A, Miyamoto T, Kurosawa K, Kashima H, Yamada T, Kaku T, Mikami Y, Kiyokawa T, <u>Tsuda H</u> , Ishii K, Togashi K, Koyama T, Fujinaga Y, Kadoya M, Hashi A, Susumu N, Konishi I, Shiozawa T. | Preoperative differential diagnosis of minimal deviation adenocarcinoma (MDA) and lobular endocervical glandular hyperplasia (LEGH) of the uterine cervix: a multicenter study of clinicopathology and magnetic resonance imaging (MRI) findings. | Int. J. Gynecol. Cancer | 21(7) | 1287-1296 | 2011 |
| Koyama T, Sekine S, Taniguchi H, <u>Tsuda H</u> , Kushima R. | Hepatocyte nuclear factor 4A expression discriminates gastric involvement by metastatic breast carcinoma from primary gastric adenocarcinoma of diffuse type. | Hum. Pathol. | 42(11) | 1777-1784 | 2011 |
| Togami S, Kasamatsu T, Sasajima Y, Onda T, Ishikawa M, Ikeda S, Kato T, <u>Tsuda H</u> . | Serous adenocarcinoma of the uterine cervix: a clinicopathological study of 12 cases and a review of literature. | Gynecol. Obstetr. Invest., | 73(1) | 26-31 | 2012 |
| Yamamoto S, <u>Tsuda H</u> , Shimazaki H, Takano M, Yoshikawa T, Kuzuya K, Tsuda H, Kurachi H, Kigawa J, Kikuchi Y, Sugiyama T, Matsubara O. | Histological grading of ovarian clear cell adenocarcinoma: proposal for a simple and reproducible grouping system based on tumor growth architecture. | Int. J. Gynecol. Pathol., | 31(2) | 116-124 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|----------------------------|------------------|--------------|-------|
| 阿南健一 井野彰造 | がん情報ネットワークを利用した血液腫瘍画像データベースの構築～第2報～ | 日本検査血液学会雑誌 | 第13巻 第1号 | 107-111 | 2012年 |
| Y.Kawata, N.Niki, H.Ohmatsu, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, N.Moriyama | Quantitative classification based on CT histogram analysis of non-small cell lung cancer: Correlation with histopathological characteristics and recurrence-free survival | Medical Physics, | Vol.39, No.2 | pp.988-1000 | 2012 |
| M.Tominaga, Y.Kawata, N.Niki, N.Moriyama, K.Yamada, J.Ueno, H.Nishitani | Measurements of multi-detector CT surface dose distributions using a film dosimeter and chest phantom | Medical Physics | Vol.38, No.5 | pp.2467-2478 | 2011 |
| M.Sinsuat, S.Saita, Y.Kawata, N.Niki, H.Ohmatsu, T.Tsuchida, R.Kakinuma, M.Kusumoto, K.Eguchi, M.Kaneko, H.Morikubo, N.Moriyama | Influence of slice thickness on diagnoses of pulmonary nodules using low-dose CT: potential dependence of detection and diagnostic agreement on features and location of nodule | Academic Radiology | Vol.18, No.5 | pp.594-604 | 2011 |
| 仁木登, 河田佳樹, 鈴木秀宣 | 早期肺がんの定量的CT画像診断 | 呼吸と循環 | Vol.59, No.12 | pp.1181-1188 | 2011 |
| 河田佳樹, 仁木登 | 医用画像診断支援の最前線 | 電子情報通信学会情報システムソサイエティ誌 | 第16巻, 第3号 | pp.7-8 | 2011 |
| 仁木登, 河田佳樹, 鈴木秀宣 | 計算解剖モデルに基づく診断支援 | MEDICAL IMAGING TECHNOLOGY | Vol.29, No.3 | pp.123-128 | 2011 |
| Y.Kawata, N.Niki, H.Ohmatsu, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, N.Moriyama | Image-based computer-aided prognosis of lung cancer: Predicting patient recurrent-free survival via a variational Bayesian mixture modeling framework for cluster analysis of CT histograms | Proc. SPIE Medical Imaging | Vol.8315 | to appear | 2012 |
| Y.Nakaya, Y.Kawata, N.Niki, H.Ohmatsu, N.Moriyama | A method for modulation transfer function determination from blood vessel profiles measured in computed tomography | Proc. SPIE Medical Imaging | Vol.8313 | to appear | 2012 |
| A.S.Maklad, M.Matsuhiro, H.Suzuki, Y.Kawata, N.Niki, T.Utsunomiya, M.Shimada | Extraction of liver volumetry based on blood vessel from the portal phase CT dataset | Proc. SPIE Medical Imaging | Vol.8314 | to appear | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|--|--------------------|------------|------|
| E.Takahashi, H.Suzuki, Y.Kawata, <u>N.Niki</u> , Y.Nakano, M.Harada, <u>N.Moriyama</u> | Computer aided diagnosis for osteoporosis based on spinal column structure analysis | Proc. SPIE Medical Imaging | Vol.8315 | to appear | 2012 |
| Y.Hu, M.S.Ahamed, E.Takahashi, H.Suzuki, Y.Kawata, <u>N.Niki</u> , M.Suzuki, G.Iinuma, <u>N.Moriyama</u> | Segmentation algorithm of colon based on multi-slice CT colonography | Proc. SPIE Medical Imaging | Vol.8314 | to appear | 2012 |
| H.Suzuki, K.Noma, Y.Kawata, <u>N.Niki</u> , M.Miyazaki, Y.Nakano | Quantitative respiratory motion analysis of thoracic organs using four-dimensional CT images | The 2012 International Workshop on Advanced Image Technology | | pp.8-13 | 2012 |
| <u>N.Niki</u> , Y.Kawata, H.Suzuki, M.Harada, H.Ohtsuka, J.Ueno, M.Shimada, T.Takayama, M.Abe, H.Itoh, M.Kaneko, K.Eguchi, M.Kusumoto, T.Tuchida, H.Ohmatsu, M.Takahashi, Y.Nakano, H.Sakai, Y.Takiguchi | Computer-aided diagnosis based on computational anatomical models: progress overview FY2011 | The 3rd International Symposium on the Project “Computational Anatomy” | | pp.35-42 | 2012 |
| <u>仁木登</u> | 【招待講演】肺がん・COPD・ 骨粗鬆症のCT画像解析 | 第4回呼吸機能イメ ージング研究会学 術集会 | | p.36 | 2012 |
| 河田佳樹, <u>仁木登</u> | 【招待講演】胸部3次元CT画 像を用いた肺がんの鑑別診 断支援 | 電子情報通信学会 技術研究報告医用 画像 | Vol.111, No.389 | pp.171-172 | 2012 |
| <u>N.Niki</u> | Invited Talk】 Computer aided diagnosis for chest CT images | The 2012 International Workshop on Advanced Image Technology | | pp.2-7 | 2012 |

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|--|---|--|--------------------------------|--------|---------|------|---------|
| <u>Nachiko Uchiyama</u> | Breast CAD (Computer Aided Detection) in FFDM (Full Field Digital Mammography). | Nachiko Uchiyama and Marcelo Zanchetta do Nascimento | Mammography - Recent Advances. | Intech | Croatia | 2012 | 281-292 |
| <u>Nachiko Uchiyama, Takayuki Kinoshita, Takashi Hojo, et al</u> | Optimization of Digital Breast Tomosynthesis (DBT) for Breast Cancer Diagnosis. | Nachiko Uchiyama and Marcelo Zanchetta do Nascimento | Mammography - Recent Advances. | Intech | Croatia | 2012 | 355-370 |
| <u>津田 均</u> | 非浸潤性乳管癌 | 黒住昌史 | 癌治療指針のための病理診断ブックティス「乳腺疾患」 | 中山書店 | 東京 | 2011 | 162-169 |
| <u>吉田正行、津田 均</u> | 過誤腫 | 黒住昌史 | 癌治療指針のための病理診断ブックティス「乳腺疾患」 | 中山書店 | 東京 | 2011 | 255-259 |

研究成果の刊行に関する一覧表

H24年度 (2012年)

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の 編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|---------------|-------|------|-----|-----|-----|
| なし | | | | | | | |
| | | | | | | | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|--|----|---------|--------|
| Satoshi Goshima, Masayuki Kanematsu, Tatsunori Kibayashi, Takahiro Furukawa, Xuejun Zhang, Hiroshi Fujita, Haruo Watababe, Hiroshi Kondo, <u>Noriyuki Moriyama</u> , Kyongta T.BAe | Staging Hepatic Fibrosis:Computer-Aided Analysis of Hepatic Contour on Gadolinium Ethoxybenzyl Diethylenetriaminepentaacetic Acid-Enhanced Hepatocyte-Phase Magnetic Resonance Imaging. | HEPATOLOGY | | 328-329 | 2012.1 |
| Masayuki Kanematsu, Satoshi Goshma, Haruo Watanabe, Hiroshi Kondo, Hiroshi Kawada, Yoshihumi Noda, Skinori Aomatsu, <u>Noriyuki Moriyama</u> . | Detection and characterization of focal hepatic lesions with diffusion-weighted MR imaging:a pictorial reiew. | Springer Abdom Imaging | | | 2012.8 |
| Haruo Watanabe, Masayuki Kanematsu, Satoshi Goshima, Hiroshi Kondo, Kimihiro Kajita, Hiroshi Kawada, Yahifumi Noda & <u>Noriyuki Moriyama</u> . | DitECTION of focal hepatic lesions with 3-T MRI:comparison of two-dimensional and three-dimensional T2-weighted sequences. | Springer Japanes Jourunal of Radiology | | | 2012.8 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|--|---------------|----------|--------|
| Haruo Watanabe, Masayuki Kanematsu, Hiroki Kato, Toshihisa Kojima, Toshiharu Miyoshi, Satoshi Goshima, Hiroshi Kondo, Hiroshi Kawada, Yoshihumi Noda, Noriyuki Moriyama.: | Enhancement of anatomical structures and detection of metastatic cervical lymph nodes: comparison of two different contrast material doses. | Springer Japanes Jourunal of Radiology | | | 2012.9 |
| Masayuki Kanematsu, Satoshi Goshima, Haruo Watanabe, Hiroshi Kondo, Hiroshi Kawada, Yoshifumi Noda, Noriyuki Moriyama. | Diffusion/Perfusion MR Imaging of the Liver: Practice, Challenges, and Future. | Magn Reson Med Sci, | Vol. 11, No.3 | 151-161, | 2012 |
| 五味志穂、内山菜智子、大塚恭一、石川光雄、五味勉、森山紀之. | シリーズ企画—乳腺の診断から治療まで—5.乳腺検査(4) : トモシンセンス | 日本放射線技術学会雑誌 | 第68巻第6号 | 757-766 | 2002.6 |
| 藤井博史 | MRI検査と超音波検査 | 村井勝 | 成人看護[3] | 医学書院 | 東京 |
| Fujii H, Idoine JD, Gioux S, Accorsi R, Slochower DR, Lanza RC, Frangioni JV | Optimization of coded aperture radioscintigraphy for sentinel lymph node mapping | Mol Imaging Biol | 14 (2) | 173-182 | 2012 |
| Kitamura N, Kosuda S, Araki K, Tomifuji M, Mizokami D, Shiotani A, Shinmoto H, Fujii H, Ichihara K | Comparison of animal studies between interstitial magnetic resonance lymphography and radiocolloid SPECT/CT lymphoscintigraphy in the head and neck region | Ann Nucl Med | 26 (3) | 281-285 | 2012 |
| Yoshimoto M, Hayakawa T, Mutoh M, Imai T, Tsuda K, Kimura S, Umeda IO, Fujii H, Wakabayashi K | In Vivo SPECT Imaging with ¹¹¹ In-DOTA-c(RGDfK) to Detect Early Pancreatic Cancer in a Hamster Pancreatic Carcinogenesis Model | J Nucl Med | 53 (5) | 765-771 | 2012 |
| Fujii H, Yamaguchi M, Inoue K, Mutou Y, Ueda M, Saji H, Kizaka-Kondoh S, Moriyama N, Umeda IO | In Vivo Visualization of Heterogeneous Intratumoral Distribution of hypoxia-inducible factor-1alpha activity by the fusion of high-resolution SPECT and morphological imaging tests | J Biomed Biotechnol | 2012(26 2741) | 1-6 | 2012 |
| Ejiri K, Minami K, Toyama H, Kudo G, Hattori H, Kobayashi N, Kato M, Ishiguro M, Fujii H, Kuroda M, Utsumi T, Iwase K, Katada K | Sentinel node navigation surgery with ^{99m} Tc-tin colloid in breast cancer: radiation safety considerations | Open Med Imaging J | 6 | 89-96 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------|-----------|---------|------|
| Inoue K, Kurosawa H, Tanaka T, Fukushi M, Moriyama N, <u>Fujii H</u> | Optimization of injection dose based on noise-equivalent count rate with use of an anthropomorphic pelvis phantom in three-dimensional ¹⁸ F-FDG PET/CT | Radiol Phys Technol | 5 (2) | 115-122 | 2012 |
| Kutsuna N, Higaki T, Matsunaga S, Otsuki T, Yamaguchi M, <u>Fujii H</u> , Hasezawa S | Active learning framework with iterative clustering for bioimage classification | Nat Commun | 3 (1032) | 1-10 | 2012 |
| Kaburagi T, Takeuchi H, <u>Fujii H</u> , Saikawa Y, Murakami K, Fukada J, Shigematsu N, Ozawa S, Ando N, Kitagawa Y | Initial experience of individualized chemoradiotherapy for superficial esophageal cancers based on the sentinel lymph node concept | Esophagus | 9 (3) | 147-152 | 2012 |
| Iimoto T, <u>Fujii H</u> , Oda S, Nakamura T, Hayashi R, Kuroda R, Furusawa M, Umekage T, Ohkubo Y | Measures against increased environmental radiation dose by the TEPCO Fukushima Dai-ichi NPP accident in some local governments in the Tokyo metropolitan area: focusing on examples of both Kashiwa and Nagareyama cities in Chiba prefecture | Radiat Prot Dosimetry | 152 (1-3) | 210-214 | 2012 |
| <u>Fujii H</u> , Umeda IO, Iimoto T, Oda S, Someya S, Iizumi S | Increased Radiation Dose Issues in Tokatsu Area in Chiba Prefecture, Japan – How the Situation and Measures were Explained to the Local Residents – | Radiat Emerg Med | 2 (1) | 76-81 | 2013 |
| Takeda A, Kunieda E, <u>Fujii H</u> , Yokosuka N, Aoki Y, Oooka Y, Oku Y, Ohashi T, Sanuki N, Mizuno T, Ozawa Y | Evaluation for local failure by ¹⁸ F-FDG PET/CT in comparison with CT findings after stereotactic body radiotherapy (SBRT) for localized non-small-cell lung cancer | Lung Cancer | 79 (3) | 248-253 | 2013 |
| 飯本武志, 藤井博史, 中村尚司, 尾田正二, 山本晴久, 松清智洋, 染谷誠一 | 福島第一原発事故に起因した環境放射能汚染に関する首都圏自治体の対策とその考察 | 放射線生物学研究 | 48 (1) | 15-38 | 2013 |
| Suzuki C, Blomqvist L, Hatschek T, Carlsson L, Einbeigi Z, Linderholm B, Lindh B, Loman N, Malmberg M, Rotstein S, Söderberg M, Sundqvist M, Walz TM, Åström G, <u>Fujii H</u> , Jacobsson H, Glimelius B | Impact of early response on overall survival in metastatic breast cancer patients treated with combination chemotherapy within a randomized phase III trial | Mec Oncol | 30 (1) | 415 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|--|--|-----------|---------------------|
| <u>Kakinuma R, Moriyama N</u> | Computer-aided detection of lung nodules on CT Images: a review | CT 検診 | 19(3) | 181-187 | 2012 |
| 村野剛志、五味志穂、 <u>柿沼龍太郎</u> 、森山紀之 | 検診現場において認定技師が行う異常所見検出の実際～国立がん研究センター中央病院 がん予防・検診研究センター～ | CT 検診 | 19(3) | 176-180 | 2012 |
| 佐川元保、 <u>柿沼龍太郎</u> 、他 | 低線量胸部 CT を用いた肺がん検診の有効性評価のための日本に置ける無作為化比較試験の現況と課題 | CT 検診 | 19(3) | 196-203 | 2012 |
| <u>柿沼龍太郎</u> 、前島亜希子、 <u>淺村尚生</u> 、 <u>森山紀之</u> | 肺腺癌の診断と治療-新しい分類と臨床治療の変化- 【肺腺癌の画像と治療】 肺腺癌放射線画像診断の進歩 | 病理と臨床 | 30(5) | 520-524 | 2012 |
| <u>Kakinuma R</u> , Ashizawa K, Kobayashi T, Fukushima A, Hayashi H, Kondo T, Machida M, Matsusako M, Minami K, Oikado K, Okuda M, Takamatsu S, Sugawara M, Gomi S, Muramatsu Y, Hanai K, Muramatsu Y, Kaneko M, Tsuchiya R, <u>Moriyama N</u> , | Comparison of sensitivity of lung nodule detection between radiologists and technologists on low-dose CT lung cancer screening images | The British Journal of Radiology | 85 | e603-e608 | 2012 |
| <u>Kakinuma R</u> , Ashizawa K, Kuriyama K, Fukushima A, Ishikawa H, Kamiya H, Koizumi N, Maruyama Y, Minami K, Nitta N, Oda S, Oshiro Y, Kusumoto M, Murayama S, Murata K, Muramatsu Y, <u>Moriyama N</u> | Measurement of focal ground-glass opacity diameters on CT images: interobserver agreement in regard to identifying increases in the size of ground-glass opacities | Acad Radiol | 19 | 389-394 | 2012 |
| 内山菜智子 | 「ECR2012 欧州放射線学会 見聞記」—DBT を中心に | Radfan | vol.10 No5 | 92-93 | 2012 |
| <u>Nachiko Uchiyama</u> | Diagnostic Impact of Adjunction of Digital Breast Tomosynthesis (DBT) to Full Field Digital Mammography (FFDM) and in Comparison with Full Field Digital Mammography (FFDM). | A.D.A.Maindment , P.R.Bakic, S.Gavenosis | Breast Imaging Lecture Notes in Computer Science, Volume 7361/2012 | Springer | Heidelberg, Germany |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|--|--|--|---------------------|
| <u>Nachiko Uchiyama</u> | Usefulness of Adjunction of Digital Breast Tomosynthesis (DBT) to Full-Field Digital Mammography (FFDM) in Evaluation of Pathological Response after Neoadjuvant Chemotherapy (NAC) for Breast Cancer | A.D.A.Maintenance, P.R.Bakic, S.Gavenosis | Breast Imaging Lecture Notes in Computer Science, Volume 7361/2012 | Springer | Heidelberg, Germany |
| 黒木嘉典 | MR Mammography | CLINICIAN'12 | 614 | 120-126 | 2012 |
| Kuno H, Onaya H, Iwata R, Kobayashi T, Fujii S, Hayashi R, Otani K, Ojiri H, Yamanaka T, <u>Satake M.</u> | Evaluation of Cartilage Invasion by Laryngeal and Hypopharyngeal Squamous Cell Carcinoma with Dual-Energy CT. | Radiology | 265(2) | 488-496 | 2012 |
| 久野博文、女屋博昭、 <u>佐竹光夫</u> | Certificate of Merit受賞報告 Imaging of Oropharyngeal Cancer: How Can the Radiologist Help with Treatment Planning? | INNERVISION | 28(2) | 66 | 2013 |
| Rakha E, Pinder SE., Shin SJ, <u>Tsuda H</u> | Tubular carcinoma and cribriform carcinoma | Lakhani SR, Ellis IO, Schnitt SJ, Tan PH, van der Vijver, MJ | WHO Classification of Tumours of the Breast. 4 th ed. | World Health Organization. International Agency for Research on Cancer | Lyon |
| Charafe-Jauffret E, <u>Tsuda H</u> , Rutgers E | Inflammatory carcinoma | Lakhani SR, Ellis IO, Schnitt SJ, Tan PH, van der Vijver, MJ | WHO Classification of Tumours of the Breast. 4 th ed. | World Health Organization. International Agency for Research on Cancer | Lyon |
| Ohtomo R, Sekine S, Taniguchi H, <u>Tsuda H</u> , Moriya Y, Kushima R | Anal canal neuroendocrine carcinoma associated with squamous intraepithelial neoplasia: a human papillomavirus 18-related lesion | Pathol Int | 62(5) | 356-359 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|---------------------------|--------------|--------------|------|
| Maseshima AM, Tsuta K, Asamura H, <u>Tsuda H</u> | Prognostic implication of metastasis limited to segmental (level 13) and/or subsegmental (level 14) lymph nodes in patients with surgically resected nonsmall cell lung carcinoma and pathologic N1 lymph node status. | Cancer | 118(18) | 4512-4518, | 2012 |
| Fukushima S, Narita Y, Shinomiya A, Ohno M, Miyakita Y, Okita Y, Hanakawa K, Ide T, Kayama T, Shibui S, <u>Tsuda H</u> | A case of unclassified high-grade glioma with polar spongioblastoma pattern | Neuropathology | 32(6) | 604-610 | 2012 |
| Yoshida A, Sekine S, Tsuta K, Fukayama M, Furuta K, <u>Tsuda H</u> . | NKX2.2 is a useful immunohistochemical marker for Ewing sarcoma. | Am J Surg Pathol | 36(7) | 993-999 | 2012 |
| Mimae T, Tsuta K, Kondo T, Nitta H, Grogan TM, Okada M, Asamura H, <u>Tsuda H</u> | Protein expression and gene copy number changes of receptor tyrosine kinase in thymomas and thymic carcinomas | Ann Oncol | 23(12) | 3129-3137 | 2012 |
| 吉田正行、 <u>津田均</u> | 子宮頸癌 5. 子宮頸癌の臨床病理学 1) 子宮頸癌の病理組織学 (Pathology of carcinomas of uterine cervix)、 | 日本臨床 | 70増刊号(4) | 104-108 | 2012 |
| <u>津田 均</u> | DCISの病理診断 ー最新動向 | 乳癌の臨床 | 27(5) | 553-562 | 2012 |
| 高橋英治, 鈴木秀宣, 河田佳樹, 仁木登, 中野恭幸, 上野淳二, 原田雅史, <u>森山紀之</u> | 胸部マルチスライスCT 画像を用いた骨粗鬆症診断支援システム | 電子情報通信学会論文誌 | 印刷中 | | 2013 |
| 松廣幹雄, 鈴木秀宣, 河田佳樹, 仁木登, 上野淳二, 中野恭幸, 小川恵美子, 室繁郎, 大松広伸, <u>森山紀之</u> | 胸部マルチスライスCT画像における葉間裂抽出法 | 電子情報通信学会論文誌 | 印刷中 | | 2013 |
| Y.Nakaya, Y.Kawata, <u>N.Niki</u> , K.Umetani, H.Ohmatsu, <u>N.Moriyama</u> | A method for determining the modulation transfer function from thick microwire profiles measured with x-ray microcomputed tomography | Medical Physics | Vol.39, No.7 | pp.4347-4364 | 2012 |
| 仁木登, 河田佳樹, 鈴木秀宣 | 第6章コンピュータ支援検出/診断 2 CT画像 | 実践医用画像解析ハンドブック (株式会社オーム社) | | pp.605-614 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---|--------------|------------|------|
| 仁木登, 河田佳樹, 鈴木秀宣 | II.画像処理と解析 2.X線CT画像 2.3肺 | 医用画像ハンドブック(日本医用画像工学会) | | pp.576-582 | 2012 |
| Y.Kawata, <u>N.Niki</u> , K.Umetani, Y.Nakano, H.Ohmatsu, <u>N.Moriyama</u> , H.Itoh | Stochastic tracking of small pulmonary vessels in human lung alveolar walls using synchrotron radiation micro CT images | Proc. SPIE Medical Imaging | to appear | | 2013 |
| Y.Kawata, <u>N.Niki</u> , H.Ohmatsu, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, <u>N.Moriyama</u> | Tracking time interval changes of pulmonary nodules on follow-up 3D CT images via image-based risk score of lung cancer | Proc. SPIE Medical Imaging | to appear | | 2013 |
| M.Matsuhiro, H.Suzuki, Y.Kawata, <u>N.Niki</u> , J.Ueno, Y.Nakano, E.Ogawa S.Muro, M.Mishima, H.Ohmatsu, <u>N.Moriyama</u> | Extraction method of interlobar fissure based on multi-slice CT images | Proc. SPIE Medical Imaging | to appear | | 2013 |
| A.S.Maklad, M.Matsuhiro, H.Suzuki, Y.Kawata, <u>N.Niki</u> , T.Utsunomiya, M.Shimada | Blood vessel-based liver segmentation through the portal phase of a CT dataset | Proc. SPIE Medical Imaging | to appear | | 2013 |
| H.Suzuki, Y.Kawata, <u>N.Niki</u> , Y.Nakano, H.Ohmatsu, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, <u>N.Moriyama</u> | Longitudinal follow-up study of smoking-induced emphysema progression using low-dose CT screening | International Forum on Medical Imaging in Asia 2012 | | O7-2[150] | 2012 |
| 仁木登 | 【大会長講演】肺のCT画像解析 | 第5回呼吸機能イメージング研究会学術集会 | | | 2012 |
| 仁木登 | 【教育講演】肺の画像解析-CADeとCADx | 第21回日本コンピュータ外科学会大会 | Vol.14, No.3 | 12(IL)-1 | 2012 |
| <u>Kakugawa Y</u> , Saito Y, | New reduced volume preparation regimen in colon capsule endoscopy. | World J Gastroenterol. | 18 (17) | 2092-2098 | 2012 |
| <u>Kakugawa Y</u> , et al | Enteropathy-associated T-cell lymphoma in small intestine detected by capsule endoscopy. | Leukemia& Lymphoma | 53(8) | 1623-1624 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------------------------|---|--|---------|---------|------|
| Murata S, <u>Kakugawa Y</u> , | Application of miRNA expression analysis on exfoliated colonocytes for diagnosis of colorectal cancer | Gastrointestinal Cancer: Targets and Therapy | 2012; 2 | 11-18 | 2012 |
| <u>角川康夫</u> 、 <u>斎藤豊</u> | 食道・胃・小腸・大腸カプセル内視鏡の今後の展望 | Annual Review 2012 消化器 | | 37-44 | 2012 |
| <u>角川康夫</u> 、 <u>斎藤豊</u> | ここまでみえるようになった小腸内視鏡検査 小腸病変の画像アトラス | Mebio | 29 | 86-87 | 2012 |
| <u>角川康夫</u> | 当センターで経鼻内視鏡を始めたワケ | 日本消化器内視鏡技師会会報 | 49 | 129-132 | 2012 |

研究成果の刊行に関する一覧表

H25年度（2013年）

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------------------------|------------------------------------|--------------------------------|--|-----------------|-----|------|---------|
| 黒木嘉典 | 乳腺：2つのb値の使用 | 高原太郎 (監修) 高橋光幸、 他(編集) | MRI応用自 在 第3版 | MEDICAL VIEW | 東京 | 2013 | 436-437 |
| 黒木嘉典 | 乳腺の拡散強調画像 Multiple b factor DWI | 青木茂樹、 他 | これでわか る拡散MRI 第3版 | 秀潤社 | 東京 | 2013 | 317-318 |
| 角川康夫、 松本美野 里、斎藤豊 | GVHDの内視鏡診断 | 豊嶋崇徳 | みんなに役立 つGVHD(移 植方対宿主 病)の基礎と 臨床 | 医療ジャーナ ル社 | 大阪市 | 2013 | 185-194 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-----------------------------------|---|-----------------|------|
| Ahmed S. Maklad, M.Matsuhira, H.S uzuki, Y.Kawata, N.Niki, M.Satake, et. N.Moriyama, T.Uts unomiya, M.Shima da. | Blood vessel-based liver segm entation using the portal pha se of an abdominal CT datas | Medical Physics | 40(11) | 113501-1- 17 | 2013 |
| M.Ikeda, T.Okusaka, J.Furuse, S.Mits unaga, H.Ueno, H. Yamaura, Y.Inaba, Y.Takeuchi, M.Sa take, Y.Arai. | A multi-institutional phase II trial of hepatic arterial infus ion chemotherapy with cisplat in for advanced hepatocellular carcinoma with portal vein t umor thrombosis. | Cancer Chemot her Pharmacol | 72 | 463-470 | 2013 |
| M.Ikeda, S.Mitsun aga, S.Shimizu, I. Ohno, H.Takahash i, H.Okuyama, A.K uwahara, S.Kondo, C.Morizane, H.Ue no, M.Satake, Y.Ar ai, T.Okusaka. | Efficacy of sorafenib in patien ts with hepatocellular carcino ma refractory to transcatheter arterial chemoembolization. | J Gastroenterol | DOI 10.1 007/s005 35-013-08 53-7 | 1-7 | 2013 |
| H.Kuno, H.Onaya, S.Fujii, H.Ojiri, K. Otanie, M.Satake. | Primary staging of laryngeal and hypopharyngeal cancer: C T, MR imaging and dual-ener gy CT. | European Journ al of Radiology | 83 | e23-e35 | 2014 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|---------------------------|--------------------------|-----------------|------|
| Y Akashi, T Oda, Y Ohara, R Miyamoto, T Kurokawa, S Hashimoto, T Enomoto, K Yamada, M Satake and N Ohkohchi. | Anticancer effects of gemcitabine are enhanced by co-administered iRGD peptide in murine pancreatic cancer models that overexpressed neuropilin-1. | BRITISH JOURNAL OF CANCER | doi: 10.1038/bjc.2014.49 | 11-7 | 2014 |
| Furuta T, Yamaguchi M, Nakagami R, Akahane M, Minami M, Ohtomo K, Moriyama N, Fujii H | Delayed hepatic signal recovery on ferucarbotran-enhanced magnetic resonance images: an experimental study in rat livers with gadolinium chloride-induced Kupffer cell damage. | MAGMA | | 26 (3) 313-324 | 2013 |
| Mitsuda M, Yamaguchi M, Nakagami R, Furuta T, Sekine N, Niitsu M, Moriyama N, Fujii H | Intensity Correction Method Customized for Multi-animal Abdominal MR Imaging with 3T Clinical Scanner and Multi-Array Coil. | Magn Reson Med Sci | | 12 (2) 95-103 | 2013 |
| Yoshimoto M, Kurihara H, Honda N, Kawai K, Ohe K, Fujii H, Itami J, Arai Y | Predominant contribution of L-type amino acid transporter to 4-borono-2- ¹⁸ F-fluorophenylalanine uptake in human glioblastoma cells | Nucl Med Biol | | 40 (5) 625-629 | 2013 |
| Yamaguchi M, Mitsuda M, Ezawa K, Nakagami R, Furuta T, Sekine N, Niitsu M, Fujii H | Artifact-reduced simultaneous MRI of multiple rats with liver cancer using PROPELLER | J Magn Reson Imaging | | 38 (1) 225-230 | 2013 |
| Hayakawa T, Mutoh M, Imai T, Tsuta K, Yanaka A, Fujii H, Yoshimoto M | SPECT/CT of lung nodules using ¹¹¹ In-DOTA-c(RGDfK) in a mouse lung carcinogenesis model | Ann Nucl Med | | 27 (7) 640-647 | 2013 |
| Takeda A, Sanuki N, Fujii H, Yokosuka N, Nishimura S, Aoki Y, Oku Y, Ozawa Y, Kunieda E | Maximum Standardized Uptake Value on FDG-PET Is a Strong Predictor of Overall and Disease-Free Survival for Non-Small-Cell Lung Cancer Patients after Stereotactic Body Radiotherapy | J Thorac Oncol | | 9 (1) 65-73 | 2014 |
| 梅田泉, 藤井博史 | 臨床応用を目指した分子イメージング研究の現状と今後の展望. | 日本耳鼻咽喉科学会会報 | | 116(8): 933-940 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-------------------------------|----------------------|------------------|------|
| Kakinuma R, Ashizawa K, Kusunoki Y, Kobayashi T, Kondo T, Nakagawa T, Hatakeyama M, Maruyama Y | Management of subsolid nodules. | Chest | 144(5) | 1741-174 2 | 2013 |
| T.Ishihara, T.Koba yashi, N.Ikeno, T. Hayashi, M.Sakaki bara, N.Niki, M.Sa take, N.Moriyama | Evaluation of a near-infrared- type contrast medium extrava sation detection system using a swine model | J Comput Assist Tomogr | Vol.38, N o.2 | (in press) | 2014 |
| A.S.Maklad, M.Matsuihiro, H.Suzuki, Y.Kawata, N.Niki, M.Satake, N.Moriyama, | Blood vessel-based liver segmentation using the portal phase of an abdominal CT dataset | Medical Physics | Vol.40, No.11 | 113501 (17pp) | 2013 |
| 豊田修一, 片貝智恵, 仁木登 | 保健医療分野における情報視覚 化 | 情報処理学会デジ タルプラクティス | Vol.4, No.3 | 251-259 | 2013 |
| 高橋英治, 鈴木秀宣, 河田佳樹, 仁木登, 中野恭幸, 上野淳二, 原田雅史, 森山紀之 | 胸部マルチスライスCT 画像を用 いた骨粗鬆症診断支援システム | 電子情報通信学会 論文誌 | Vol.J.96- D, No.4 | 892-900 | 2013 |
| 松廣幹雄, 鈴木秀宣, 河田佳樹, 仁木登, 上野淳二, 中野恭幸, 小川恵美子, 室繁郎, 大松広伸, 森山紀之 | 胸部マルチスライスCT画像にお ける葉間裂抽出法 | 電子情報通信学会 論文誌 | Vol.J.96- D, No.4 | 834-843 | 2013 |
| Y.Kawata, N.Niki, H.Ohmatsu, K.Aokage, M.Satake, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, N.Moriyama | Potential usefulness of a topic model-based categorization of lung cancers as quantitative CT biomarkers for predicting the recurrence risk after curative resection | Proc. SPIE Medical Imaging | to appear | | 2014 |
| H.Suzuki, Y.Kawata, N.Niki, Y.Nakano, H.Ohmatsu, M.Kusumoto, T.Tsuchida, K.Eguchi, M.Kaneko, N.Moriyama | Longitudinal follow-up study of smoking-induced emphysema progression in low-dose CT screening of lung cancer | Proc. SPIE Medical Imaging | to appear | | 2014 |
| Y.Fukuoka, Y.Kawata, N.Niki, K.Umetani, Y.Nakano, H.Ohmatsu, N.Moriyama, H.Itoh | Microstructure analysis of the pulmonary lung of the secondary lobules by a synchrotron radiation CT | Proc. SPIE Medical Imaging | to appear | | 2014 |