

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Asai H, Fujiwara H, Kitazawa S, Kobayashi N, Ochi T, Miyazaki Y, Ochi F, <u>Akatsuka Y</u> , Okamoto S, Mineno J, <u>Kuzushima K</u> , Ikeda H, Shiku H, Yasukawa M.	Adoptive transfer of genetically engineered WT1-specific cytotoxic T lymphocytes does not induce renal injury.	<i>J Hematol Oncol.</i>	7(1)	3	2014
Kondo S, Demachi-Okamura A, Hirosawa T, Maki H, Fujita M, Uemura Y, <u>Akatsuka Y</u> , Yamamoto E, Shibata K, Ino K, Kikkawa F, <u>Kuzushima K</u> .	An HLA-modified ovarian cancer cell line induced CTL responses specific to an epitope derived from claudin-1 presented by HLA-A*24:02 molecules.	<i>Hum Immunol.</i>	74(9)	1103-1110	2013
Miyazaki Y, Fujiwara H, Asai H, Ochi F, Ochi T, Azuma T, Ishida T, Okamoto S, Mineno J, <u>Kuzushima K</u> , Shiku H, Yasukawa M.	Development of a novel redirected T-cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia.	<i>Blood</i>	121(24)	4894-4901	2013
Asai H, Fujiwara H, An J, Ochi T, Miyazaki Y, Nagai K, Okamoto S, Mineno J, <u>Kuzushima K</u> , Shiku H, Inoue H, Yasukawa M.	Co-introduced functional CCR2 potentiates in vivo anti-lung cancer functionality mediated by T cells double gene-modified to express WT1-specific T-cell receptor.	<i>PLoS One</i>	8(2)	e56820	2013
Eikawa S, Kakimi K, Isobe M, <u>Kuzushima K</u> , Luescher I, Ohue Y, Ikeuchi K, Uenaka A, Nishikawa H, Udono H, Oka M, Nakayama E.	Induction of CD8 T-cell responses restricted to multiple HLA class I alleles in a cancer patient by immunization with a 20-mer NY-ESO-1f (NY-ESO-1 91-110) peptide.	<i>Int J Cancer</i>	132(2)	345-354	2013
<u>Kanda T</u> , Horikoshi N, Murata T, Kawashima D, Sugimoto A, Narita Y, Kurumizaka H, and Tsurumi T.	Interaction between basic residues of Epstein-Barr virus EBNA1 protein and cellular chromatin mediates viral plasmid maintenance.	<i>J Biol Chem.</i>	288(33)	24189-24199	2013
Sugimoto A, Sato Y, <u>Kanda T</u> , Murata T, Narita Y, Kawashima D, Kimura H, and Tsurumi T.	Different distributions of Epstein-Barr virus early and late gene transcripts within viral replication compartments.	<i>J Virol.</i>	87(12)	6693-6699	2013
Murata T, Narita Y, Sugimoto A, Kawashima D, <u>Kanda T</u> , and Tsurumi T.	Contribution of myocyte enhancer factor 2 (MEF2) family transcription factors to BZLF1 expression in Epstein-Barr virus reactivation from latency.	<i>J Virol.</i>	87(18)	10148-10162	2013
Narita Y, Murata T, Ryo A, Kawashima D, Sugimoto A, <u>Kanda T</u> , Kimura H, and Tsurumi T.	Pin1 interacts with the Epstein-Barr virus DNA polymerase catalytic subunit and regulates viral DNA replication.	<i>J Virol.</i>	87(4)	2120-2127	2013
Saito S, Murata T, <u>Kanda T</u> , Isomura H, Narita Y, Sugimoto A, Kawashima D, and Tsurumi T.	Epstein-Barr virus deubiquitinase downregulates TRAF6-mediated NF-kappaB signaling during productive replication.	<i>J Virol.</i>	87(7)	4060-4070	2013

Kawashima D, <u>Kanda T</u> , Murata T, Saito S, Sugimoto A, Narita Y, and Tsurumi T.	Nuclear Transport of Epstein-Barr Virus DNA Polymerase Is Dependent on the BRF1 Polymerase Processivity Factor and Molecular Chaperone Hsp90.	<i>J Virol.</i>	87(11)	6482-6491	2013
Kohanbash G, McKaveney K, Sakaki M, Ueda R, Mintz AH, Amankulor N, <u>Fujita M</u> , Ohlfest JR, Okada H.	GM-CSF Promotes the Immunosuppressive Activity of Glioma-Infiltrating Myeloid Cells through Interleukin-4 Receptor-alpha.	<i>Cancer Res.</i>	73(21)	6413-6423	2013