

Y, Takahashi, T, Emi N, <u>Kuzushima K</u> , Akatsuka Y.					
Yamahira A, Narita M, Nakamura T, Watanabe N, Kaji M, Taniguchi T, Hashimoto S, Furukawa T, Toba K, Aizawa Y, <u>Kuzushima K</u> , Takahashi M.	Generation of antigen-specific cytotoxic T lymphocytes using a leukemic plasmacytoid dendritic cell line as antigen presenting cells.	<i>Leuk Res.</i>	35(6)	793-799	2011
Kitawaki T, Kadowaki N, Fukunaga K, Kasai Y, Maekawa T, Ohmori K, Kondo T, Maekawa R, Takahara M, Nieda M, <u>Kuzushima K</u> , Ishikawa T, Uchiyama T.	A phase I/IIa clinical trial of immunotherapy for elderly patients with acute myeloid leukemia using dendritic cells co-pulsed with WT1 peptide and zoledronate.	<i>Brit J Haematol.</i>	153(6)	796-799	2011
Kitawaki T, Kadowaki N, Fukunaga K, Kasai Y, Maekawa T, Ohmori K, Itoh T, Shimizu A, <u>Kuzushima K</u> , Kondo T, Ishikawa T, Uchiyama T.	Cross-priming of CD8(+) T cells in vivo by dendritic cells pulsed with autologous apoptotic leukemic cells in immunotherapy for elderly patients with acute myeloid leukemia.	<i>Exp Hematol.</i>	39(4)	424-433	2011
Hoshino Y, Nishikawa K, <u>Kuzushima K</u> , Kimura H.	Kinetics of Epstein-Barr virus load and virus-specific CD8+T cells in acute infectious mononucleosis.	<i>J Clin Virol.</i>	50(3)	244-246	2011
An J, Fujiwara H, Suemori K, Niiya T, Azuma T, Tanimoto K, Ochi T, <u>Akatsuka Y</u> , Mineno J, Ozawa H, Ishikawa F, <u>Kuzushima K</u> , Yasukawa M.	Activation of T-cell receptor signaling in peripheral T-cell lymphoma cells plays an important role in the development of lymphoma-associated hemophagocytosis.	<i>Int J Hematol.</i>	93(2)	176-185	2011
Sato Y, Shirata N, Murata T, Nakasu S, Kudoh A, Iwahori S, Nakayama S, Chiba S, Isomura H, <u>Kanda T</u> , and Tsurumi T.	Transient Increases in p53-responsible Gene Expression at Early Stages of Epstein-Barr Virus Productive Replication.	<i>Cell Cycle</i>	9(4)	807-814	2010
Murata T, Hotta N, Toyama S, Nakayama S, Chiba S, Isomura H, Ohshima T, <u>Kanda T</u> , Tsurumi T.	Transcriptional repression by sumoylation of Epstein-Barr virus BZLF1 pro-tein correlates with association of histone deacetylase.	<i>J Biol Chem.</i>	285(31)	23925-23935	2010
Isomura H, Stinski MF, Murata T, Nakayama S, Chiba S, <u>Akatsuka Y</u> , <u>Kanda T</u> , Tsurumi T.	The human cytomegalovirus UL76 gene regulates the level of expression of the UL77 gene.	<i>PLoS One</i>	5(7)	e11901	2010
Nakayama S, Murata T, Yasui Y, Murayama K, Isomura H, <u>Kanda T</u> , Tsurumi T.	Tetrameric ring formation of Epstein-Barr virus polymerase processivity factor for viral replication.	<i>J Virol.</i>	84(24)	12589-12598	2010

