

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Asai H, Fujiwara H, Kitazawa S, Kobayashi N, Ochi T, Miyazaki Y, Ochi F, <u>Akatsuka Y</u> , Okamoto S, Mineno J, <u>Kuzushima K</u> , Ikeda H, Shiku H, Yasukawa M.	Adoptive transfer of genetically engineered WT1-specific cytotoxic T lymphocytes does not induce renal injury.	<i>J Hematol Oncol.</i>	7(1)	3	2014
Kondo S, <u>Demachi-Okamura A</u> , Hirokawa T, Maki H, Fujita M, Uemura Y, <u>Akatsuka Y</u> , Yamamoto E, Shibata K, Ino K, Kikkawa F, <u>Kuzushima K</u> .	An HLA-modified ovarian cancer cell line induced CTL responses specific to an epitope derived from claudin-1 presented by HLA-A*24:02 molecules.	<i>Hum Immunol.</i>	74(9)	1103-1110	2013
Miyazaki Y, Fujiwara H, Asai H, Ochi F, Ochi T, Azuma T, Ishida T, Okamoto S, Mineno J, <u>Kuzushima K</u> , Shiku H, Yasukawa M.	Development of a novel redirected T-cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia.	<i>Blood</i>	121(24)	4894-4901	2013
Asai H, Fujiwara H, An J, Ochi T, Miyazaki Y, Nagai K, Okamoto S, Mineno J, <u>Kuzushima K</u> , Shiku H, Inoue H, Yasukawa M.	Co-introduced functional CCR2 potentiates in vivo anti-lung cancer functionality mediated by T cells double gene-modified to express WT1-specific T-cell receptor.	<i>PLoS One</i>	8(2)	e56820	2013
Eikawa S, Kakimi K, Isobe M, <u>Kuzushima K</u> , Luescher I, Ohue Y, Ikeuchi K, Uenaka A, Nishikawa H, Udono H, Oka M, Nakayama E.	Induction of CD8 T-cell responses restricted to multiple HLA class I alleles in a cancer patient by immunization with a 20-mer NY-ESO-1f (NY-ESO-1 91-110) peptide.	<i>Int J Cancer</i>	132(2)	345-354	2013
<u>Kanda T</u> , Horikoshi N, Murata T, Kawashima D, Sugimoto A, Narita Y, Kurumizaka H, and Tsurumi T.	Interaction between basic residues of Epstein-Barr virus EBNA1 protein and cellular chromatin mediates viral plasmid maintenance.	<i>J Biol Chem.</i>	288(33)	24189-24199	2013
Sugimoto A, Sato Y, <u>Kanda T</u> , Murata T, Narita Y, Kawashima D, Kimura H, and Tsurumi T.	Different distributions of Epstein-Barr virus early and late gene transcripts within viral replication compartments.	<i>J Virol.</i>	87(12)	6693-6699	2013
Murata T, Narita Y, Sugimoto A, Kawashima D, <u>Kanda T</u> , and Tsurumi T.	Contribution of myocyte enhancer factor 2 (MEF2) family transcription factors to BZLF1 expression in Epstein-Barr virus reactivation from latency.	<i>J Virol.</i>	87(18)	10148-10162	2013
Narita Y, Murata T, Ryo A, Kawashima D, Sugimoto A, <u>Kanda T</u> , Kimura H, and Tsurumi T.	Pin1 interacts with the Epstein-Barr virus DNA polymerase catalytic subunit and regulates viral DNA replication.	<i>J Virol.</i>	87(4)	2120-2127	2013
Saito S, Murata T, <u>Kanda T</u> , Isomura H, Narita Y, Sugimoto A, Kawashima D, and Tsurumi T.	Epstein-Barr virus deubiquitinase downregulates TRAF6-mediated NF-kappaB signaling during productive replication.	<i>J Virol.</i>	87(7)	4060-4070	2013

Kawashima D, <u>Kanda T</u> , Murata T, Saito S, Sugimoto A, Narita Y, and Tsurumi T.	Nuclear Transport of Epstein-Barr Virus DNA Polymerase Is Dependent on the BMRF1 Polymerase Processivity Factor and Molecular Chaperone Hsp90.	<i>J Virol.</i>	87(11)	6482-6491	2013
Kohanbash G, McKaveney K, Sakaki M, Ueda R, Mintz AH, Amankulor N, <u>Fujita M</u> , Ohlfest JR, Okada H.	GM-CSF Promotes the Immunosuppressive Activity of Glioma-Infiltrating Myeloid Cells through Interleukin-4 Receptor-alpha.	<i>Cancer Res.</i>	73(21)	6413-6423	2013
Nishio N, <u>Fujita M</u> , Tanaka Y, Maki H, Zhang R, Hirosawa T, Demachi-Okamura A, Uemura Y, Taguchi O, Takahashi Y, Kojima S, <u>Kuzushima K</u> . 2012	Zoledronate sensitizes neuroblastoma-derived tumor-initiating cells to cytolysis mediated by human $\gamma\delta$ T cells.	<i>J Immunother.</i>	35(8)	598-606	2012
Kohanbash G, Ishikawa E, <u>Fujita M</u> , Ikeura M, McKaveney K, Zhu J, Sakaki M, Sarkar S, Okada H.	Differential activity of interferon- $\alpha$ 8 promoter is regulated by Oct-1 and a SNP that dictates prognosis of glioma.	<i>Oncoimmunology</i>	1(4)	487-492	2012
Ochsenreither S, Majeti R, Schmitt T, Stirewalt D, Keilholz U, Loeb KR, Wood B, Choi YE, Bleakley M, Warren EH, Hudecek M, <u>Akatsuka Y</u> , Weissman IL, Greenberg PD.	Cyclin-A1 represents a new immunogenic targetable antigen expressed in acute myeloid leukemia stem cells with characteristics of a cancer-testis antigen.	<i>Blood</i>	119(23)	5492-5501	2012
Yamamura T, Hikita J, Bleakley M, Hirosawa T, Sato-Otsubo A, Torikai H, Hamajima T, Nannya Y, Demachi-Okamura A, Maruya E, Saji H, Yamamoto Y, Takahashi T, Emi N, Morishima Y, Kodera Y, <u>Kuzushima K</u> , Riddell SR, Ogawa S, <u>Akatsuka Y</u> .	HapMap SNP Scanner: an online program to mine SNPs responsible for cell phenotype.	<i>Tissue Antigens</i>	80(2)	119-125	2012
Machino T, Okoshi Y, Miyake Y, <u>Akatsuka Y</u> , Chiba S.	HLA-C matching status does not affect rituximab-mediated antibody-dependent cellular cytotoxicity by allogeneic natural killer Cells.	<i>Immunol Invest.</i>	41(8)	831-846	2012
Tamanaka T, Oka Y, Fujiki F, Tsuboi A, Katsuhara A, Nakajima H, Hosen N, Nishida S, Lin YH, Tachino S, <u>Akatsuka Y</u> , <u>Kuzushima K</u> , Oji Y, Kumanogoh A, Sugiyama H.	Recognition of a natural WT1 epitope by a modified WT1 peptide-specific T-cell receptor.	<i>Anticancer Res.</i>	32(12)	5201-5209	2012
<u>Demachi-Okamura A</u> , Torikai H, <u>Akatsuka Y</u> , Miyoshi H, Yoshimori T, <u>Kuzushima K</u> .	Autophagy creates a CTL epitope that mimics tumor-associated antigens.	<i>PLoS One</i>	7(10)	e47126	2012
<u>Kanda T</u> , Ochi T, Fujiwara H, Yasukawa M, Okamoto S, Mineno J, <u>Kuzushima K</u> , and Tsurumi T.	HLA-restricted presentation of WT1 tumor antigen in B-lymphoblastoid cell lines established using a maxi-EBV system.	<i>Cancer Gene Ther.</i>	19(8)	566-571	2012
Murata T, Kondo Y, Sugimoto A, Kawashima D, Saito S, Isomura H, <u>Kanda T</u> , and Tsurumi T.	Epigenetic histone modification of Epstein-Barr virus BZLF1 promoter during latency and reactivation in Raji	<i>J Virol.</i>	86(9)	4752-4761	2012

	cells.				
Yamamoto Y, Tsuzuki S, Akahori Y, Ukai Y, Sumitomo M, Murayama Y, Yamamoto K, Inaguma Y, Tokuda M, Abe A, <u>Akatsuka Y</u> , Emi N, Kurosawa Y.	Isolation of human mAbs that directly modulate FMS-related tyrosine kinase 3 signaling.	<i>Cancer Sci.</i>	103(2)	350-359	2012
Okanami Y, Tsujimura K, Mizuno S, Tabata M, Isaji S, <u>Akatsuka Y</u> , <u>Kuzushima K</u> , Takahashi T, Uemoto S.	Intracellular interferon- $\gamma$ staining analysis of donor-specific T-cell responses in liver transplant recipients.	<i>Transplant Proc.</i>	44(2)	548-554,	2012
<u>Fujita M</u> , Kohanbash G, Fellows-Mayle W, Hamilton RL, Komohara Y, Decker SA, Ohlfest JR, Okada H.	COX-2 blockade suppresses gliomagenesis by inhibiting myeloid-derived suppressor cells.	<i>Cancer Res.</i>	71(7)	2664-2674	2011
Zhu X, <u>Fujita M</u> , Snyder LA, Okada H.	Systemic delivery of neutralizing antibody targeting CCL2 for glioma therapy.	<i>J Neurooncol.</i>	104(1)	83-92	2011
Suzuki S, Yoshikawa T, Hirose T, Shibata K, Kikkawa F, <u>Akatsuka Y</u> , Nakatsura T.	Glypican-3 could be an effective target for immunotherapy combined with chemotherapy against ovarian clear cell carcinoma.	<i>Cancer Sci.</i>	102(9)	1622-1629	2011
Yasuda A, Noguchi K, Minoshima M, Kashiwazaki G, <u>Kanda T</u> , Katayama K, Mitsuhashi J, Bando T, Sugiyama H, Sugimoto Y.	DNA ligand designed to antagonize EBNA1 represses Epstein-Barr virus-induced immortalization.	<i>Cancer Sci.</i>	102(12)	2221-2230	2011
Isomura H, Stinski MF, Murata T, Yamashita Y, <u>Kanda T</u> , Toyokuni S, Tsurumi T.	The human cytomegalovirus gene products essential for late viral gene expression assemble into prereplication complexes before viral DNA replication.	<i>J Virol.</i>	85(13)	6629-6644	2011
Noda C, Murata T, <u>Kanda T</u> , Yoshiyama H, Sugimoto A, Kawashima D, Saito S, Isomura H, Tsurumi T.	Identification and Characterization of CCAAT Enhancer-binding Protein (C/EBP) as a Transcriptional Activator for Epstein-Barr virus Oncogene Latent Membrane Protein 1.	<i>J Biol Chem.</i>	286(25)	42524-42533	2011
Murata T, Noda C, Saito S, Kawashima D, Sugimoto A, Isomura H, <u>Kanda T</u> , Yokoyama KK, Tsurumi T.	Involvement of Jun dimerization protein 2 (JDP2) in the maintenance of Epstein-Barr virus latency.	<i>J Biol Chem.</i>	286(25)	22007-22016	2011
Sugimoto A, <u>Kanda T</u> , Yamashita Y, Murata T, Saito S, Kawashima D, Isomura H, Nishiyama Y, Tsurumi T.	Spatiotemporally different DNA repair systems participate in Epstein-Barr virus genome maturation.	<i>J Virol.</i>	85(13)	6127-6135	2011
<u>Kanda T</u> , Shibata S, Saito S, Murata T, Isomura H, Yoshiyama H, Takada K, Tsurumi T.	Unexpected Instability of Family of Repeats (FR), the Critical cis-Acting Sequence Required for EBV Latent Infection, in EBV-BAC Systems.	<i>PLoS One</i>	6(11)	e27758	2011
Hirose T, Torikai H, Yanagisawa M, Kamei M, Imahashi N, <u>Demachi-Okamura A</u> , Tanimoto M, Shiraishi K, Ito M, Shibata K, Kikkawa F, Miyamura K, Morishima	Mismatched HLA class II-restricted CD8 <sup>+</sup> cytotoxic T cells may serve selective GVL effects following allogeneic hematopoietic cell transplantation.	<i>Cancer Sci.</i>	102(7)	1281-1286	2011

Y, Takahashi, T, Emi N, <u>Kuzushima K</u> , <u>Akatsuka Y</u> .					
Yamahira A, Narita M, Nakamura T, Watanabe N, Kaji M, Taniguchi T, Hashimoto S, Furukawa T, Toba K, Aizawa Y, <u>Kuzushima K</u> , Takahashi M.	Generation of antigen-specific cytotoxic T lymphocytes using a leukemic plasmacytoid dendritic cell line as antigen presenting cells.	<i>Leuk Res.</i>	35(6)	793-799	2011
Kitawaki T, Kadowaki N, Fukunaga K, Kasai Y, Maekawa T, Ohmori K, Kondo T, Maekawa R, Takahara M, Nieda M, <u>Kuzushima K</u> , Ishikawa T, Uchiyama T.	A phase I/IIa clinical trial of immunotherapy for elderly patients with acute myeloid leukemia using dendritic cells co-pulsed with WT1 peptide and zoledronate.	<i>Brit J Haematol.</i>	153(6)	796-799	2011
Kitawaki T, Kadowaki N, Fukunaga K, Kasai Y, Maekawa T, Ohmori K, Itoh T, Shimizu A, <u>Kuzushima K</u> , Kondo T, Ishikawa T, Uchiyama T.	Cross-priming of CD8(+) T cells in vivo by dendritic cells pulsed with autologous apoptotic leukemic cells in immunotherapy for elderly patients with acute myeloid leukemia.	<i>Exp Hematol.</i>	39(4)	424-433	2011
Hoshino Y, Nishikawa K, <u>Kuzushima K</u> , Kimura H.	Kinetics of Epstein-Barr virus load and virus-specific CD8+T cells in acute infectious mononucleosis.	<i>J Clin Virol.</i>	50(3)	244-246	2011
An J, Fujiwara H, Suemori K, Niiya T, Azuma T, Tanimoto K, Ochi T, <u>Akatsuka Y</u> , Mineno J, Ozawa H, Ishikawa F, <u>Kuzushima K</u> , Yasukawa M.	Activation of T-cell receptor signaling in peripheral T-cell lymphoma cells plays an important role in the development of lymphoma-associated hemophagocytosis.	<i>Int J Hematol.</i>	93(2)	176-185	2011
Sato Y, Shirata N, Murata T, Nakasu S, Kudoh A, Iwahori S, Nakayama S, Chiba S, Isomura H, <u>Kanda T</u> , and Tsurumi T.	Transient Increases in p53-responsible Gene Expression at Early Stages of Epstein-Barr Virus Productive Replication.	<i>Cell Cycle</i>	9(4)	807-814	2010
Murata T, Hotta N, Toyama S, Nakayama S, Chiba S, Isomura H, Ohshima T, <u>Kanda T</u> , Tsurumi T.	Transcriptional repression by sumoylation of Epstein-Barr virus BZLF1 pro-tein correlates with association of histone deacetylase.	<i>J Biol Chem.</i>	285(31)	23925-23935	2010
Isomura H, Stinski MF, Murata T, Nakayama S, Chiba S, <u>Akatsuka Y</u> , <u>Kanda T</u> , Tsurumi T.	The human cytomegalovirus UL76 gene regulates the level of expression of the UL77 gene.	<i>PLoS One</i>	5(7)	e11901	2010
Nakayama S, Murata T, Yasui Y, Murayama K, Isomura H, <u>Kanda T</u> , Tsurumi T.	Tetrameric ring formation of Epstein-Barr virus polymerase processivity factor for viral replication.	<i>J Virol.</i>	84(24)	12589-12598	2010