

. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

雑誌

| 発表者氏名   | 論文タイトル名  | 発表誌名                          | 巻号                  | ページ       | 出版年  |
|---|--|-------------------------------|---------------------|-----------|------|
| Minami K, <u>Uezono Y.</u>  | The recent progress in research on the effects of anesthetics and analgesics on G protein-coupled receptors.   | J Anesthesia                  | 27 (2)              | 284-292   | 2013 |
| Yanagihara K, Takigahira M, Miura K, Kubo T, Morimoto C, Morita Y, Terawaki K, <u>Uezono Y.</u>   | Inhibitory effects of isoflavones on tumor growth and cachexia in newly established cachectic mouse models carrying human stomach cancers.   | Nutr Cancer                   | 65 (4)              | 578-589   | 2013 |
| Narita M, Imai S, Nakamura A, Ozeki A, Asato M, Rahmadi M, Sudo Y, Hojo M, <u>Uezono Y.</u> , Devi LA, Kuzumaki N, Suzuki T.  | Possible involvement of prolonging spinal $\mu$ -opioid receptor desensitization in the development of antihyperalgesic tolerance to $\mu$ -opioids under a neuropathic pain-like state.                               | Addict Biol                   | 18 (4)              | 614-622   | 2013 |
| <u>上園保仁</u> .   | 日本の「統合医療」のゆくえー『厚生労働省「統合医療」のあり方に関する検討会』による今後の指針は? - .   | がん患者と対症療法                     | 24 (1)              | 74-82     | 2013 |
| <u>上園保仁</u> .   | モデル動物からみたcachexia (悪液質) .  | 栄養-評価と治療                      | 30 (4)              | 272-274   | 2013 |
| Motoyama N, Morita K, Kitayama T, Shiraishi S, <u>Uezono Y.</u> , Nishimura F, Kanamatsu T, Dohi T.   | Pain-releasing action of platelet-activating factor (PAF) antagonists in neuropathic pain animal models and the mechanisms of action.  | Eur J Pain                    | 17 (8)              | 1156-1167 | 2013 |
| <u>上園保仁</u> .   | がん患者の生活の質の向上をめざすがん疼痛およびがん悪液質症状改善のための研究-がん患者へ届ける基礎から臨床へのトランスレーショナルリサーチ-   | がん患者と対症療法                     | 24 (2)              | 158-164   | 2013 |
| Terawaki K, Sawada Y, Kashiwase Y, Hashimoto H, Yoshimura M, Suzuki M, Miyano K, Sudo Y, Shiraishi S, <u>Higami Y.</u> , Yanagihara K, Kase Y, Ueta Y, <u>Uezono Y.</u> | Novel cancer cachexia model by peritoneal dissemination-derived cell line established from human stomach cancer cell.  | Am J Physiol Endocrinol Metab | 306 (4)             | E373-E387 | 2014 |
| Okura D, Horishita T, Ueno S, Yanagihara N, Sudo Y, <u>Uezono Y.</u> , Sata T.  | The endocannabinoid anandamide inhibits voltage-gated sodium channels Nav1.2, Nav1.6, Nav1.7 and Nav1.8 in <i>Xenopus</i> Oocytes.   | Anesth Analg                  | 118 (3)             | 554-562   | 2014 |
| Morita K, Shiraishi S, Motoyama N, Kitayama T, Kanematsu T, <u>Uezono Y.</u> , Dohi T.  | Palliation of bone cancer pain by antagonists of platelet-activating factor receptors.   | PLOS ONE                      | 9 (3)               | e91746    | 2014 |
| Fujii H, Hayashida K, Saitoh A, Yokoyama A, Hirayama S, Iwa T, Nakata E, Sudo Y, <u>Uezono Y.</u> , Yamada M, Nagase H.   | Novel delta opioid receptor agonists with oxazatricyclodecane structure.   | ACS Med Chem Lett             | 5                   | 368-372   | 2014 |
| Horishita T, Yanagihara N, Ueno S, Sudo Y, <u>Uezono Y.</u> , Okura D, Minami T, Kawasaki T, Sata T.  | Neurosteroids allopregnanolone sulfate and pregnanolone sulfate have diverse effect on the $\alpha$ subunit of the neuronal voltage-gated sodium channels NaV1.2, NaV1.6, NaV1.7 and NaV1.8 in <i>Xenopus</i> Oocytes. | Anesthesiology                | epub ahead of print |           | 2014 |

|   |   |  |                     |           |      |
|---|---|--|---------------------|-----------|------|
| Suzuki H, Asakawa A, Amitani H, Fujitsuka N, Nakamura N, <u>Inui A.</u>   | Cancer cachexia pathophysiology and translational aspect of herbal medicine.  | Jpn J Clin Oncol                       | 43 (7)              | 695-705   | 2013 |
| Suzuki H, Asakawa A, Amitani H, Nakamura N, <u>Inui A.</u>  | Cancer cachexia--pathophysiology and management.  | J Gastroenterol                        | 48 (5)              | 574-594   | 2013 |
| Amitani M, Asakawa A, Amitani H, <u>Inui A.</u>   | Control of food intake and muscle wasting in cachexia.  | Int J Biochem Cell Biol                | 45 (10)             | 2179-2185 | 2013 |
| 鈴木甫, 浅川明弘, 網谷東方, 乾明夫.   | Cachexiaの診断、病態と治療.  | 栄養-評価と治療                               | 30 (4)              | 268-271   | 2013 |
| 網谷真理恵, 網谷東方, 浅川明弘, 乾明夫.   | Cachexiaの新しい治療.   | 栄養-評価と治療                               | 30 (4)              | 293-297   | 2013 |
| 米田孝一, 浅川明弘, 乾明夫.  | 緩和ケアチームからみたcachexiaへのアプローチ.   | 栄養-評価と治療                               | 30 (4)              | 298-300   | 2013 |
| Yoshimura M, Matsuura T, Ohkubo J, Ohno M, Maruyama T, Ishikura T, Hashimoto H, Kakuma T, Yoshimatsu H, Terawaki K, <u>Uezono Y</u> , Ueta Y.   | The gene expression of the hypothalamic feeding-regulating peptides in cisplatin-induced anorexic rats.   | Peptides                               | 46                  | 13-19     | 2013 |
| Yoshimura M, Ohkubo J, Katoh A, Ohno M, Ishikura T, Kakuma T, Yoshimatsu H, Murphy D, Ueta Y.   | A c-fos-monomeric red fluorescent protein 1 fusion transgene is differentially expressed in rat forebrain and brainstem after chronic dehydration and rehydration.  | J Neuroendocrinol                      | 25 (5)              | 478-487   | 2013 |
| Yoshimura M, Hagimoto M, Matsuura T, Ohkubo J, Ohno M, Maruyama T, Ishikura T, Hashimoto H, Kakuma T, Yoshimatsu H, Terawaki K, <u>Uezono Y</u> , Toyohira Y, Yanagihara N, <u>Ueta Y</u> . | Effects of food deprivation on the hypothalamic feeding-regulating peptides gene expression in serotonin depleted rats.   | J Physiol Sci                          | 64 (2)              | 97-104    | 2014 |
| Yoshimura M, Matsuura T, Ohkubo J, Maruyama T, Ishikura T, Hashimoto H, Kakuma T, Mori M, Ueta Y.   | A role of nesfatin-1/NucB2 in dehydration-induced anorexia.   | Am J Physiol Regul Integr Comp Physiol | epub ahead of print |           | 2014 |
| Horiuchi K, Okamoto T, Iihara M, <u>Tsukada T.</u>  | An analysis of genotype- phenotype correlations and survival outcomes in patients with primary hyperparathyroidism caused by multiple endocrine neoplasia type 1: the experience at a single institution. | Surg Today                             | 43 (8)              | 894-899   | 2013 |
| Ataka K, Asakawa A, Nagaishi K, Kaimoto K, Sawada A, Hayakawa Y, Tatezawa R, <u>Inui A</u> , <u>Fujimiya M.</u>   | Bone marrow-derived microglia infiltrate into the paraventricular nucleus of chronic psychological stress-loaded mice.  | PLoS One                               | 8 (11)              | e81744    | 2013 |
| Chiba H, Ataka K, Iba K, Nagaishi K, Yamashita T, <u>Fujimiya M.</u>  | Diabetes impairs the interactions between long-term hematopoietic stem cells and osteopontin-positive cells in the endosteal niche of mouse bone marrow.  | Am J Physiol Cell Physiol              | 305 (7)             | C693-C703 | 2013 |
| Nagaishi K, Ataka K, Echizen E, Arimura Y, <u>Fujimiya M.</u>   | Mesenchymal stem cell therapy ameliorates diabetic hepatocyte damage in mice by inhibiting infiltration of bone marrow-derived cells.   | Hepatology                             | 59 (5)              | 1816-1829 | 2014 |

|  |  |   |          |           |      |
|--|--|---|----------|-----------|------|
| Matsuo T, Miyata Y, Sagara Y, <u>Higami Y</u> , Tobe S, Matsuo M, Noguchi M, Shimokawa I, Kanetake H, Sakai H.   | Renoprotective effects of telmisartan after unilateral renal ablation in rats.   | Int J Nephrol Renovasc Dis              | 6        | 207-214   | 2013 |
| Okita N, Yoshimura M, Watanabe K, Minato S, Kudo Y, <u>Higami Y</u> , Tanuma S.  | CHK1 cleavage in programmed cell death is intricately regulated by both caspase and non-caspase family proteases.  | Biochim Biophys Acta                    | 1830 (1) | 2204-2213 | 2013 |
| Chujo Y, Fujii N, Okita N, Konishi T, Narita T, Yamada A, Haruyama Y, Tashiro K, Chiba T, Shimokawa I, <u>Higami Y</u> .   | Caloric restriction- associated remodeling of rat white adipose tissue: effects on the growth hormone/insulin-like growth factor-1 axis, sterol regulatory element binding protein-1, and macrophage infiltration. | Age (Dordr)                             | 35 (4)   | 1143-1156 | 2013 |
| 土屋拓郎, 沖田直之, 須藤結香, 樋上賀一.  | カロリー制限が白色脂肪組織における脂肪酸合成に及ぼす影響の経時的解析.  | 基礎老化研究                                  | 37 (3)   | 29-31     | 2013 |
| 須藤結香, 沖田直之, <u>樋上賀一</u> .  | カロリー制限による抗老化・寿命延伸効果のメカニズム～脂肪組織のリモデリングと脂質代謝の活性化～.   | 自律神経                                    | 50 (3)   | 192-195   | 2013 |
| Okita N, Ishikawa N, Mizuno E, Oku M, Nagai W, Suzuki Y, Matsushima S, Mikami K, Okado H, Sasaki T, <u>Higami Y</u> .  | Inhibitory effect of p53 on mitochondrial content and function during adipogenesis.  | Biochem Biophys Res Commun              | 446 (1)  | 91-97     | 2014 |
| Kono T, Kaneko A, Omiya Y, Ohbuchiki K, Ohno N, Yamamoto M.  | Epithelial transient receptor potential ankyrin 1 (TRPA1)-dependent adrenomedullin up-regulates blood flow in rat small intestine.   | Am J Physiol Gastrointest Liver Physiol | 304 (4)  | 428-436   | 2013 |
| Kono T, Hata T, Morita S, Munemoto Y, Matsui T, Kojima H, Takemoto H, Fukunaga M, Nagata N, Shimada M, Sakamoto J, Mishima H.  | Goshajinkigan Oxaliplatin Neurotoxicity Evaluation (GONE): a phase 2, multicenter, randomized, double-blind, placebo-controlled trial of goshajinkigan to prevent oxaliplatin-induced neuropathy.                  | Cancer Chemo Pharm                      | 72 (6)   | 1283-1290 | 2013 |
| Munekage M, Ichikawa K, Kitagawa H, Uehara H, Watanabe J, <u>Kono T</u> , Hanazaki K.  | Population pharmacokinetic analysis of daikenchuto, a traditional Japanese medicine (kampo) in Japanese and US health volunteers.  | Drug Metab Dispos                       | 41 (6)   | 1256-1263 | 2013 |
| Sakatani A., Fujiya M, Ito T, Inaba Y, Ueno N, Kashima S, Tominaga M, Moriichi K, Okamoto K, Tanabe H, Ikuta K, Ohtake T, <u>Kono T</u> , Furukawa H, Ashida T, Kohgo Y. | Infliximab extends the duration until the first surgery in patients with Crohn's disease.  | BioMed Res Int                          | 2013     |           | 2013 |
| 河野透, 武田宏司, 上園保仁, 島田光生.   | 消化器外科と漢方.  | 消化器外科                                   | 36 (9)   | 1299-1305 | 2013 |
| 河野透, 武田宏司, 上園保仁.   | 外科医のためのKampo EBM UP-TO DATE 抗癌剤の副作用と漢方薬.   | 日本外科学会雑誌                                | 114 (5)  | 251-255   | 2013 |
| 前田耕太郎, 勝野秀穂, 河野透   | 外科医のためのKampo EBM UP-TO DATE 周術期における大建中湯の有用性と作用メカニズム  | 日本外科学会雑誌                                | 114 (5)  | 232-235   | 2013 |
| 河野透, 上園保仁, 武田宏司, 笠井章次, 佐藤宏彦, 島田光生  | オキサリプラチンによるしびれ-牛車腎気丸   | 臨床外科                                    | 68 (12)  | 1319-1323 | 2013 |
| Mizuno K, <u>Kono T</u> , Suzuki Y, Miyagi C, Omiya Y, Miyano K, Kase Y, <u>Uezono Y</u> .   | Goshajinkigan, a traditional Japanese medicine, prevents oxaliplatin-induced acute peripheral neuropathy by suppressing functional alteration of TRP channels in rat.  | J Pharmacol Sci                         | 125      | 91-98     | 2014 |

|  |   |                            |                     |           |      |
|--|---|----------------------------|---------------------|-----------|------|
| Aoyama T, Nishikawa K, Takiguchi N, Tanabe K, Imano M, Fukushima R, Sakamoto J, Oba MS, Morita S, <u>Kono T</u> , Tsuburaya A.                             | Double-blind, placebo-controlled, randomized phase II study of TJ-14 (hangeshashinto) for gastric cancer chemotherapy-induced oral mucositis.   | Cancer Chemother Pharmacol | 73 (5)              | 1047-1054 | 2014 |
| Watanabe K, Karasaki H, Mizukami Y, Kawamoto T, <u>Kono T</u> , Imai K, Einama T, Taniguchi M, Kohgo Y, Furukawa H.  | Cyst infection of intraductal papillary mucinous neoplasms of the pancreas: management of a rare complication: report of 2 cases.   | Pancreas                   | 43 (3)              | 478-481   | 2014 |
| Kaneko A, <u>Kono T</u> , Miura N, Tsuchiya N, Yamamoto M.   | Preventive effect of TU-100 on a type-2 model of colitis in mice: Possible involvement of enhancing adrenomedullin in intestinal epithelial cells.  | Gastroenterol Res Pract    | 2013                | 384057    | 2013 |
| <u>Kono T</u> , Takeda H, Shimada M, Kase Y, Uezono Y.   | Novel therapeutics for adverse effects of antitumor therapy: the promise of multicomponent, traditional Japanese herbal remedies.   | J Carcinog Mutagen         | epub ahead of print |           | 2014 |
| <u>Kono T</u> , Kaneko A, Matsumoto C, Miyagi C, Ohbuchi K, Mizuhara Y, Miyano K, Uezono Y.  | Multitargeted effects of hangeshashinto for treatment of chemotherapy-induced oral mucositis on inducible prostaglandin E2 production in human oral keratinocytes.  | Integr Cancer Ther         | epub ahead of print |           | 2014 |
| Shimada M, Morine Y, Nagano H, Hatano E, Kaiho T, Miyazaki M, <u>Kono T</u> , Kamiyama T, Morita S, Sakamoto J, Kusano M, Saji S, Kanematsu T, Kitajima M. | Effect of TU-100, a traditional Japanese medicine, administered after hepatic resection in patients with liver cancer: a multi-center, randomized, double-blind, placebo-controlled phase II trial (JFMC40-1001). | Int J Clin Oncol           | epub ahead of print |           | 2014 |
| Ueno N, Hasebe T, Kaneko A, Yamamoto M, Fujiya M, Kohgo Y, <u>Kono T</u> , Wang CZ, Yuan CS, Bissonnette M, Chang EB, Musch MW.                            | TU-100 (daikenchuto) and ginger ameliorate anti-CD3 antibody induced T cell-mediated murine enteritis: microbe-independent effects involving Akt and NF-κB suppression.   | PLoS ONE                   | epub ahead of print |           | 2014 |
| Nahata M, Muto S, Nakagawa K, <u>Ohnishi S</u> , Sadakane C, Saegusa Y, Iizuka S, Hattori T, Asaka M, Takeda H.  | Serotonin 2C receptor antagonism ameliorates novelty-induced hypophagia in aged mice.   | Psychoneuro-endocrinology  | 38 (10)             | 2051-2064 | 2013 |
| Yamada C, Saegusa Y, Nakagawa K, <u>Ohnishi S</u> , Muto S, Nahata M, Sadakane C, Hattori T, Sakamoto N, Takeda H.   | Rikkunshito, a Japanese Kampo medicine, ameliorates decreased feeding behavior via ghrelin and serotonin 2B receptor signaling in a novelty stress murine model.  | BioMed Res Int             | 2013                | 792940    | 2013 |
| Takeda H, Nakagawa K, Okubo N, Nishimura M, Muto S, <u>Ohnishi S</u> , Sakamoto N, Hosono H, Asaka M.  | Pathophysiologic basis of anorexia: focus on the interaction between ghrelin dynamics and the serotonergic system.  | Biol Pharm Bull            | 36 (9)              | 1401-1405 | 2013 |
| 武田宏司, 武藤修一, 大西俊介, 河野透.   | 抗癌剤に伴うcachexiaとその治療.  | 栄養-評価と治療                   | 30 (4)              | 283-286   | 2013 |

|  |  |                       |         |         |      |
|--|--|-----------------------|---------|---------|------|
| Kato T, Watari H, Takeda M, Hosaka M, Mitamura T, Kobayashi N, Sudo S, Kaneuchi M, Kudo M, <u>Sakuragi N.</u>                        | Multivariate prognostic analysis on the patients with adenocarcinoma of the uterine cervix treated with radical hysterectomy and systematic lymphadenectomy. | J Gynecol Oncol       | 24 (3)  | 222-228 | 2013 |
| Dong P, Kaneuchi M, Konno Y, Watari H, Sudo S, <u>Sakuragi N.</u>  | Emerging therapeutic biomarkers in endometrial cancer.   | Biomed Res Int        | 2013    | 130362  | 2013 |
| Mitamura T, Watari H, Wang L, Kanno H, Hassan MK, Miyazaki M, Katoh Y, Kimura T, Tanino M, Nishihara H, Tanaka S, <u>Sakuragi N.</u> | Downregulation of miRNA-31 induces taxane resistance in ovarian cancer cells through increase of receptor tyrosine kinase MET.                               | Oncogenesis           | 25 (2)  | e40     | 2013 |
| Todo Y, Watari H, Okamoto K, Hareyama H, Minobe S, Kato H, <u>Sakuragi N.</u>  | Tumor volume successively reflects the state of disease progression in endometrial cancer.   | Gynecol Oncol         | 129 (3) | 472-477 | 2013 |
| <u>Sakuragi N.</u>   | Recent advances in research on epigenetic alterations and clinical significance of para-aortic lymphadenectomy in endometrial cancer: an introduction.       | Int J Clin Oncol      | 18 (2)  | 183-185 | 2013 |
| Watari H, Todo Y, Kang S, Odagiri T, <u>Sakuragi N.</u>  | Proposal of a concept and design of a randomized phase III trial investigating the survival effect of para-aortic lymphadenectomy in endometrial cancer.     | J Obstet Gynaecol Res | 40 (2)  | 312-316 | 2014 |
| Todo Y, Watari H, Kang S, <u>Sakuragi N.</u>   | Tailoring lymphadenectomy according to the risk of lymph node metastasis in endometrial cancer.  | J Obstet Gynaecol Res | 40 (2)  | 317-321 | 2014 |
| Dong P, Kaneuchi M, Watari H, Sudo S, <u>Sakuragi N.</u>   | MicroRNA-106b modulates epithelial-mesenchymal transition by targeting TWIST1 in invasive endometrial cancer cell lines.                                     | Mol Carcinog          | 53 (5)  | 349-359 | 2014 |