

研究成果の刊行に関する一覧表

書籍（外国語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Fujimori M, Uchitomi Y, et al	Chapter 26 Communication between cancer patients and oncologists in Japan.	Surbone A, Zwitter M, Rajer M, Stiefel R	New Challenges in Communication with Cancer Patients.	Springer	New York	2013	301-316
Okamura H	Psychosocial care for patients with colorectal cancer	Khan JS	Colorectal Cancer - Surgery, Diagnostics and Treatment	InTech	Croatia		in press

書籍（日本語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
浅井真理子	死別における意味再構築	内富庸介, 大西秀樹, 藤澤大介 (監訳)	がん患者心理療法ハンドブック	医学書院	東京	2013	403-420
		竹中文良/内富庸介 (監訳)	がん患者・家族のためのウェルネスガイド-がんと診断されてもあなたらしく生きるために-	パレード	大阪	2013	
明智龍男	がん患者の抑うつの評価と治療		NAGOYA MEDICAL JOURNAL		名古屋	2013	51-55
明智龍男	一般身体疾患による気分障害	山口徹, 北原光夫, 福井次矢 (編)	今日の治療指針	医学書院	東京	2013	868
明智龍男	精神症状マネジメント概論	日本緩和医療薬学会 (編)	緩和医療薬学	南江堂	東京	2013	79
小川朝生	癌患者の心理的反応・サイコオンコロジー	小川修, 岡田裕作, 荒井陽一, 寺地敏郎, 松田公志, 笥善行, 羽淵友則	ベッドサイド泌尿器科学改定第4版	南江堂	東京	2013	617-620
小川朝生	意識障害(せん妄)	日本緩和医療薬学会	緩和医療薬学	南江堂	東京	2013	80-81
小川朝生	がん領域における抑うつの現状と対応	村松公美子, 伊藤弘人	身体疾患患者 精神的支援ストラテジー	NOVA 出版	東京	2013	23-27

小川朝生	入院患者の不眠に注意	小川修, 谷口充孝	内科医のための不眠診療はじめの一步	羊土社	東京	2013	27-32
小川朝生	せん妄を発症する疑いがある場合	小川修, 谷口充孝	内科医のための不眠診療はじめの一步	羊土社	東京	2013	156-157
小川朝生	せん妄になってしまった場合	小川修, 谷口充孝	内科医のための不眠診療はじめの一步	羊土社	東京	2013	158-160
三木恵美, 岡村仁 (監訳)			がんと緩和ケアの作業療法	三輪書店	東京	2013	
岡村仁	精神医学概説	奈良 勲, 富樫誠二, 仙波浩幸, 山本大誠	心理・精神領域の理学療法	医歯薬出版株式会社	東京	2013	14-17
岡村仁	精神症状	島崎寛将, 倉都滋之, 山崎圭一, 江藤美和子	緩和ケアが主体となる時期のがんのリハビリテーション	中山書店	東京	2013	42-47
岡村仁	生下時体重が重いと乳癌発症リスクが高いのか	日本乳癌学会	科学的根拠に基づく乳癌診療ガイドライン 疫学・診断編 2013年版	金原出版株式会社	東京	2013	28-29
岡村仁	夜間勤務は乳癌発症リスクを増加させるか	日本乳癌学会	科学的根拠に基づく乳癌診療ガイドライン 疫学・診断編 2013年版	金原出版株式会社	東京	2013	44-46
岡村仁	電磁波は乳癌発症リスクを増加させるか	日本乳癌学会	科学的根拠に基づく乳癌診療ガイドライン 疫学・診断編 2013年版	金原出版株式会社	東京	2013	47-49
岡村仁	乳癌発症リスクに関連する心理社会的要因はあるか	日本乳癌学会	科学的根拠に基づく乳癌診療ガイドライン 疫学・診断編 2013年版	金原出版株式会社	東京	2013	50-52
岡村仁	心理社会的介入は乳癌患者に有用か	日本乳癌学会	科学的根拠に基づく乳癌診療ガイドライン 疫学・診断編 2013年版	金原出版株式会社	東京	2013	132-134
村上好恵, 岡村仁 (訳)	遺伝性腫瘍外来における心理療法	内富庸介, 大西秀樹, 藤澤大介 (監訳)	がん患者心理療法ハンドブック	医学書院	東京	2013	329-347

大西秀樹, 他	悪性腫瘍と心の関係	宮岡等	脳と心のプライマリケア	シナジー	東京	2013	250 - 264
大西秀樹, 他	せん妄がおこったら	平原左斗司, 茅根義和	チャレンジ在宅がん緩和ケア	南山堂	東京	2013	119-127
宮下光令(編集), 森田達也(医学監修), 他	ナーシング・グラフィカ成人看護学	宮下光令(編集), 森田達也(医学監修), 他	緩和ケア	メディカ出版	大阪	2013	
日本緩和医療学会 緩和医療ガイドライン作成委員会, 森田達也		日本緩和医療学会 緩和医療ガイドライン作成委員会	終末期がん患者の輸液療法に関するガイドライン 2013年版	金原出版株式会社	東京	2013	
森田達也	緩和ケア普及のための地域プロジェクト (OPTIM-study.) から得られたものをどう生かすか	(財)日本ホスピス・緩和ケア研究振興財団「ホスピス緩和ケア白書」編集委員会	ホスピス緩和ケア白書2013	(財)日本ホスピス・緩和ケア研究振興財団	東京	2013	28-37
木澤義之, 森田達也, 他		木澤義之, 森田達也, 他	3ステップ実践緩和ケア	青海社	東京	2013	
日本アプライド・セラピューティクス学会, 森田達也		日本アプライド・セラピューティクス学会	2ページで理解する標準薬物治療ファイル	南江堂	東京	2013	

雑誌 (外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nakaya N, Uchitomi Y, et al	All-cause mortality among men whose cohabiting partner has been diagnosed with cancer.	Epidemiology	24(1)	96-99	2013
Asai M, Shimizu K, Ogawa A, Akechi T, Uchitomi Y, et al	Impaired mental health among the bereaved spouses of cancer patients.	Psychooncology	22(5)	995-1001	2013
Terada S, Uchitomi Y, et al	Person-centered care and quality of life of patients with dementia in long-term care facilities.	Psychiatry Res	205(1-2)	103-108	2013
Kishimoto Y, Uchitomi Y, et al	Abuse of people with cognitive impairment by family caregivers in Japan (a cross-sectional study).	Psychiatry Res	209(3)	699-704	2013
Inagaki M, Akechi T, Uchitomi Y, et al	Associations of interleukin-6 with vegetative but not affective depressive symptoms in terminally ill cancer patients.	Support Care Cancer	21(8)	2097-2106	2013

Nagao S, <u>Uchitomi Y</u> , et al	Progressive supranuclear palsy presenting as primary lateral sclerosis.	J Neurol Sci	329(1-2)	70-71	2013
Oshima E, <u>Uchitomi Y</u> , et al	Accelerated Tau Aggregation, Apoptosis and Neurological Dysfunction Caused by Chronic Oral Administration of Aluminum in a Mouse Model of Tauopathies.	Brain Pathol	23(6)	633-644	2013
Hayashi S, <u>Uchitomi Y</u> , et al	Burden of caregivers for patients with mild cognitive impairment in Japan.	Int Psychogeriatr	25(8)	1357-1363	2013
Shindo A, <u>Uchitomi Y</u> , et al	Trail making test part a and brain perfusion imaging in mild Alzheimer's disease.	Dement Geriatr Cogn Dis Extra	3(1)	202-211	2013
Kondo K, <u>Ogawa A</u> , <u>Uchitomi Y</u> , et al	Characteristics associated with empathic behavior in Japanese oncologists.	Patient Educ Couns	93(2)	350-353	2013
Terada S, <u>Uchitomi Y</u> , et al	Trail Making Test B and brain perfusion imaging in mild cognitive impairment and mild Alzheimer's disease.	Psychiatry Res	213(3)	249-255	2013
Fujimori M, <u>Uchitomi Y</u> , et al	Development and preliminary evaluation of communication skills training program for oncologists based on patient preferences for communicating bad news.	Palliative & Supportive Care	4	1-8	2013
Nagao S, <u>Uchitomi Y</u> , et al	Argyrophilic grain disease as a neurodegenerative substrate in late-onset schizophrenia and delusional disorders.	Eur Arch Psychiatry Clin Neurosci	Nov 23	Epub ahead of print	2013
Terada S, <u>Uchitomi Y</u> , et al	Depressive symptoms and regional cerebral blood flow in Alzheimer's disease.	Psychiatry Res	Nov 15	Epub	2013
<u>Akechi T</u> , et al	Assessing medical decision making capacity among cancer patients: Preliminary clinical experience of using a competency assessment instrument.	Palliat Support Care	21	1-5	2013
Fielding R, <u>Akechi T</u> , et al	Attributing Variance in Supportive Care Needs during Cancer: Culture-Service, and Individual Differences, before Clinical Factors.	PLOS ONE	8(5)	e65099	2013
Furukawa TA, <u>Akechi T</u> , et al	Cognitive-behavioral therapy modifies the naturalistic course of social anxiety disorder: Findings from an ABA design study in routine clinical practices.	Psychiatry Clin Neurosci	67(3)	139-147	2013
Kawaguchi A, <u>Akechi T</u> , et al	Group cognitive behavioral therapy for patients with generalized social anxiety disorder in Japan: outcomes at 1-year follow up and outcome predictors.	Neuropsychiatr Dis Treat	9	267-275	2013

Nakaguchi T, <u>Akechi T</u> , et al	Oncology nurses' recognition of supportive care needs and symptoms of their patients undergoing chemotherapy.	Jpn J Clin Oncol	43(4)	369-376	2013
Nakano Y, <u>Akechi T</u> , et al	Cognitive behavior therapy for psychological distress in patients with recurrent miscarriage.	Psychol Res Behav Manag	6	37-43	2013
<u>Shimizu K</u>	Effects of Integrated Psychosocial Care for Distress in Cancer Patients.	Jpn J Clin Oncol	43(5)	451-457	2013
Miki E, <u>Okamura H</u> , et al	Clinical usefulness of the Frontal Assessment Battery at bedside (FAB) for elderly cancer patients.	Support Care Cancer	21	857-862	2013
<u>Okamura H</u> , et al	Prevalence of dementia in Japan: a systematic review	Dement Geriatr Cogn Disord	36	111-118	2013
Yokoi T, <u>Okamura H</u>	Why do dementia patients become unable to lead a daily life with decreasing cognitive function?.	Dementia	12	551-568	2013
Endo K, <u>Okamura H</u> , et al	Dynamic exercise improves cognitive function in association with increased prefrontal oxygenation.	J Physiol Sci	63	287-298	2013
Uchimoto K, <u>Okamura H</u> , et al	Investigation of toilet activities in elderly with dementia from the viewpoint of motivation and self-awareness.	Am J Alzheimers Dis Other Demen	28	459-468	2013
Nakajima N, <u>Onishi H</u> , et al	The Evaluation of the Relationship Between the Level of Disclosure of Cancer in Terminally Ill Patients With Cancer and the Quality of Terminal Care in These Patients and Their Families Using the Support Team Assessment Schedule.	Am J Hosp Palliat Care	30	370-376	2013
Miyashita M, <u>Onishi H</u> , et al	Care Evaluation Scale-Patient version: Measuring the quality of the structure and process of palliative care from the patient's perspective.	J Pain Symptom Manage			In press
Komura K, <u>Morita T</u> , et al	Patient-perceived usefulness and practical obstacles of patient-held records for cancer patients in Japan: OPTIM study.	Palliat Med	27(2)	179-184	2013
Otani H, <u>Morita T</u> , et al	Usefulness of the leaflet-based intervention for family members of terminally ill cancer patients with delirium.	J Palliat Med	16(4)	419-422	2013
Shirado A, <u>Morita T</u> , et al	Both maintaining hope and preparing for death: Effects of physicians' and nurses' behaviors from bereaved family members' perspectives.	J Pain Symptom Manage	45(5)	848-858	2013

Morita T, et al	Palliative care in Japan: a review focusing on care delivery system.	Curr Opin Support Palliat Care	7(2)	207-215	2013
Morita T, et al	Effects of a programme of interventions on regional comprehensive palliative care for patients with cancer: a mixed-methods study.	Lancet Oncol	14(7)	638-646	2013
Kunieda K, Morita T, et al	Reliability and validity of a tool to measure the severity of dysphagia: The food intake LEVEL scale.	J Pain Symptom Manage	46(2)	201-206	2013
Kizawa Y, Morita T, et al	Specialized palliative care services in Japan: a nationwide survey of resources and utilization by patients with cancer.	Am J Hosp Palliat Care	30(6)	552-555	2013
Yamaguchi T, Morita T, et al	Clinical guideline for pharmacological management of cancer pain: the Japanese society of palliative medicine recommendations	Jpn J Clin Oncol	43(9)	896-909	2013
Kanbayashi Y, Morita T, et al	Predictive factors for agitation severity of hyperactive delirium in terminally ill cancer patients in a general hospital using ordered logistic regression analysis.	J Palliat Med	16(9)	1020-1025	2013
Yoshida S, Morita T, et al	Practices and evaluations of prognostic disclosure for Japanese cancer patients and their families from the family's point of view.	Palliat Support Care	11(5)	383-388	2013
Imai K, Morita T, et al	Sublingually administered scopolamine for nausea in terminally ill cancer patients.	Support Care Cancer	21(10)	2777-2781	2013
Yamamoto R, Morita T, et al	The palliative care knowledge questionnaire for PEACE: Reliability and validity of an instrument to measure palliative care knowledge among physicians.	J Palliat Med	16(11)	1423-1428	2013
Amano K, Morita T, et al	Effect of nutritional support on terminally ill patients with cancer in a palliative care unit.	Am J Hosp Palliat Care	30(7)	730-733	2013
Morita T, et al	Exploring the perceived changes and the reasons why expected outcomes were not obtained in individual levels in a successful regional palliative care intervention trial: an analysis for interpretations.	Support Care Cancer	21(12)	3393-3402	2013
Igarashi A, Morita T, et al	A population-based survey on perceptions of opioid treatment and palliative care units: OPTIM Study.	Am J Hosp Palliat Care	Mar 15	[epub ahead of print]	2013

Amano K, <u>Morita T</u> , et al	The determinants of patients in a palliative care unit being discharged home in Japan.	Am J Hosp Palliat Care	Apr 2	[epub ahead of print]	2013
Otani H, <u>Morita T</u> , et al	Effect of leaflet-based intervention on family members of terminally ill patients with cancer having delirium: Historical control study.	Am J Hosp Palliat Care	Apr 23	[epub ahead of print]	2013
Muta R, <u>Morita T</u> , et al	What bereavement follow-up does family members request in Japanese palliative care units?: A qualitative study.	Am J Hosp Palliat Care	May 16	[epub ahead of print]	2013
Ando M, <u>Morita T</u> , et al	A pilot study of adaptation of the transtheoretical model to narratives of bereaved family members in the bereavement life review.	Am J Hosp Palliat Care	May 20	[epub ahead of print]	2013
Sasahara T, <u>Morita T</u> , et al	Assessment of reasons for referral and activities of hospital palliative care teams using a standard format: A multicenter 1000 case description.	J Pain Symptom Manage	Aug 21	[epub ahead of print]	2013
Imura C, <u>Morita T</u> , et al	How and why did a regional palliative care program lead to changes in region? A qualitative analysis of the Japan OPTIM Study.	J Pain Symptom Manage	Aug 24	[epub ahead of print]	2013
Ise Y, <u>Morita T</u> , et al	The activity of palliative care team pharmacists in designated cancer hospitals: A nationwide survey in Japan.	J Pain Symptom Manage	Sep 6	[epub ahead of print]	2013
Yamaguchi T, <u>Morita T</u> , et al	Pneumocystic pneumonia in patients treated with long-term steroid therapy for symptom palliation: A neglected infection in palliative care.	Am J Hosp Palliat Care	Sep 30	[epub ahead of print]	2013
Shimizu Y, <u>Morita T</u> , et al	Care strategy for death rattle in terminally ill cancer patients and their family members: Recommendations from a cross-sectional nationwide survey of bereaved family members' perceptions.	J Pain Symptom Manage	Oct 22	[epub ahead of print]	2013
<u>Nakaya N</u> , et al	The association between self-reported history of physical diseases and psychological distress in a community-dwelling Japanese population: the Ohsaki Cohort 2006 Study.	Eur J Publ Health			In press

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
内富庸介	がん患者の抑うつ対策 医療者が積極的に抑うつ症状を聞くことが重要	Clinic magazine	524	18-21	2013
井上真一郎, 内富庸介	せん妄の要因と予防	臨床精神医学	42(3)	289-297	2013
井上真一郎, 内富庸介	がん診断早期から行うべき緩和薬物療法の実際 - 精神的ストレスの観点から -	Mebio	30(7)	23-29	2013
井上真一郎, 内富庸介, 他	せん妄を見逃さないための注意点	精神科治療学	28(8)	1011-1017	2013
浅井真理子, 内富庸介, 他	配偶者をがんで亡くした遺族の対処行動パターン	心理学研究	84(5)	498-507	2013
伊藤嘉規, 明智龍男, 他	小児がん患者とその家族のこころのケア	精神科	23	288-292	2013
明智龍男	がんこころのケア-サイコオンコロジー	精神科	23	271-275	2013
明智龍男	せん妄の向精神薬による対症療法と処方計画	精神科治療学	28	1041-1047	2013
明智龍男	緩和医療とせん妄	臨床精神医学	42	307-312	2013
明智龍男	術後せん妄	消化器外科	36	1643-1646	2013
明智龍男	抑うつとがん	レジデントノート	15	2440-2443	2013
明智龍男, 森田達也	臨床で役立つサイコオンコロジーの最新エビデンス-特集にあたって	緩和ケア	23	191	2013
明智龍男	がん患者の自殺に関する最新データ.	緩和ケア	23	195	2013
明智龍男	希死念慮を有する患者のアセスメントとケア	緩和ケア	23	200	2013
清水研	ナショナルセンターとしてのあり方	総合病院精神医学	25(2)	151-155	2013
小川朝生	がん領域における精神疾患と緩和ケアチームの役割	PSYCHIATRIST	18	54-61	2013
小川朝生	一般病棟における精神的ケアの現状	看護技術	59(5)	422-426	2013
小川朝生	せん妄の予防-BPSDに対する薬物療法と非薬物療法-	緩和ケア	23(3)	196-199	2013
小川朝生	高齢がん患者のこころのケア	精神科	23(3)	283-287	2013
小川朝生	がん患者の終末期のせん妄	精神科治療学	28(9)	1157-1162	2013
小川朝生	がん領域における精神心理的ケアの連携	日本社会精神医学会雑誌	22(2)	123-130	2013
岡村仁	サイコオンコロジー総論	心身医学	53	386-391	2013
岡村仁	心のケアとリハビリテーション・コミュニケーションスキル	リハビリナース	6	375-379	2013
大西秀樹, 他	ホルモン療法開始とに身体症状が出現し治療中止となったstage 乳がん症例に対する精神腫瘍学的介入	精神科	22	126-160	2013
大西秀樹, 他	女性がん患者とこころ - 精神腫瘍医の立場から	Jp Soc Psychosom Obstet Gynecol	17	273-277	2013

大西秀樹, 他	精神疾患が関与したしびれ	レジデントノート	15	1982-16 86	2013
大西秀樹, 他	"アカシジア再考"	精神医学	55	924-925	2013
大西秀樹, 他	がん患者家族・遺族の心のケア	精神科	23	293-300	2013
大西秀樹, 他	精神腫瘍学における薬物療法	臨床雑誌「外科」	75	1426-14 30	2013
大西秀樹, 他	家族/遺族を支える	日本社会精神医学会雑誌	22	486-492	2013
森田達也	せん妄マネジメントの実際とケアの具体策 がんによる「せん妄」の原因と出現するメカニズム	がん患者ケア	6(3)	62-66	2013
森田達也	せん妄マネジメントの実際とケアの具体策 「せん妄」の薬物治療とケアの注意点	がん患者ケア	6(3)	67-72	2013
山内敏宏, 森田達也	EAPC (European Association of Palliative Care) 疼痛ガイドラインを読む. 第5回代替全身投与経路2突出痛に対するオピオイド	緩和ケア	23(1)	61-63	2013
森田達也	社会の力を最大化する「顔の見える関係」緩和ケアプログラムの地域介入研究 (OPTIM-study) を終えて	週刊医学界新聞	第3019号	4	2013
厨芽衣子, 森田達也	EAPC (European Association of Palliative Care) 疼痛ガイドラインを読む. 最終回 1オピオイドスイッチング, 2オピオイド力価	緩和ケア	23(2)	161-162	2013
佐藤一樹, 森田達也, 他	地域における緩和ケア(在宅緩和ケア) 緩和ケア普及のための地域プロジェクト(1)緩和ケア普及のための地域プロジェクトで使用した評価尺度	保健の科学	55(4)	230-235	2013
森田達也	地域における緩和ケア(在宅緩和ケア) 緩和ケア普及のための地域プロジェクト(2)地域プロジェクト(OPTIM-study)の効果	保健の科学	55(4)	236-241	2013
森田達也, 他	「緩和ケアに関する地域連携評価尺度」の開発	Palliat Care Res	8(1)	116-126	2013
森田達也, 他	がん患者のこころのケアと地域ネットワーク OPTIM-studyの知見から	精神科	23(3)	307-314	2013
森田達也	苦痛緩和のための鎮静	medicina	50(11 増刊号)	527-531	2013
森田達也, 他	患者・遺族の緩和ケアの質評価・quality of life, 医師・看護師の困難感と施設要因との関連	緩和ケア	23(6)	497-501	2013
中谷直樹	心理社会的要因とがん発症・生存に関する最新データ	緩和ケア	23(3)	217	2013