

.研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

**書籍**

| 著者氏名         | 論文タイトル名                                  | 書籍全体の<br>編集者名           | 書籍名   | 出版社名         | 出版地 | 出版年  | ページ         |
|--------------|--|-------------------------|---|--------------|-----|------|-------------|
| <u>木下貴之</u>  | 乳癌のサブタイプ分類と薬物療法                          | 木下貴之,<br>戸井雅和           | オンコロジークリニカルガイド<br>乳癌薬物療法                    | 南山堂          | 東京  | 2013 | 15-24       |
| <u>木下貴之</u>  | オンコロジークリニカルガイド<br>乳癌薬物療法                 | 木下貴之,<br>戸井雅和           | オンコロジークリニカルガイド<br>乳癌薬物療法                    | 南山堂          | 東京  | 2013 |             |
| <u>木下貴之</u>  | がん登録と診療の質の評価                             | 福田護, 池田正,<br>佐伯俊昭, 鹿間直人 | これからの乳癌<br>診療 2013-2014                     | 金原出版<br>株式会社 | 東京  | 2013 | 125<br>-133 |
| <u>木下貴之</u>  | 乳癌                                       | 泉孝英                     | 今日の診療のために<br>ガイドライン外来診療 2013                | 日経メディカル開発    | 東京  | 2013 | 584-6       |
| <u>木下貴之</u>  | 術前化学療法施行例の外科治療<br>乳房温存療法, センチネルリンパ節生検の実際 | 戸井雅和                    | 別冊 医学のあゆみ 乳癌診療<br>Update—最新診療コンセンサス<br>2012 | 医歯薬出版株式会社    | 東京  | 2013 | 79-85       |
| <u>木下貴之</u>  | 乳がん 治療・検査・療養                             | 木下貴之,<br>藤原康弘           | 乳がん   | 小学館          | 東京  | 2013 |             |
| <u>山内智香子</u> | Chapter3 乳房温存術後の放射線療法 通常分割全乳房照射.         | 監修佐々木良平, 他              | 決定版 チームで取り組む乳がん放射線療法                        | メディカル教育研究社   | 埼玉  | 2013 | 59-64       |
| <u>山内智香子</u> | 放射線療法                                    | 日本乳癌学会編                 | 科学的根拠に基づく乳癌診療ガイドライン 治療編 2013年版              | 金原出版         | 東京  | 2013 | 272<br>-333 |

|  |  |  |   |  |                   |       |                             |
|--|--|--|---|--|-------------------|-------|-----------------------------|
| <u>中村和正</u> ,<br>他                       | D1 病期に対する<br>治療 放射線治<br>療の適応 前立<br>腺局所、リンパ節<br>領域への放射線<br>治療の適応と意<br>義 | 青木学, 中村和正,<br>他編.:   | 新版 前立腺癌<br>放射線治療のす<br>べて リスク別<br>アプローチから<br>合併症対策まで                                   |  |                   | 2013  | 11 (増<br>):<br>258-26<br>3. |
| <u>中村和正</u>                              | 外部照射 骨盤照<br>射の意義と考え<br>方   | 青木学, 中村和正,<br>他編.  | 新版 前立腺癌<br>放射線治療のす<br>べて リスク別<br>アプローチから<br>合併症対策まで                                   |  |                   | 2013  | 11 (増<br>):<br>213-21<br>9. |
| <u>中村和正</u>                              | リスクの選択肢  | 青木学, 中村和正,<br>他編.  | 新版 前立腺癌放<br>射線治療のす<br>べて リスク別ア<br>プローチから合<br>併症対策まで                                   |  |                   | 2013  | 11 (増<br>):<br>112-11<br>3  |
| Randall ME.,<br><u>Toita T.</u> , et al. | Section III:<br>Disease site.<br>Cervix.                               | Eds: Barakat RR,<br>Berchuck A,<br>Markman M, and<br>Randall ME. | Principles and<br>Practice of<br>Gynecologic<br>Oncology. 6 <sup>th</sup><br>Edition. | Wolters<br>Kluwer/<br>Lippincot<br>Williams<br>&<br>Wilkins. | Phila-<br>delphia | 2013  | 598-66<br>0                 |
| <u>戸板孝文</u>                              | 放射線単独療法<br>と同時化学放射<br>線療法はどう使<br>い分けるか?                                |  | EBM 婦人科疾患<br>の 治 療<br>2013-2014   | 中外医学<br>社,   |                   | 2013  | 271-6                       |
| <u>戸板孝文</u> .                            | 子宮頸癌腔内照<br>射 (2D)  | 日本放射線腫瘍學<br>会 小線源治療部会.   | 小線源治療部会<br>ガイドラインに<br>基づく密封小線<br>源治療診療・物理<br>QA マニュアル                                 | 金原出版<br>株式会社   | 東京                | 2013: | 75-82                       |
| <u>鹿間直人</u>                              | 放射線による治<br>療   | 岩田広治   | き ょ う の 健 康<br>乳がん  | NHK 出<br>版   | 東京                | 2013  | 60-7                        |

|                           |                                       |                          |                       |        |    |        |        |
|---------------------------|---------------------------------------|--------------------------|-----------------------|--------|----|--------|--------|
| <u>鹿間直人</u>               | 最新放射線治療<br>4. 患者さんの負担軽減を考えた短期放射線治療が有望 |                          | がんサポート                | エビデンス社 | 東京 | 2013   | 34-7   |
| <u>近藤博史</u><br><u>安藤裕</u> | 放射線検査・治療に関するシステム                      | 一般社団法人日本医療情報学会医療情報技師育成部会 | 新版 医療情報 第2版 医療情報システム編 | 篠原出版 社 | 東京 | 2013.3 | 116-21 |
| <u>佐々木茂</u>               | 有棘細胞癌の放射線治療 .                         | 川内秀明                     | 皮膚悪性腫瘍-基礎と臨床の最新研究動向   | 日本臨牀社  | 大阪 | 2013   | 518-20 |
| <u>佐々木茂</u>               | 基底細胞癌の放射線治療 .                         | 川内秀明                     | 皮膚悪性腫瘍-基礎と臨床の最新研究動向   | 日本臨牀社  | 大阪 | 2013   | 642-45 |
| <u>佐々木茂</u>               | 放射線と肺発癌(治療後の二次発癌を含めて) .               | 瓦谷秀治                     | 最新肺癌学-基礎と臨床の最新研究動向    | 日本臨牀社  | 大阪 | 2013   | 146-49 |

## 雑誌

| 発表者氏名   | 論文タイトル名   | 発表誌名                         | 巻号 | ページ      | 出版年  |
|---|---|------------------------------|----|----------|------|
| <u>Tachimori Y.</u><br><u>Numasaki H.</u> , The Registration Committee for Esophageal Cancer of the Japan Esophageal Society. | Supraclavicular node metastasis from thoracic esophageal carcinoma: a surgical series from a Japanese multi-institutional nationwide registry of esophageal cancer. | J. Thorac. Cardiovasc. Surg. |    | in press | 2014 |
| <u>Tachimori Y.</u> , <u>Numasaki H.</u> , <u>Uno T.</u> , et al.   | Comprehensive registry of esophageal cancer in Japan, 2006  | Esophagus                    | 11 | 21-47    | 2014 |

|   |  |                                    |        |          |      |
|---|--|------------------------------------|--------|----------|------|
| <u>Tachimori Y.</u><br><u>Numasaki H.</u> , <u>Uno T.</u> , et al.                          | Comprehensive registry of esophageal cancer in Japan, 2005.  | Esophagus                          | 11     | 1-20     | 2014 |
| <u>Tachimori Y.</u><br><u>Numasaki H.</u> , <u>Uno T.</u> , et al.                          | Comprehensive registry of esophageal cancer in Japan, 2006.  | Esophagus                          | Sept.  |          | 2013 |
| <u>Okami J.</u> , <u>Teshima T.</u> , et al.  | Radiotherapy for postoperative thoracic lymph node recurrence pf non-small-cell lung cancer provides better outcomes if the disease is asymptomatic and a single-station involvement.,,  | J Thoracic Oncol.                  | 8 (11) | 1417-24  | 2013 |
| <u>Morimoto M.</u> ,<br><u>Koizumi M.</u> , <u>Teshima T.</u> ,<br><u>Ogawa K.</u> , et al. | Comparison of acute, subacute genitourinary and gastrointestinal adverse events of radiotherapy for prostate cancer using intensity modulated radiation therapy, three-dimensional conformal radiation therapy, permanent implant brachytherapy or high-dose-rate brachytherapy. | Tumori                             |        | in press | 2013 |
| <u>Takakura T.</u> , <u>Teshima T.</u> , et al.   | Effects of interportal error on dose distribution in patients undergoing breath-holding intensity-modulated radiotherapy for pancreatic cancer: evaluation of a new treatment planning method.   | J. Appl. Med. Phys.                | 14(5)  | 43-51    | 2013 |
| <u>Otani K.</u> , <u>Teshima T.</u> , et al.  | Preoperative chemoradiotherapy with gemcitabine for pancreatic cancer encountered vertebral compression fractures.   | Int. J. Radiat. Oncol. Biol. Phys. | 87(25) | S187     | 2013 |
| <u>Hirata T.</u> , <u>Teshima T.</u> , et al.   | Dose-volume analysis for predicting histological effects and gastrointestinal complications after preoperative chemoradiotherapy for pancreatic cancer.  | Int. J. Radiat. Oncol. Biol. Phys. | 87(25) | S309     | 2013 |

|                                       |   |                      |        |          |      |
|---------------------------------------|---|----------------------|--------|----------|------|
| <u>Miki T.</u> , et al.               | Clinical characteristics and oncological outcomes of testicular cancer patients registered in 2005 and 2008: The first large-scale study from the Cancer Registration Committee of the Japanese Urological Association. | Int. J. Urol         |        | in press | 2014 |
| Fujimoto H., <u>Miki T.</u> , et al.  | Oncological outcomes of the renal pelvic and ureteral cancer patients registered in 2005: The first large population report from the Cancer Registration Committee of the Japanese Urological Association.              | Int. J. Urol.        |        | in press | 2013 |
| Nishimura K., <u>Miki T.</u> , et al. | Prolonged treatment with three-weekly docetaxel plus daily prednisolone for metastatic castration-resistant prostate cancer: a multicenter, phase II, open-label, non-comparative, extension study in Japan.            | Int. J. Clin. Oncol. | 18(2)  | 306-313  | 2013 |
| Naitoh Y., <u>Miki T.</u> , et al.    | Hemostatic effect of new surgical glue in animal partial nephrectomy models.  | Urology 2013;        | 81(5)  | 1095-100 | 2013 |
| Fujihara A., <u>Miki T.</u> , et al.  | Urge perception index of bladder hypersensitivity.  | J. Urol.             | 189(5) | 1797-803 | 2013 |
| Kobayashi K., <u>Miki T.</u> , et al. | Evaluation of dosimetry and excess seeds in permanent brachytherapy using a modified hybrid method: a single-institution experience.  | J. Radiat. Res.      | 54(3)  | 479-484  | 2013 |
| Oishi M., <u>Miki T.</u> , et al.     | Apigenin sensitizes prostate cancer cells to Apo2L/TRAIL by targeting adenine nucleotide translocase-2.   | PloS One             | 8(2)   | e55922.  | 2013 |

|  |   |                         |            |          |      |
|--|---|-------------------------|------------|----------|------|
| Okihara K., <u>Miki T.</u> , et al.                        | Assessment of screenees' knowledge on prostate cancer: Results of a questionnaire using the fact sheet.   | Urol Int.               | 91(1)      | 49-54    | 2013 |
| Ueda T., <u>Miki T.</u> , et al.                           | Hyper-expression of PAX2 in human metastatic prostate tumors and its role as a cancer promoter in an in vitro invasion model.                           | Prostate                | 73(13)     | 1403-12  | 2013 |
| Ochiai A., <u>Miki T.</u> , et al.                         | Clinical utility of PCA3 urine assay in Japanese men undergoing prostate biopsy.  | BJU Int.                | 111(6)     | 928-33   | 2013 |
| Wang S., <u>Tachimori Y.</u> , et al.                      | A retrospective study on nonmalignant airway erosion after right transthoracic subtotal esophagectomy: Incidence, diagnosis, therapy, and risk factors. | Ann. Thorac. Surg.      |            | Nov 20   | 2013 |
| Wang S., <u>Tachimori Y.</u> , et al.                      | Diagnosis and surgical outcomes for primary malignant melanoma of the esophagus: a single-center experience.  | Ann. Thorac. Surg.      | 96(3)      | 1002-6   | 2013 |
| Nonaka S., <u>Tachimori Y.</u> , et al.                    | Endoscopic submucosal dissection for gastric tube cancer after esophagectomy.   | Gastrointest Endosc.    |            | Sep 20   | 2013 |
| Oda I., <u>Tachimori Y.</u> , et al.                       | Lymph-node metastasis in surgical resection of intramucosal esophageal adenocarcinoma.  | Dig. Endosc.            | 25 Suppl 2 | 177-80   | 2013 |
| Hiramatsu T., <u>Tachimori Y.</u> , et al.                 | Effectiveness of an outpatient preoperative care bundle in preventing postoperative pneumonia among esophageal cancer patients.                         | Am. J. Infect. Control. |            | accepted | 2013 |
| 日月裕司, 他.   | 【食道疾患手術のすべて】悪性疾患の手術 頸部食道癌に対する手術.  | 手術                      | 67         | 1461-66  | 2013 |
| Murakami N., <u>Kasamatsu T.</u> , <u>Sumi M.</u> , et al. | Vaginal tolerance of CT based image-guided high-dose rate interstitial brachytherapy for gynecological malignancies.                                    | Radat.Oncol.            | 9          | 31       | 2014 |

|  |  |                      |     |          |      |
|--|--|----------------------|-----|----------|------|
| Nishio S., <u>Kasamatsu T.</u> , et al.                              | Nuclear Y-box-binding protein is a poor prognostic marker and related to epidermal growth factor receptor in uterine cervical cancer.  | Gynecol. Oncol.      |     | in press | 2014 |
| Matsubara A., <u>Kasamatsu T.</u> ,                                  | Lobular endocervical glandular hyperplasia is a neoplastic entity with frequent activating GNAS mutations.   | Am. J. Surg. Pathol. |     | in press | 2013 |
| Eto T., <u>Kasamatsu T.</u> , et al.                                 | Status of treatment for the overall population of patients with stage IVb endometrial cancer, and evaluation of the role of preoperative chemotherapy: A retrospective multi-institutional study of 426 patients in Japan. | Gynecol. Oncol.      |     | in press | 2013 |
| Katsumata N., <u>Kasamatsu T.</u> , et al. Japan Clinical Oncology G | Phase III randomised controlled trial of neoadjuvant chemotherapy plus radical surgery vs radical surgery alone for stages IB2, IIA2, and IIB cervical cancer: a Japan Clinical Oncology Group trial (JCOG 0102).          | Br. J. Cancer        | 108 | 1957-63  | 2013 |
| Murakami N., <u>Kasamatsu T.</u> , <u>Sumi M.</u> , et al.           | Radiation therapy for stage IVA cervical cancer.   | Anticancer Res.      | 33  | 4989-94  | 2013 |
| Murakami N., <u>Kasamatsu T.</u> , <u>Sumi M.</u> , et al.           | Radiation therapy for primary vaginal carcinoma.   | J. Radiat. Res.      | 54  | 931-7    | 2013 |
| Koga Y., <u>Kasamatsu T.</u> , et al.                                | Usefulness of immuno-magnetic beads conjugated with anti-EpCAM antibody for detecting endometrial cancer cells.  | J.Cancer. Ther.      | 4   | 1273-82  | 2013 |
| <u>Kinoshita T.</u> , et al.   | 64Cu-DOTA-trastuzumab PET imaging in patients with HER2-positive breast cancer.  | J. Nucl. Med.        |     | in press | 2013 |

|   |  |                |        |          |      |
|---|--|----------------|--------|----------|------|
| Tamura K., Ono M.,<br><u>Kinoshita T.</u> ,et al. | Prognostic impact of Ki-67 labeling indices with 3 different cutoff values, histological grade, and nuclear grade in hormone-receptor-positive, HER2-negative, node-negative invasive breast cancers.        | Breast Cancer. |        | in press | 2013 |
| Jimbo K., <u>Kinoshita T.</u> ,et al.             | Sentinel and nonsentinel lymph node assessment using a combination of one-step nucleic acid amplification and conventional histological examination.   | The Breast     | 22     | 1194-99  | 2013 |
| Osako T., <u>Kinoshita T.</u> ,et al.             | Molecular detection of lymph node metastasis in breast cancer patients treated with preoperative systemic chemotherapy: a prospective multicentre trial using the one-step nucleic acid amplification assay. | Br. J. Cancer  | 109(6) | 1693-98  | 2013 |
| Nagao T., <u>Kinoshita T.</u> ,et al.             | Locoregional recurrence risk factors and the impact of postmastectomy radiotherapy on patients with tumors 5 cm or larger.   | Breast Cancer  |        | in press | 2013 |
| Hasebe T., <u>Kinoshita T.</u> ,et al.            | Histological factors for accurately predicting first locoregional recurrence of invasive ductal carcinoma of the breast.   | Cancer Sci.    | 104(9) | 1252-61  | 2013 |
| Hojo T., <u>Kinoshita T.</u> ,et al.              | Use of the neo-adjuvant exemestane in post-menopausal estrogen receptor-positive breast cancer: A randomized phase II trial (PTEX46) to investigate the optimal duration of preoperative endocrine therapy.  | Breast         | 22(3)  | 263-267  | 2013 |

|   |  |                       |        |         |      |
|---|--|-----------------------|--------|---------|------|
| Sugie T., <u>Kinoshita T.</u> , et al.  | Comparison of the indocyanine green fluorescence and blue dye methods in detection of sentinel lymph nodes in early-stage breast cancer.                         | Ann. Surg. Oncol.     | 20(7)  | 2213-18 | 2013 |
| Kawano A., <u>Kinoshita T.</u> , et al. | Prognostic factors for stage IV hormone receptor-positive primary metastatic breast cancer.  | Breast Cancer         | 20     | 145-151 | 2013 |
| Tanabe Y., <u>Kinoshita T.</u> , et al. | Paclitaxel-induced peripheral neuropathy in patients receiving adjuvant chemotherapy for breast cancer.  | Int. J. Clin. Oncol.  | 18(1)  | 132-138 | 2013 |
| Nagao T., <u>Kinoshita T.</u> , et al.  | Locoregional recurrence risk factors in breast cancer patients with positive axillary lymph nodes and the impact of postmastectomy radiotherapy.                 | Int. J. Clin. Oncol.  | 18(1)  | 54-61   | 2013 |
| Shien T., <u>Kinoshita T.</u> , et al.  | p53 expression in pretreatment specimen predicts response to neoadjuvant chemotherapy including anthracycline and taxane in patients with primary breast cancer. | Acta. Med. Okayama    | 67(3)  | 165-170 | 2013 |
| Asaga S., <u>Kinoshita T.</u> , et al.  | Prognostic factors for triple-negative breast cancer patients receiving preoperative systemic chemotherapy.  | Clin. Breast. Cancer. | 13(1)  | 40-6    | 2013 |
| Iwata H., <u>Kinoshita T.</u> , et al.  | Analysis of Ki-67 expression with neoadjuvant anastrozole or tamoxifen in patients receiving goserelin for premenopausal breast cancer.                          | Cancer.               | 119(4) | 704-13  | 2013 |

|   |   |   |             |          |      |
|---|---|---|-------------|----------|------|
| <u>吳屋朝幸</u>   | 肺癌の臨床の最新研究の動向<br>肺癌診断・治療の変遷と展望 外科治療.  | 日本臨床  | 71          | 26-30    | 2013 |
| <u>吳屋朝幸</u>   | Patients-oriented medicine and best surgical practice.  | 日本臨床外科学会雑誌  | 74(11)<br>1 | 2949-296 | 2013 |
| Matsugi K.,<br><u>Yamauchi C.</u> , et al.  | Evaluation of 4D dose to a moving target with Monte Carlo dose calculation in stereotactic body radiotherapy for lung cancer.               | Radiol. Phys. Technol.<br>[Research Support, Non-U.S. Gov't]. | 6(1)        | 233-40   | 2013 |
| Inaba K., <u>Sumi M.</u> ,<br><u>Uno T.</u> , et al.  | Results of radical radiotherapy for squamous cell carcinoma of the eyelid.  | J. Radiat. Res.   | 54          | 1131-7   | 2013 |
| Inaba K., <u>Sumi M.</u> ,<br><u>Uno T.</u> , et al.  | Increased risk of gastric adenocarcinoma after treatment of primary gastric diffuse large B-cell lymphoma.                                  | BMC Cancer  | 13          | 499      | 2013 |
| Yokota H., <u>Uno T.</u> , et al.   | Internal hernia associated with colostomy after laparoscopic abdominoperineal resection.  | Clin. Imaging.  | 37          | 590-2    | 2013 |
| Kasuya G., <u>Toita T.</u> ,<br><u>Kodaira T.</u> , <u>Uno T.</u> , et al.  | Distribution patterns of metastatic pelvic lymph nodes assessed by CT/MRI in patients with uterine cervical cancer.                         | Radiat. Oncol.  | 8           | 139-44   | 2013 |
| Isohashi F., <u>Ogawa K.</u> ,<br><u>Onishi H.</u> , <u>Uno T.</u> , et al.<br>Japanese Radiation Oncology study Group (JROSG). | Patterns of radiotherapy practice for biliary tract cancer in Japan: results of the Japanese radiation oncology study group (JROSG) survey. | Radiat. Oncol.  | 8           | 76       | 2013 |
| <u>Shikama N.</u> ,<br><u>Nakamura K.</u> , et al.  | Survey of advanced radiation technologies used at designated cancer care hospitals in Japan.  | Jpn. J. Clin. Oncol.  |             | in press | 2013 |
| Matsumoto K.,<br><u>Nakamura K.</u> , et al.  | Treatment outcome of high-dose-rate interstitial radiation therapy for patients with stage I and II mobile tongue cancer.                   | Jpn. J. Clin. Oncol.  |             | in press | 2013 |

|  |   |                              |         |          |      |
|--|---|------------------------------|---------|----------|------|
| Terashima K.,<br><u>Nakamura K.</u> , et al. | Can a belly board reduce respiratory-induced prostate motion in the prone position? - Assessed by cine-magnetic resonance imaging.        | Technol. Cancer Res. Treat.  |         | in press | 2013 |
| Magome T.,<br><u>Nakamura K.</u> , et al.    | Similar-case-based optimization of beam arrangements in stereotactic body radiotherapy for assisting treatment planners.                  | Biomed. Res. Int.            | 2013    | 309534   | 2013 |
| Shinoto M.,<br><u>Nakamura K.</u> , et al.   | Postoperative radiotherapy in patients with salivary duct carcinoma: clinical outcomes and prognostic factors.                            | J. Radiat. Res.              | 54(5)   | 925-30   | 2013 |
| Magome T.,<br><u>Nakamura K.</u> , et al.    | Computer-aided beam arrangement based on similar cases in radiation treatment-planning databases for stereotactic lung radiation therapy. | J. Radiat. Res.              | 54(3)   | 569-77   | 2013 |
| <u>Nakamura K.</u> , et al.                  | The diffusion pattern of low dose rate brachytherapy for prostate cancer in Japan.  | Cancer Sci.                  | 104(7)  | 934-6    | 2013 |
| Hirata H., <u>Nakamura K.</u> , et al.       | Association between EGFR-TKI resistance and efficacy of radiotherapy for brain metastases from EGFR-mutant lung adenocarcinoma.           | Anticancer Res.              | 33<br>6 | 1649-165 | 2013 |
| Atsumi K.,<br><u>Nakamura K.</u> , et al.    | Prediction of outcome with FDG-PET in definitive chemoradiotherapy for esophageal cancer.   | J. Radiat. Res.              | 54(5)   | 890-8    | 2013 |
| Maeda T.,<br><u>Nakamura K.</u> , et al.     | Radiation-associated changes in the length of telomeres in peripheral leukocytes from inpatients with cancer.                             | <i>Int. J. Radiat. Biol.</i> | 89(2)   | 106-9    | 2013 |
| Shioyama Y.,<br><u>Nakamura K.</u> , et al.  | Clinical results of stereotactic body radiotherapy for Stage I small-cell lung cancer: a single institutional experience.                 | J. Radiat. Res.              | 54(1)   | 108-12   | 2013 |

|  |   |                             |          |         |      |
|--|---|-----------------------------|----------|---------|------|
| 中村和正, 他.   | IMRT/ プラキセラピーの登場による前立腺癌の治療方針のパラダイムシフト   | 臨床放射線                       | 58(9)    | 1183-88 | 2013 |
| 溝口明日実,<br>中村和正, 他.   | 放射線治療における electronic portal imaging device を用いた四次元線量分布推定法の開発.   | 電子情報通信学会論文誌 D               | J96-D(4) | 813-823 | 2013 |
| 角先生  |   |                             |          |         |      |
| Arita H., Sumi M.,   | Risk factors for early death after surgery in patients with brain metastases: reevaluation of the indications for and role of surgery.                          | J. Neurooncol.              | 116      | 145-52  | 2013 |
| Horinouchi H.,<br>Sumi M., et al.                          | Long-term results of concurrent chemoradiotherapy using cisplatin and vinorelbine for stage III non-small-cell lung cancer.                                     | Cancer Sci.                 | 104      | 93-7    | 2013 |
| Kuroda Y., Sumi M.,<br>et al.                              | Acute radiation esophagitis caused by high-dose involved field radiotherapy with concurrent cisplatin and vinorelbine for stage III non-small cell lung cancer. | Technol. Cancer Res. Treat. | 12       | 333-9   | 2013 |
| Shibamoto Y., Sumi M.,<br>Onishi H., Koizumi M.,<br>et al. | Primary CNS lymphoma treated with radiotherapy in Japan: a survey of patients treated in 2005-2009 and a comparison with those treated in 1985-2004.            | Int. J. Clin. Oncol.        |          | Dec 3   | 2013 |
| Wakayama A., Toita T.,<br>et al.                           | Concurrent chemoradiotherapy for non-bulky stage IB/II cervical cancer without pelvic node enlargement.   | Anticancer Res.             | 33(11)   | 5123-6  | 2013 |
| Kasuya G., Ogawa K.,<br>Toita T., et al.                   | Postoperative radiotherapy for uterine cervical cancer: impact of lymph node and histological type on survival.   | Anticancer Res.             | 8        | 139     | 2013 |

|   |   |                           |       |          |      |
|---|---|---------------------------|-------|----------|------|
| Yamashita H., <u>Toita T.</u> , Kodaira T., Onishi H., et al. | High-dose-rate intra-cavitary brachytherapy combined with external beam radiation therapy for under 40-year-old patients with invasive uterine cervical carcinoma: Clinical outcomes in 118 patients in a Japanese multi-institutional study of JASTRO. | Jpn. J. Clin. Oncol.      | 43(5) | 547-52   | 2013 |
| Ariga T., <u>Toita T.</u> , et al.                            | External beam boost irradiation for clinically positive pelvic nodes in patients with uterine cervical cancer.  | <i>J. Radiat. Res.</i>    | 54    | 1420-6   | 2013 |
| 戸板孝文, 他.  | 子宮頸がん腔内照射(2D). 実践マイクロセレクトロン HDR を使用した高線量率密封小線源治療ガイドンス   | マイクロセレクトロン研究会             |       | 50-59    | 2013 |
| 戸板孝文, 他.  | 子宮頸癌の放射線治療—放射線治療計画ガイドライン.   | 産科と婦人科                    | 80    | 1336-41  | 2013 |
| 戸板孝文, 他.  | 子宮頸癌の画像誘導小線源治療  | 画像情報メディカル 2013            | 45    | 834-838  | 2013 |
| 戸板孝文, 他.  | 早期子宮頸癌に対する放射線治療の位置づけ: エビデンスを踏まえて.   | 産婦人科の実際                   | 62    | 911-916  | 2013 |
| 辻野佳世子, 戸板孝文, 他.   | 子宮頸癌腔内照射における患者満足度アンケート調査報告.   | 臨床放射線                     | 58    | 605-613  | 2013 |
| Hanai N., <u>Kodaira T.</u> , et al.                          | Neck dissection after chemoradiotherapy for oropharyngeal and hypopharyngeal cancer: the correlation between cervical lymph node metastasis and prognosis.  | Int. J. Clin. Oncol.      |       | in press | 2013 |
| Goto M., <u>Kodaira T.</u> , et al.                           | Prognostic factors and outcomes for salvage surgery in patients with recurrent squamous cell carcinoma of the tongue.   | Asia Pac. J. Clin. Oncol. |       | in press | 2013 |

|   |  |                      |       |        |      |
|---|--|----------------------|-------|--------|------|
| Yamashita H., <u>Toita T.</u> , <u>Kodaira T.</u> , <u>Onishi H.</u> , et al. | High-dose rate intra-cavitary brachytherapy combined with external beam radiation therapy for under 40 years old patients with invasive uterine cervical carcinoma: clinical outcomes in 118 patients in a Japanese multi-institutional study of JASTRO Phase II study of cetuximab plus concomitant boost radiotherapy in Japanese patients with locally advanced squamous cell carcinoma of the head and neck. | Jpn. J. Clin. Oncol. | 43(5) | 547-52 | 2013 |
| Kasuya G., <u>Toita T.</u> , <u>Kodaira T.</u> , <u>Uno T.</u> , et al.       | Distribution patterns of metastatic pelvic lymph nodes assessed by CT/MRI in patients with uterine cervical cancer.  | Radiat. Oncol.       | 8     | 139    | 2013 |
| Tomita N., <u>Kodaira T.</u> , et al.   | Preliminary analysis of risk factors for late rectal toxicity after helical tomotherapy for prostate cancer.   | J. Radiat. Res.      | 54(5) | 919-24 | 2013 |
| Okano S., <u>Kodaira T.</u> , et al.  | Phase II study of cetuximab plus concomitant boost radiotherapy in Japanese patients with locally advanced squamous cell carcinoma of the head and neck.   | Jpn. J. Clin. Oncol. | 43(5) | 476-82 | 2013 |
| Kato K., <u>Kodaira T.</u> , et al.   | Phase II study of concurrent chemoradiotherapy at the dose of 50.4 Gy with elective nodal irradiation for stage II-III esophageal carcinoma.   | Jpn. J. Clin. Oncol. | 43(6) | 608-15 | 2013 |
| Goto Y., <u>Kodaira T.</u> , et al.   | Clinical outcome and patterns of recurrence of head and neck squamous cell carcinoma with a limited field of postoperative radiotherapy.   | Jpn. J. Clin. Oncol. | 43(7) | 719-25 | 2013 |

|   |  |                             |        |           |      |
|---|--|-----------------------------|--------|-----------|------|
| Goto Y., <u>Kodaira T.</u> , et al.                       | Alternating chemoradiotherapy in patients with nasopharyngeal cancer: prognostic factors and proposal for individualization of therapy.                                    | J. Radiat. Res.             | 54(1)  | 98-107    | 2013 |
| Wada H., <u>Kenjo M.</u> , <u>Ogawa K.</u> , et al.       | A phase I trial of S-1 with concurrent radiotherapy in patients with locally recurrent rectal cancer.  | Int. J. Clin. Oncol.        | 18(2)  | 273-8     | 2013 |
| Takahashi S., <u>Kenjo M.</u> ,                           | Case reports of portal vein thrombosis and bile duct stenosis after stereotactic body radiation therapy for hepatocellular carcinoma.                                      | Hepatology Research         |        | in press  | 2013 |
| Honda Y., <u>Kenjo M.</u> , et al.                        | Stereotactic body radiation therapy combined with transcatheter arterial chemoembolization for small hepatocellular carcinoma.   | J. Gastroenterol. Hepatol.; | 28(3)  | 530-536   | 2013 |
| Kimura T., <u>Kenjo M.</u> ,                              | Dynamic computed tomography appearance of tumor response after stereotactic body radiation therapy for hepatocellular carcinoma: How should we evaluate treatment effects? | Hepatol. Res.               | 43(7)  | 717-712   | 2013 |
| 高橋一平, <u>権丈雅造</u> , 他.                                    | 【特集 拡がる放射線治療】期非小細胞癌に対する定位放射線治療   | 映像情報 Medical                | 45(11) | 856-860   | 2013 |
| <u>権丈雅造</u> .   | コンツーリングを学ぼう 「食道癌」.   | 臨床放射線                       | 58(13) | 1826-32   | 2013 |
| Yoshioka Y., <u>Koizumi M.</u> , <u>Ogawa K.</u> , et al. | Monotherapeutic high-dose-rate brachytherapy for prostate cancer: a dose reduction trial.  | Radiother. Oncol.           |        | in press. | 2013 |
| Sumida I., <u>Koizumi M.</u> , <u>Ogawa K.</u> , et al.   | Evaluation of imaging performance for megavoltage cone-beam CT over an extended period.  | J. Radiat. Res.             |        | in press  | 2013 |

|   |   |                                    |       |           |      |
|---|---|------------------------------------|-------|-----------|------|
| Morimoto M.,<br><u>Koizumi M.</u> , <u>Ogawa K.</u> ,<br>et al. | Salvage high-dose-rate interstitial brachytherapy for locally recurrent rectal cancer: long-term follow-up results. | Int. J. Clin. Oncol.               |       | in press  | 2013 |
| Kano Y., <u>Ogawa K.</u> ,<br>et al.                            | Novel drug discovery system for cancer stem cells in human squamous cell carcinoma of the esophagus.                | Oncol. Rep.                        |       | in press  | 2013 |
| Akino Y., <u>Ogawa K.</u> ,<br>et al.                           | Characteristics of flattening filter free beams at low monitor unit settings.                                       | Med. Phys.                         |       | in press. | 2013 |
| Yoshioka Y.,<br><u>Koizumi M.</u> , <u>Ogawa K.</u> ,<br>et al. | Monotherapy high-dose-rate brachytherapy for prostate cancer: a dose reduction trial.                               | Radiother. Oncol.                  |       | in press  | 2013 |
| Morimoto M.,<br><u>Koizumi M.</u> , <u>Ogawa K.</u> ,<br>et al. | Hypofractionated stereotactic radiation therapy in three to five fractions for vestibular schwannoma.               | Jpn. J. Clin. Oncol.               | 43(8) | 805-12    | 2013 |
| Akino Y., <u>Ogawa K.</u> , et<br>al.                           | Estimation of rectal dose using daily megavoltage cone-beam computed tomography and deformable image registration.  | Int. J. Radiat. Oncol. Biol. Phys. | 87(3) | 602-608   | 2013 |
| Yoshioka Y., <u>Ogawa K.</u> ,<br>et al.                        | The emerging role of high-dose-rate (HDR) brachytherapy as monotherapy for prostate cancer.                         | J. Radiat. Res.                    | 54(5) | 781-8     | 2013 |
| Yagi M., <u>Koizumi M.</u> ,<br><u>Ogawa K.</u> , et al.        | Gemstone spectral imaging: Determination of CT to ED conversion curves for radiotherapy treatment planning.         | J. Appl. Clin. Med. Phys.          | 14(5) | 173-86    | 2013 |

|  |   |                         |        |         |      |
|--|---|-------------------------|--------|---------|------|
| Mabuchi S., <u>Ogawa K.</u> , et al.           | A phase I study of concurrent weekly carboplatin and paclitaxel combined with intensity-modulated pelvic radiotherapy as an adjuvant treatment for early-stage cervical cancer patients with positive pelvic lymph nodes. | Int. J. Gynecol. Cancer | 23(7)  | 1279-86 | 2013 |
| Kohshi K., <u>Ogawa K.</u> , et al.            | Potential roles of hyperbaric oxygenation in the treatments of brain tumors.  | Undersea Hyperb. Med.   | 40(4)  | 351-62  | 2013 |
| Matsuo K., <u>Ogawa K.</u> , et al.            | Utility of risk-weighted surgical-pathological factors in early-stage cervical cancer.  | Br. J. Cancer           | 108(6) | 1348-57 | 2013 |
| Ogata T., <u>Ogawa K.</u> , Koizumi M., et al. | Feasibility and accuracy of relative electron density determined by virtual monochromatic CT value subtraction at two different energies using the gemstone spectral imaging.   | Radiat. Oncol           | 8      | 83      | 2013 |
| Okazawa M., <u>Ogawa K.</u> , et al.           | Impact of the addition of concurrent chemotherapy to pelvic radiotherapy in surgically treated stage IB1-IIIB cervical cancer patients with intermediate-risk or high-risk factors: A 13-year experience.                 | Int. J. Gynecol. Cancer | 23(3)  | 567-75  | 2013 |
| <u>Ogawa K.</u> , et al.                       | Radiotherapy targeting cancer stem cells: current views and future perspectives.  | Anticancer Res.         | 33(3)  | 747-754 | 2013 |

|  |   |                                    |       |         |      |
|--|---|------------------------------------|-------|---------|------|
| Yoshioka Y., <u>Ogawa K.</u> , et al.  | Analysis of late toxicity associated with external beam radiation therapy for prostate cancer with uniform setting of classical 4-field 70 Gy in 35 fractions: A survey study by the Osaka Urological Tumor Radiotherapy Study Group. | J. Radiat. Res.                    | 54(1) | 113-125 | 2013 |
| Yamazaki H., <u>Koizumi M.</u> , <u>Ogawa K.</u> , et al.  | High dose rate brachytherapy for oral cancer.   | J. Radiat. Res.                    | 54(1) | 1-17    | 2013 |
| Deng Z., <u>Ogawa K.</u> , et al.  | Viral load, physical status, and E6/E7 mRNA expression of human papillomavirus in head and neck squamous cell carcinoma.  | Head Neck.                         | 35(6) | 800-8   | 2013 |
| Isohashi F., <u>Koizumi M.</u> , <u>Ogawa K.</u>   | Dose-volume histogram predictors of chronic gastrointestinal complications after radical hysterectomy and postoperative concurrent nedaplatin-based chemoradiation therapy for early-stage cervical cancer.                           | Int. J. Radiat. Oncol. Biol. Phys. | 85(3) | 728-34  | 2013 |
| 玉利慶介, <u>小川和彦</u> .  | 放射線治療.  | 生産と技術                              | 65(1) | 90-91   | 2013 |
| <u>Shikama N.</u> , <u>Tsukamoto N.</u> , et al.   | Validation of nomogram-based prediction of survival probability after salvage reirradiation of head and neck cancer.  | Jpn. J Clin. Oncol.                | 43    | 154-160 | 2013 |
| Igaki H., <u>Onishi H.</u> , <u>Nakagawa K.</u> , et al. Japanese Society for Therapeutic Radiology and Oncology Health Insurance Committee. | A newly introduced comprehensive consultation fee in the national health insurance system in Japan: A promotive effect of multidisciplinary medical care in the field of radiation oncology--Results from a questionnaire survey.     | Jpn. J. Clin. Oncol.               | 43    | 1233-7  | 2013 |

|   |   |                      |       |        |      |
|---|---|----------------------|-------|--------|------|
| Satoh Y., <u>Onishi H.</u> , et al.               | Volume-based parameters measured by using FDG PET/CT in patients with stage I NSCLC treated with stereotactic body radiation therapy: prognostic value.                     | Radiology            |       | Sep 12 | 2013 |
| Niibe Y., <u>Onishi H.</u> , et al.               | Oligometastases/Oligo-recurrence of lung cancer.  | Pulm. Med. 2013      |       | 438236 | 2013 |
| <u>Onishi H.</u> , et al.                         | Stereotactic body radiation therapy for stage I non-small-cell lung cancer: a historical overview of clinical studies.  | Jpn. J. Clin. Oncol. | 43(4) | 345-50 | 2013 |
| Watanabe M., <u>Onishi H.</u> , et al.            | Intrafractional setup errors in patients undergoing non-invasive fixation using an immobilization system during hypofractionated stereotactic radiotherapy for lung tumors. | J. Radiat. Res.      | 54(4) | 762-8  | 2013 |
| Nambu A., <u>Onishi H.</u> , et al.               | Rib fracture after stereotactic radiotherapy for primary lung cancer: prevalence, degree of clinical symptoms, and risk factors.  | BMC Cancer.          | 13    | 68     | 2013 |
| Matsuo Y., <u>Onishi H.</u> , Nakagawa K., et al. | Guidelines for respiratory motion management in radiation therapy.  | J. Radiat. Res.      | 54(3) | 561-8. | 2013 |
| Maehata Y., <u>Onishi H.</u> , et al.             | Immune responses following stereotactic body radiotherapy for stage I primary lung cancer.  | Biomed. Res. Int.    | 73    | 1346   | 2013 |
| Yamazaki H., <u>Koizumi M.</u> , et al.           | Hypofractionated stereotacticradiotherapy with the hypoxic sensitizer AK-2123 (sanazole) for reirradiation of brain metastases: a preliminary feasibility report.           | Anticancer Res.      | 33(4) | 1773-6 | 2013 |
| Yamazaki H., <u>Koizumi M.</u> , et al.           | Feasibility trial for daily oral administration ofthe hypoxic sensitizer AK-2123 (Sanazole) in radiotherapy.  | Anticancer Res.      | 33(2) | 643-6  | 2013 |

|   |   |                                    |        |          |      |
|---|---|------------------------------------|--------|----------|------|
| <u>小泉雅彦</u>                             | 転移性骨腫瘍-治療の進歩 転移性骨に対する放射線療法  | 臨床整形外科                             | 48     | 675-682  | 2013 |
| <u>小泉雅彦</u>                             | シンポジウム 転移性骨腫瘍への治療戦略(脊椎・骨盤・四肢)<br>がん骨転移の放射線治療戦略  | 日本整形外科学会雑誌                         | 87(10) | 883-9    | 2013 |
| 大谷侑輝, <u>小泉雅彦</u>                       | 放射線治療と医学物理士   | 生産と技術                              | 65(2)  | 91       | 2013 |
| 井上俊彦, <u>小泉雅彦</u> , 他.                  | 早期肺癌の体幹部定位放射線治療における肋骨骨折の臨床的検討   | 臨床放射線                              | 58(12) | 743-1750 | 2013 |
| Yamashita H., Nakagawa K., et al.       | Longitudinal assessments of quality of life and late toxicities before and after definitive chemoradiation for esophageal cancer.   | Jpn. J. Clin. Oncol.               |        | Nov 11   | 2013 |
| Onoe T., Kozuka T., Nakagawa K., et al. | High-dose-rate interstitial brachytherapy for gynecologic malignancies--dosimetric changes during treatment period.   | J. Radiat. Res.                    | 54(4)  | 663-70   | 2013 |
| <u>Nakagawa K.</u> , et al.             | Impact of flattening-filter-free techniques on delivery time for lung stereotactic volumetric modulated arc therapy and image quality of concurrent kilovoltage cone-beam computed tomography: a preliminary phantom study. | J. Radiat. Res.                    |        | Aug 26   | 2013 |
| Haga A., <u>Nakagawa K.</u> , et al.    | Dose verification of volumetric modulated arc therapy (VMAT) by use of in-treatment linac parameters.   | Radiol. Phys. Technol.             |        | Mar 12   | 2013 |
| Takahashi W., Nakagawa K., et al.       | Verification of planning target volume settings in volumetric modulated arc therapy for stereotactic body radiation therapy by using in-treatment 4-dimensional cone beam computed tomography.                              | Int. J. Radiat. Oncol. Biol. Phys. | 86(3)  | 426-31   | 2013 |

|                                  |  |                            |         |         |      |
|----------------------------------|--|----------------------------|---------|---------|------|
| Omori M., Nakagawa K., et al.    | Eleven secondary cancers after hematopoietic stem cell transplantation using a total body irradiation-based regimen in 370 consecutive pediatric and adult patients. | Springerplus               | 2       | 424     | 2013 |
| 大倉孝之, 中川恵一, 他.                   | 胸郭運動を考慮した横隔膜の運動モデル   | Medical Imaging Technology | 31(3)   | 189-197 | 2013 |
| Harada H., Kozuka T., et al.     | Dose-escalation study of three-dimensional conformal thoracic radiotherapy with concurrent S-1 and cisplatin for inoperable stage III non-small-cell lung cancer.    | Clin. Lung. Cancer.        | 13(4)   | 440-5   | 2013 |
| Yuasa T., Kozuka T., et al.      | Early onset recall pneumonitis during targeted therapy with sunitinib.   | BMC Cancer.                | 13:     | 3       | 2013 |
| Fujimaki Y., Terahara A., et al. | Non-invasive objective evaluation of radiotherapy-induced dry mouth.   | J. Oral. Pathol. Med.      |         | Jun 7   | 2013 |
| 寺原敦朗.                            | 悪性グリオーマに対する放射線治療の現状と展望.  | 癌と化学療法                     | 40 (10) | 1278-82 | 2013 |
| Koizumi T., Sasaki S., et al.    | Efficacy of erlotinib plus concurrent whole-brain radiation therapy for patients with brain metastases from non-small cell lung cancer.                              | Ann. Palliat. Med.         | 2       | 111-113 | 2013 |