

Fukushima T, Taguchi J, Moriuchi Y, Yoshida S, Itonaga H, Ando K, Sawayama Y, Imaizumi Y, Imanishi D, Hata T, Miyazaki Y.	Allogeneic hematopoietic stem cell transplantation for ATL with central nervous system involvement: The Nagasaki Transplant Group experience.	Int J Hematol	94	390–394	2011
Kannagi M, Hasegawa A, Kinpara S, Shimizu Y, Takamori A, Utsunomiya A.	Double control systems for human T-cell leukemia virus type 1 (HTLV-1) by innate and acquired immunity.	Cancer Sci	102	670–676	2011
Norimura D, Isomoto H, Imaizumi Y, Akazawa Y, Matsushima K, Inoue N, Yamaguchi N, Ohnita K, Shikuwa S, Arima T, Hayashi T, Takeshima F, Miyazaki Y, Nakao K.	Case series of duodenal follicular lymphoma, observed by magnified endoscopy with narrow-band imaging.	Gastrointest Endosc	74	428–434	2011
Oka T, Satou H, Ouchida M, Utsunomiya A, Yoshino T.	Cumulative epigenetic abnormalities in host genes with viral and microbial infection during initiation and progression of malignant lymphoma/ leukemia.	Cancers	3	568–581	2011
Uota S, Dewan MZ, Saitoh Y, Muto S, Itai A, Utsunomiya A, Watanabe T, Yamamoto N, Yamaoka S.	An IκB kinase 2 inhibitor IMD-0354 suppresses the survival of adult T-cell leukemia cells.	Cancer Sci	103	100–106	2011
Satou Y, Yasunaga J, Zhao T, Yoshida M, Miyazato P, Takai K, Shimizu K, Ohshima K, Green PL, Ohkura N, Yamaguchi T, Ono M, Sakaguchi S, Matsuoka M.	HTLV-1 bZIP factor induces T-cell lymphoma and systemic inflammation in vivo.	PLoS Pathog	7	e1001274	2011
Hagiya K, Yasunaga J, Satou Y, Ohshima K, Matsuoka M.	ATF3, an HTLV-1 bZip factor binding protein, promotes proliferation of adult T-cell leukemia cells.	Retrovirology	8	19	2011
Fujimoto K, Kawaguchi T, Nakashima O, Ono J, Ohta S, Kawaguchi A, Tonan T, Ohshima K, Yano H, Hayabuchi N, Izuohara K, Sata M.	Periostin, a matrix protein, has potential as a novel serodiagnostic marker for cholangiocarcinoma.	Oncol Rep	25	1211–1216	2011
Okamoto M, Hoshino T, Kitasato Y, Sakazaki Y, Kawayama T, Fujimoto K, Ohshima K, Shiraishi H, Uchida M, Ono J, Ohta S, Kato S, Izuohara K, Aizawa H.	Periostin, a matrix protein, is a novel biomarker for idiopathic interstitial pneumonias.	Eur Respir J	37	1119–1127	2011

Hamabashiri M, Daichou A, Yasumoto M, Ogasawara S, Nishinakagawa T, Enjoji M, Ohshima K, Yano H, Nakashima M.	Novel monoclonal antibodies against pancreatic juice from pancreatic cancer patients and their possible application in differential diagnosis.	Int J Mol Med	28	599–603	2011
Shimizu-Kohno K, Satou Y, Arakawa F, Kiyasu J, Kimura Y, Niino D, Sugita Y, Ishikawa F, Matsuoka M, Ohshima K.	Detection of HTLV-1 by means of HBZ gene <i>in situ</i> hybridization in formalin-fixed and paraffin-embedded tissues.	Cancer Sci	102	1432–1436	2011
Pongpruttipan T, Kummalue T, Bedavanija A, Khuhapinant A, Ohshima K, Arakawa F, Niino D, Sukpanichnant S.	Aberrant antigenic expression in extranodal NK/T-cell lymphoma: a multi-parameter study from Thailand.	Diagn Pathol	6	79	2011
Naito Y, Okabe Y, Nagayama M, Nishinakagawa T, Taira T, Kawahara A, Hattori S, Machida K, Ishida Y, Kaji R, Mikagi K, Kinoshita H, Yasumoto M, Akiba J, Kage M, Nakashima M, Ohshima K, Yano H.	Accuracy of differential diagnosis for pancreatic cancer is improved in the combination of RCAS1 and CEA measurements and cytology in pancreatic juice.	Med Mol Morphol	44	86–92	2011
Kimura Y, Sato K, Imamura Y, Arakawa F, Kiyasu J, Takeuchi M, Miyoshi H, Yoshida M, Niino D, Sugita Y, Morito T, Yoshino T, Nakamura S, Ohshima K.	Small cell variant of mantle cell lymphoma is an indolent lymphoma characterized by bone marrow involvement, splenomegaly, and a low Ki-67 index.	Cancer Sci	102	1734–1741	2011
Asano N, Kinoshita T, Tamaru J, Ohshima K, Yoshino T, Niitsu N, Tsukamoto N, Hirabayashi K, Izutsu K, Taniwaki M, Morishima Y, Nakamura S.	Cytotoxic molecule-positive classical Hodgkin's lymphoma: a clinicopathological comparison with cytotoxic molecule-positive peripheral T-cell lymphoma of not otherwise specified type.	Haematologica	96	1636–1643	2011
Takahashi E, Ohshima K, Kimura H, Hara K, Suzuki R, Kawa K, Eimoto T, Nakamura S; for the NK-cell Tumor Study Group.	Clinicopathological analysis of the age-related differences in patients with Epstein-Barr virus (EBV)-associated extranasal natural killer (NK)/T-cell lymphoma with reference to the relationship with aggressive NK cell leukaemia and chronic active EBV infection-associated lymphoproliferative disorders.	Histopathology	59	660–671	2011

Tsuzuki S, Seto M.	Expansion of functionally defined mouse hematopoietic stem and progenitor cells by a short isoform of RUNX1/AML1.	Blood	119	727-735	2012
Kato H, Yamamoto K, Oki Y, Ine S, Taji H, Chihara D, Kagami Y, Seto M, Morishima Y.	Clinical value of flow cytometric immunophenotypic analysis for minimal residual disease detection in autologous stem-cell products of follicular and mantle cell lymphomas.	Leukemia	26	166-169	2012
Chihara D, Matsuo K, Kanda J, Hosono S, Ito H, Nakamura S, Seto M, Morishima Y, Tajima K, Tanaka, H.	Inverse association between soy intake and non-Hodgkin lymphoma risk among women: a case-control study in Japan.	Ann Oncol	23	1061-1066	2012
Liu F, Karube K, Kato H, Arita K, Yoshida N, Yamamoto K, Tsuzuki S, Kim W, Ko Y-H, Seto M.	Mutation analysis of NF- κ B signal pathway-related genes in ocular MALT lymphoma.	Int J Clin Exp	5	436-441	2012
Liu F, Yoshida N, Suguro M, Kato H, Karube K, Arita K, Yamamoto K, Tsuzuki S, Oshima K, Seto M.	Clonal heterogeneity of mantle cell lymphoma revealed by array comparative genomic hybridization.	Eur J Haematol	90	51-58	2012
Yoshida N, Umino A, Liu F, Arita K, Karube K, Tsuzuki S, Ohshima K, Seto M.	Identification of multiple subclones in peripheral T-cell lymphoma, not otherwise specified with genomic aberrations.	Cancer Medicine	1	289-294	2012
Karube K, Tsuzuki S, Yoshida N, Arita K, Liu F, Kondo E, Ko YH, Ohshima K, Nakamura S, Kinoshita T, Seto M.	Lineage-specific growth inhibition of NK cell lines by FOXO3 in association with Akt activation status.	Exp Hematol	40	1005-1015	2012
Hikino S, Ohga S, Kinjo T, Kusuda T, Ochiai M, Inoue H, Honjo S, Ihara K, Ohshima K, Hara T.	Tracheal aspirate gene expression in preterm newborns and development of bronchopulmonary dysplasia.	Pediatr Int	54	208-214	2012
Kiyasu J, Aoki R, Tanaka PY, Pracchia LF, Calore EE, Perez NM, Kimura Y, Niino D, Sugita Y, Takayanagi R, Abe Y, Matsuoka M, Ohshima K.	FOXP3(+) regulatory and TIA-1(+) cytotoxic T lymphocytes in HIV-associated Hodgkin lymphoma.	Pathol Int	62	77-83	2012
Pongpruttipan T, Kummalue T, Bedavani A, Khuhapinant A, Ohshima K Arakawa F, Niino D, Sukpanichnant S.	Aberrant antigenic expression in extranodal NK/T-cell lymphoma: a multi-parameter study from Thailand.	Diagn Pathol	6	79	2012
Sugata K, Satou Y, Yasunaga J, Hara H, Ohshima K, Utsunomiya A, Mitsuyama M, Matsuoka M.	HTLV-1 bZIP factor impairs cell-mediated immunity by suppressing production of Th1 cytokines.	Blood	119	434-444	2012

Hirose Y, Kaida H, Ishibashi M, Uozumi J, Arikawa S, Kurata S, Hayabuchi N, Nakahara K, Ohshima K.	Comparison between endoscopic macroscopic classification and F-18 FDG PET findings in gastric mucosa-associated lymphoid tissue lymphoma patients.	Clin Nucl Med	37	152-157	2012
Yoshida S, Arakawa F, Higuchi F, Ishibashi Y, Goto M, Sugita Y, Nomura Y, Niino D, Shimizu K, Aoki R, Hashikawa K, Kimura Y, Yasuda K, Tashiro K, Kuhara S, Nagata K, Ohshima K.	Gene expression analysis of rheumatoid arthritis synovial lining regions by cDNA microarray combined with laser microdissection: up-regulation of inflammation-associated STAT1, IRF1, CXCL9, CXCL10, and CCL5.	Scand J Rheumatol	41	170-179	2012
Kimura H, Ito Y, Kawabe S, Gotoh K, Takahashi Y, Kojima S, Naoe T, Esaki S, Kikuta A, Sawada A, Kawa K, Ohshima K, Nakamura S.	EBV-associated T/NK-cell lymphoproliferative diseases in nonimmunocompromised hosts: prospective analysis of 108 cases.	Blood	119	673-686	2012
Shimizu-Kohno K, Kimura Y, Kiyasu J, Miyoshi H, Yoshida M, Ichikawa R, Niino D, Ohshima K.	Malignant lymphoma of the spleen in Japan: A clinicopathological analysis of 115 cases.	Pathol Int	62	577-582	2012
Kannagi M, Hasegawa A, Takamori A, Kinpara S, Utsunomiya A.	The roles of acquires and innate immunity in human T-cell Luekemia virus type 1-mediated diseases.	Frontiers in Microbiology	3	1-10	2012
Higashi Y, Kawai K, Yonekura K, Takeda K, Kanzaki T, Utsunomiya A, Kanekura K.	Indication for random skin biopsy for the diagnosis of intravascular large B cell lymphoma.	Dermatology	224	46-50	2012
Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Taniguchi S, Eto T, Takatsuka Y, Miyazaki Y, Moriuchi Y, Hidaka M, Akashi K, Uike N, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishiyama T, Utsunomiya A.	Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study.	Blood	120	1734-1741	2012
Satou Y, Utsunomiya A, Tanabe J, Nakagawa M, Nosaka K, Matsuoka M.	HTLV-1 modulates the frequency and phenotype of FoxP3+CD4+ T cells in the HTLV-1 infected individuals.	Retrovirology	9	46	2012
Fukuda RI, Tsuchiya K, Suzuki K, Itoh K, Fujita J, Utsunomiya A, Tsuji T.	HTLV-I Tax regulates the cellular proliferation through the down-regulation of PIP3-phosphatase expressions via the NF- κ B pathway.	Int J Biochem Mol Biol	3	95-104	2012

Katsuya H, Yamanaka T, Ishitsuka K, Utsunomiya A, Sasaki H, Hanada S, Eto T, Moriuchi Y, Saburi Y, Miyahara M, Sueoka E, Uike N, Yoshida S, Yamashita K, Tsukasaki K, Suzushima H, Ohno Y, Matsuoka H, Jo T, Suzumiya J, Tamura K.	Prognostic index for acute- and lymphoma-type adult T-cell leukemia/lymphoma.	J Clin Oncol	30	1635-1640	2012
Nishikawa H, Maeda Y, Ishida T, Gnjatic S, Sato E, Mori F, Sugiyama D, Ito A, Fukumori Y, Utsunomiya A, Inagaki H, Old LJ, Ueda R, Sakaguchi S.	Cancer/testis antigens are novel targets of immunotherapy for adult T cell leukemia/lymphoma.	Blood	119	3097-3104	2012
Ishida T, Joh T, Uike N, Yamamoto K, Utsunomiya A, Yoshida S, Saburi Y, Miyamoto T, Takemoto S, Suzushima H, Tsukasaki K, Nosaka K, Fuzjiwara H, Ishitsuka K, Inagaki H, Ogura M, Akinaga S, Tomonaga M, Tobinai K, Ueda R.	Defucosylated anti-CCR4 monoclonal antibody (KW-0761) for relapsed adult T-cell leukemia- lymphoma: a multicenter Phase II study.	J Clin Oncol	30	837-842	2012
Nakahata S, Saito Y, Marutsuka K, Hidaka T, Maeda K, Hatakeyama K, Shiraga T, Goto A, Takamatsu N, Asada Y, Utsunomiya A, Okayama A, Kubuki Y, Shimoda K, Ukai Y, Kuosawa G, Morishita K.	Clinical significance of CADM1/TSLC1/IgSF4 expression in adult T-cell leukemia/lymphoma.	Leukemia	26	1238-1246	2012
Kanda J, Hishizawa M, Utsunomiya A, Taniguchi S, Eto T, Moriuchi Y, Tanosaki R, Kawano F, Miyazaki Y, Masuda M, Nagafuji K, Hara M, Takanashi M, Kai S, Atsuta Y, Suzuki R, Kawase T, Matsuo K, Nagamura-Inoue T, Kato S, Sakamaki H, Morishima Y, Okamura J, Ichinohe T, Uchiyama T.	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study.	Blood	119	2141-2148	2012
Yamagishi M, Nakano K, Miyake A, Yamochi T, Kágami Y, Tsutsumi A, Matsuda Y, Sato-Otsubo A, Muto S, Utsunomiya A, Yamaguchi K, Uchimaru K, Ogawa S, Watanabe T.	Polycomb-mediated loss of miR-31 activates NIK-dependent NF- κ B pathway in adult T-cell leukemia and other cancers.	Cancer Cell	21	121-135	2012

Tsuzuki S, Seto M.	TEL(ETV6)-AML1(RUNX1) Initiates Self-renewing Fetal Pro-B Cells in Association with a Transcriptional Program Shared with Embryonic Stem Cells in Mice.	Stem Cells	31	236-247	2013
Umino A, Seto M.	Array CGH Reveals Clonal Evolution of Adult T-Cell Leukemia/Lymphoma.	Methods Mol Biol	973	189-196	2013
Yoshioka S, Tsukamoto Y, Hijiya N, Nakada C, Uchida T, Matsuura K, Takeuchi I, Seto M, Kawano K, Moriyama M.	Genomic profiling of oral squamous cell carcinoma by array-based comparative genomic hybridization.	PLoS One	8	e56165	2013
Seto M.	Cyclin D1-negative mantle cell lymphoma.	Blood	121	1249-1250	2013
Taguchi O, Tsujimura K, Kontani K, Harada Y, Nomura S, Ikeda H, Morita A, Sugiura H, Hayashi N, Yatabe Y, Seto M, Tatematsu M, Takahashi T, Fukushima A.	Behavior of Bone Marrow-Derived Cells Following in Vivo Transplantation: Differentiation into Stromal Cells with Roles in Organ Maintenance.	Am J Pathol	182	1255-1262	2013
Karube K, Tsuzuki S, Yoshida N, Arita K, Kato H, Katayama M, Ko Y-H, Ohshima K, Nakamura S, Kinoshita T, Seto M.	Comprehensive gene expression profiles of NK cell neoplasms identify vorinostat as an effective drug candidate.	Cancer Let	333	47-55	2013
Yoshida N, Nishikori M, Izumi T, Imaizumi Y, Sawayama Y, Niino D, Tashima M, Hoshi S, Ohshima K, Shimoyama M, Seto M, Tsukasaki K.	Primary peripheral T-cell lymphoma, not otherwise specified of the thyroid with autoimmune thyroiditis.	Br J Haematol	161	214-223	2013
Itonaga H, Tsushima H, Taguchi J, Fukushima T, Taniguchi H, Sato S, Ando K, Sawayama Y, Matsuo E, Yamasaki R, Onimaru Y, Imanishi D, Imaizumi Y, Yoshida S, Hata T, Moriuchi Y, Uike N, Miyazaki Y.	Treatment of relapsed adult T-cell leukemia/lymphoma after allogeneic hematopoietic stem cell transplantation: the Nagasaki Transplant Group experience.	Blood	121	219-225	2013
Watanabe Y, Suefuji H, Hirose Y, Kaida H, Suzuki G, Uozumi J, Ogo E, Miura M, Takasu K, Miyazaki K, Nakahara K, Ishibashi M, Okamura T, Ohshima K, Hayabuchi N.	¹⁸ F-FDG uptake in primary gastric malignant lymphoma correlates with glucose transporter 1 expression and histologic malignant potential.	Int J Hematol	97	43-49	2013

Arita K, Maeda-Kasugai Y, Ohshima K, Tsuzuki S, Suguro-Katayama M, Karube K, Yoshida N, Sugiyama T, Seto M.	Generation of mouse models of lymphoid neoplasm using retroviral gene transduction of in vitro-induced germinal center B and T cells.	Exp Hematol	41	731-741	2013
Yamamoto K, Tsuzuki S, Minami Y, Yamamoto Y, Abe A, Ohshima K, Seto M, Naoe T.	Functionally deregulated AML1/RUNX1 cooperates with BCR-ABL to induce a blastic phase-like phenotype of chronic myelogenous leukemia in mice.	PLoS One	8	e74864	2013
Ando M, Sato Y, Takata K, Nomoto J, Nakamura S, Ohshima K, Takeuchi T, Orita Y, Kobayashi Y, Yoshino T.	A20 (TNFAIP3) deletion in Epstein-Barr virus-associated lymphoproliferative disorders/lymphomas.	PLoS One,	8	e56741	2013
Ishimura M, Yamamoto H, Mizuno Y, Takada H, Goto M, Doi T, Hoshina T, Ohga S, Ohshima K, Hara T.	A non-invasive diagnosis of histiocytic necrotizing lymphadenitis by means of gene expression profile analysis of peripheral blood mononuclear cells.	J Clin Immunol	33	1018-1026	2013
Niino D, Tsuchiya T, Tomonaga M, Miyazaki Y, Ohshima K.	Clinicopathological features of acute megakaryoblastic leukaemia: Relationship between fibrosis and platelet-derived growth factor.	Pathol Int	63	141-149	2013
Arita K, Maeda-Kasugai Y, Ohshima K, Tsuzuki S, Suguro-Katayama M, Karube K, Yoshida N, Sugiyama T, Seto M.	Generation of mouse models of lymphoid neoplasm using retroviral gene transduction of in vitro-induced germinal center B and T cells.	Exp Hematol	41	731-741	2013
Kimura Y, Arakawa F, Kiyasu J, Miyoshi H, Yoshida M, Ichikawa A, Niino D, Sugita Y, Okamura T, Doi A, Yasuda K, Tashiro K, Kuhara S, Ohshima K.	The Wnt signaling pathway and mitotic regulators in the initiation and evolution of mantle cell lymphoma: Gene expression analysis.	Int J Oncol	43	457-468	2013
Ichikawa A, Arakawa F, Kiyasu J, Sato K, Miyoshi H, Niino D, Kimura Y, Takeuchi M, Yoshida M, Ishibashi Y, Nakashima S, Sugita Y, Miura O, Ohshima K.	Methotrexate/ iatrogenic lymphoproliferative disorders in rheumatoid arthritis: histology, Epstein-Barr virus, and clonality are important predictors of disease progression and regression.	Eur J Haematol	91	20-28	2013
Teshima K, Nara M, Watanabe A, Ito M, Ikeda S, Hatano Y, Oshima K, Seto M, Sawada K, Tagawa H.	Dysregulation of BMI1 and microRNA-16 collaborate to enhance an anti-apoptotic potential in the side population of refractory mantle cell lymphoma.	Oncogene	[Epub ahead of print]	doi: 10.1038/onc.2013.177.	2013

Kim SW, Yoon SS, Suzuki R, Matsuno Y, Yi HG, Yoshida T, Imamura M, Wake A, Miura K, Hino M, Ishikawa T, Kim JS, Maeda Y, Lee JJ, Kang HJ, Lee HS, Lee JH, Izutsu K, Fukuda T, Kim CW, Yoshino T, Ohshima K, Nakamura S, Nagafuji K, Suzumiya J, Harada M, Kim CS.	Comparison of outcomes between autologous and allogeneic hematopoietic stem cell transplantation for peripheral T-cell lymphomas with central review of pathology.	Leukemia	27	1394–1397	2013
Tamai Y, Hasegawa A, Takamori A, Sasada A, Tanosaki R, Choi I, Utsunomiya A, Eto T, Koh H, Suehiro Y, Kato K, Takemoto S, Okamura J, Uike N, Kannagi M.	Identification of an HLA-DRB1*0101-restricted dominant epitope of Tax-specific CD4+ T-cells augmenting in vitro CTL expression in ATL patients after allo-HSCT.	J Immunol	190	4382–4392	2013
Nakano N, Kusumoto S, Tanaka Y, Ishida T, Takeuchi S, Takatsuka Y, Akinaga S, Mizokami M, Ueda R, Utsunomiya A.	Reactivation of hepatitis B virus in a patient with adult T-cell leukemia-lymphoma receiving the anti-CC chemokine receptor 4 antibody mogamulizumab.	Hepatol Res	44	354–357	2014
Asanuma S, Yamagishi M, Kawanami K, Nakano K, Sato-Otsubo A, Muto S, Sanada M, Yamochi T, Kobayashi S, Utsunomiya A, Iwanaga M, Yamaguchi K, Uchimaru K, Ogawa S, Watanabe T.	Adult T-cell leukemia cells are characterized by abnormalities of Helios expression that promote T-cell growth.	Cancer Sci	104	1097–1106	2013
Kinpara S, Kijiyama M, Takamori A, Hasegawa A, Sasada A, Masuda T, Tanaka Y, Utsunomiya A, Kannagi M.	Interferon- α (IFN- α) suppresses human T-lymphotropic virus type-1 (HTLV-1) gene expression and cell cycling, while IFN- α combined with zidovudine induces p53 signaling and apoptosis in HTLV-1-infected cells.	Retrovirology	10	52	2013
Chihara D, Ito H, Matsuda T, Katanoda K, Shibata A, Taniguchi S, Utsunomiya A, Sobue T, Matsuo K.	Association between decreasing trend in the mortality of adult T-cell leukemia/ lymphoma and allogeneic hematopoietic stem cell transplants in Japan: Analysis of Japanese vital statistics and Japan Society for Hematopoietic Cell Transplantation (JSHCT).	Blood Cancer Journal	3	e159	2013

Ishihara M, Araya N, Sato T, Tatsuguchi A, Saichi N, Utsunomiya A, Nakamura Y, Nakagawa H, Yamano Y, Ueda K.	Preapoptotic protease calpain-2 is frequently suppressed in adult T-cell leukemia.	Blood	121	4340-4347	2013
Ando H, Sato T, Tomaru U, Yoshida M, Utsunomiya A, Yamauchi J, Araya N, Yagishita N, Coler-Reilly A, Shimizu Y, Yudo K, Nishioka K, Nakajima T, Jacobson S, Yamano Y.	Positive feedback loop via astrocytes causes chronic inflammation in virus-associated myelopathy.	Brain	136	2879-2887	2013
Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Takatsuka Y, Eto T, Miyazaki Y, Hidaka M, Uike N, Miyamoto T, Tsudo M, Sakamaki H, Morishima Y, Suzuki R, Utsunomiya A.	Impact of GVHD on allogeneic HCT for adult T-cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study.	Biol Blood Marrow Transplant	19	1731-1739	2013
Sato T, Coler-Reilly A, Utsunomiya A, Araya N, Yagishita N, Ando H, Yamauchi J, Inoue E, Ueno T, Hasegawa Y, Nishioka K, Nakajima T, Jacobson S, Izumo S, Yamano Y.	CSF CXCL10, CXCL9, and neopterin as candidate prognostic biomarkers for HTLV-1-associated myelopathy/tropical spastic paraparesis.	PLoS Negl Trop Dis	7	e2479	2013
Taguchi M, Imaizumi Y, Taguchi J, Imanishi D, Sasaki D, Hasegawa H, Tsushima H, Hata T, Miyazaki Y.	Transient proliferation of donor-derived ATL cell-like lymphocytes early after allogeneic stem cell transplantation in an adult T-cell leukemia/lymphoma patient.	Blood	121	4428-4430	2013
Fukushima T, Itonaga H, Moriuchi Y, Yoshida S, Taguchi J, Imaizumi Y, Imanishi D, Tsushima H, Sawayama Y, Matsuo E, Hata T, Miyazaki Y.	Feasibility of cord blood transplantation in chemosensitive adult T-cell leukemia/lymphoma: a retrospective analysis of the Nagasaki Transplantation Network.	Int J Hematol	97	485-490	2013
Itonaga H, Taguchi J, Fukushima T, Tsushima H, Sato S, Ando K, Sawayama Y, Matsuo E, Yamasaki R, Onimaru Y, Imanishi D, Imaizumi Y, Yoshida S, Hata T, Moriuchi Y, Honda S, Miyazaki Y.	Distinct clinical features of infectious complications in adult T cell leukemia/lymphoma patients after allogeneic hematopoietic stem cell transplantation: a retrospective analysis in the Nagasaki transplant group.	Biol Blood Marrow Transplant	19	607-615	2013

