

III. 研究成果の刊行物一覧

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
なし							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ebihara Y, Iwai M, Akashi K, Ito T, Omura G, Saito Y, Yoshida M, Ando M, Asakage T, Yamasoba T, <u>Murakami Y.</u>	High incidence of null-type mutations of the TP53 gene in Japanese patients with head and neck squamous cell carcinoma.	<i>Journal of Cancer Therapy,</i>		in press	
Wang F, Akashi K, <u>Murakami Y.</u> Inoue Y, Furuta T, Yamada H, Ohtomo K, Kiryu S.	Detection of lung tumors in mice using a 1-Tesla compact magnetic resonance imaging system.	<i>PLoS One,</i>		in press	
Ibrahim R, Matsubara D, Osman W, Morikawa T, Goto A, Morita S, Ishikawa S, Aburatani H, Takai D, Nakajima J, Fukayama M, Niki T, Murakami Y.	Expression of PRMT5 in lung adenocarcinoma and its significance in epithelial-mesenchymal transition.	<i>Human Pathology</i>		in press	

Cortez VS, Cervantes-Barragan L, Song C, Gilfillan S, McDonald KG, Edelson BT, <u>Murakami Y</u> , Newberry RD, Sibley LD, Colonna M.	CRTAM controls residency of gut CD4+CD8+T cells in the steady state and maintenance of gut CD4 TH17 during parasitic infection.	<i>Journal of Experimental Medicine</i>		in press	
Mimae T, Hagiyaama M, Inoue T, Yoneshige A, Kato T, Okada M, <u>Murakami Y</u> , Ito A.	Increased ectodomain shedding of lung-epithelial cell adhesion molecule 1 as a cause of increased alveolar cell apoptosis in emphysema.	<i>Thorax,</i>		in press	
Ito A, Ichiyanaagi N, Ikeda Y, Hagiyaama M, Inoue T, Kimura KB, Sakurai MA, Hamaguchi K, <u>Murakami Y</u> .	Adhesion molecule CADM1 contributes to gap junctional communication among pancreatic islet α -cells and prevents their excessive secretion of glucagon.	<i>Islets,</i>		in press	
<u>Kobayashi S</u> , <u>Nakano K</u> , Watanabe E, Ishigaki T, Ohno N, Yuji K, Oyaizu N, Asanuma S, Yamagishi M, Yamochi T, Watanabe N, Tojo A, <u>Watanabe T</u> and <u>Uchimaru K</u> .	CADM1 expression and stepwise downregulation of CD7 are closely associated with clonal expansion of HTLV-1-infected cells in adult T-cell leukemia/lymphoma.	<i>Clinical Cancer Res.</i>		in press	
Ishigaki T, Isobe M, Kobayashi S, Yuji K, Ohno N, Watanabe N, Tojo A and Uchimaru K.	Development of peripheral T-cell lymphoma not otherwise specified in a HTLV-1 carrier.	<i>Int J Hematol</i>		in press	

<p>Ragin C, Obikoya-Malomo M, Kim S, Chen Z, Flores-Obando R, Gibbs D, Koriyama C, Aguayo F, Koshiol J, Caporaso NE, Carpagnano GE, Ciotti M, Dosaka-Akita H, Fukayama M, <u>Goto A</u>, Spandidos DA, Gorgoulis V, Heideman DA, van Boerdonk RA, Hiroshima K, Iwakawa R, Kastrinakis NG, Kinoshita I, Akiba S, Landi MT, Eugene Liu H, Wang JL, Mehra R, Khuri FR, Lim WT, Owonikoko TK, Ramalingam S, Sarchianaki E, Syrjanen K, Tsao MS, Sykes J, Hee SW, Yokota J, Zaravinos A, Taioli E</p>	<p>HPV-associated lung cancers: an international pooled analysis.</p>	<p><i>Carcinogenesis</i></p>		<p>in press</p>	
<p>Tanino M, Sasajima T, Nanjo H, Akesaka S, Kagaya M, Kimura T, Ishida Y, Oda M, Takahashi M, Sugawara T, Yoshioka T, Nishihara H, Akagami Y, <u>Goto A</u>, Minamiya Y, Tanaka S; R-IHC Study Group.</p>	<p>Rapid immunohistochemistry based on alternating current electric field for intraoperative diagnosis of brain tumors.</p>	<p><i>Tumor Pathology</i></p>		<p>in press</p>	
<p>Murakami S, Sakurai-Yageta M, Maruyama T, <u>Murakami Y</u>.</p>	<p>Intercellular adhesion of CADM1 activates PI3K by forming a complex with MAGuK-family proteins MPP3 and Dlg.</p>	<p><i>PLoS One</i>,</p>	<p>9</p>	<p>e82894</p>	<p>2014</p>

Dobashi Y, <u>Goto A</u> , Endo T, Ooi A. Genetic aberrations as the targets of oncology research: Involvement of paraffin-embedded tissues.	Genetic aberrations as the targets of oncology research: Involvement of paraffin-embedded tissues.	<i>Histol Histopathol.</i>	29	191-205	2014
Matsubara D, Kishaba Y, Ishikawa S, Sakatani T, Oguni S, Tamura T, Hoshino H, Sugiyama Y, Endo S, <u>Murakami Y</u> , Aburatani H, Fukayama M and Niki T.	Lung cancer with loss of BRG1/BRM, shows epithelial mesenchymal transition phenotype and distinct histologic and genetic features.	<i>Cancer Science</i>	104	266-273	2013
Ohno N, <u>Kobayashi S</u> , Ishigaki T, Yuji K, Kobayashi M, Sato K, Watanabe N, Tojo A, and <u>Uchimaru K</u> .	. Loss of CCR4 antigen expression after mogamulizumab therapy in a case of adult T-cell leukaemia-lymphoma.	<i>Br J Haematol.</i>	163	683-685	2013
Asanuma S, Yamagishi M, Kawanami K, <u>Nakano K</u> , Sato-Otsubo A, Muto S, Sanada M, Yamochi T, <u>Kobayashi S</u> , Utsunomiya A, Iwanaga M, Yamaguchi K, <u>Uchimaru K</u> , Ogawa S and <u>Watanabe T</u> .	Adult T-cell leukemia cells are characterized by abnormalities of Helios expression that promote T cell growth.	<i>Cancer Sci.</i>	104	1097-1106	2013

Shoji K, Murayama T, Mimura I, Wada T, Kume H, <u>Goto A</u> , Ohse T, Tanaka T, Inagi R, van der Hoorn FA, Manabe I, Homma Y, Fukayama M, Sakurai T, Hasegawa T, Aburatani H, Kodama T, Nangaku M	Sperm-Associated Antigen 4, a Novel Hypoxia-Inducible Factor 1 Target, Regulates Cytokinesis, and Its Expression Correlates with the Prognosis of Renal Cell Carcinoma.	<i>Am J Pathol</i>	182	2191-2203	2013
Morita S, Yoshida A, <u>Goto A</u> , Ota S, Tsuta K, Yokozawa K, Asamura H, Nakajima J, Takai D, Mori M, Oka T, Tamaru J, Itoyama S, Furuta K, Fukayama M, Tsuda H.	High-grade Lung Adenocarcinoma With Fetal Lung-like Morphology: Clinicopathologic, Immunohistochemical, and Molecular Analyses of 17 Cases.	<i>Am J Surg Pathol.</i>	37	924-932	2013
Minamiya Y, <u>Goto A</u> , Nanjo H, Saito H, Motoyama S, Sato Y, Kudo S, Takashima S, Kawaharada Y, Kurihara N, Orino K, Ogawa J, Imai K.	Bronchioloalveolar invasion in non-small cell lung cancer is associated with expression of transforming growth factor- β 1.	<i>World J Surg Oncol.</i>	25	113	2013