

## 研究成果の刊行に関する一覧表レイアウト

雑誌（英文）  
2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ishida T, Ueda R.	Immunopathogenesis of lymphoma: focus on CCR4.	Cancer Sci.	102(1)	44-50	2011
Ishida T, Ueda R.	Antibody therapy for Adult T-cell leukemia-lymphoma.	Int J Hematol.	94(5)	443-52	2011
Shimizu K, Murakami H, Sawamura M, Hattori Y, Iida S, Ishida T, Sunami K, Asaoku H, Sakai A, Abe M, Takagi T.	Efficacy of Long-Term Treatment with Low-Dose Thalidomide for Patients with Relapsed/Refractory Multiple Myeloma.	International Journal of Clinical Medicine	2	570-75	2011
Toda M, Wang L, Ogura S, Torii M, Kurachi M, Kakimi K, Nishikawa H, Matsushima K, Shiku H, Kuribayashi K, Kato T.	UV irradiation of immunized mice induces type 1 regulatory T cells that suppress tumor antigen specific CTL responses.	Int J Cancer.	129	1126-36	2011
Kawada J, Wada H, Isobe M, Gnjjatic S, Nishikawa H, Jungbluth AA, Okazaki N, Uenaka A, Nakamura Y, Fujiwara S, Mizuno N, Saika T, Ritter E, Yamasaki M, Miyata M, Ritter G, Murphy R, Hoffman EW, Pan L, Old LJ, Doki Y, Nakayama E	Heteroclitic serological response in esophageal and prostate cancer patients after NY-ESO-1 protein vaccination.	Int J Cancer.	130(3)	584-592	2012
Kominato S, Nakayama T, Sato F, Yamada S, Xia H, Fujiyoshi Y, Hattori H, Inagaki H.	Characterization of chromosomal aberrations in thymic MALT lymphoma.	Pathol Int.	62(2)	93-8	2012

Ebi M, Kataoka H, Shimura T, Hirata Y, Mizushima T, Mizoshita T, Tanaka M, Tsukamoto H, Ozeki K, Tanida S, Kamiya T, <u>Inagaki H</u> , Joh T.	The role of neuregulin4 and HER4 in gastrointestinal malignant lymphoma.	Mol Med Report.	4(6)	1151-5	2011
Okumura Y, Miyabe S, Nakayama T, Fujiyoshi Y, Hattori H, Shimozato K, <u>Inagaki H</u> .	Impact of CRTCl/3-MAML2 fusions on histological classification and prognosis of mucoepidermoid carcinoma.	Histopathology.	59(1)	90-7	2011
Kojima M, Nakamura N, Nakazato Y, Igarashi T, Masawa N, <u>Inagaki H</u> .	Light-chain-restricted monoclonal B-cell cluster in reactive lymphadenitis associated with Sjögren syndrome.	Leuk Lymphoma.	52(6)	1150-2	2011
Xia H, Nakayama T, Sakuma H, Yamada S, Sato F, Takino H, Okabe M, Fujiyoshi Y, Hattori H, <u>Inagaki H</u> .	Analysis of API2-MALT1 fusion, trisomies, and immunoglobulin VH genes in pulmonary mucosa-associated lymphoid tissue lymphoma.	Hum Pathol	42(9)	1297-304	2011
Sakakibara E, Kimachi S, Hashimoto K, <u>Inagaki H</u> , Nagasaka T, Wakusawa S, Yokoi T.	An aspiration material preparation system: application of a new liquid-based cytology technique for fine-needle aspiration of the breast.	Acta Cytol.	55(1)	92-9	2011
Kannagi M, Hasegawa A, Kinpara S, Shimizu Y, Takamori A, <u>Utsunomiya A</u>	Double control systems for human T-cell leukemia virus type 1 (HTLV-1) by innate and acquired immunity.	Canter Sci	102(4)	670-6	2011
Umino A, Nakagawa M, <u>Utsunomiya A</u> , Tsukasaki K, Taira N, Katayama N, Seto M	Clonal evolution of adult T-cell leukemia/lymphoma takes place in lymph node.	Blood	117(20)	5473-8	2011
Araya N, Sato T, Yagishita N, Ando H, <u>Utsunomiya A</u> , Jacobson S, Yamano Y	Human T-lymphotropic virus type 1 (HTLV-1) and regulatory T cells in HTLV-1-associated neuroinflammatory disease.	Viruses	3	1532-48	2011

Waki F, Masuoka K, Fukuda T, Kanda Y, Nakamae M, Yakushijin K, Togami K, Nishiwaki K, Ueda Y, Kawano F, Kasai M, Nagafuji K, Hagihara M, Hatanaka K, Taniwaki M, Maeda Y, Shirafuji N, Mori T, <u>Utsunomiya A</u> , Eto T, Nakagawa H, Murata M, Uchida T, Iida H, Yakushiji K, Yamashita T, Wake A, Takahashi S, Takaue Y, Taniguchi S.	Feasibility of reduced-intensity cord blood transplantation as salvage therapy for graft failure: results of a nationwide survey of adult patients.	Biol Blood Marrow Transplant	17(6)	841-51	2011
Uota S, Dewan MZ, Saitoh Y, Muto S, Itai A, <u>Utsunomiya A</u> , Watanabe T, Yamamoto N, Yamaoka S.	An I $\kappa$ B kinase 2 inhibitor IMD-0354 suppresses the survival of adult T-cell leukemia cells.	Cancer Sci,	103(1)	100-6	2012
Yamagishi M, Nakano K, Miyake A, Yamochi T, Kagami Y, Tsutsumi A, Matsuda Y, Sato-Otsubo A, Muto S, <u>Utsunomiya A</u> , Yamaguchi K, Uchimaru K, Ogawa S, Watanabe T	Polycomb-mediated loss of miR-31 activates NIK-dependent NF- $\kappa$ B pathway in adult T-cell leukemia and other cancers.	Cancer Cell	21	121-35	2012

2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Ishida T</u> *, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Taniguchi S, Eto T, Takatsuka Y, Miyazaki Y, Moriuchi Y, Hidaka M, Akashi K, Uike N, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishiyama T, <u>Utsunomiya A</u> . *corresponding author	Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study.	Blood.	120	1734-41	2012

Suzuki S, Masaki A, <u>Ishida T*</u> , Ito A, Mori F, Sato F, Narita T, Ri M, Kusumoto S, Komatsu H, Fukumori Y, <u>Nishikawa H</u> , Tanaka Y, Niimi A, Inagaki H, Iida S, Ueda R. *corresponding author	Tax is a potential molecular target for immunotherapy of adult T-cell leukemia/lymphoma.	Cancer Sci.	103	1764-73	2012
Mori F, <u>Ishida T*</u> , Ito A, Sato F, Masaki A, Takino H, Ri M, Kusumoto S, Komatsu H, Ueda R, <u>Inagaki H</u> , Iida S. *corresponding author	Potent antitumor effects of bevacizumab in a microenvironment-dependent human lymphoma mouse model.	Blood Cancer J.	2(4)	e67	2012
Ri M, Tashiro E, Oikawa D, Shinjo S, Tokuda M, Yokouchi Y, Narita T, Masaki A, Ito A, Ding J, Kusumoto S, <u>Ishida T</u> , Komatsu H, Shiotsu Y, Ueda R, Iwawaki T, Imoto M, Iida S.	Identification of Toyocamycin, an agent cytotoxic for multiple myeloma cells, as a potent inhibitor of ER stress-induced XBP1 mRNA splicing.	Blood Cancer J.	2(7)	e79	2012
Yamada S, Sato F, Xia H, Takino H, Kominato S, Ri M, <u>Ishida T</u> , Iida S, <u>Inagaki H</u> , Yamada K.	FOXP1 Overexpression and Its Clinicopathological Significance in Peripheral T-cell Lymphoma, Not Otherwise Specified.	Hum Pathol.	43	1322-7	2012
<u>Nishikawa H</u> , Maeda Y, <u>Ishida T</u> , Gnjjatic S, Sato E, Mori F, Sugiyama D, Ito A, Fukumori Y, <u>Utsunomiya A</u> , <u>Inagaki H</u> , Old LJ, Ueda R, Sakaguchi S.	Cancer/testis antigens are novel targets of immunotherapy for adult T-cell leukemia/lymphoma.	Blood.	119	3097-104	2012
Iwami K, Shimato S, Ohno M, Okada H, Nakahara N, Sato Y, Yoshida J, Suzuki S, <u>Nishikawa H</u> , Shiku H, Natsume A, Wakabayashi T.	Peptide-pulsed dendritic cell vaccination targeting interleukin-13 receptor $\alpha 2$ chain in recurrent malignant glioma patients with HLA-A*24/A*02 allele.	Cytotherapy.	14 (6)	733-742	2012

Fujiwara S, Wada H, Miyata H, Kawada J, Kawabata R, <u>Nishikawa H</u> , Gnjatic S, Sedrak C, Sato E, Nakamura Y, Sakakibara M, Kanto T, Shimosegawa E, Hatazawa J, Takahashi T, Kurokawa Y, Yamasaki M, Nakajima K, Takiguchi S, Nakayama E, Mori M, Doki Y.	Clinical Trial of the Intratumoral Administration of Labeled DC Combined With Systemic Chemotherapy for Esophageal Cancer.	J. Immunother.	35(6)	513-21	2012
Nakamori Y, Liu B, Ohishi K, Suzuki K, Ino K, Matsumoto T, Masuya M, <u>Nishikawa H</u> , Shiku H, Hamada H, Katayama N.	Human bone marrow stromal cells simultaneously support B and T/NK lineage development from human haematopoietic progenitors: a principal role for flt3 ligand in lymphopoiesis.	Br J Haematol.	157(6)	674-86	2012
Noguchi T, Kato T, Wang L, Maeda Y, Ikeda H, Sato E, Knuth A, Gnjatic S, Ritter G, Sakaguchi S, Old LJ, Shiku H, and <u>Nishikawa H</u> .	Intracellular tumor-associated antigens represent effective targets for passive immunotherapy.	Cancer Res.	72	1672-82	2012
<u>Ishida T</u> , Joh T, Uike N, Yamamoto K, <u>Utsunomiya A</u> , Yoshida S, Saburi Y, Miyamoto T, Takemoto S, Suzushima H, Tsukasaki K, Nosaka K, Fujiwara H, Ishitsuka K, <u>Inagaki H</u> , Ogura M, Akinaga S, Tomonaga M, Tobinai K, Ueda R.	Defucosylated Anti-CCR4 Monoclonal Antibody (KW-0761) for Relapsed Adult T-Cell Leukemia-Lymphoma: A Multicenter Phase II Study.	J Clin Oncol.	30	837-42	2012
Kominato S, Nakayama T, Sato F, Yamada S, Xia H, Fujiyoshi Y, Hattori H, <u>Inagaki H</u> .	Characterization of chromosomal aberrations in thymic MALT lymphoma.	Pathol Int.	62	93-8	2012

Okumura F, Sakuma H, Nakazawa T, Hayashi K, Naitoh I, Miyabe K, Yoshida M, Yamashita H, Ohara H, <u>Inagaki H</u> , Joh T.	Analysis of VH gene rearrangement and somatic hypermutation in type 1 autoimmune pancreatitis.	Pathol Int.	62	318-23	2012
Wada N, Zaki MA, Kohara M, Ogawa H, Sugiyama H, Nomura S, Matsumura I, Hino M, Kanakura Y, <u>Inagaki H</u> , Morii E, Aozasa K.	Diffuse large B cell lymphoma with an interfollicular pattern of proliferation shows a favourable prognosis: a study of the Osaka Lymphoma Study Group.	Histopathology	60(6)	924-32	2012
Kannagi M, Hasegawa A, Takamori A, Kinpara S, <u>Utsunomiya A</u> .	The roles of acquired and innate immunity in human T-cell leukemia virus type 1-mediated diseases.	Frontiers in Microbiology	3(323)	1-10	2012
Higashi Y, Kawai K, Yonekura K, Takeda K, Kanzaki T, <u>Utsunomiya A</u> , Kanekura K.	Indication for random skin biopsy for the diagnosis of intravascular large B cell lymphoma.	Dermatology	224	46-50	2012
Satou Y, <u>Utsunomiya A</u> , Tanabe J, Nakagawa M, Nosaka K, Matsuoka M.	HTLV-1 modulates the frequency and phenotype of FoxP3+CD4+ T cells in the HTLV-1 infected individuals.	Retrovirology	9(1)	46	2012
Fukuda RI, Tsuchiya K, Suzuki K, Itoh K, Fujita J, <u>Utsunomiya A</u> , Tsuji.	HTLV-I Tax regulates the cellular proliferation through the down-regulation of PIP3-phosphatase expressions via the NF- $\kappa$ B pathway.	Int J Biochem Mol Biol.	3(1)	95-104	2012
Katsuya H, Yamanaka T, Ishitsuka K, <u>Utsunomiya A</u> , Sasaki H, Hanada S, Eto T, Moriuchi Y, Saburi Y, Miyahara M, Sueoka E, Uike N, Yoshida S, Yamashita K, Tsukasaki K, Suzushima H, Ohno Y, Matsuoka H, Jo T, Suzumiya J, Tamura K.	Prognostic index for acute- and lymphoma-type adult T-cell leukemia/lymphoma.	J Clin Oncol	30(14)	1635-40	2012

Nakahata S, Saito Y, Marutsuka K, Hidaka T, Maeda K, Hatakeyama K, Shiraga T, Goto A, Takamatsu N, Asada Y, <u>Utsunomiya A</u> , Okayama A, Kubuki Y, Shimoda K, Ukai Y, Kuosawa G, Morishita K.	Clinical significance of CADM1/TSLC1/IgSF4 expression in adult T-cell leukemia/ lymphoma.	Leukemia	26(6)	1238-46	2012
Kanda J, Hishizawa M, <u>Utsunomiya A</u> , Taniguchi S, Eto T, Moriuchi Y, Tanosaki R, Kawano F, Miyazaki Y, Masuda M, Nagafuji K, Hara M, Takanashi M, Kai S, Atsuta Y, Suzuki R, Kawase T, Matsuo K, Nagamura-Inoue T, Kato S, Sakamaki H, Morishima Y, Okamura J, Ichinohe T, Uchiyama T.	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study.	Blood	119(9)	2141-48	2012
Gupta A, Nuber N, Esslinger C, Wittenbrink M, Treder M, Landshammer A, Noguchi T, Kelly M, Gnjatic S, Ritter E, von Boehmer L, <u>Nishikawa H</u> , Shiku H, Old LJ, Ritter G, Knuth A, van den Broek M.	A novel human-derived monoclonal antibody against NY-ESO-1 improves the efficacy of chemotherapy.	Cancer Immunity	13	E3	2013
Eikawa S, Kakimi K, Isobe M, Kuzushima K, Luescher I, Ohue Y, Ikeuchi K, Uenaka A, <u>Nishikawa H</u> , Udono H, Oka M, Nakayama E.	Induction of CD8 T-cell responses restricted to multiple HLA class I alleles in a cancer patient by immunization with a 20-mer NY-ESO-1f (NY-ESO-1 91-110) peptide.	International Journal of Cancer	132	345-54	2013

2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ishida T, Ito A, Sato F, Kusumoto S, Iida S, Inagaki H, Morita A, Akinaga S, Ueda R.	Stevens-Johnson Syndrome associated with mogamulizumab treatment of Adult T-cell leukemia/lymphoma.	Cancer Sci.	104	647-50	2013
Ogura M*, Ishida T*, Hatake K, Taniwaki M, Ando K, Tobinai K, Fujimoto K, Yamamoto K, Miyamoto T, Uike N, Tanimoto M, Tsukasaki K, Ishizawa K, Suzumiya J, Inagaki H, Tamura K, Akinaga S, Tomonaga M, Ueda R.	Multicenter phase II study of mogamulizumab (KW-0761), a defucosylated anti-CCR4 antibody, in patients with relapsed peripheral T-cell lymphoma and cutaneous T-cell lymphoma.	J Clin Oncol,	in press.		
Narita T, Ishida T, Masaki A, Suzuki S, Ito A, Mori F, Yamada T, Masaki Ri, Kusumoto S, Komatsu H, Miyazaki Y, Takatsuka Y, Utsunomiya A, Niimi A, Iida S, Ueda R.	HTLV-1 bZIP factor specific CD4 T cell responses in ATL patients after allogeneic hematopoietic stem cell transplantation.	J Immunol.	192 ( 3 )	940-7	2014
Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Takatsuka Y, Eto T, Miyazaki Y, Hidaka M, Uike N, Miyamoto T, Tsudo M, Sakamaki H, Morishima Y, Suzuki R, Utsunomiya A, et al.	Impact of GVHD on allogeneic hematopoietic cell transplantation for adult T-cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study	Biol Blood Marrow Transplant.	19	1731-9	2013
Suzuki T, Kusumoto S, Yoshida T, Mori F, Ito A, Ri M, Ishida T, Komatsu H, Niimi A, Iida S.	Successful salvage therapy using lenalidomide in a patient with relapsed multiple myeloma after allogeneic hematopoietic stem cell transplantation.	Int J Hematol.	97	540-3	2013



Xia H, Yamada S, Aoyama M, Sato F, Masaki A, Ge Y, Ri M, <u>Ishida T</u> , Ueda R, <u>Utsunomiya A</u> , Asai K, <u>Inagaki H</u> .	Prognostic impact of miR-145 down-regulation in adult T-cell leukemia/ lymphoma.	Hum Pathol.	in press		
Masaki A, <u>Ishida T</u> , Suzuki S, Ito A, Mori F, Sato F, Narita T, Yamada T, Ri M, Kusumoto S, Komatsu H, Tanaka Y, Niimi A, <u>Inagaki H</u> , Iida S, Ueda R.	Autologous Tax-specific CTL therapy in a primary ATL cell-bearing NOD/Shi-scid, IL-2R $\gamma$ null mouse model.	J Immunol.	191(1)	135-44	2013
Sato F, <u>Ishida T</u> , Ito A, Mori F, Masaki A, Takino H, Narita T, Ri M, Kusumoto S, Suzuki S, Komatsu H, Niimi A, Ueda R, <u>Inagaki H</u> , Iida S.	Angioimmunoblastic T-cell lymphoma mice model.	Leuk Res.	37	21-7	2013
Inagaki A, Tajima E, Uranishi M, Totani H, Asao Y, Ogura H, Masaki A, Yoshida T, Mori F, Ito A, Yano H, Ri M, Kayukawa S, Kataoka T, Kusumoto S, <u>Ishida T</u> , Hayami Y, Hanamura I, Komatsu H, <u>Inagaki H</u> , Matsuda Y, Ueda R, Iida S.	Global real-time quantitative reverse transcription-polymerase chain reaction detecting proto-oncogenes associated with 14q32 chromosomal translocation as a valuable marker for predicting survival in multiple myeloma.	Leuk Res.	37	1648-55	2013
Nakano N, Kusumoto S, Tanaka Y, <u>Ishida T</u> , Takeuchi S, Takatsuka Y, Akinaga S, Mizokami M, Ueda R, <u>Utsunomiya A</u> .	Reactivation of hepatitis B virus in a patient with adult T-cell leukemia-lymphoma receiving the anti-CC chemokine receptor 4 antibody mogamulizumab.	Hepatol Res.	44(3)	354-7	2014
Mori F, <u>Ishida T</u> , Ito A, Sato F, Masaki A, Narita T, Suzuki S, Yamada T, Takino H, Ri M, Kusumoto S, Komatsu H, Hishizawa M, Imada K, Takaori-Kondo A, Niimi A, Ueda R, <u>Inagaki H</u> , Iida S.	Antitumor effects of bevacizumab in a microenvironment-dependent human adult T-cell leukemia/lymphoma mouse model.	Eur J Haematol.	92(3)	219-28	2014

Miyazaki Y, Fujiwara H, Asai H, Ochi F, Ochi T, Azuma T, <u>Ishida T</u> , Okamoto S, Mineno J, Kuzushima K, Shiku H, Yasukawa M.	Development of a novel redirected T cell-based adoptive immunotherapy targeting human telomerase reverse transcriptase for adult T-cell leukemia.	Blood.	121(24)	4894-901	2013
Kato H, Saito C, Ito E, Furuhashi T, Nishida E, <u>Ishida T</u> , Ueda R, <u>Inagaki H</u> , Morita A.	Bath-PUVA Therapy Decreases Infiltrating CCR4-Expressing Tumor Cells and Regulatory T Cells in Patients With Mycosis Fungoides.	Clin Lymphoma Myeloma Leuk.	13(3)	237-80	2013
<u>Nishikawa H</u> , Sakaguchi S.	Regulatory T cells in cancer immunotherapy	Curr Opin Immunol	27	1-7	2014
Wada H, Isobe M, Kakimi K, Mizote Y, Eikawa S, Sato E, Takigawa N, Kiura K, Tsuji K, Iwatsuki K, Yamasaki M, Miyata H, Matsushita H, Uono H, Seto Y, Yamada K, <u>Nishikawa H</u> , Pan L, Venhaus R, Oka M, Doki Y, Nakayama E.	Vaccination With NY-ESO-1 Overlapping Peptides Mixed With Picibanil OK-432 and Montanide ISA-51 in Patients With Cancers Expressing the NY-ESO-1 Antigen.	J Immunother.	37	84-92	2014
Sugiyama D, <u>Nishikawa H</u> , Maeda Y, Nishioka M, Tanemura A, Katayama I, Ezoe S, Kanakura Y, Sato E, Fukumori Y, Karbach J, Jager E and Shakaguchi S.	Anti-CCR4 mAb selectively depletes effector-type FoxP3 <sup>+</sup> CD4 <sup>+</sup> regulatory T cells, evoking anti-tumor immune responses in humans.	Proc. Natl. Acad Sci USA	110	17945-17950	2013
Atarashi K, Tanoue T, Suda W, Oshima K, Nagano Y, <u>Nishikawa H</u> , Fukuda S, Saito T, Narushima S, Hase K, Kim S, Fritz JV, Wilmes P, Ueha S, Matsushima K, Ohno H, Olle B, Sakaguchi S, Taniguchi T, Morita H, Hattori M and Honda K.	Treg induction by a rationally selected Clostridia cocktail from the human microbiota.	Nature.	500	232-236	2013

Fujiwara S, Wada H, Kawada J, Kawabata R, Takahashi T, Fujita J, Hirao T, Shibata K, Makari Y, Iijima S, <u>Nishikawa H</u> , Jungbluth A, Nakamura Y, Kurokawa Y, Yamasaki M, Miyata H, Nakajima K, Takiguchi S, Nakayama E, Mori M, and Doki Y.	NY-ESO-1 antibody as a novel tumor marker of gastric cancer.	Br J Cancer	108	1119-1125	2013
Liu B, Ohishi K, Orito Y, Nakamori Y, <u>Nishikawa H</u> , Ino K, Suzuki K, Matsumoto T, Masuya M, Hamada H, Mineno J, Ono R, Nosaka T, Shiku H, Katayama N.	Manipulation of human early T lymphopoiesis by coculture on human bone marrow stromal cells: Potential utility for adoptive immunotherapy.	Exp Hematol.	41	367-376	2013
Takino H, Li C, Yamada S, Sato F, Masaki A, Fujiyoshi Y, Hattori H, <u>Inagaki H</u> .	Thymic extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue: a gene methylation study.	Leuk Lymphoma.	54	1742-6	2013
Tamai Y, Hasegawa A, Takamori A, Sasada A, Tanosaki R, Choi I, <u>Utsunomiya A</u> , Eto T, Koh H, Suehiro Y, Kato K, Takemoto S, Okamura J, Uike N, Kannagi M.	Potential contribution of a novel Tax epitope-specific CD4+ T cells to graft-versus-Tax effect in adult T cell leukemia patients after allogeneic hematopoietic stem cell transplantation.	J Immunol	190(8)	4382-92	2013
Ishihara M, Araya N, Sato T, Tatsuguchi A, Saichi N, <u>Utsunomiya A</u> , Nakamura Y, Nakagawa H, Yamano Y, Ueda K.	Preapoptotic protease calpain-2 is frequently suppressed in adult T-cell leukemia.	Blood	121(21)	4340-7	2013
Asanuma S, Yamagishi M, Kawanami K, Nakano K, Sato-Otsubo A, Muto S, Sanada M, Yamochi T, Kobayashi S, <u>Utsunomiya A</u> , Iwanaga M, Yamaguchi K, Uchimaru K, Ogawa S, Watanabe T.	Adult T-cell leukemia cells are characterized by abnormalities of Helios expression that promote T-cell growth.	Cancer Sci	104(8)	1097-106	2013

Kinpara S, Kijiyama M, Takamori A, Hasegawa A, Sasada A, Masuda T, Tanaka Y, <u>Utsunomiya A</u> , Kannagi M.	Interferon- $\alpha$ (IFN- $\alpha$ ) suppresses human T-lymphotropic virus type-1 (HTLV-1) gene expression and cell cycling, while IFN- $\alpha$ combined with zidovudine induces p53 signaling and apoptosis in HTLV-1- infected cells.	Retrovirol	10	52	2013
Ando H, Sato T, Tomaru U, Yoshida M, <u>Utsunomiya A</u> , Yamauchi J, Araya N, Yagishita N, Coler-Reilly A, Shimizu Y, Yudo K, Nishioka K, Nakajima T, Jacobson S, Yamano Y.	Positive feedback loop via astrocytes causes chronic inflammation in virus-associated myelopathy.	Brain	136(Pt 9)	2876-87	2013
Sato T, Coler-Reilly A, <u>Utsunomiya A</u> , Araya N, Yagishita N, Ando H, Yamauchi J, Inoue E, Ueno T, Hasegawa Y, Nishioka K, Nakajima T, Jacobson S, Izumo S, Yamano Y.	CSF CXCL10, CXCL9, and neopterin as candidate prognostic biomarkers for HTLV-1-associated myelopathy/tropical spastic paraparesis.	PLoS Negl Trop Dis	7(10)	e2479	2013
Chihara D, Ito H, Matsuda T, Katanoda K, Shibata A, Taniguchi S, <u>Utsunomiya A</u> , Sobue T, Matsuo K.	Association between decreasing trend in the mortality of adult T-cell leukemia/lymphoma and allogeneic hematopoietic stem cell transplants in Japan: Analysis of Japanese vital statistics and Japan Society for Hematopoietic Cell Transplantation (JSHCT).	Blood Cancer J	3	e159	2013
Tsukasaki K, Imaizumi Y, Tokura Y, Ohshima K, Kawai K, <u>Utsunomiya A</u> , Amano M, Watanabe T, Nakamura S, Iwatsuki K, Kamihira S, Yamaguchi K, Shimoyama M.	Meeting report on the possible proposal of an extranodal primary cutaneous variant in the lymphoma type of adult T-cell leukemia-lymphoma.	J Dermatol.	41(1)	26-8	2014
Tokunaga M, Uto H, Oda K, Tokunaga M, Mawatari S, Kumagai K, Haraguchi K, Oketani M, Ido A, Ohnou N, <u>Utsunomiya A</u> , Tsubouchi H.	Influence of human T-lymphotropic virus type 1 coinfection on the development of hepatocellular carcinoma in patients with hepatitis C virus infection.	J Gastroenterol	in press		