

## Ⅱ. 研究成果の刊行に関する一覧表

|  |  |                                  |          |          |      |
|--|--|----------------------------------|----------|----------|------|
| C. Tanikawa, K. Matsuo, M. Kubo, A. Takahashi, H. Ito, H. Tanaka, Y. Yatabe, K. Yamao, N. Kamatani, K. Tajima, Y. Nakamura, <b>K. Matsuda,</b>   | Impact of PSCA variation on gastric ulcer susceptibility.  | <i>PloS one</i>                  | 8(5):    | e63698.  | 2013 |
| C.M. O'Seaghdha, <b>K. Matsida,</b> M. Bochud, et al.  | Meta-analysis of genome-wide association studies identifies six new Loci for serum calcium concentrations.               | PLoS Genet                       | 9        | e1003796 | 2013 |
| R. Takata, <b>K. Matsuda,</b> J. Sugimura, W. Obara, T. Fujioka, K. Okihara, N. Takaha, T. Miki, S. Ashida, K. Inoue, C. Tanikawa, T. Shuin, S. Sasaki, Y. Kojima, K. Kohri, M. Kubo, M. Yamaguchi, Y. Ohnishi, Y. Nakamura,   | Impact of four loci on serum tamsulosin hydrochloride concentration.   | <i>Journal of human Genetics</i> | 58       | 21-26    | 2013 |
| T. Yasui, A. Okada, Y. Urabe, M. Usami, K. Mizuno, Y. Kubota, K. Tozawa, S. Sasaki, Y. Higashi, Y. Sato, M. Kubo, Y. Nakamura, <b>K. Matsuda,</b> , K. Kohri   | A replication study for three nephrolithiasis loci at 5q35.3, 7p14.3 and 13q14.1 in the Japanese population.             | J Hum Genet                      | 58       | 588-593  | 2013 |
| B. Zhang, W.H. Jia, K. Matsuo, A. Shin, Y.B. Xiang, <b>K. Matsuda,</b> S.H. Jee, D.H. Kim, P.Y. Cheah, Z. Ren, Q. Cai, J. Long, J. Shi, W. Wen, G. Yang, B.T. Ji, Z.Z. Pan, F. Matsuda, Y.T. Gao, J.H. Oh, Y.O. Ahn, M. Kubo, L.F. Thean, E.J. Park, H.L. Li, J.W. Park, J. Jo, J.Y. Jeong, S. Hosono, Y. Nakamura, X.O. Shu, Y.X. Zeng, W. Zheng, | Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. | International journal of cancer. | In press |          | 2014 |

|  |  |                       |          |         |      |
|--|--|-----------------------|----------|---------|------|
| T. Kashiyama, K. Oda, Y. Ikeda, Y. Shiose, Y. Hirota, K. Inaba, C. Makii, R. Kurikawa, A. Miyasaka, T. Koso, T. Fukuda, M. Tanikawa, K. Shoji, K. Sone, T. Arimoto, O. Wada-Hiraike, K. Kawana, S. Nakagawa, <u>K. Matsuda</u> , F. McCormick, H. Aburatani, T. Yano, Y. Osuga, T. Fujii | Antitumor Activity and Induction of TP53-Dependent Apoptosis toward Ovarian Clear Cell Adenocarcinoma by the Dual PI3K/mTOR Inhibitor DS-7423.       | Plos One              | 9        | E87220  | 2014 |
| J. Lin, Z. Deng, C. Tanikawa, T. Shuin, T. Miki, <u>K. Matsuda</u> , Y. Nakamura,  | Downregulation of the tumor suppressor HSPB7, involved in the p53 pathway, in renal cell carcinoma by hypermethylation.                              | Int J Oncol           | In press |         | 2014 |
| Fujitomo T, Daigo Y, <u>Matsuda K</u> , Ueda K, Nakamura Y.  | Identification of a nuclear protein, LRRC42, involved in lung carcinogenesis.  | Int J Oncol           | In press |         | 2014 |
| Y. Urabe, H. Ochi, N. Kato, V. Kumar, A. Takahashi, R. Muroyama, N. Hosono, M. Otsuka, R. Tateishi, P.H. Lo, <u>C. Tanikawa</u> , M. Omata, K. Koike, D. Miki, H. Abe, N. Kamatani, J. Toyota, H. Kumada, M. Kubo, K. Chayama, Y. Nakamura, K. Matsuda,,                                 | A genome-wide association study of HCV-induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at the MHC region.    | Journal of hepatology | 58(5)    | 875-82. | 2013 |
| P.H. Lo, Y. Urabe, V. Kumar, <u>C. Tanikawa</u> , K. Koike, N. Kato, D. Miki, K. Chayama, M. Kubo, Y. Nakamura, K. Matsuda,,   | Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk. | Plos One              | 8        | E61279  | 2013 |

|  |  |                           |          |          |      |
|--|--|---------------------------|----------|----------|------|
| C. <u>Tanikawa</u> , K. Matsuo, M. Kubo, A. Takahashi, H. Ito, H. Tanaka, Y. Yatabe, K. Yamao, N. Kamatani, K. Tajima, Y. Nakamura, K. Matsuda,,   | Impact of PSCA variation on gastric ulcer susceptibility.  | <i>PloS one</i>           | ;8(5):   | e63698.  | 2013 |
| C.M. O'Seaghdha, <u>C Tanikawa</u> , M. Bochud,etal.   | Meta-analysis of genome-wide association studies identifies six new Loci for serum calcium concentrations.   | PLoS Genet                | 9        | e1003796 | 2013 |
| R. Takata, K. Matsuda,, J. Sugimura, W. Obara, T. Fujioka, K. Okihara, N. Takaha, T. Miki, S. Ashida, K. Inoue, <u>C. Tanikawa</u> , T. Shuin, S. Sasaki, Y. Kojima, K. Kohri, M. Kubo, M. Yamaguchi, Y. Ohnishi, Y. Nakamura, | Impact of four loci on serum tamsulosin hydrochloride concentration.   | Journal of human Genetics | 58       | 21-26    | 2013 |
| J. Lin, Z. Deng, <u>C. Tanikawa</u> , T. Shuin, T. Miki, K. Matsuda,, Y. Nakamura,   | Downregulation of the tumor suppressor HSPB7, involved in the p53 pathway, in renal cell carcinoma by hypermethylation.                              | Int J Oncol               | In press |          | 2014 |
| Lo PH, Urabe Y, Kumar V, Tanikawa C, Koike K, <u>Kato N</u> , Miki D, Chayama K, Kubo M, Nakamura Y, Matsuda K.  | Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk. | PLoS One                  | 8 (4)    | e61279   | 2013 |

|  |  |                 |                     |         |      |
|--|--|-----------------|---------------------|---------|------|
| Urabe Y, Ochi H, <u>Kato N</u> , Kumar V, <u>Takahashi A</u> , <u>Muroyama R</u> , Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, Koike K, Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, Matsuda K. | A genome-wide association study of HCV induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at MHC region.  | J Hepatol       | 58(5)               | 875-882 | 2013 |
| Goto K, Lin W, Zhang L, Jilg N, Shao RX, Schaefer EA, Zhao H, Fusco DN, Peng LF, <u>Kato N</u> , Chung RT.   | The AMPK-related kinase SNARK regulates hepatitis C virus replication and pathogenesis through enhancement of TGF- $\beta$ Signaling.          | J Hepatol       | 59(5)               | 942-948 | 2013 |
| Sato M, <u>Kato N</u> , Tateishi R, <u>Muroyama R</u> , Kowatari N, Li W, <u>Goto K</u> , Otsuka M, Shiina S, Yoshida H, Omata M, Koike K.   | IL28B minor allele is associated with a younger age of onset of hepatocellular carcinoma in patients with chronic hepatitis C virus infection. | J Gastroenterol | Epub ahead of print |         | 2013 |
| Sato M, <u>Kato N</u> , Tateishi R, <u>Muroyama R</u> , Kowatari N, Li W, <u>Goto K</u> , Otsuka M, Shiina S, Yoshida H, Omata M, Koike K.   | The impact of PNPLA3 polymorphisms on the development of hepatocellular carcinoma in patients with chronic hepatitis C virus infection.        | Hepatol Res     | Epub ahead of print |         | 2013 |
| Sato M, Kondo M, Tateishi R, Fujiwara N, <u>Kato N</u> , Yoshida H, Taguri M, Koike K.   | Impact of IL28B genetic variation on HCV-induced liver fibrosis, inflammation, and steatosis: a meta-analysis.                                 | PLoS One        | 9(3)                | e91822  | 2014 |

|  |   |                 |                     |         |      |
|--|---|-----------------|---------------------|---------|------|
| Uranbileg B, Enooku K, Soroida Y, Ohkawa R, Kudo Y, Nakagawa H, Tateishi R, Yoshida H, Shinzawa S, Moriya K, Ohtomo N, Nishikawa T, Inoue Y, Tomiya T, Kojima S, Matsuura T, Koike K, Yatomi Y, Ikeda H. | High Ubiquitous Mitochondrial Creatine Kinase Expression in Hepatocellular Carcinoma Denotes a Poor Prognosis with Highly Malignant Potential.    | Int J Cancer    | 134(9)              | 2189-98 | 2014 |
| Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Fushimi K, Koike K.   | Acute Liver Disease in Japan: A Nationwide Analysis of the Japanese Diagnosis Procedure Combination Database.                                     | J Gastroenterol | 49(3)               | 547-54  | 2014 |
| Sato M, Kondo M, Tateishi R, Fujiwara N, Kato N, Yoshida H, Taguri M, Koike K.   | Impact of Il28b Genetic Variation on Hcv-Induced Liver Fibrosis, Inflammation, and Steatosis: A Meta-Analysis.                                    | PLoS One        | 9(3)                | e91822  | 2014 |
| Kondo M, Ishizawa T, Enooku K, Tokuhara Y, Ohkawa R, Uranbileg B, Nakagawa H, Tateishi R, Yoshida H, Kokudo N, Koike K, Yatomi Y, Ikeda H.   | Increased Serum Autotaxin Levels in Hepatocellular Carcinoma Patients Were Caused by Background Liver Fibrosis but Not by Carcinoma.              | Clin Chim Acta  | 433C                | 128-34  | 2014 |
| Enooku K, Nakagawa H, Soroida Y, Ohkawa R, Kageyama Y, Uranbileg B, Watanabe N, Tateishi R, Yoshida H, Koike K, Yatomi Y, Ikeda H.   | Increased Serum Mitochondrial Creatine Kinase Activity as a Risk for Hepatocarcinogenesis in Chronic Hepatitis C Patients.                        | Int J Cancer    | ePub ahead of print |         |      |
| Tateishi R, Shiina S, Akahane M, Sato J, Kondo Y, Masuzaki R, Nakagawa H, Asaoka Y, Goto T, Otomo K, Omata M, Yoshida H, Koike K.  | Frequency, Risk Factors and Survival Associated with an Intra-subsegmental Recurrence after Radiofrequency Ablation for Hepatocellular Carcinoma. | PLoS One        | 8(4)                | e59040  | 2013 |

|   |  |                    |                     |        |      |
|---|--|--------------------|---------------------|--------|------|
| Sato M, Kato N, Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shiina S, Yoshida H, Omata M, Koike K.  | Il28b Minor Allele Is Associated with a Younger Age of Onset of Hepatocellular Carcinoma in Patients with Chronic Hepatitis C Virus Infection.     | J Gastroenterol    | ePub ahead of print |        | 2013 |
| Sato M, Kato N, Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shiina S, Yoshida H, Omata M, Koike K.  | Impact of Pnpla3 Polymorphisms on the Development of Hepatocellular Carcinoma in Patients with Chronic Hepatitis C Virus Infection.                | Hepatol Res        | ePub ahead of print |        | 2013 |
| Ohki T, Tateishi R, Akahane M, Mikami S, Sato M, Uchino K, Arano T, Enooku K, Kondo Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Matsuyama Y, Omata M, Ohtomo K, Koike K.   | Ct with Hepatic Arteriopography as a Pretreatment Examination for Hepatocellular Carcinoma Patients: A Randomized Controlled Trial.                | Am J Gastroenterol | ePub ahead of print |        | 2013 |
| Mikoshiha N, Miyashita M, Sakai T, Tateishi R, Koike K.   | Depressive Symptoms after Treatment in Hepatocellular Carcinoma Survivors: Prevalence, Determinants, and Impact on Health-Related Quality of Life. | Psychooncology     | ePub ahead of print |        | 2013 |
| He G, Dhar D, Nakagawa H, Font-Burgada J, Ogata H, Jiang Y, Shalpour S, Seki E, Yost SE, Jepsen K, Frazer KA, Harismendy O, Hatziapostolou M, Iliopoulos D, Suetsugu A, Hoffman RM, Tateishi R, Koike K, Karin M. | Identification of Liver Cancer Progenitors Whose Malignant Progression Depends on Autocrine Il-6 Signaling.  | Cell               | 155(2)              | 384-96 | 2013 |

|  |   |                  |        |         |      |
|--|---|------------------|--------|---------|------|
| Fujiwara N, Tateishi R, Akahane M, Taguri M, Minami T, Mikami S, Sato M, Uchino K, Enooku K, Kondo Y, Asaoka Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Ohtomo K, Koike K. | Changes in Risk of Immediate Adverse Reactions to Iodinated Contrast Media by Repeated Administrations in Patients with Hepatocellular Carcinoma.   | PLoS One         | 8(10)  | e76018  | 2013 |
| Ocho M, Togayachi A, Iio E, Kaji H, Kuno A, Sogabe M, Korenaga M, Gotoh M, Tanaka Y, Ikehara Y, <b>Mizokami M</b> , Narimatsu H.   | Application of a Glycoproteomics-Based Biomarker Development Method: Alteration in Glycan Structure on Colony Stimulating Factor 1 Receptor as a Possible Glycobiomarker Candidate for Evaluation of Liver Cirrhosis. | J Proteome Res.  |        |         | 2014 |
| Nagata N, Niikura R, Shimbo T, Kishida Y, Sekine K, Tanaka S, Aoki T, Watanabe K, Akiyama J, Yanase M, Itoh T, <b>Mizokami M</b> , Uemura N.                                 | Alcohol and smoking affect risk of uncomplicated colonic diverticulosis in Japan.   | PLoS One         | 8 (12) | e81137  | 2013 |
| Murata K, Sugiyama M, Kimura T, Yoshio S, Kanto T, Kirikae I, Saito H, Aoki Y, Hiramine S, Matsui T, Ito K, Korenaga M, Imamura M, Masaki N, <b>Mizokami M</b> .             | Ex vivo induction of IFN- $\lambda$ 3 by a TLR7 agonist determines response to Peg-IFN/ribavirin therapy in chronic hepatitis C patients.   | J Gastroenterol. | 49 (1) | 126-37  | 2014 |
| Kaji H, Ocho M, Togayachi A, Kuno A, Sogabe M, Ohkura T, Nozaki H, Angata T, Chiba Y, Ozaki H, Hirabayashi J, Tanaka Y, <b>Mizokami M</b> , Ikehara Y, Narimatsu H.          | Glycoproteomic discovery of serological biomarker candidates for HCV/HBV infection-associated liver fibrosis and hepatocellular carcinoma.  | J Proteome Res.  | 12 (6) | 2630-40 | 2013 |



|  |   |  |        |         |      |
|--|---|--|--------|---------|------|
| Yoshio S, Kanto T, Kuroda S, Matsubara T, Higashitani K, Kakita N, Ishida H, Hiramatsu N, Nagano H, Sugiyama M, Murata K, Fukuhara T, Matsuura Y, Hayashi N, <b>Mizokami M</b> , Takehara T.                               | Human blood dendritic cell antigen 3 (BDCA3)(+) dendritic cells are a potent producer of interferon- $\lambda$ in response to hepatitis C virus.                      | Hepatology                                       | 57 (5) | 1705-15 | 2013 |
| Watanabe T, Sugauchi F, Tanaka Y, Matsuura K, Yatsuhashi H, Murakami S, Iijima S, Iio E, Sugiyama M, Shimada T, Kakuni M, Kohara M, <b>Mizokami M</b> .  | Hepatitis C virus kinetics by administration of pegylated interferon- $\alpha$ in human and chimeric mice carrying human hepatocytes with variants of the IL28B gene. | Gut  | 62 (9) | 1340-6  | 2013 |
| Nao Nishida, <b>Katsushi Tokunaga</b> , Masashi Mizokami   | Genome-Wide Association Study Reveals Host Genetic Factors for Liver Diseases   | Journal of Clinical and Translational Hepatology | 1      | 45-50   | 2013 |
| 西田奈央、 <b>徳永勝士</b> 、溝上雅史  | 高密度マイクロアレイによるゲノムワイド関連解析 (GWAS)の実際   | 肝胆膵  | 67(1)  | 7-14    | 2013 |
| Kumar V, Yi Lo PH, Sawai H, Kato N, Takahashi A, Deng Z, Urabe Y, Mbarek H, Tokunaga K, Tanaka Y, Sugiyama M, Mizokami M, Muroyama R, Tateishi R, Omata M, Koike K, Tanikawa C, Kamatani N, Kubo M, Nakamura Y, Matsuda K. | Soluble MICA and a MICA variation as possible prognostic biomarkers for HBV-induced hepatocellular carcinoma.   | Plos One   | 7(9)   | E44743  | 2012 |

|  |  |                           |                |          |         |
|--|--|---------------------------|----------------|----------|---------|
| Urabe Y, Ochi H, Kato N, Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, Koike K, Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, Matsuda K. | A genome-wide association study of HCV induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at MHC region.        | Journal of Hepatology.    | S0168-8278(13) | 00011-1. | 2013    |
| P.H. Yi Lo, Y. Urabe, V. Kumar, C. Tanikawa, K. Koike, N. Kato, D. Miki, K. Chayama, M. Kubo, Y. Nakamura, K. Matsuda,   | Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk. | Plos One                  | 8              | E61279   | 2013    |
| S. W. Yee, J. A. Mefford, N. Singh, M. E. Percival, A. Stecula, K. Yang, J. S. Witte, A. Takahashi, M. Kubo, K. Matsuda, K. M. Giacomini, C. Andreadis   | Impact of polymorphisms in drug pathway genes on disease-free survival in adults with acute myeloid leukemia   | Journal of human Genetics | In press       |          |         |
| C. Tanikawa, K. Matsuo, M. Kubo, A. Takahashi, H. Ito, H. Tanaka, Y. Yatabe, K. Yamao, N. Kamatani, K. Tajima, Y. Nakamura, K. Matsuda,  | Impact of PSCA variation on gastric ulcer susceptibility.  | PloS one                  | In press       |          |         |
| D. Kang, H.S. Cho, G. Toyokawa, M. Kogure, Y. Yamane, Y. Iwai, S. Hayami, T. Tsunoda, H.I. Field, K. Matsuda, D.E. Neal, B.A. Ponder, Y. Maehara, Y. Nakamura, R. Hamamoto,  | The histone methyltransferase Wolf-Hirschhorn syndrome candidate 1-like 1 (WHSC1L1) is involved in human carcinogenesis.                             | Genes Chr. and Cancer     | 52             | 2012     | 126-139 |

|   |   |                                       |    |      |           |
|---|---|---------------------------------------|----|------|-----------|
| A. Aarnink, H.J. Garchon, Y. Okada, A. Takahashi, K. Matsuda, M. Kubo, Y. Nakamura, A. Blancher,  | Comparative analysis in cynomolgus macaque identifies a novel human MHC locus controlling platelet blood counts independently of BAK1             | Journal of thrombosis and haemostasis | 11 | 2013 | 384-386   |
| R. Takata, K. Matsuda, J. Sugimura, W. Obara, T. Fujioka, K. Okihara, N. Takaha, T. Miki, S. Ashida, K. Inoue, C. Tanikawa, T. Shuin, S. Sasaki, Y. Kojima, K. Kohri, M. Kubo, M. Yamaguchi, Y. Ohnishi, Y. Nakamura, | Impact of four loci on serum tamsulosin hydrochloride concentration.  | Journal of human Genetics             | 58 | 2013 | 21-26     |
| C. Tanikawa, H. Nakagawa, Y. Furukawa, Y. Nakamura, K. Matsuda,   | CLCA2 as a p53-inducible senescence mediator.   | Neoplasia                             | 14 | 2012 | 141-149   |
| T. Fujitomo, Y. Daigo, K. Matsuda, K. Ueda, Y. Nakamura,  | Critical function for nuclear envelope protein TMEM209 in human pulmonary carcinogenesis.   | Cancer Research                       | 72 | 2012 | 4110-4118 |
| W. Osman, Y. Okada, Y. Kamatani, M. Kubo, K. Matsuda, Y. Nakamura,  | Association of common variants in TNFRSF13B, TNFSF13, and ANXA3 with serum levels of non-albumin protein and immunoglobulin isotypes in Japanese. | PloS one                              | 7  | 2012 | E32683    |
| C. Tanikawa, M. Espinosa, A. Suzuki, K. Masuda, K. Yamamoto, E. Tsuchiya, K. Ueda, Y. Daigo, Y. Nakamura, K. Matsuda,   | Regulation of histone modification and chromatin structure by the p53-PADI4 pathway.  | Nature communications                 | 3  | 2012 | 676       |

|  |   |                            |      |        |   |
|--|---|----------------------------|------|--------|---|
| C. Tanikawa, Y. Urabe, K. Matsuo, M. Kubo, A. Takahashi, H. Ito, K. Tajima, N. Kamatani, Y. Nakamura, K. Matsuda,  | A genome-wide association study identifies two susceptibility loci for duodenal ulcer in the Japanese population.   | Nature Genetics            | 44   | 2012   | 430-434                                     |
| Kumar V, Yi Lo PH, Sawai H, Kato N, Takahashi A, Deng Z, Urabe Y, Mbarek H, Tokunaga K, Tanaka Y, Sugiyama M, Mizokami M, Muroyama R, Tateishi R, Omata M, Koike K, Tanikawa C, Kamatani N, Kubo M, Nakamura Y, Matsuda K. | Soluble MICA and a MICA variation as possible prognostic biomarkers for HBV-induced hepatocellular carcinoma.   | PLoS One                   | 7(9) | e44743 | 2012  |
| Lo PHY, Urabe Y, Kumar V, Tanikawa C, Koike K, Kato N, Miki D, Chayama K, Kubo M, Nakamura Y, Matsuda K  | Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk.  | PLoS One                   | 8(4) | e61279 | 2013  |
| Liu Y, Higashitsuji H, Higashitsuji H, Itoh K, Sakurai T, Koike K, Hirota K, Fukumoto M, Fujita J.   | Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing factor inhibiting hypoxia-inducible factor-1 (FIH-1) and activating hypoxia-inducible factor-1.                           | Biochem Biophys Res Commun |      |        | [Epub ahead of print] PubMed PMID: 23376718 |
| Hikita H, Enooku K, Satoh Y, Yoshida H, Nakagawa H, Masuzaki R, Tateishi R, Soroida Y, Sato M, Suzuki A, Gotoh H, Iwai T, Yokota H, Koike K, Yatomi Y, Ikeda H.  | Perihepatic lymph node enlargement is a negative predictor for sustained responses to pegylated interferon- $\alpha$ and ribavirin therapy for Japanese patients infected with hepatitis C virus genotype 1 | Hepatol Res                |      |        | [Epub ahead of print] PubMed PMID: 23356977 |

|   |  |                         |  |  |  |
|---|--|-------------------------|--|--|--|
| Urabe Y, Ochi H, Kato N, Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, Koike K, Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, Matsuda K | A genome-wide association study of HCV induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at MHC region         | J Hepatol               |  |  | [Epub ahead of print]<br>PubMed<br>PMID:<br>23321320 |
| Gotoh H, Enooku K, Soroida Y, Sato M, Hikita H, Suzuki A, Iwai T, Yokota H, Yamazaki T, Koike K, Yatomi Y, Ikeda H  | Perihepatic lymph node enlargement observed at a general health examination: A cross-sectional study   | Hepatol Res             |  |  | [Epub ahead of print]<br>PubMed<br>PMID:<br>23279215 |
| Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H  | Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B                            | Hepatol Res             |  |  | [Epub ahead of print]<br>PubMed<br>PMID:<br>23131000 |
| Ohki T, Isogawa A, Iwamoto M, Ohsugi M, Yoshida H, Toda N, Tagawa K, Omata M, Koike K   | The effectiveness of liraglutide in nonalcoholic Fatty liver disease patients with type 2 diabetes mellitus compared to sitagliptin and pioglitazone | ScientificWorld Journal |  |  | [Epub ahead of print]<br>PubMed<br>PMID:2<br>2927782 |
| Kurano M, Hara M, Tsuneyama K, Okamoto K, Iso-O N, Matsushima T, Koike K, Tsukamoto K   | Modulation of lipid metabolism with the over-expression of NPC1L1 in mice liver  | J Lipid Res             |  |  | [Epub ahead of print]<br>PubMed<br>PMID:<br>22891292 |

|  |  |                           |       |         |  |
|--|--|---------------------------|-------|---------|--|
| Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Hikiba Y, Obi S, Goto T, Kang YJ, Maeda S, Yoshida H, Omata M, Asahara H, Koike K                                | MiRNA-140 acts as a liver tumor suppressor by controlling NF-κB activity via directly targeting Dnmt1 expression   | Hepatology                | 57    | 162-170 | 2013   |
| Hikita H, Nakagawa H, Tateishi R, Masuzaki R, Enooku K, Yoshida H, Omata M, Soroida Y, Sato M, Gotoh H, Suzuki A, Iwai T, Yokota H, Koike K, Yatomi Y, Ikeda H | Perihepatic lymph node enlargement is a negative predictor of liver cancer development in chronic hepatitis C patients                                     | J Gastroenterol           |       |         | [Epub ahead of print]<br>PubMed<br>PMID:<br>22790352 |
| Minami T, Kishikawa T, Sato M, Tateishi R, Yoshida H, Koike K  | Meta-analysis: mortality and serious adverse events of peginterferon plus ribavirin therapy for chronic hepatitis C  | J Gastroenterol           |       |         | [Epub ahead of print]<br>PubMed<br>PMID:<br>22790350 |
| Okushin K, Asaoka Y, Fukuda I, Fujiwara N, Minami T, Sato M, Mikami S, Uchino K, Enooku K, Kondo Y, Tateishi R, Goto T, Shiina S, Yoshida H, Koike K           | IGF-II producing hepatocellular carcinoma treated with sorafenib: metabolic complications and a foresight to molecular targeting therapy to the IGF signal | Case Rep<br>Gastroenterol | 6(3)  | 784-789 | 2012   |
| Yanagimoto S, Yotsuyanagi H, Kikuchi Y, Tsukada K, Kato M, Takamatsu J, Hige S, Chayama K, Moriya K, Koike K   | Chronic hepatitis B in patients coinfecting with human immunodeficiency virus in Japan: a retrospective multicenter analysis                               | J Infect<br>Chemother     | 18(6) | 883-890 | 2012   |
| Ikeda H, Enooku K, Ohkawa R, Koike K, Yatomi Y   | Plasma lysophosphatidic acid levels and hepatocellular carcinoma   | Hepatology                | 57    | 417-418 | 2013   |

|   |   |                 |        |           |      |
|---|---|-----------------|--------|-----------|------|
| Shiina S, Tateishi R, Imamura M, Teratani T, Koike Y, Sato S, Obi S, Kanai F, Kato N, Yoshida H, Omata M, Koike K   | Percutaneous ethanol injection for hepatocellular carcinoma: 20-year outcome and prognostic factors   | Liver Int       | 32(9)  | 1434-1442 | 2012 |
| Uchino K, Obi S, Tateishi R, Sato S, Kanda M, Sato T, Arano T, Enooku K, Goto E, Masuzaki R, Nakagawa H, Asaoka Y, Kondo Y, Yamashiki N, Goto T, Shiina S, Omata M, Yoshida H, Koike K            | Systemic combination therapy of intravenous continuous 5-fluorouracil and subcutaneous pegylated interferon alfa-2a for advanced hepatocellular carcinoma | J Gastroenterol | 47(10) | 1152-1159 | 2012 |
| Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Koike K  | Mortality and morbidity of hepatectomy, radiofrequency ablation, and embolization for hepatocellular carcinoma: a national survey of 54,145 patients      | J Gastroenterol | 47(10) | 1125-1133 | 2012 |
| Yoshikawa T, Takata A, Otsuka M, Kishikawa T, Kojima K, Yoshida H, Koike K  | Silencing of microRNA-122 enhances interferon- $\alpha$ signaling in the liver through regulating SOCS3 promoter methylation                              | Sci Rep         | 2      | 637       | 2012 |
| Nakagawa H, Isogawa A, Tateishi R, Tani M, Yoshida H, Yamakado M, Koike K   | Serum gamma-glutamyltransferase level is associated with serum superoxide dismutase activity and metabolic syndrome in a Japanese population              | J Gastroenterol | 47(2)  | 187-194   | 2012 |
| Soroida Y, Ohkawa R, Nakagawa H, Satoh Y, Yoshida H, Kinoshita H, Tateishi R, Masuzaki R, Enooku K, Shiina S, Sato T, Obi S, Hoshino T, Nagatomo R, Okubo S, Yokota H, Koike K, Yatomi Y, Ikeda H | Increased activity of serum mitochondrial isoenzyme of creatine kinase in hepatocellular carcinoma patients predominantly with recurrence                 | J Hepatol       | 27(2)  | 330-336   | 2012 |

|  |   |                            |        |           |      |
|--|---|----------------------------|--------|-----------|------|
| Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Kudo Y, Goto T, Yoshida H, Koike K   | A miRNA machinery component DDX20 controls NF- $\kappa$ B via microRNA-140 function   | Biochem Biophys Res Commun | 420(3) | 564-569   | 2012 |
| Masuzaki R, Tateishi R, Yoshida H, Arano T, Uchino K, Enooku K, Goto E, Nakagawa H, Asaoka Y, Kondo Y, Goto T, Ikeda H, Shiina S, Omata M, Koike K | Assessment of disease progression in patients with transfusion-associated chronic hepatitis C using transient elastography                      | World J Gastroenterol      | 18(12) | 1385-1390 | 2012 |
| Kudo Y, Tateishi K, Yamamoto K, Yamamoto S, Asaoka Y, Ijichi H, Nagae G, Yoshida H, Aburatani H, Koike K   | Loss of 5-hydroxymethylcytosine is accompanied with malignant cellular transformation   | Cancer Sci                 | 103(4) | 670-676   | 2012 |
| Goto E, Masuzaki R, Tateishi R, Kondo Y, Imamura J, Goto T, Ikeda H, Akahane M, Shiina S, Omata M, Yoshida H, Koike K                              | Value of post-vascular phase (Kupffer imaging) by contrast-enhanced ultrasonography using Sonazoid in the detection of hepatocellular carcinoma | J Gastroenterol            | 47(4)  | 47(4)     | 2012 |
| Shiina S, Tateishi R, Arano T, Uchino K, Enooku K, Nakagawa H, Asaoka Y, Sato T, Masuzaki R, Kondo Y, Goto T, Yoshida H, Omata M, Koike K          | Radiofrequency ablation for hepatocellular carcinoma: 10-year outcome and prognostic factors  | Am J Gastroenterol         | 107(4) | 569-577   | 2012 |
| Enooku K, Tateishi R, Kanai F, Kondo Y, Masuzaki R, Goto T, Shiina S, Yoshida H, Omata M, Koike K  | Evaluation of molecular targeted cancer drug by changes in tumor marker doubling times  | J Gastroenterol            | 47(1)  | 71-78     | 2012 |



|  |  |                         |                 |                |             |
|--|--|-------------------------|-----------------|----------------|-------------|
| <p>Sawai H, Nishida N, Mbarek H, Matsuda K, Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, Mochida S, Watanabe M, Kurosaki M, Asahina Y, Izumi N, Honda M, Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, Hino K, Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, Tanaka Y, Mizokami M, Tokunaga K.</p>                      | <p>No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.</p>   | <p>BMC Med Genet.</p>   | <p>13(1)</p>    | <p>47</p>      | <p>2012</p> |
| <p>Nishida N, Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S, Kang JH, Suzuki K, Kurosaki M, Asahina Y, Mochida S, Watanabe M, Tanaka E, Honda M, Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M, Hino K, Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, Izumi N, Han KH, Tanaka Y, Tokunaga K, Mizokami M.</p> | <p>Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean.</p>                          | <p>PLoS One</p>         | <p>7(6)</p>     | <p>e39175</p>  | <p>2012</p> |
| <p>Watanabe T, Sugauchi F, Tanaka Y, Matsuura K, Yatsuhashi H, Murakami S, Iijima S, Iio E, Sugiyama M, Shimada T, Kakuni M, Kohara M, Mizokami M.</p>   | <p>Hepatitis C virus kinetics by administration of pegylated interferon-<math>\alpha</math> in human and chimeric mice carrying human hepatocytes with variants of the IL28B gene.</p> | <p>Gut</p>              | <p>In press</p> |                | <p>2012</p> |
| <p>Sawada N, Inoue M, Iwasaki M, Sasazuki S, Shimazu T, Yamaji T, Takachi R, Tanaka Y, Mizokami M, Tsugane S; Japan Public Health Center-Based Prospective Study Group.</p>  | <p>Consumption of n-3 fatty acids and fish reduces risk of hepatocellular carcinoma.</p>   | <p>Gastroenterology</p> | <p>142(7)</p>   | <p>1468-75</p> | <p>2012</p> |

|   |  |               |      |        |      |
|---|--|---------------|------|--------|------|
| Nishida N, Mawatari Y, Sageshima M, Tokunaga K.   | Highly parallel and short-acting amplification with locus-specific primers to detect single nucleotide polymorphisms by the DigiTag2 assay.            | PLoS One.     | 7(1) | e29967 | 2012 |
| Sawai H, Nishida N, Mbarek H, Matsuda K, Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, Mochida S, Watanabe M, Kurosaki M, Asahina Y, Izumi N, Honda M, Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, Hino K, Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, Tanaka Y, Mizokami M, Tokunaga K.                      | No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.                                    | BMC Med Genet | 13   | 47     | 2012 |
| Nishida N, Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S, Kang JH, Suzuki K, Kurosaki M, Asahina Y, Mochida S, Watanabe M, Tanaka E, Honda M, Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M, Hino K, Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, Izumi N, Han KH, Tanaka Y, Tokunaga K, Mizokami M. | Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. | PLoS One      | 7(6) | e39175 | 2012 |

|   |  |                 |              |               |             |
|---|--|-----------------|--------------|---------------|-------------|
| <p>Kumar V, Yi Lo PH, Sawai H, Kato N, Takahashi A, Deng Z, Urabe Y, Mbarek H, Tokunaga K, Tanaka Y, Sugiyama M, Mizokami M, Muroyama R, Tateishi R, Omata M, Koike K, Tanikawa C, Kamatani N, Kubo M, Nakamura Y, Matsuda K.</p> | <p>Soluble MICA and a MICA variation as possible prognostic biomarkers for HBV-induced hepatocellular carcinoma.</p>                                   | <p>Plos One</p> | <p>7(9)</p>  | <p>E44743</p> | <p>2012</p> |
| <p>Kawashima M, Ohashi J, Nishida N, Tokunaga K</p>   | <p>Evolutionary analysis of classical HLA class I and II genes suggests that recent positive selection acted on DPB1*04:01 in Japanese population.</p> | <p>PLoS One</p> | <p>7(10)</p> | <p>e46806</p> | <p>2012</p> |

|  |   |                        |              |                |             |
|--|---|------------------------|--------------|----------------|-------------|
| <p>Nakamura M, Nishida N, Kawashima M, Aiba Y, Tanaka A, Yasunami M, Nakamura H, Komori A, Nakamuta M, Zeniya M, Hashimoto E, Ohira H, Yamamoto K, Onji M, Kaneko S, Honda M, Yamagiwa S, Nakao K, Ichida T, Takikawa H, Seike M, Umemura T, Ueno Y, Sakisaka S, Kikuchi K, Ebinuma H, Yamashiki N, Tamura S, Sugawara Y, Mori A, Yagi S, Shirabe K, Taketomi A, Arai K, Monoe K, Ichikawa T, Taniai M, Miyake Y, Kumagi T, Abe M, Yoshizawa K, Joshita S, Shimoda S, Honda K, Takahashi H, Hirano K, Takeyama Y, Harada K, Migita K, Ito M, Yatsushashi H, Fukushima N, Ota H, Komatsu T, Saoshiro T, Ishida J, Kouno H, Kouno H, Yagura M, Kobayashi M, Muro T, Masaki N, Hirata K, Watanabe Y, Nakamura Y, Shimada M, Hirashima N, Komeda T, Sugi K, Koga M, Ario K, Takesaki E, Maehara Y, Uemoto S, Kokudo N, Tsubouchi H, Mizokami M, Nakanuma Y, Tokunaga K, Ishibashi H.</p> | <p>Genome-wide Association Study Identifies TNFSF15 and POU2AF1 as Susceptibility Loci for Primary Biliary Cirrhosis in the Japanese Population.</p>  | <p>Am J Hum Genet.</p> | <p>91(4)</p> | <p>721-728</p> | <p>2012</p> |
| <p>Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Matsuura K, Asahina Y, Nakagawa M, Watanabe M, Sakamoto M, Maekawa S, Tokunaga K, Mizokami M, and Izumi N</p>   | <p><a href="#">Model incorporating the ITPA genotype identifies patients at high risk of anemia and treatment failure with pegylated-interferon plus ribavirin therapy for chronic hepatitis C.</a></p> | <p>J. Med. Viro</p>    | <p>85(3)</p> | <p>449-458</p> | <p>2013</p> |