

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
足立壮一	急性骨髄性白血病（小児）	直江知樹、堀部敬三	チーム医療のための血液がんの標準的化学療法	メディカル・サイエンス・インターナショナル	東京都	2013	279-293
足立壮一	小児急性骨髄性白血病	金倉譲	ここまでの白血病/MDS治療	中山書店	東京都	2013	233-241
Shigeki Yagyū, Tomoko Ichihara and Hajime Hosoi	A Novel Diagnostic Tool for Therapy Stratification of Neuroblastoma: Preoperative Analysis of Tumor Biology Using Circulating Tumor-Released DNA in Serum	Hiroyuki Shimada	Neuroblastoma	INTECH	Croatia	2013	On line
工藤寿子	重症先天性好中球減少症	田村和夫	日本臨床別冊血液症候群Ⅱ	日本臨床社	大阪市	2013年	41-45
工藤寿子	Shwachman 症候群	田村和夫	日本臨床別冊血液症候群Ⅱ	日本臨床社	大阪市	2013年	46-49
堀 浩樹	フォローアップレベル	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	12-16
堀 浩樹	急性骨髄性白血病	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	29-32

堀 浩樹	肝芽腫	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	104-108
堀 浩樹	横紋筋肉腫	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	130-145
堀 浩樹	骨・筋・軟部組織・皮膚の合併症	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	251-254
堀 浩樹	予防接種ガイドライン	前田美穂	小児がん治療後の長期フォローアップガイドライン	医薬ジャーナル社	東京	2013	312-316

雑誌

( \* 別刷り添付あり)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shum CK, Lau S T, Tsoi LL, Chan LK, Yam JW, Ohira M, Nakagawara A, Tam PK, Ngan ES.	Krüppel-like factor 4 (KLF4) suppresses neuroblastoma cell growth and determines non-tumorigenic lineage differentiation.	Oncogene	32	4086-4099	2013
Chand D, Yamazaki Y, Ruuth K, Schönherr C, Martinsson T, Kogner P, Attiyeh EF, Maris J, Morozova O, Marra MA, Ohira M, Nakagawara A, Sandström PE, Palmer R, Hallberg B.	Cell culture and Drosophila model systems define three classes of anaplastic lymphoma kinase mutations in neuroblastoma.	Dis Model Mech	6	373-382	2013
Nozato M, Kaneko S, Nakagawara A, Komuro H.	Epithelial-mesenchymal transition-related gene expression as a new prognostic marker for neuroblastoma.	Int J Oncol	42	134-140	2013( * )

Wu D, Ozaki T, Yoshihara Y, Kubo N, Nakagawara A.	Runt-related Transcription Factor 1 (RUNX1) Stimulates Tumor Suppressor p53 in Response to DNA Damage Through Complex Formation and Acetylation.	J Biol Chem	288	1353-1364	2013(*)
Kubo N, Wu D, Yoshihara Y, Sang M, Nakagawara A, Ozaki T.	Co-chaperon DnaJC7/TPR2 enhances p53 stability and activity through blocking the complex formation between p53 and MDM2.	Biochem Biophys Res Commun	430	1034-1039	2013
Sugimoto T, Gotoh T, Yagyu S, Kuroda H, Iehara T, Hosoi H, Ohinata S, Ohira M, Nakagawara A.	A MYCN-amplified cell line derived from a long-term event-free survivor among our sixteen established neuroblastoma cell lines.	Cancer Lett	331	115-121	2013(*)
Takagi D, Tsumi Y, Yokochi T, Takatori A, Ohira M, Kamijo T, Kondo S, Fujii Y, Nakagawara A.	Novel adaptor protein Shf interacts with ALK receptor and negatively regulates its downstream	Cancer Sci	104	563-572	2013(*)
Yamaki T, Suenaga Y, Iuchi T, Aitagu J, Takatori A, Itami M, Araki A, Ohira M, Inoue M, Kageyama H, Yokoi S, Sasaki N, Nakagawara A.	Temozolomide suppresses MYC via activation of TAp63 to inhibit progression of human glioblastoma.	Sci Rep	3	1160	2013
Ozaki T, Wu D, Sugimoto H, Nakagawara A.	Runt-related transcription factor 2 (RUNX2) inhibits p53-dependent apoptosis through the collaboration with HDAC6 in response to DNA damage.	Cell Death Dis	4	e610	2013
Asada K, Watanabe N, Nakamura Y, Ohira M, Westermann F, Schwab M, Nakagawara A, Ushijima T.	Stronger Prognostic Power of the CpG Island Methylator Phenotype than Methylation of Individual Genes in Neuroblastomas.	Jpn J Clin Oncol	43	641-645	2013
Li Y, Nakagawara A.	Apoptotic cell death in neuroblastoma.	Cells	2	432-459	2013

Zhu Y, Li Y, Haraguchi S, Yu M, Ohira M, Ozaki T, Nakagawa A, Ushijima T, Isogai E, Koseki H, Nakamura Y, Kong C, Mehlen P, Arakawa H, Nakagawara A.	Dependence receptor UNC5D mediates nerve growth factor deletion-induced neuroblastoma regression.	J Clin Invest	123	2935-2947	2013
Itakura M, Terashima Y, Shingyoji M, Yokoi S, Ohira M, Kageyama H, Matui Y, Yoshida Y, Ashinuma H, Moriya Y, Tamura H, Harigaya K, Matushima K, Iizasa T, Nakagawara A, Kimura H.	High CC chemokine receptor 7 expression improves postoperative prognosis of lung adenocarcinoma patients.	Br J Cancer	109	1100-1108	2013
Ozaki T, Nakagawara A, Nagase H.	RUNX Family Participates in the Regulation of p53-Dependent DNA Damage Response.	Int J Genomics	2013	271347	2013
Hasan MK, Nafady A, Takatori A, Kishida S, Ohira M, Suenaga Y, Hossain S, Akter J, Ogura A, Nakamura Y, Kadomatsu K, Nakagawara A.	ALK is a MYCN target gene and regulates cell migration and invasion in neuroblastoma.	Sci Rep	3	3450	2013(*)
Ando K, Ozaki T, Hirota T, Nakagawara A.	NFBD1/MDC1 Is Phosphorylated by PLK1 and Controls G2/M Transition through the Regulation of a TOP2 $\alpha$ -Mediated Decatenation Checkpoint.	PLoS One	8	e82744	2013
Yu F, Gao W, Yokochi T, Suenaga Y, Ando K, Ohira M, Nakamura Y, Nakagawara A.	RUNX3 interacts with MYCN and facilitates protein degradation in neuroblastoma.	Oncogene		Accepted	2013

Yamazaki F, Nakazawa A, Osumi T, Shimojima N, Tanaka T, Nakagawara A, Shimada H.	Two cases of neuroblastoma comprising two distinct clones.	Pediatr BloodCancer	61	760-762	2014
Suenaga Y, S. M. Rafiqul Islam, Jennifer Alagu, Kaneko Y, Kato M, Tanaka Y, Kawana H, Hossain S, Matsumoto D, Yamamoto M, Shoji W, Itami M, Shibata T, Nakamura Y, Ohira M, Haraguchi S, Takatori A, Nakagawara A.	NCYM, a Cis-Antisense Gene of <i>MYCN</i> , Encodes a De Novo Evolved Protein that Inhibits GSK3 $\beta$ Resulting in the Stabilization of <i>MYCN</i> in Human Neuroblastomas.	PLOS Genet	10	e1003996	2014
Nakamura Y, Suganami A, Fukuda M, Hasan MK, Yokochi T, Takatori A, Satoh S, Hoshino T, Tamura Y, Nakagawara A.	Identification of novel candidate compounds targeting TrkB to induce apoptosis in neuroblastoma.	Cancer Med		in press	2014
Mosse YP, Deyell RJ, Berthold F, Nakagawara A, Ambros PF, Monclair T, Cohn SL, Pearson AD, London WB, Matthay KK.	Neuroblastoma in older children, adolescents and young adults. A report from the International Neuroblastoma Risk Group Project.	Pediatr BloodCancer		in press	2014
Yamaguchi Y, Takenobu H, Ohira M, Nakazawa A, Yoshida S, Akita N, Shimozato O, Iwama A, Nakagawara A.	Novel 1p tumor suppressor DMAP1 regulates <i>MYCN</i> /ATM/p53 pathway.	Eu J Cancer		in press	2014

Oshiro Y, Mizumoto M, Okumura T, Sugahara S, Fukushima T, Ishikawa H, Nakao T, Hashimoto T, Tsuboi K, Ohkawa H, Kaneko M and Sakurai H.	Clinical results of proton beam therapy for advanced neuroblastoma.	Radiation Onco logy	8	142 - 149	2013(*)
大城佳子、水本 志、石川仁、奥 敏之、坪井康 榮武二、福島 須磨崎亮、増 二、金子道夫、 井英幸	第54回日本小 液・がん学会 会シンポジウ 形腫瘍の治療 小児固形がん る陽子線治療	日本小児血 液・がん学会 誌	50(3)	331 - 335	2013
Iehara T, Hamaz aki M, Tajiri T, Kawano Y, Kane ko M, Ikeda H, Hosoi H, Sugimo to T, Sawada T; Japanese Infant e Neuroblastoma Cooperative Stud y Group .	Successful treatment of infants with locali zed neuroblastoma b ased on their <i>MYCN</i> status .	Int J Clin Onc ol	18(3)	389-95	2013(*)
Sugimoto T , Got oh T , Yagyu S , Kuroda H , Iehara T , Hosoi H , O hta S , Ohira M , Nakagawara A .	A <i>MYCN</i> -amplified c ell line derived from a long-term event-fr ee survivor among o ur sixteen established neuroblastoma cell l ines .	Cancer Lett	331(1)	115-21	2013
Yoshida H , Miya chi M , Sakamoto K , Ouchi K , Ya gyu S , Kikuchi K , Kuwahara Y , Tsuchiya K , Ima mura T , Iehara T , Kakazu N , H ojo H , Hosoi H .	PAX3-NCOA2 fusio n gene has a dual r ole in promoting the proliferation and in hibiting the myogeni c differentiation of r habdomyosarcoma ce lls .	Oncogene		in press	2013

Yoshida H , Ima mura T , Sakamoto K , Asai D , N akatani T , Mori moto A , Hosoi H .	Dyskeratosis Congeni ta Complicated by H epatic Fibrosis With Hepatic Vein Throm bosis .	J Pediatr Hem atol Oncol		in press	2013
Damgaard Sandahl J, Coenen EA, Forestier E, Harbott J, Johansson B, Kerndrup G, Adachi S, Auvrignon A, H Beverloo HB, Cayuela JM, Chilton L, Fornerod M, de Haas V, Harrison CJ, Inaba H, Kaspers GJL, Liang DC, Locatelli F, Masetti R, Perot C, Raimondi S, Reinhardt K, Tomizawa D, von Neuhoff N, Zecca M, Zwaan CM, van den Heuvel-Eibrink MM, and Haslet H.	(6;9)(p22;q34)/DEK- NUP214 rearranged pediatric myeloid leukemia: an international study on 62 patients	Haematologica		in press	2014
Kojima, M., Hiyama, E., Fukuba, I., Yamaoka, E., Ueda, Y., Onitake, Y., Kurihara, S., and Sueda, T.	Detection of <i>MYCN</i> amplification using blood plasma: noninvasive therapy evaluation and prediction of prognosis in neuroblastoma.	Pediatr Surg Int	29	1139-1145	2013( * )

Daifu, T, Kato I, Kozuki K, Umeda K, Hiramatsu H, Watanabe K, Kamiya I, Taki T, Nakahata T, Heike T, Adachi S	The significance of genetic testing for t(8;16)(p11;p13) in congenital acute myeloid leukemia.	Ped Hematol Oncol		in press	
Muramatsu H, Sakaguchi H, Taga T, Tabuchi K, Adachi S, Inoue M, Kitoh T, Suminoe A, Yabe H, Azuma E, Shioda Y, Ogawa A, Kinoshita A, Kigasawa H, Osugi Y, Koike K, Kawa K, Kato K, Atsuta Y, Kudo K.	Reduced intensity conditioning in allogeneic stem cell transplantation for AML with Down syndrome.	Pediatr Blood Cancer		in press	
Tomizawa D, Tawa A, Watanabe T, Moriya Saito A, Kudo K, Taga T, Iwamoto S, Shimada A, Terui K, Moritake H, Kinoshita A, Takahashi H, Nakayama H, Kiyokawa N, Isoyama K, Mizutani S, Hara J, Horibe K, Nakahata T, Adachi S.	Appropriate dose reduction in induction therapy is essential for the treatment of infants with acute myeloid leukemia: A report from the Japanese Pediatric Leukemia/Lymphoma Study Group.	Int J Hematol	98(5)	578-588	2013( * )

<p>Shiba N, Funato M, Ohki K, Park MJ, Mizushima Y, Adachi S, Kobayashi M, Kinoshita A, Sotomatsu M, Arakawa H, Tawa A, Horibe K, Tsukimoto I, Hayashi Y.</p>	<p>Mutations of the GATA2 and CEBPA genes in paediatric acute myeloid leukaemia.</p>	<p>Brit J Haematol</p>	<p>164</p>	<p>142-159</p>	<p>2014( * )</p>
<p>Yoshida K, Toki T, Okuno Y, Kanezaki R, Shiraishi Y, Sato-Otsubo A, Sanada M, Park M, Terui K, Suzuki H, Kon A, Nagata Y, Sato Y, Wang R, Shiba N, Chiba K, Tanaka H, Hama A, Muramatsu H, Hasegawa D, Nakamura K, Kanegane H, Tsukamoto K, Adachi S, Kawakami K, Kato K, Nishimura R, Izraeli S, Hayashi Y, Miyano S, Kojima S, Ito E, Ogawa S.</p>	<p>The landscape of somatic mutations in Down syndrome-related myeloid disorders</p>	<p>Nature Genet</p>	<p>45(11)</p>	<p>1293-1299</p>	<p>2013( * )</p>

Shiba N, Ichikawa H, Taki T, Park MJ, Jo A Mitani S, Kobayashi T, Shimada A, Sotomatsu M, Arakawa H, Adachi S, Tawa A, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, and Hayashi Y.	<i>NUP98-NSD1</i> Gene Fusion and its Related Gene Expression Signature are Strongly Associated with a Poor Prognosis in Pediatric Acute Myeloid Leukemia.	Genes, Chromosomes & Cancer	52(7)	683-693	2013( * )
Shinzato A, Tabuchi K, Atsuta Y, Inoue M, Inagaki J, Yabe H, Koh K, Kato K, Ohta H, Kigasawa H, Kitoh T, Ogawa A, Takahashi Y, Sasahara Y, Kato S, Adachi S.	PBSCT is associated with poorer survival and increased chronic GvHD than BMT in Japanese paediatric patients with acute leukaemia and an HLA-matched sibling donor.	Pediatr Blood Cancer	60(9)	1513-1519	2013( * )
Sano H, Shimada A, Tabuchi K, Taki T, Murata C, Park MJ, Ohki K, Sotomatsu M, Adachi S, Tawa A, Kobayashi R, Horibe K, Tsuchida M, Hanada R, Tsukimoto I, Hayashi Y.	WT1 mutation in pediatric patients with acute myeloid leukemia: a report from the Japanese Childhood AML Cooperative Study Group.	Int J Hematol	98(4)	437-445	2013( * )

Tomizawa D, Tawa A, Watanabe T, Moriya Saito A, Kudo K, Taga T, Iwamoto S, Shimada A, Terui K, Moritake H, Kinoshita A, Takahashi H, Nakayama H, Koh K, Kigasawa H, Kosaka Y, Miyachi H, Horibe K, Nakahata T, Adachi S.	Excess treatment reduction including anthracyclines results in higher incidence of relapse in core binding factor acute myeloid leukemia in children.	Leukemia	27(12)	2413-6	2013( *)
高橋浩之, 盛武浩, 照井君典, 井上彰子, 落合秀匡, 金井理恵, 豊田秀実, 松野良介, 塩原正明, 中尾朋平, 富澤大輔, 多賀崇, 多和昭雄, 足立壮一	小児急性前骨髄球性白血病に対する三酸化ヒ素による治療.	日本小児血液・がん学会雑誌	50(1)	32-37	2013
Horibe K, Saito AM, Takimoto T, Tsuchida M, Manabe A, Shima M, Ohara A, Mizutani S.	Incidence and survival rates of hematological malignancies in Japanese children and adolescents (2006-2010): based on registry data from the Japanese Society of Pediatric Hematology.	Int J Hematol	98(1)	74-88	2013( *)

Tanaka Y, Matsushita H, Tanaka Y, Maruki Y, Kondo T, Asai S, Miyachi H.	Evaluation of the body fluid mode of automated hematology analyzer XN-Series for extremely low peripheral White Blood Cell Counts.	Intern J Lab Hematol	36	1-6	2014
Asai S, Okami K, Nakamura N, Shiraishi S, Sugimoto R, Anar D, Sato S, Matsushita H, Suzuki Y, Miyachi H.	Localized or diffuse lesions of the submandibular glands in IgG4-related disease in association with differential organ involvement .	J Ultrasound Med	32	731-736	2013
Shiba N, Ohki K, Park MJ, Sotomatsu M, Kudo K, Ito E, Sako M, Arakawa H, Hayashi Y.	SETBP1 mutations in juvenile myelomonocytic leukaemia and myelodysplastic syndrome but not in paediatric acute myeloid leukaemia.	Br J Haematol		in press	
Park MJ, Sotomatsu M, Ohki K, Arai K, Maruyama K, Kobayashi T, Nishi A, Sameshima K, Takagi T, Hayashi Y.	Liver disease is frequently observed in Down syndrome patients with transient abnormal myelopoiesis.	Int J Hematol		in press	

Toki T, Kanezaki R, Kobayashi E, Kaneko H, Suzuki M, Wang R, Terui K, Kanegane H, Maeda M, Endo M, Mizuochi T, Adachi S, Hayashi Y, Yamamoto M, Shimizu R, Ito E.	Naturally occurring oncogenic GATA1 mutants with internal deletions in transient abnormal myelopoiesis in Down syndrome.	Blood	121	3181-3184	2013( *)
Nishimura R, Takita J, Sato-Otsubo A, Kato M, Koh K, Hanada R, Tanaka Y, Kato K, Maeda D, Fukayama M, Sanada M, Hayashi Y, Ogawa S.	Characterization of genetic lesions in rhabdomyosarcoma using a high-density single nucleotide polymorphism array.	Cancer Sci	104	856-864	2013
Shiraishi Y, Sato Y, Chiba K, Okuno Y, Nagata Y, Yoshida K, Shiba N, Hayashi Y, Kume H, Homma Y, Sanada M, Ogawa S, Miyano S.	An empirical Bayesian framework for somatic mutation detection from cancer genome sequencing data.	Nucleic Acids Res	41	e89	2013
Wakai K, Sano H, Shimada A, Shiozawa Y, Park MJ, Sotomatsu M, Yanagisawa R, Koike K, Kozawa K, Ryo A, Tsukagoshi H, Kimura H, Hayashi Y.	Cytomegalovirus retinitis during maintenance therapy for T-cell acute lymphoblastic leukemia.	J Pediatr Hematol Oncol	35	162-163	2013

<p>Kato M, Takahashi Y, Tomizawa D, Okamoto Y, Inagaki J, Koh K, Ogawa A, Okada K, Cho Y, Takita J, Goto H, Sakamaki H, Yabe H, Kawa K, Suzuki R, Kudo K, Kato K.</p>	<p>Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia.</p>	<p>Biol Blood Marrow Transplant</p>	<p>19(12)</p>	<p>1690-1694</p>	<p>2013</p>
<p>Blink M, Zimmermann M, Neuhoff CV, Reinhardt D, Haas VD, Hasle H, O' Brien MM, Stark B, Tandonnet J, Pession A, Tousovska K, Cheuk DK, Kudo K, Taga T, Rubnitz JE, Haltrich I, Balwierz W, Pieters R, Forestier E, Johansson B, van den Heuvel-Eibrink MM, Zwaan CM.</p>	<p>Normal karyotype is a poor prognostic factor in Myeloid Leukemia of Down Syndrome: a retrospective international study.</p>	<p>Haematologica</p>	<p>99</p>	<p>299-307</p>	<p>2013</p>

Narita A, Muramatsu H, Sakaguchi H, Doisaki S, Tanaka M, Hama A, Shimada A, Takahashi Y, Yoshida N, Matsumoto K, Kato K, Kudo K, Furukawa-Hibi Y, Yamada K, Kojima S.	Correlation of CYP2C19 Phenotype With Voriconazole Plasma Concentration in Children.	J Pediatr Hematol Oncol	120(9)	e219-23	2013
Suzuki M, Ito Y, Shimada A, Saito M, Muramatsu H, Hama A, Takahashi Y, Kimura H and Kojima S.	Long-Term Parvovirus B19 Infections With Genetic Drift After Cord Blood Transplantation Complicated by Persistent CD4+ Lymphocytopenia.	J Pediatr Hematol Oncol	36(1)	e65-8	2013
Lundqvist A, Smith AL, Takahashi Y, Wong S, Bahceci E, Cook L, Ramos C, Tawab A, McCoy JP Jr, Read EJ, Khuu HM, Bolan CD, Joo J, Geller N, Leitman SF, Calandra G, Dunbar C, Kurlander R, Childs RW.	Differences in the Phenotype, Cytokine Gene Expression Profiles, and In Vivo Alloreactivity of T Cells Mobilized with Plerixafor Compared with G-CSF.	J Immunol	191(12)	6241-6249	2013

<p>Sakaguchi H, Okuno Y, Muramatsu H, Yoshida K, Shiraishi Y, Takahashi M, Kon A, Sanada M, Chiba K, Tanaka H, Makishima H, Wang X, Xu Y, Doisaki S, Hama A, Nakanishi K, Takahashi Y, Yoshida N, Maciejewski JP, Miyano S, Ogawa S and Kojima S.</p>	<p>Exome sequencing identifies secondary mutations of SETBP1 and JAK3 in juvenile myelomonocytic leukemia.</p>	<p>Nat Genet</p>	<p>45(8)</p>	<p>937-941</p>	<p>2013( * )</p>
<p>Takahashi Y, Muramatsu H, Sakata N, Hyakuna N, Hamamoto K, Kobayashi R, Ito E, Yagasaki H, Ohara A, Kikuchi A, Morimoto A, Yabe H, Kudo K, Watanabe K, Ohga S, Kojima S and Japan Childhood Aplastic Anemia Study G.</p>	<p>Rabbit antithymocyte globulin and cyclosporine as first-line therapy for children with acquired aplastic anemia.</p>	<p>Blood</p>	<p>121(5)</p>	<p>862-863</p>	<p>2013( * )</p>

竹内秀輔、鈴木涼子、福島敬、福島紘子、岩淵敦、中尾朋平、山口玲子、工藤寿子、杉田真太郎、稲留征典、佐藤豊実、櫻井英幸、金子道夫、須磨崎亮	進行期卵巣小細胞癌に対して集学的治療を施行した女児例	小児血液・がん学会雑誌	50(2)	269-273	2013
Yeoh AE, Tan D, Li CK, Hori H, Tse E, Pui CH.	Management of adult and paediatric acute lymphoblastic leukaemia in Asia: resource-stratified guidelines from the Asian Oncology Summit 2013.	Lancet Oncol	14 (12)	508-23	2013(＊)
堀 浩樹	小児血液・腫瘍領域での国際協力 - 日本からアジア・アフリカに向けての Outreach Program -.	日本小児血液・がん学会雑誌	50(1)	18-25	2013
Winstanley M, Vaitekeviciene G, Zimmermann M, Pieters R, van den Heuvel-Eibrink MM.	Pediatric Acute Myeloid Leukemia with t(8;16)(p11;p13): a distinct clinical and biological entity, a collaborative study by the International-Berlin-Frankfurt-Münster AML-study group.	Blood	122 ( 15 )	2704-13	2013