

Tomii Y, Toyoda K, Suzuki R, Naganuma M, Fujinami J, Yokota C, Minematsu K	Effects of 24-hour blood pressure and heart rate recorded with a bpm on recovery from acute ischemic stroke.	Stroke	42	3511-17	2011
Saito Y, Kishimoto I, Nakao K.	Roles of guanylyl cyclase-A signaling in the cardiovascular system.	Can J Physiol Pharmacol.	89 (8)	551-56	2011
Mitomi H, Fukui N, Kishimoto I, Tanabe S, Kikuchi S, Saito T, Hayashi T, Yao T.	Role for p16 (INK4a) in progression of gastrointestinal stromal tumors of the stomach: alteration of p16 (INK4a) network members.	Hum Pathol.	42 (10)	1505-13	2011
Kishimoto I, Tokudome T, Nakao K, and Kangawa K.	Natriuretic peptide system: an overview of studies using genetically engineered animal models.	FEBS journal.	278	1830-41	2011
Kishimoto I, Tokudome T, Hosoda H, Miyazato M, Kangawa K.	Ghrelin and cardiovascular diseases.	J Cardiology.	59	8-13	2012
Miyamatsu N, Kimura K, Okamura T, Iguchi Y, Nakayama H, Toyota A, Watanabe M, Morimoto A, Morinaga M, Yamaguchi T.	Effects of public education by television on knowledge of early stroke symptoms among a Japanese population aged 40 to 74 years: a controlled study.	Stroke	43 (2)	545-9	2012
Sakai T, <u>Iwami T</u> , Kitamura T, et al.	Letter to the Editor; Global positioning system (GPS) is not an "almighty" but a supportive tool for improving CPR quality.	Resuscitation	82	786-787	2011
Tanigawa K, <u>Iwami T</u> , Nishiyama C, et al.	Are trained individuals more likely to perform bystander CPR? An observational study.	Resuscitation	82	523-528	2011
Kitamura T, <u>Iwami T</u> , Kawamura T, et al.	Response to Letters Regarding Article, "Bystander-initiated rescue breathing for out-of-hospital cardiac arrests of non-cardiac origin".	Circulation	123	e250	2011
Sakai T, <u>Iwami T</u> , Kitamura T, et al.	Effectiveness of the new 'Mobile AED Map' to find and retrieve an AED: A randomized controlled trial.	Resuscitation	82	69-73	2011

関本裕美、小森勝也 嘉田晃子、宮本恵宏、 鎌倉史郎.	アミオダロン誘発性甲状腺機能低下症のリスクファクターについて.	医療	65 (5)	258-64	2011
関本裕美、小森勝也、 嘉田晃子、宮本恵宏、 鎌倉史郎.	アミオダロン誘発性甲状腺機能低下症の発症頻度とその治療.	Progress in Medicine.	31 (Suppl. 1)	689-94	2011
宮本恵宏	わが国的心筋梗塞死亡率の低下要因】 わが国的心筋梗塞致命率の改善は心筋梗塞死亡率の低下に影響したか.	動脈硬化予防.	10 (2)	44-50	2011
宮本恵宏	【内科疾患の予防戦略】 その他の疾患の予防戦略 糖尿病の進展予防の戦略.	Medicina.	48 (7)	1242-45	2011
宮本恵宏、中山博文、 岡村智教、豊田一則	脳卒中予防のイノベーションー早期発見・早期受診・早期介入	Medicina	48	1254-66	2011
岸本一郎	摂食・エネルギー調節に関わる生理活性ペプチドの機能と糖尿病やメタボリックシンドロームを標的とした創薬展開	実験医学増刊代謝・内分泌ネットワークと医薬応用	29 (5)		2011
泰江慎太郎、岸本一郎	糖尿病専門医の立場から－動脈硬化性因子の管理－	治療	93	616-18	2011
岩本紀之、岸本一郎	脂質異常症専門医の立場から	治療	93	619-22	2011
徳留健、岸本一郎、 寒川賢治	内因性ナトリウム利尿ペプチドの虚血組織血管新生促進作用	治療	93	686-88	2011
石見拓.	AEDをどこに設置し、どうやって市民に使わせるか.	月刊循環器 Circulation	2 (4)	118-125	2011
林靖之、西内辰也、 <u>石見拓</u> 他	目撃された病院外心原性心停止症例における救急蘇生ガイドライン変更前後での転帰の比較—ウツタイン大阪プロジェクトより—.	日集中医誌	18	363-368	2011
<u>石見拓</u>	救急蘇生ガイドライン2010. 胸骨圧迫の重要性.	治療	93 (8)	1700-1703	2011

竹川英宏、中山博文	脳卒中は時間との戦い－治療適応患者を増やすためにできること	BRAIN	2	35-44	2012
橋本洋一郎、中山博文	新規経口抗凝固薬時代のインフォームド・コンセント	Life Style Medicine	6	28-34	2012
Arai H, Kokubo Y, Watanabe M, Sawamura T, Ito Y, Minagawa A, Okamura T, <u>Miyamoto Y</u> .	Small Dense Low-Density Lipoproteins Cholesterol can Predict Incident Cardiovascular Disease in an Urban Japanese Cohort: The Suita Study.	J Atheroscler Thromb.	20 (2)	195-203	2013
Higashiyama A, Wakabayashi I, Kubota Y, Adachi Y, Hayashibe A, Nishimura K, Sugiyama D, Kadota A, Imano H, Miyamatsu N, <u>Miyamoto Y</u> , Okamura T.	Does high-sensitivity C-reactive protein or low-density lipoprotein cholesterol show a stronger relationship with the cardio-ankle vascular index in healthy community dwellers?: the KOBE study.	J Atheroscler Thromb.	19 (11)	1027-34	2012
Kataoka Y, Yasuda S, <u>Miyamoto Y</u> , Sase K, Kosuge M, Kimura K, Yoshimasa Y, Miyazaki S, Investigators DS.	Effects of Voglibose and Nateglinide on Glycemic Status and Coronary Atherosclerosis in Early-Stage Diabetic Patients.	Circ J	76 (3)	712-20	2012
Minakata K, Bando K, Takanashi S, Konishi H, <u>Miyamoto Y</u> , Ueshima K, Sato T, Ueda Y, Okita Y, Masuda I, Okabayashi H, Yaku H, Yasuno S, Muranaka H, Kasahara M, Miyata S, Okamura Y, Nasu M, Tanemoto K, Arinaga K, Hisashi Y, Sakata R, Investigators JS.	Impact of diabetes mellitus on outcomes in Japanese patients undergoing coronary artery bypass grafting.	Journal of cardiology.	59 (3)	275-84.	2012
Morisaki H, Yamanaka I, Iwai N, <u>Miyamoto Y</u> , Kokubo Y, Okamura T, Okayama A, Morisaki T.	CDH13 Gene Coding T-Cadherin Influences Variations in Plasma Adiponectin Levels in the Japanese Population.	Hum Mutat.	33 (2)	402-10	2012
Saito I, Kokubo Y, Kiyohara Y, Doi Y, Saitoh S, Ohnishi H, <u>Miyamoto Y</u> .	Prospective study on waist circumference and risk of all-cause and cardiovascular mortality.	Circ J.	76 (12)	2867-74	2012
Sugisawa T, Okamura T, Makino H, Watanabe M, Kishimoto I, <u>Miyamoto Y</u> , Iwamoto N, Yamamoto A, Yokoyama S, Harada-Shiba M.	Defining Patients at Extremely High Risk for Coronary Artery Disease in Heterozygous Familial Hypercholesterolemia.	J Atheroscler Thromb.	19 (4)	369-75.	2012

*Hasegawa K, <u>Hiraide A</u> , Chang Y, Brown DF.	Association of prehospital advanced airway management with neurologic outcome and survival in patients with out-of-hospital cardiac arrest.	JAMA.	16;30 9 (3)	257-66	2013
Kajino K, Kitamura T, Iwami T, Daya M, Ong ME, <u>Hiraide A</u> , Shimazu T, Kishi M, Yamayoshi S.	Current termination of resuscitation (TOR) guidelines predict neurologically favorable outcome in Japan.	Resuscitation.	84 (1)	54-9	2013
Nishiyama C, Iwami T, Kawamura T, Kitamura T, Tanigawa K, Sakai T, Hayashida S, Nishiuchi T, Hayashi Y, <u>Hiraide A</u>	Prodromal Symptoms of Out-Of-Hospital Cardiac Arrests: a Report from a Large-Scale Population-Based Cohort Study	Resuscitation.	84	558-563	2012
Toyoda K	The cerebro-renal interaction in stroke neurology.	Neurology	78	1898-18 99	2012
<u>Toyoda K</u> , Sato S, Koga M, et al	Run-up to participation in ATACH II in Japan.	J Vasc Interv Neurol	5 (sup p)	1-5	2012
Sato S, Koga M, ... <u>Toyoda K</u> (最終著者)	Conjugate eye deviation in acute intracerebral hemorrhage Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-ICH (SAMURAI-ICH) study.	Stroke	43	2898-29 03	2012
Takahisa K, <u>Hyohun P</u> et al.	Genetic Polymorphisms of the Human PNPL3 Gene Are Strongly Associated with Severity of Human Non-Alcoholic Fatty Liver Disease in Japanese.	Plosone	7	e38322	2012
Sugisawa T, Okamura T, Makino H, Watanabe M, <u>Kishimoto I</u> , Miyamoto Y, Iwamoto N, Yamamoto A, Yokoyama S, Harada-Shiba M.	Defining Patients at Extremely High Risk for Coronary Artery Disease in Heterozygous Familial Hypercholesterolemia.	J Atheroscler Thromb.	19 (4)	369-375	2012

Fujikura J , Nakao K , Sone M , Noguchi M , Mori E , Naito M , Taura D , Harada-Shiba M , <u>Kishimoto I</u> , Watanabe A , Asaka I , Hosoda K , Nakao K.	Induced pluripotent stem cells generated from diabetic patients with mitochondrial DNA A3243G mutation.	Diabetologia.	55 (6)	1689–16 98	2012
Schwenke DO , Tokudome T , <u>Kishimoto I</u> , Horio T , Cragg PA , Shirai M , Kangawa K.	One Dose of Ghrelin Prevents the Acute and Sustained Increase in Cardiac Sympathetic Tone after Myocardial Infarction.	Endocrinology.	153 (5)	2436–24 43	2012
Ogawa Y , Mukoyama M , Yokoi H , Kasahara M , Mori K , Kato Y , Kuwabara T , Imamaki H , Kawanishi T , Koga K , Ishii A , Tokudome T , <u>Kishimoto I</u> , Sugawara A , Nakao K.	Natriuretic peptide receptor guanylyl cyclase-A protects podocytes from aldosterone-induced glomerular injury in mice.	Journal of the American Society of NEPHROLOGY.	23 (7)	1198–12 09	2012
Mao Y , Tokudome T , Otani K , <u>Kishimoto I</u> , Nakanishi M , Hosoda H , Miyazato M , Kangawa K.	Ghrelin Prevents Incidence of Malignant Arrhythmia after Acute Myocardial Infarction through Vagal Afferent Nerves.	Endocrinology.	153 (7)	3426–34 34	2012
<u>Kishimoto I</u> , Tokudome T , Hosoda H , Miyazato M , Kangawa K.	Ghrelin and cardiovascular diseases.	Journal of Cardiology	59	8–13	2012
Cui R , Iso H , Yamagishi K , Saito I , <u>Kokubo Y</u> , Inoue M , Tsugane S , Group JS.	High serum total cholesterol levels is a risk factor of ischemic stroke for general Japanese population: the JPHC study.	Atherosclerosis .	221 (2)	565–9.	2012
Eshak ES , Iso H , <u>Kokubo Y</u> , Saito I , Yamagishi K , Inoue M , Tsugane S.	Soft drink intake in relation to incident ischemic heart disease, stroke, and stroke subtypes in Japanese men and women: the Japan Public Health Centre-based study cohort I.	The American journal of clinical nutrition.	96 (6)	1390–7.	2012
Kokubo Y.	Traditional risk factor management for stroke: a never-ending challenge for health behaviors of diet and physical activity.	Current opinion in neurology.	25 (1)	11–7.	2012

Kokubo Y.	The mutual exacerbation of decreased kidney function and hypertension. (comment)	Journal of hypertension. 2012	30 (3)	468-9.	2012
Kokubo Y.	Weight reduction in primary care. (comment)	Circ J.	76 (6)	1322-3.	2012
Morisaki H, Yamanaka I, Iwai N, Miyamoto Y, Kokubo Y, Okamura T, Okayama A, Morisaki T.	CDH13 gene coding T-cadherin influences variations in plasma adiponectin levels in the Japanese population.	Hum Mutat.	33 (2) : 402-10.	402-10.	2012
Ohara T, Nakatani S, Kokubo Y, Yamamoto H, Mitsutake K, Hanai S, investigators C.	Clinical predictors of in-hospital death and early surgery for infective endocarditis: Results of CADiac Disease REgistration (CADRE), a nation-wide survey in Japan. International	journal of cardiology.	Epub 2012/07/19	.	2012
Saito I, Kokubo Y, Kiyohara Y, Doi Y, Saitoh S, Ohnishi H, Miyamoto Y.	Prospective study on waist circumference and risk of all-cause and cardiovascular mortality.	Circ J. 2012; 76 (12) :	2867-74	2867-74	2012
Higashiyama A, Okamura T, Watanabe M, Kokubo Y, Wakabayashi I, Okayama A, Miyamoto Y.	Is the relationship between alcohol consumption and cardiovascular disease modified by hypertension?	Hypertens Res. 2012	In press	.	2012
Wen W, Cho YS, Zheng W, Dorajoo R, Kato N, Qi L, Chen CH, Delahanty RJ, Okada Y, Tabara Y, Gu D, Zhu D, Haiman CA, Mo Z, Gao YT, Saw SM, Go MJ, Takeuchi F, Chang LC, Kokubo Y, Liang J, Hao M, Le Marchand L, Zhang Y, Hu Y, Wong TY, Long J, Han BG, Kubo M, Yamamoto K, Su MH, Miki T, Henderson BE, Song H, Tan A, He J, Ng DP, Cai Q, Tsunoda T, Tsai FJ, Iwai N, Chen GK, Shi J, Xu J, Sim X, Xiang YB, Maeda S, Ong RT, Li C, Nakamura Y, Aung T, Kamatani N, Liu JJ, Lu W, Yokota M, Seielstad M, Fann CS, Genetic Investigation of ATC, Wu JY, Lee JY, Hu FB, Tanaka T, Tai ES, Shu XO.	Meta-analysis identifies common variants associated with body mass index in east Asians.	Nature genetics.	44 (3)	307-11	2012

Arai H, Kokubo Y, Watanabe M, Sawamura T, Ito Y, Minagawa A, Okamura T, Miyamoto Y.	Small Dense Low-Density Lipoproteins Cholesterol can Predict Incident Cardiovascular Disease in an Urban Japanese Cohort: The Suita Study.	J Atheroscler Thromb.			2012
Harada-Shiba M, Arai H, Okamura T, Yokote K, Oikawa S, Nohara A, Okada T, Ohta T, Bujo H, Watanabe M, Wakatsuki A, Yamashita S.	Multicenter study to determine the diagnosis criteria of heterozygous familial hypercholesterolemia in Japan.	J Atheroscler Thromb.	19 (11)	1019-26	2012
*Miyamatsu N, Kimura K, Okamura T, Iguchi Y, Nakayama H, Toyota A, Watanabe M, Morimoto A, Morinaga M, Yamaguchi T.	Effects of Public Education by Television on Knowledge of Early Stroke Symptoms Among a Japanese Population Aged 40 to 74 Years A Controlled Study.	Stroke.	43 (2)	545-9.	2012
Nagasawa SY, Okamura T, Iso H, Tamakoshi A, Yamada M, Watanabe M, Murakami Y, Miura K, Ueshima H, for the Evidence forCardiovascular Prevention from Observational Cohorts in Japan Research G.	Relation Between Serum Total Cholesterol Level and Cardiovascular Disease Stratified by Sex and Age Group: A Pooled Analysis of 65 594 Individuals From 10 Cohort Studies in Japan.	Journal of the American Heart Association.	1 (5)	e001974	2012
Nakamura Y, Okamura T, Higashiyama A, Watanabe M, Kadota A, Ohkubo T, Miura K, Kasagi F, Kodama K, Okayama A, Ueshima H, Group NDR.	Prognostic values of clockwise and counterclockwise rotation for cardiovascular mortality in Japanese subjects: a 24-year follow-up of the National Integrated Project for Prospective Observation of Noncommunicable Disease and Its Trends in the Aged, 1980-2004 (NIPPON DATA80).	Circulation.	125 (1 0) :	1226-33	2012
Sugisawa T, Okamura T, Makino H, Watanabe M, Kishimoto I, Miyamoto Y, Iwamoto N, Yamamoto A, Yokoyama S, Harada-Shiba M.	Defining Patients at Extremely High Risk for Coronary Artery Disease in Heterozygous Familial Hypercholesterolemia.	J Atheroscler Thromb.	19 (4)	369-75.	2012
Higashiyama A, Wakabayashi I, Kubota Y, Adachi Y, Hayashibe A, Nishimura K, Sugiyama D, Kadota A, Imano H, Miyamatsu N, Miyamoto Y, Okamura T.	Does high-sensitivity C-reactive protein or low-density lipoprotein cholesterol show a stronger relationship with the cardio-ankle vascular index in healthy community dwellers?: the KOBE study.	J Atheroscler Thromb.	19 (11)	1027-34	2012

Miida T, <u>Nishimura K</u> , Okamura T, Hirayama S, Ohmura H, Yoshida H, Miyashita Y, Ai M, Tanaka A, Sumino H, Murakami M, Inoue I, Kayamori Y, Nakamura M, Nobori T, Miyazawa Y, Teramoto T, Yokoyama S.	A multicenter study on the precision and accuracy of homogeneous assays for LDL-cholesterol: comparison with a beta-quantification method using fresh serum obtained from non-diseased and diseased subjects.	Atherosclerosis	225 (1)	208-15.	2012
Miyoshi T, Maeno Y, Sago H, Inamura N, Yasukohchi S, Kawataki M, Horigome H, Yoda H, Taketazu M, Shozu M, Nii M, Kato H, Hayashi S, Hagiwara A, Omoto A, Shimizu W, Shiraishi I, Sakaguchi H, <u>Nishimura K</u> , Ueda K, Katsuragi S, Ikeda T.	Evaluation of transplacental treatment for fetal congenital bradyarrhythmia: - nationwide survey in Japan.	Circ J.	76 (2)	469-76.	2012
Onishi A, Sugiyama D, Kogata Y, Saegusa J, Sugimoto T, Kawano S, Morinobu A, <u>Nishimura K</u> , Kumagai S.	Diagnostic accuracy of serum 1, 3-beta-D-glucan for pneumocystis jiroveci pneumonia, invasive candidiasis, and invasive aspergillosis: systematic review and meta-analysis.	Journal of clinical microbiology.	50 (1)	7-15.	2012
Iwami T, Kitamura T, Kawamura T, et al	Chest Compression-Only Cardiopulmonary Resuscitation for Out-of-Hospital Cardiac Arrest with Public-Access Defibrillation: A Nationwide Cohort Study.	Circulation	126	2844-28 51	2012
Kitamura T, <u>Iwami T</u> , Kawamura T, et al.	Nationwide Improvements in Survival From Out-of Hospital Cardiac Arrest in Japan.	Circulation	126	2834-28 43	2012
Hayashi Y, <u>Iwami T</u> , Kitamura T, et al.	Impact of early intravenous epinephrine administration on outcomes following out-of-hospital cardiac arrest.	Circulation Journal	76	1639-16 45	2012
宮本 恵宏	【東日本大震災支援-国循1年の取り組み】 医療スタッフ/チームの派遣 結核予防会の活動に参加して	循環器病研究の進歩。	(特別号)	32-5.	2012
宮本 恵宏	日本の循環器疾患の疫学	New Diet Therapy.	27 (4)	49-54.	2012

植田 初江、宮本 恵宏、花田 裕典	国立循環器病研究センターバイオバンク—未来の医療に不可欠な研究基盤として—	循環器病研究の進歩(通巻 52 号)	XXXII I	2-10	2012
友池 仁暢、和泉 徹、今泉 勉、鎌倉 史郎、許俊鋭、白石 公、筒井 裕之、富永 隆治、永井 良三、天木 誠、伊東 春樹、猪又 孝元、加藤 誠也、神崎 秀明、北村 惣一郎、砂川 賢二、北風 政史、絹川 真太郎、窪田 琢郎、田ノ上 穎久、田原 宣広、長山 雅俊、西村 隆、野口 晴夫、長谷川 拓也、宮本 恵宏、閔庚徳、吉川 勉、山岸 正和、日本循環器学会	循環器病の診断と治療に関するガイドライン(2009-2010 年度合同研究班報告) 拡張型心筋症ならびに関連する二次性心筋症の診療に関するガイドライン	循環器病の診断と治療に関するガイドライン	2011	3-79	2012
*宮松 直美	栃木県脳卒中啓発プロジェクト-栃木県における包括的脳卒中市民啓発とその評価	JSA News	33 号	8-9	2013
小久保 喜弘.	日本発の脳卒中大規模臨床研究 脳卒中高リスク者を見極める 吹田研究.	循環器内科.	72 (3)	343-51	2012
小久保 喜弘. 河野 雄平.	【あなたも名医!新しい経口抗凝固薬、どう使う? 心房細動を診るジェネラリストのために】(第1章) 抗凝固薬はなぜ必要? 薬剤処方の前に押さえおきたい発症機序と疫学 Framingham 研究は何を教えてくれる?	jmed mook.	(21)	25-8.	2012
小久保 喜弘. 古川 曜子.	【肥満症に関する最新知識と今後の展望】肥満の疫学	診断と治療.	100 (1 1)	1811-9.	2012
石見 拓	学校における救急措置 - AED の設置・管理から自動・生徒に対する心肺蘇生教育まで	予防医学	54	49-54	2012
吳 聖人、廣瀬 智也、石見 拓, 他.	大学病院に勤務する非医療従事者を対象とした簡易型心肺蘇生講習会の有効性の検討(第 1 報) 救命意識の変化	日本臨床救急医学会雑誌.	15 (6)	745-51	2012

石見 拓	G2010における「胸骨圧迫」にかかるトピックス	救急医学	36(12)	1624-1628	2012
石見 拓、北村 哲久、西山 知佳、他	なぜ胸骨圧迫が重要となり、CABとなつたのか？	Heart View	16(10)	50-55	2012
三田村 秀雄、高山 守正、石見 拓（執筆担当）、他	AEDの具体的配置・配置基準に関する提言. 日本循環器学会AED検討委員会、日本心臓財団	心臓	44(4)	391-402	2012
石見拓	大阪府における病院外心停止に対する包括的治療体制の構築に関する研究班 Comprehensive Registry of Intensive Cares for OHCA Survival (Critical) Study の立ち上げについて	大阪救急	85	1-14	2012
Iwashima Y, Kokubo Y, Ono T, Yoshimuta Y, Kida M, Kosaka T, Maeda Y, Kawano Y, Miyamoto Y.	Additive Interaction of Oral Health Disorders on Risk of Hypertension in a Japanese Urban Population: The Suita Study.	American journal of hypertension	Epub 2013/12/18		2013
Ohara T, Kokubo Y, Toyoda K, Watanabe M, Koga M, Nakamura S, Nagatsuka K, Minematsu K, Nakagawa M, Miyamoto Y.	Impact of Chronic Kidney Disease on Carotid Atherosclerosis According to Blood Pressure Category: The Suita Study.	Stroke	44	3537-9	2013
Sekikawa A, Willcox BJ, Usui T, Carr JJ, Barinas-Mitchell EJ, Masaki KH, Watanabe M, Tracy RP, Bertolet MH, Evans RW, Nishimura K, Sutton-Tyrrell K, Kuller LH, Miyamoto Y.	Do Differences in Risk Factors Explain the Lower Rates of Coronary Heart Disease in Japanese Versus U. S. Women?	Journal of women's health	22(11)	966-977	2013
Tatsumi Y, Watanabe M, Kokubo Y, Nishimura K, Higashiyama A, Okamura T, Okayama A, Miyamoto Y.	Effect of Age on the Association Between Waist-to-Height Ratio and Incidence of Cardiovascular Disease: The Suita Study.	J Epidemiol.	23(5)	351-9	2013
Yamashita T, Makino H, Nakatani R, Ohata Y, Miyamoto Y, Kishimoto I.	Renal Insufficiency without Albuminuria is Associated with Peripheral Artery Atherosclerosis and Lipid Metabolism Disorders in Patients with Type 2 Diabetes.	Atheroscler Thromb.	20(11)	790-7	2013

*Kajino K, Kitamura T, Iwami T, Daya M, Ong ME, Nishiyama C, Sakai T, Tanigawa-Sugihara K, Hayashida S, Nishiuchi T, Hayashi Y, Hiraide A, Shimazu T	Impact of the number of on-scene emergency life-saving technicians and outcomes from out-of-hospital cardiac arrest in Osaka City.	Resuscitation	85	59–64	2014
Okamoto Y, Iwami T, Kitamura T, Nitta M, Hiraide A, Morishima T, Kawamura T.	Regional Variation in Survival Following Pediatric Out-of-Hospital Cardiac Arrest.	Circ J	77 3	2596–603	2013
Irisawa T, Iwami T, Kitamura T, Nishiyama C, Sakai T, Tanigawa-Sugihara K, Hayashida S, Nishiuchi T, Shiozaki T, Tasaki O, Kawamura T, Hiraide A, Shimazu T.	An association between systolic blood pressure and stroke among patients with impaired consciousness in out-of-hospital emergency settings.	BMC Emerg Med		13:24	2013
Hayashi Y, Iwami T, Kitamura T, Nishiuchi T, Kajino K, Sakai T, Nishiyama C, Nitta M, Hiraide A, Kai T.	Impact of Early Intravenous Epinephrine Administration on Outcomes Following Out-of-Hospital Cardiac Arrest.	Circ J	76	1639–45	2012
*Amano T, Yokota C, Sakamoto Y, Shigehatake Y, Inoue Y, Ishigami A, Hagihara T, Tomii Y, Miyashita F, Toyoda K, Minematsu K	Stroke Education Program of Act FAST for Junior High School Students and Their Parents.	J Stroke Cerebrovasc Dis	Epub ahead of print		2013
*Miyashita F, Yokota C, Nishimura K, Amano T, Inoue Y, Shigehatake Y, Sakamoto Y, Tani S, Narasaki H, Toyoda K, Nakazawa K, Minematsu K	The Effectiveness of a Stroke Educational Activity Performed by a Schoolteacher for Junior High School Students.	J Stroke Cerebrovasc Dis	Epub ahead of print		2014
Toyoda K	Epidemiology and registry studies of stroke in Japan.	Journal of Stroke	15	21–26	2013
Toyoda K	Antithrombotic Therapy for Pregnant Women.	Neurologia medico-chirurgica	53	526–530	2013

Kern R, Nagayama M, Toyoda K, et al	Comparison of the European and Japanese Guidelines for the Management of Ischemic Stroke.	Cerebrovasc Dis	35	402–418	2013
Toyoda K, Steiner T, Epple C, et al	Comparison of the European and Japanese Guidelines for the Acute Management of Intracerebral Hemorrhage.	Cerebrovasc Dis	35	419–429	2013
*Morimoto A, Miyamatsu N, Okamura T, Nakayama H, Toyoda K, Suzuki K, Toyota A, Hata T, Yamaguchi T	Effects of Intensive and Moderate Public Education on Knowledge of Early Stroke Symptoms Among a Japanese Population: The Acquisition of Stroke Knowledge Study	Stroke	44 (10)	2829–2834	2013
*Miyamatsu N, Okamura T, Nakayama H, Toyoda K, Suzuki K, Toyota A, Hata T, Hozawa A, Nishikawa T, Morimoto A, Ogita M, Morino A, Yamaguchi T	Public Awareness of Early Symptoms of Stroke and Information Sources about Stroke among the General Japanese Population: The Acquisition of Stroke Knowledge Study	Cerebrovascular Disease	35 (3)	241–249	2013
Fukushima H, Imanishi M, Iwami T, et al.	Abnormal breathing of sudden cardiac arrest victims described by laypersons and its association with emergency medical service dispatcher-assisted cardiopulmonary resuscitation instruction.	Emergency Medicine Journal	in press		2014
Shin SD, Kitamura T, Hwang SS, Iwami T, et al.	Association between resuscitation time interval at the scene and neurological outcome after out-of-hospital cardiac arrest in two Asian cities.	Resuscitation	85	203–210	2014
Nishiyama C, Iwami T, Kitamura T, et al.	Long-term retention of cardiopulmonary resuscitation skills after shortened chest compression-only cardiopulmonary resuscitation training and conventional cardiopulmonary resuscitation training: a randomized controlled trial.	Academic Emergency Medicine	21	47–54	2014

Hock Ong ME, Shin SD, Sung SS, <u>Iwami T</u> , et al.	Recommendations on ambulance cardiopulmonary resuscitation in basic life support systems.	Prehosp Emerg Care	17	491–500	2013
Kitamura T, Kiyohara K, <u>Iwami T</u> .	The Great East Japan Earthquake and Out-of-Hospital Cardiac Arrest.	The New England Journal of Medicine	369	2165–2167	2013
Okamoto Y, <u>Iwami T</u> , Kitamura T, et al.	Regional Variation in Survival Following Pediatric Out-of-Hospital Cardiac Arrest.	Circulation Journal	77	2596–2603	2013
Tanigawa-Sugihara K, <u>Iwami T</u> , Nishiyama C, et al.	Association Between Atmospheric Conditions and Occurrence of Out-of-Hospital Cardiac Arrest - 10-Year Population-Based Survey in Osaka -.	Circulation Journal	77	2073–2078	2013
Kokubo Y	Epidemiology of Transient Ischemic Attack	Front Neurol Neurosci	33	69–81	2014
Arai H, Kokubo Y, Watanabe M, Sawamura T, Ito Y, Minagawa A, Okamura T, Miyamoto Y.	Small Dense Low-Density Lipoproteins Cholesterol can Predict Incident Cardiovascular Disease in an Urban Japanese Cohort: The Suita Study	Jornal of Atherosclerosis and Thrombosis	20 (2)	195–203	2013
Higashiyama A, Okamura T, Watanabe M, Kokubo Y, Wakabayashi I, Okayama A, Miyamoto Y.	Alcohol consumption and cardiovascular disease incidence in men with and without hypertension: the Suita Study	Hypertension Research	36	58–64	2013
Nakamura Y, Okamura T, Inohara T, Kohsaka S, <u>Watanabe M</u> , Higashiyama A, Kadota A, Okuda N, Ohkubo T, Nagasawa SY, Miura K, Okayama A, Ueshima H; for the NIPPON DATA 80 Research Group.	Prognostic values of bundle branch blocks for cardiovascular mortality in Japanese (24year follow-up of NIPPON DATA80).	J Electrocardiol	46 (4)	360–365	2013

Inohara T, Kohsaka S, Okamura T, <u>Watanabe M</u> , Nakamura Y, Higashiyama A, Kadota A, Okuda N, Murakami Y, Ohkubo T, Miura K, Okayama A, Ueshima H; for the NIPPON DATA 80/90 Research Group.	Cumulative impact of axial, structural, and repolarization ECG findings on long-term cardiovascular mortality among healthy individuals in Japan: National Integrated Project for Prospective Observation of Non-Communicable Disease and its Trends in the Aged, 1980 and 1990.	Eur J Prev Cardiol. [In press]			2013
*Miyashita F, Yokota C, <u>Nishimura K</u> , Amano T, Inoue Y, Shigehatake Y, Sakamoto Y, Tani S, Narazaki H, Toyoda K, Nakazawa K, Minematsu K.	The Effectiveness of a Stroke Educational Activity Performed by a Schoolteacher for Junior High School Students.	Journal of stroke and cerebrovascular diseases: the official journal of National Stroke Association	Epub 2014/01/07		2014
岡村 智教, <u>宮本 恵宏</u>	病因・病態から新しい大血管症予防・治療法を考える 循環器病の危険因子としての糖尿病・メタボリックシンドローム	糖尿病合併症	27 (1)	89-93	2013
宮松 直美	マスメディアによる脳卒中キャンペーンの効果	日本ヘルスコミュニケーション学会雑誌	4	42-45	2013
島本 大也, <u>石見 拓</u>	【わが国的心肺蘇生および蘇生後集中治療の現況と課題-わが国から発信するエビデンス-】胸骨圧迫法と旧来法の比較 総務省データ解析から	ICUとCCU	37 (9)	659-65	2013
石見 拓	PUSHプロジェクト～児童・生徒に対する心肺蘇生教育の勧め	健康教室	757	61-65	2013
*岸本 一郎, 芦田 康宏, 大森 洋子, 西 洋壽, 萩原 泰子, 藤本 年朗, 横野 久士, 大畠 洋子, 岩根 光子, 飯沼 恵子, 前田 和恵, 佐藤 滋, 豊能医療圏糖尿病地域連携クリティカルパス検討会議	大阪府豊能医療圏における糖尿病実態と連携手帳所持率調査	糖尿病	56 (8)	543-550	2013
*中山 博文	日本脳卒中協会の活動と展望	最新医学	68 (5)	995-1000	2013

学会発表

発表者氏名	発表タイトル名	学会名	開催場所	発表年
宮本 恵宏	肥満症診断におけるウエスト周囲長の カットオフ値決定に関するメタ解析	第33回日本肥満学会・シンポジウム	京都	2012
宮本 恵宏	動脈硬化性疾患の臨床研究と都市部疫学研究	第44回日本動脈硬化学会総会・学術集会・シンポジウム	福岡	2012
宮本 恵宏	Gender-Based Impact of Coronary Arterial Calcification on Coronary Arterial Stenosis in Japanese.	24th EUROPEAN CONGRESS OF RADIOLOGY - ECR 2012	Vienna/Austria.	2012
宮本 恵宏	Gender-based relation between risk factors and coronary arterial calcification in Japanese: NADESICO-0 Study.	XVI International Symposium on Atherosclerosis	Sydney	2012
太田 育夫(近畿大学 医学部救急医学科)、石川 久、中江 晴彦、森田 正則、平出 敦、坂田 育弘	学生教育におけるブリーフィング・デブリーフィングにおける試み	日本臨床救急医学会学術集会	熊本	2012
石川 久(近畿大学医学部救急医学)、市村 博、安東 豊、太田 育夫、松島 知秀、坂田 育弘、平出 敦	同日開始した二次救命処置コースと市民AED救命講習での合同デモンストレーションの意義	日本臨床救急医学会学術集会	熊本	2012
森田 正則(近畿大学医学部救急医学)、中江 晴彦、富吉 浩雅、松田 外志朗、田口 博一、森本 剛、平出 敦	年齢別救急搬送件数の推移から見えてきた終末期医療と救急医療のかかわり	日本救急医学会	京都	2012
植嶋 利文(近畿大学医学部救急医学講座)、太田 育夫、中尾 隆美、石部 琢也、濱口 満英、中江 晴彦、松島 知秀、丸山 克之、村尾 佳則、坂田 育弘、平出 敦	一回だけの蘇生に関する授業の知識は、約一年後にどの程度残存するのか	日本救急医学会	京都	2012

Toyoda K, Yasaka M, Uchiyama S, et al	CHADS2 and CHA2DS2-VASC scores as bleeding risk indices for patients having atrial fibrillation: The bleeding with antithrombotic therapy (BAT) study.	Asia Pacific Stroke Conference 2012	Tokyo	2012
Toyoda K	Intracerebral hemorrhage during oral antithrombotic therapy (symposium).	Asia Pacific Stroke Conference 2012	Tokyo	2012
Toyoda K	Risk and benefit of antiplatelet therapy for asian stroke patients (seminar).	Asia Pacific Stroke Conference 2012	Tokyo	2012
岡村 智教、宮松 直美、中山 博文、豊田 一則、竹川 英宏、横田 千晶、一浦 加代子、宮本 恵宏、峰松 一夫、山口 武典	自治体との共同による脳卒中症状に関する多角的大規模啓発活動の効果：ベースライン時の知識	Stroke2013	東京	2013. 3. 21-23
小久保 喜弘	Carotid Artery Diameter is Positively Associated with Stroke in a General Urban Cohort: The Suita Study.	European Stroke Conference 2012. 22-25, May, 2012.	Lisbon	2012
小久保 喜弘	Impact of Blood Pressure and Obesity on the Risk of Incident Atrial Fibrillation in the Suita Study: an Urban Cohort Study.	European Society of Cardiology 2012. 24-29 August, 2012.	Munich.	2012
小久保 喜弘	Cut-off Points of Carotid Intima-Media Thickness for Prediction of Cardiovascular Disease in Japanese Urban Cohort: The Suita Study.	Asian Pacific Stroke Conference 2012. 10-12, September, 2012.	Tokyo	2012
小久保 喜弘	Renal Dysfunction Associated with Incident Hypertension According to Blood Pressure Categories in a Non-hypertensive Population in the Suita Study: an Urban Cohort Study.	American Heart Association: High Blood Pressure Research Congress 2012.	Washington DC	2012
小久保 喜弘	Systolic Hypertension is an Independent Risk of Incident Atrial Fibrillation in a Japanese Urban Cohort: The Suita Study.	24th Scientific Meeting of the International Society of Hypertension 2012.	Sydney	2012

Doijiri K, Miyashita Y, Kokubo Y, Miyamoto Y, Uno H, Naritomi H, Nagatsuka K	Increased risk of stroke in patients with isolated vertigo or dizziness: a retrospective case-control study	2nd International Congress on Neurology and Epidemiology.	Nice	2012
小久保 喜弘	Prediction of All-cause and Stroke Mortality by Carotid Intima-Media Thickness in Japanese Urban Cohort: The Suita Study.	International Stroke Conference 2013. 5-8, February, 2013,	Honolulu	2012
Kida M, Kokubo Y, Ono T, Yoshimuta Y, Takemura K, Kosaka T, Maeda Y, Miyamoto Y.	Relationship between carotid intima-media thickness and periodontal disease in an urban Japanese population: The Suita Study.	International Stroke Conference 2013. 5-8, February, 2013,	Honolulu	2012
Tatsumi Y, Watanabe M, Kokubo Y, Nishimura N, Okamura T, Okamura A, Miyamoto Y	Age Differences in the Association between Waist-to-height Ratio and Risk of Cardiovascular Disease: The Suita Study.	Epidemiology and Prevention & Nutrition, Physical Activity and Metabolism 2013. 19-22, March, 2013	New Orleans	2012
小久保 喜弘	吹田研究における心房細動発症リスクとしての血圧と脈拍の影響 都市部コホート研究。	第1回日本高血圧学会臨床高血圧フォーラム. 2012年5月12～13日。	豊中.	2012
福田 真弓、横田 千晶、小久保 喜弘、沢村 達也、宮本 恵宏、豊田 一則、峰松 一夫	血中可溶型LOX-1高値は脳梗塞の発症と関連する	日本脳卒中学会 2012年4月26～28日	福岡	2012
横田 千晶、福田 真弓、小久保 喜弘、宮本 恵宏、豊田 一則、峰松 一夫	急性期脳梗塞例における血中ペントシジン値の臨床的意義	日本脳卒中学会 2012年4月26～28日	福岡	2012
遠藤 薫、小久保 喜弘、豊田 一則、古賀 政利、峰松 一夫、宮本 恵宏	都市部一般住民における頸動脈硬化と血糖および血圧カテゴリー別の関連に関する研究:吹田研究	日本脳卒中学会 2012年4月26～28日	福岡	2012
遠藤 薫、小久保 喜弘、豊田 一則、古賀 政利、峰松 一夫、宮本 恵宏	都市部一般住民の頸動脈狭窄への血糖値と血圧値の複合的影響:吹田研究	第11回日本頸部脳血管治療学会 2012年6月1-2日	名古屋	2012
尾原 知行、小久保 喜弘、豊田 一則、古賀 政利、中村 敏子、長東 一行、峰松 一夫、宮本 恵宏	都市部一般住民の頸動脈狭窄への慢性腎臓病と血圧値の交互作用に関する研究 :吹田研究	第11回日本頸部脳血管治療学会 2012年6月1-2日	名古屋	2012

西村 邦宏	The Nationwide Survey of Burnout among Japanese Neurosurgeons and Neurologists, J-ASPECT Study	Asia Pacific Stroke Conference (APSC) 2012	Tokyo, Japan	2012
西村 邦宏	Association of age, temperature and monthly variation in sudden out-of-hospital cardiac arrest of 196,032 cases -All Japan Utstein Registry Study	ESC Congress 2012	Munich-Germany	2012
西村 邦宏	The Nationwide Survey of Quality of life, Burnout and Depression among Japanese Surgeons and Neurologists of Stroke Care, J-ASPECT Study	Quality of Care and Outcomes Research 2012 Scientific Sessions. (AHAQCOR)	Baltimore, MD, USA	2012
西村 邦宏	吹田コホートによる冠動脈疾患リスクコアの作成	第48回日本循環器病予防学会	東京	2012
西村 邦宏	小児と成人の肥満症のコホート研究 研究の目的	第33回日本肥満学会	京都	2012
西村 邦宏	ウツタイン登録による脳卒中関連心停止の季節変動と温度変化について	第23回日本疫学会学術総会	大阪	2012
本郷 卓、西村 邦宏、神谷 諭、中川原 讓二、有賀 徹、永田 泉、豊田 一則、松田 晋哉、宮本 恵宏、嘉田 晃子、片岡 大治、飯原 弘二	本邦の急性期脳卒中患者 36,534人における受療時間帯と 30 日以内全死因死亡率の関係-J-ASPECT Study-	第72回日本脳神経外科学会総会	パシフィコ横浜	2013
小久保 喜弘、小林 貴、宮本 恵宏	都市部一般住民を対象とした頸動脈硬化進展の危険因子に関する追跡研究：吹田研究	第36回日本高血圧学会総会	大阪国際会議場	2013
辰巳 友佳子、渡邊 至、小久保 喜弘、西村 邦宏、東山 綾、岡村 智教、岡山 明、宮本 恵宏	5-9年間の腹囲の変化と糖尿病発症リスク：吹田研究	第24回日本疫学会学術総会	仙台	2014
澤井 利夫、木村 浩基、前川 昌平、吉田 英樹、八木 誠、平出 敦	外傷 当院における肝外傷の経験 治療法の選択を中心として	日本小児外科学会	広島	2013

林 靖之、西内 辰也、石見 拓、酒井 智彦、平出 敦、新田 雅彦、北村 哲久、甲斐 達朗	病院外心停止の良好転帰に寄与する因子の検討 ウツタイン大阪プロジェクトより	日本救急医学会	東京	2013
植嶋 利文、横山 恵一、太田 育夫、西村 章朗、中尾 隆美、石部 卓也、濱口 満英、畠中 剛久、細見 史治、村尾 佳則、平出 敦	ビデオ喉頭鏡時代の喉頭異物除去 屈曲マギール鉗子の有用性	日本救急医学会	東京	2013
森田 正則、蛇原 健、天野 浩司、加藤 文崇、中田 康城、横田 順一朗、平出 敦	高齢者搬送増加が及ぼす成人の搬送時間延長	日本救急医学会	東京	2013
長谷川 耕平、Brown David、平出 敦	院外心停止/蘇生後症候群の研究の最前線 院外心停止患者における気道管理の comparative	日本救急医学会	東京	2013
太田 育夫、今村 武尊、木下 潤一、下田平 和子、橋本 英之、関 進、田口 博一、窪田 愛恵、太田 宗夫、平出 敦	病院内救急救命士に関する調査1 医療機関へのアンケート結果	日本臨床救急医学会	東京	2013
今村 武尊、太田 育夫、木下 潤一、下田平 和子、橋本 英之、関 進、田口 博一、窪田 愛恵、太田 宗夫、平出 敦	病院内救急救命士に関する調査2 病院内救急救命士へのアンケート結果	日本臨床救急医学会	東京	2013
曾根 悅子、田中 秀治、西内 辰也、石見 拓、梶野 健太郎、中川 隆、間淵 則文、田久 浩志、平出 敦、島崎 修次	アジア救急医療体制協議会の取り組みについて Asian EMS council and PAROS	日本臨床救急医学会	東京	2013
林 靖之、西内 辰也、酒井 智彦、平出 敦、甲斐 達朗	外傷による病院外心停止症例の検討 ウツタイン大阪プロジェクトより	日本外傷学会	久留米	2013
森田 正則、中江 晴彦、平出 敦	わが国における外傷センターの要件とは? 人口密集地でのプレホスピタルの現状と外傷センター設立による期待	日本外傷学会	久留米	2013

栗原 敏修、松田 外志朗、 浅沼 博司、平出 敦	大学病院救急外来における低血糖症例 注意を要する症例の検討	日本内科学会	東京	2013
平出 敦	心肺蘇生 エビデンスから蘇生の推進まで	日本集中治療医学会	松本	2013
Toyoda K	Stroke features and outcomes in CKD patients	European Stroke Conference 2013	London	2013
Toyoda K, et al	Choice of warfarin and novel oral anticoagulants for secondary prevention of stroke/TIA in Japanese NVAF patients: the SAMURAI-NVAF study	International Stroke Conference 2014	San Diego, CA, USA	2014
Toyoda K, et al	Length of stay and hospital charges in Japanese NVAF inpatients with acute stroke/TIA: the SAMURAI-NVAF study	International Stroke Conference 2014	San Diego, CA, USA	2014
Sonoda N, Miyamatsu N, Okamura T, Nakayama H, Morimoto A, Toyoda K, Suzuki K, Toyota A, Hata T, Yamaguchi T	A History of Stroke or TIA does not Affect Knowledge of Early Stroke Symptoms and Ambulance Calls: the Acquisition of Stroke Knowledge (ASK) Study	Asia Pacific Stroke Conference2013	Hong Kong	2013
Godai K, Miyamatsu N, Okamura T, Nakayama H, Morimoto A, Toyoda K, Suzuki K, Toyota A, Hata T, Yamaguchi T	Effects of Intensiveand Moderate Public Education on Knowledge about Risk Factors of Stroke among a General Japanese Population	Asia Pacific Stroke Conference2013	Hong Kong	2013
Matsuzono K, Yokota C, Takekawa H, Okamura T, Miyamatsu N, Nakayama H, Ohyama S, Ishigami A, Okumura K, Hirata K, Muto T, Toyoda K, Miyamoto Y, Minematsu K	The effectiveness of the stroke educational activities for junior high school students: The Tochigi project	International Stroke Conference 2014	San Diego	2014