

<u>Koga M, Arihiro S, Miyashita F, Yamamoto H, Yamada N, Nagatsuka K, Minematsu K, Toyoda K</u>	Factors associated with early recanalization failure following intravenous rt-PA therapy for ischemic stroke.	Cerebrovasc Dis	36(4)	299-305	2013
<u>Minematsu K, Toyoda K, Hirano T, Kimura K, Kondo R, Mori E, Nakagawara J, Sakai N, Shiokawa Y, Tanahashi N, Yasaka M, Katayama Y, Miyamoto S, Ogawa A, Sasaki M, Suga S, Yamaguchi T</u>	Guidelines for intravenous application of rt-PA (alteplase), the second edition, October 2012: A Guideline from the Japan Stroke Society	J Stroke Cerebrovasc Dis.	22	571-600	2013
<u>Miyagi T, Uehara T, Kimura K, Okada Y, Hasegawa Y, Tanahashi N, Suzuki A, Takagi S, Nakagawara J, Arai K, Nagahiro S, Ogasawara K, Nagao T, Uchiyama S, Matsumoto M, Iihara K, Toyoda K, Minematsu K.</u>	Examination timing and lesion patterns in diffusion-weighted magnetic resonance imaging of patients with classically defined transient ischemic attack.	J Stroke Cerebrovasc Dis.	22(8)	e310-6	2013
<u>Miyamatsu N, Okamura T, Nakayama H, Toyoda K, Suzuki K, Toyota A, Hata T, Hozawa A, Nishikawa T, Morimoto A, Ogita M, Morino A, Yamaguchi T</u>	Public awareness of early symptoms of stroke and information sources about stroke among the general Japanese population: the Acquisition of Stroke Knowledge Study.	Cerebrovasc Dis 2013;35(3):241-9.	35(3)	241-9	2013
<u>Morimoto A, Miyamatsu N, Okamura T, Nakayama H, Toyoda K, Suzuki K, Toyota A, Hata T, Yamaguchi T.</u>	Effects of intensive and moderate public education on knowledge of early stroke symptoms among a Japanese population: The Acquisition of Stroke Knowledge Study.	Stroke.	44	2829-2834	2013
<u>Ohara T, Kokubo Y, Toyoda K, Watanabe M, Koga M, Nakamura S, Nagatsuka K, Minematsu K, Nakagawa M, Miyamoto Y</u>	Impact of chronic kidney disease on carotid atherosclerosis according to blood pressure category: The Suita Study	Stroke	44	3537-3539	2013

Osaki M, Miyashita F, <u>Koga M</u> , Fukuda M, Shigehatake Y, Nagatsuka K, Minematsu K, <u>Toyoda K</u>	Simple clinical predictors of stroke outcome based on NIHSS score during 1-h rt-PA infusion.	Eur J Neurol	21	411-418	2013
Sakamoto Y, <u>Koga M</u> , Yamagami H, <u>Okuda S</u> , <u>Okada Y</u> , Kimura K, <u>Shiokawa Y</u> , Nakagawara J, <u>Furui E</u> , <u>Hasegawa Y</u> , <u>Kario K</u> , <u>Arihiro S</u> , Sato S, Kobayashi J, Tanaka E, Nagatsuka K, Minematsu K, <u>Toyoda K</u> ; SAMURAI Study Investigators	Systolic blood pressure after intravenous antihypertensive treatment and clinical outcomes in hyperacute intracerebral hemorrhage: the Stroke Acute Management with Urgent Risk-Factor Assessment and Improvement-Intracerebral Hemorrhage Study.	Stroke	44(7)	1846-1851	2013
Sakamoto Y, Sato S, Kuronuma Y, Nagatsuka K, Minematsu K, <u>Toyoda K</u>	Factors associated with proximal carotid axis occlusion in patients with acute stroke and atrial fibrillation	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2013
Sato S, Uehara T, Hayakawa M, Nagatsuka K, Minematsu K, <u>Toyoda K</u>	Intra- and extracranial atherosclerotic disease in acute spontaneous intracerebral hemorrhage.	J Neurol Sci.	116-20	332(1-2)	2013
Tanaka K, Uehara T, <u>Kimura K</u> , <u>Okada Y</u> , <u>Hasegawa Y</u> , Tanahashi N, Suzuki A, Takagi S, Nakagawara J, Arii K, Nagahiro S, Ogasawara K, Nagao T, Uchiyama S, Matsumoto M, Iihara K, <u>Toyoda K</u> , Minematsu K; on behalf of the Japan TIA Research Group 2009-2011	Features of Patients with Transient Monocular Blindness: A Multicenter Retrospective Study in Japan.	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2013
<u>Toyoda K</u> , Yasaka M, Uchiyama S, Iwade K, Koretsune Y, Nagata K, Sakamoto T, Nagao T, Yamamoto M, Gotoh J, Takahashi JC, Minematsu K, The Bleeding with Antithrombotic Therapy (BAT) Study Group	CHADS2 and CHA2DS2-VASc scores as bleeding risk indices for patients with atrial fibrillation: the Bleeding with Antithrombotic Therapy (BAT) Study.	Hypertens Res		[Epub ahead of print]	2013

Hayakawa M, Yamagami H, Sakai N, Matsumaru Y, Yoshimura S, <u>Toyoda K</u> , on behalf of JR-NET Study Group	Endovascular treatment of acute stroke with major vessel occlusion before approval of mechanical thrombectomy devices in Japan: Japanese Registry of Neuroendovascular Therapy (JR-NET) and JR-NET 2.	Neurologia Medico-chirurgica	54	23-31	2014
Kobayashi J, <u>Koga M</u> , Tanaka E, <u>Okada Y</u> , <u>Kimura K</u> , <u>Yamagami H</u> , <u>Okuda S</u> , <u>Hasegawa Y</u> , <u>Shiokawa Y</u> , <u>Furui E</u> , Nakagawara J, <u>Kario K</u> , Okata T, <u>Arihiro S</u> , Sato S, Nagatsuka K, Minematsu K, <u>Toyoda K</u> ; for the SAMURAI Study Investigators	Continuous antihypertensive therapy throughout the initial 24 hours of intracerebral hemorrhage: the SAMURAI-ICH Study	Stroke		[Epub ahead of print]	2014
Sakamoto Y, <u>Koga M</u> , <u>Kimura K</u> , Nagatsuka K, <u>Okuda S</u> , <u>Kario K</u> , <u>Hasegawa Y</u> , <u>Okada Y</u> , <u>Yamagami H</u> , <u>Furui E</u> , Nakagawara J, <u>Shiokawa Y</u> , Minematsu K, <u>Toyoda K</u>	Intravenous thrombolysis for patients with reverse MRA-DWI mismatch: SAMURAI and NCVC rt-PA Registries.	Eur J Neurol	21	419-426	2014
Uemura M, Miyashita F, Shimomura R, Fujinami J, <u>Toyoda K</u>	Pituitary apoplexy during treatment with dabigatran	Neurology and Clinical Neuroscience	1	82-83	2013
Kuronuma Y, Suzuki R, Inoue Y, Miyashita F, <u>Toyoda K</u>	Anterior inferior cerebellar artery territorial infarction caused by vertebral artery dissection.	Cerebrovasc Dis	35(6)	592	2013
Inoue Y, Miyashita F, <u>Koga M</u> , Yamada N, <u>Toyoda K</u> , Minematsu K	Panmedullary edema with inferior olivary hypertrophy in bilateral medial medullary infarction.	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2013
Ishigami A, <u>Toyoda K</u> , Suzuki R, Miyashita F, Iihara K, Minematsu K	Neurologic improvement without angiographic improvement after antithyroid therapy in a patient with moyamoya syndrome.	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2013

Nishimura K, Uehara T, <u>Toyoda K</u>	Early-onset dystonia after supplementary motor area infarction.	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2014
Takasugi J, <u>Yamagami H</u> , Okata T, <u>Toyoda K</u> , Nagatsuka K	Dissolution of the left atrial appendage thrombus with rivaroxaban therapy	Cerebrovasc Dis	36	322-323	2013
Tanaka K, Ohara T, Ishigami A, Ikeda Y, Matsushige T, Satow T, Ishibashi-Ueda H, Iihara K, <u>Toyoda K</u>	Fatal Multiple Systemic Emboli after Intravenous Thrombolysis for Cardioembolic Stroke.	J Stroke Cerebrovasc Dis	23	395-7	2014
Tanaka K, Uehara T, Miyoshi M, Miyashita F, Matsuyama T, Ishibashi-Ueda H, <u>Toyoda K</u>	Oscillating thrombi in bilateral extracranial internal carotid arteries demonstrated on ultrasonography: two autopsy cases with cardioembolic stroke.	Intern Med	52	1243-1247	2013
Kobayashi J, Sato S, Okumura K, Miyashita F, Ueda A, Ando Y, <u>Toyoda K</u>	Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy without Anterior Temporal Pole Involvement: A Case Report.	J Stroke Cerebrovasc Dis		[Epub ahead of print]	2013
Sakamoto Y, Suzuki R, Ohara T, Miyagi T, Osaki M, Nishimura K, <u>Toyoda K</u>	Complex visual hallucinations as the sole manifestation of symptomatic temporo-occipital lobe epilepsy due to old intracerebral hemorrhage.	Seizure		[Epub ahead of print]	2013
Miyagi T, <u>Koga M</u> , <u>Shiokawa Y</u> , Nakagawara J, Hasegawa Y, Furui E, Kimura K, Kario K, Okuda S, <u>Yamagami H</u> , <u>Okada Y</u> , Nezu T, Maeda K, Endo K, Minematsu K, <u>Toyoda K</u>	Intravenous Alteplase at 0.6 mg/kg for Acute Stroke Patients with Basilar Artery Occlusion: The Stroke Acute Management with Urgent Risk Factor Assessment and Improvement (SAMURAI) Recombinant Tissue Plasminogen Activator Registry.	J Stroke Cerebrovasc Dis.		[Epub ahead of print]	2013

Hoshide S, Fukutomi M, Eguchi K, Watanabe T, Kabutoya T, <u>Kario K.</u>	Change in High-Sensitive Cardiac Troponin T on Hypertensive Treatment.	Clin Exp Hypertens.	35	40-44	2013
Yokota K, Fukuda M, Matsui Y, Hoshide S, Shimada K, <u>Kario K.</u>	Impact of visit-to-visit variability of blood pressure on deterioration of renal function in patients with non-diabetic chronic kidney disease.	Hypertens Res.	36	151-157	2013
Yano Y, <u>Kario K.</u> , Ishikawa S, Ojima T, Gotoh T, Kayaba K, Tsutsumi A, Shimada K, Nakamura Y, Kajii E; the JMS Cohort Study Group.	Associations Between Diabetes, Leanness, and the Risk of Deaths in the Japanese General Population: The Jichi Medical School Cohort Study.	Diabetes Care.	36	1186-1192	2013
Ishikawa S, Kotani K, <u>Kario K.</u> , Kayaba K, Gotoh T, Nakamura Y, Kajii E; Jichi Medical School (JMS) cohort study group.	Inverse association between serum lipoprotein(a) and cerebral hemorrhage in the Japanese population.	Thromb Res	131	e54-58.	2013
Komori T, Eguchi K, Hoshide S, Williams B, <u>Kario K.</u>	Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use.	Blood Press Monit.	18	57-62	2013
<u>Kario K.</u> , Ando SI, Kido H, Nariyama J, Takiuchi S, Yagi T, Shimizu T, Eguchi K, Ohno M, Kinoshita O, Yamada T.	The Effects of the L/N-Type Calcium Channel Blocker (Cilnidipine) on Sympathetic Hyperactive Morning Hypertension: Results From ACHIEVE-ONE*	J Clin Hypertens (Greenwich).	15	133-142	2013
Yano Y, Hayakawa M, Kuroki K, Ueno H, Yamagishi S, Takeuchi M, Eto T, Nagata N, Nakazato M, Shimada K, <u>Kario K.</u>	Nighttime blood pressure, nighttime glucose values, and target-organ damages in treated type 2 diabetes patients.	Atherosclerosis.	227	135-139	2013

Palatini P, Reboldi G, Beilin LJ, Eguchi K, Imai Y, <u>Kario K</u> , Ohkubo T, Pierdomenico SD, Saladini F, Schwartz JE, Wing L, Verdecchia P.	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study.	Int J Cardiol.	168	1490-1495	2013
Fukutomi M, Hoshide S, Eguchi K, Watanabe T, <u>Kario K</u> .	Low-Grade Inflammation and Ambulatory Blood Pressure Response to Antihypertensive Treatment: The ALPHABET Study.	Am J Hypertens.	26	784-792	2013
Saito T, Hojo Y, Hirose M, Ikemoto T, Katsuki T, <u>Kario K</u> .	High-sensitivity troponin T is a prognostic marker for patients with aortic stenosis after valve replacement surgery.	J Cardiol.	61	342-347	2013
Yano Y, Hoshide S, Shimada K, <u>Kario K</u> .	The impact of cigarette smoking on 24-hour blood pressure, inflammatory and hemostatic activity, and cardiovascular risk in Japanese hypertensive patients.	J Clin Hypertens (Greenwich).	15	234-240	2013
Nagai M, Hoshide S, Nishikawa M, Shimada K, <u>Kario K</u> .	Sleep duration and insomnia in the elderly: Associations with blood pressure variability and carotid artery remodeling.	Am J Hypertens.	26	981-989	2013
Kabutoya T, Hoshide S, Ogata Y, Eguchi K, <u>Kario K</u> .	Masked hypertension defined by home blood pressure monitoring is associated with impaired flow-mediated vasodilatation in patients with cardiovascular risk factors.	J Clin Hypertens (Greenwich).	15	630-6	2013
Yano Y, Bakris GL, Inokuchi T, Ohba Y, Takami N, Nagata M, Kuwabara M, Yokota N, Eto T, Kuroki M, Shimada K, <u>Kario K</u> .	Association of cognitive dysfunction with cardiovascular disease events in elderly hypertensive patients.	J Hypertens	32	423-31	2013
Yano Y, Bakris GL, Matsushita K, Hoshide S, Shimada K, <u>Kario K</u> .	Both chronic kidney disease and nocturnal blood pressure associate with strokes in the elderly.	Am J Nephrol.	38	195-203	2013

内山真一郎、松本昌泰、片山泰朗、阿部康二、 <u>塩川芳昭</u> 、鈴木倫保	座談会 脳卒中治療の新たな潮流.	分子脳血管病	112	1-9	2013
<u>塩川芳昭</u>	手術不能の脳動脈瘤とは.	Clinical Neuro Science	31	461-462	2013
<u>塩川芳昭</u>	新たな視点からみた脳出血.	分子脳血管病	12	1-2	2013
脊山英徳、 <u>塩川芳昭</u>	脳卒中急性期医療-大学脳卒中センターのあゆみ	杏林医学会雑誌	44	185-189	2013
Shimizu K, Shimomura K, Tokuyama Y, Sakurai K, Isahaya K, Kato B, Usuki N, Shimizu T, Yamada K, <u>Hasegawa Y.</u>	Association between Inflammatory Biomarkers and Progression of Intracranial Large Artery Stenosis after Ischemic Stroke	Journal of Stroke and Cerebrovascular Diseases	22 (3)	211-217	2013
Akiyama H, <u>Hasegawa Y.</u>	Migraine Treated Using a Prophylactic Combination of Candesartan and Hydrochlorothiazide(ECARD(®)Combination Tablets LD).	Pain Pract.	13 (7)	566-71	2013
Akiyama H, <u>Hasegawa Y.</u>	Knowledge of transient ischemic attack among the Japanese.Journal of Stroke and Cerebrovascular Diseases	J Stroke Cerebrovasc Dis.	22 (4)	457-464	2013
Akiyama H, <u>Hasegawa Y.</u>	Stroke knowledge: a nationwide, internet-based survey of 11,121 inhabitants in Japan.	Intern Med.	52(5)	529-37.	2013

Uehara T, Kimura K, Okada Y, <u>Hasegawa Y</u> , Tanahashi N, Suzuki A, Takagi S, Nakagawara J, Arii K, Nagahiro S, Ogasawara K, Nagao T, Uchiyama S, Matsumoto M, Iihara K, Minematsu K	Factors Associated With Onset-to-Door Time in Patients With Transient Ischemic Attack Admitted to Stroke Centers.	Stroke.		[Epub ahead of print]	2013
Imai T, Sakurai K, Hagiwara Y, Mizukami H, <u>Hasegawa Y</u> .	Specific needs for telestroke networks for thrombolytic therapy in Japan .	J Stroke Cerebr ovasc Dis.		[Epub ahead of print]	2013
Hagiwara Y, Imai T, Yamada K, Sakurai K, Atsumi C, Tsuruoka A, Mizukami H, Sasaki N, Akiyama H, <u>Hasegawa Y</u> .	Impact of Life and Family Background on Delayed Presentation to Hospital in Acute Stroke	J Stroke Cerebr ovasc Dis		[Epub ahead of print]	2013
Sakamoto Y, <u>Koga M</u> , Yamagami H, Okuda S, <u>Okada Y</u> , <u>Kimura K</u> , <u>Shiokawa Y</u> , Nakagawara J, <u>Furui E</u> , <u>Hasegawa Y</u> , <u>Kario K</u> , <u>Arihiro S</u> , Sato S, Kobayashi J, Tanaka E, Nagatsuka K, Minematsu K, <u>Toyoda K</u> ;	SAMURAI Study Investigators.	Stroke	44(7)	1846-51	2013
Shimizu T, Takada T, Shimode A, Fujita Y, Usuki N, Kato B, Takaiishi S, Hirayama T, Hanzawa K, <u>Hasegawa Y</u> .	Association between Paroxysmal Atrial Fibrillation and the Left Atrial Appendage Ejection Fraction during Sinus Rhythm in the Acute Stage of Stroke :A Transesophageal Echocardiographic Study	J Stroke Cerebrovasc Dis	22(8)	1370-6.	2013
<u>Hasegawa Y</u> , Sasaki N, Yamada K, Ono H, Kumai J, Tsumura K, Suzuki K, Nozaki H, Nakayama H, Takumi I, Nikaido H, Katabami T, Ueda T, Suzuki S, Iwai R, Takahashi H, Shigeno T.	Prediction of Thrombolytic Therapy after Stroke-Bypass Transportation: The Maria Prehospital Stroke Scale Score.	J Stroke Cerebrovasc Dis.	22(4)	514-9	2013

Shimizu K, Shimomura K, Tokuyama Y, Sakurai K, Isahaya K, Takaishi S, Kato B, Usuki N, Shimizu T, Yamada K, Hasegawa Y.	Association between inflammatory biomarkers and progression of intracranial large artery stenosis after ischemic stroke.	J Stroke Cerebrovasc Dis.	22(3)	211-7	2013
長谷川泰弘	脳卒中の診方 どんなとき脳卒中を疑うか?	jmed mook.	25.	1-5	2013
長谷川泰弘	【到来 二人に一人脳卒中時代】 脳卒中の疫学・診断・検査 脳卒中超急性期 どのようなときに疑う?	内科	111 (5)	839-842.	2013
長谷川泰弘	日本における「TIAクリニック」の意義と医療連携の試み(解説/特集)	Progress in Medicine	33 (8)	1781-1784	2013
柳澤 俊之, 秋山 久尚, 長谷川 泰弘	急性弛緩性麻痺を呈する患者における血清抗GD1a抗体陽性の臨床的意義		40(4)	243-249	2013
長谷川泰弘	脳卒中の治療技術 脳卒中の遠隔医療 Telestroke.	脳と循環	18(3)	241-245	2013
真木二葉, 秋山久尚, 長谷川泰弘	ベーチェット病に合併した肥厚性硬膜炎による頭痛の1症例	日本頭痛学会誌	39 (3)	329-332	2013
長谷川泰弘	片手が5分ほどしびれたときはTIAでしょうか?(Q&A/特集)	治療	94(4)	614-615	2013
長谷川泰弘	どのようなしびれで脳卒中を疑いますか?(Q&A/特集)	治療	94(4)	612-613	2013
長谷川泰弘	診断TNA(一過性神経発作)とTIAはいかに対応すべきか(解説/特集)	Medicina	50(2)	210-213	2013

藤堂謙一, 坂井信幸	ステント血栓症をめぐる諸問題とその対策 (頸動脈領域)	Thrombosis Medicine	3(4)	372-376	2013
Komori M, Yasaka M, Kokuba K, Matsuoka H, Fujimoto S, Yoshida M, Kameda K, Shono T, Nagata S, Ago T, Kitazono T, <u>Okada Y</u>	Intracranial hemorrhage during dabigatran treatment: Case series of eight patients.	Circulation Journal	In press		
Takasugi J, <u>Yamagami H</u> , T Okata, K <u>Toyoda</u> , K Nagatsuka.	Dissolution of the Left Atrial Appendage Thrombus with Rivaroxaban Therapy.	Cerebrovasc Dis.	36	322-3	2013
<u>山上 宏</u>	外科系 第3回 脳梗塞急性期血流再開と Therapeutic time window	分子脳血管病	12	285-289	2013
<u>山上 宏</u>	脳血管内治療の進歩とそのインパクト	Medical Science Digest	39	634-637	2013
<u>山上 宏</u>	脳梗塞急性期の抗血小板療法	脳と循環	19	61-67	2014
<u>山上 宏</u>	nterventional Management of Stroke (IMS) III試験急性期脳梗塞に対するt-PA静注後の血管内治療とt-PA静注単独治療との比較試験	脳と循環	19	71-78	2014
石上晃子, <u>古賀政利</u>	イラストでまるわかり！脳神経外科の疾患&治療 第2章 脳神経外科で行われる治療 17. 内科治療 降圧薬.	ブレインナーシング		208-211	2013
松島勇人, <u>古賀政利</u>	イラストでまるわかり！脳神経外科の疾患&治療 第2章 脳神経外科で行われる治療 18. 内科治療 脳保護薬.	ブレインナーシング		212-215	2013
下村怜, <u>古賀政利</u>	イラストでまるわかり！脳神経外科の疾患&治療 第2章 脳神経外科で行われる治療 19. 内科治療 脳浮腫治療薬.	ブレインナーシング		216-220	2013

古賀政利	急性期脳出血のニカルジピン静注による収縮期血圧160mmHg以下への降圧療法：多施設共同前向き研究（SAMURAI-ICH研究）	分子脳血管病	12	198-202	2013
古賀政利	脳出血急性期の降圧：SAMURAI-ICH研究	血圧	20	438-439	2013
古賀政利	脳出血—「血圧を下げる」の根拠がわかる！	ブレインナーシング	29	529-534	2013

