

研究成果の刊行に関する一覧表

書籍 なし

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ogino K, Tsujikawa A, Yamashiro K, Ooto S, Oishi A, Nakata I, Miyake M, Takahashi A, Ellabban AA, Yoshimura N.	Multimodal evaluation of macular function in age-related macular degeneration.	Jpn J Ophthalmol.	58	155-65	2014
Oishi M, Yamashiro K, Miyake M, Akagi-Kurashige Y, Kurokawa H, Nakata I, Nakaniishi H, Oishi H, Yoshikawa M, Oishi A, Gotoh N, Tsujikawa A, Yamada R, Matsuda F, Yoshimura N.	Association between ZIC2, RASGRF1, and SHISA6 genes and high myopia in Japanese subjects.	Invest Ophtalmol Vis Sci.	54	7492-7	2014
Miyake M, Yamashiro K, Akagi-Kurashige Y, Kumagai K, Nakata I, Nakaniishi H, Oishi H, Tsujikawa A, Yamada R, Matsuda F, Yoshimura N.	Vascular endothelial growth factor gene and the response to anti-vascular endothelial growth factor treatment for choroidal neovascularization in high myopia.	Ophthalmology.	121	225-33	2014
Nakata I, Yamashiro K, Kawaguchi T, Gotoh N, Nakaniishi H, Akagi-Kurashige Y, Miyake M, Tsujikawa A, Matsuda F, Yoshimura N.	Association between the cholestryloester transfer protein gene and polypoidal choroidal vasculopathy.	Invest Ophtalmol Vis Sci.	54	6068-73	2013
Nakata I, Yamashiro K, Nakaniishi H, Akagi-Kurashige Y, Miyake M, Tsujikawa A, Matsuda F, Yoshimura N.	Prevalence and characteristics of age-related macular degeneration in the Japanese population: the Nagahama study.	Am J Ophthalmol.	156	1002-9	2013
Khor CC, Miyake M, Chen L, Shi Y, Barathi VA, Qiao F, Nakata I, Yamashiro K, Zhou X, Tam PO, Cheng CY, Tai ES, Vithana EN, Aung T, Teo YY, Wong TY, Moriama M, Ohno-Matsui K, Mochizuki M, Matsuda F; Nagahama Study Group, Yong RY, Yang EP, Yang Z, Pang CP, Saw SM, Yoshimura N.	Genome-wide association study identifies ZFHX1B as a susceptibility locus for severe myopia.	Hum Mol Genet.	22	5288-94	2013

Miyake M, Yamashiro K, Nak anishi H, Nakata I, Akagi- Kurashige Y, Tsujikawa A, Moriyama M, Ohno-Matsui K, Mochizuki M, Yamada R, Ma tsuda F, Yoshimura N.	Insulin-like growth fact or 1 is not associated w ith high myopia in a lar ge Japanese cohort.	Mol Vis.	19	1074-81	2013
Miyake M, Yamashiro K, Nak anishi H, Nakata I, Akagi- Kurashige Y, Kumagai K, Oi shi M, Tsujikawa A, Moriya ma M, Ohno-Matsui K, Mochi zuki M, Yoshimura N.	Evaluation of pigment ep ithelium-derived factor and complement factor I polymorphisms as a cause of choroidal neovascula rization in highly myopi c eyes.	Invest Op thalmol Vis Sci.	54	4208-12	2013
Miyake M, Yamashiro K, Nak anishi H, Nakata I, Akagi- Kurashige Y, Tsujikawa A, Moriyama M, Ohno-Matsui K, Mochizuki M, Yamada R, Ma tsuda F, Yoshimura N.	Association of paired bo x 6 with high myopia in Japanese.	Mol Vis.	18	2726-35	2013
Ueda-Arakawa N, Ooto S, Na kata I, Yamashiro K, Tsuji kawa A, Oishi A, Yoshimura N.	Prevalence and genomic association of reticular pseudodrusen in age-related macular degeneration.	Am J Opht halmol.	155	260-9	2013
Ueda-Arakawa N, Tsujikawa A, Yamashiro K, Ooto S, Ta mura H, Yoshimura N.	Visual prognosis of eyes with submacular hemorrh age associated with exud ative age-related macula r degeneration.	Jpn J Ophthalmol I.	56	589-98	2012
Nakata I, Yamashiro K, Kaw aguchi T, Gotoh N, Nakanis hi H, Akagi-Kurashige Y, Mer iyake M, Tsujikawa A, Oish i A, Saito M, Iida T, Yama da R, Matsuda F, Yoshimura N; Nagahama Study Group.	Association between the cholesterol ester transf er protein gene and poly poidal choroidal vasculo pathy.	Invest Ophthalmolo Vis Sci.	54	6068-73	2013
Nakata I, Tsujikawa A, Yamashiro K, Otani A, Ooto S, Akagi-Kurashige Y, Ueda-Arakawa N, Iwama D, Yoshimura N.	Two-year outcome of phot odynamic therapy combine d with intravitreal injec tion of bevacizumab and triamcinolone acetonide for polypoidal choroida l vasculopathy.	Graefes A rch Clin Exp Opht halmol.	251	1073-80	2013
Tamura H, Tsujikawa A, Yamashiro K, Akagi-Kurashige Y, Nakata I, Nakanishi H, Hayashi H, Ooto S, Otani A, Yoshimura N.	Association of ARMS2 gen otype with bilateral inv olvement of exudative ag e-related macular degene ration.	Am J Opht halmol.	154	542-8	2012

Cheng CY, Schache M, Ikram MK, Young TL, Guggenheim JA, Vitart V, MacGregor S, Verhoeven VJ, Barathi VA, Liao J, Hysi PG, Bailey-Wilson JE, St Pourcain B, Kemp JP, McMahon G, Timpson NJ, Evans DM, Montgomery GW, Mishra A, Wang YX, Wang JJ, Rochtchina E, Polasek O, Wright AF, Amin N, van Leeuwen EM, Wilson JF, Pennell CE, van Duijn CM, de Jong PT, Vingerling JR, Zhou X, Chen P, Li R, Tay WT, Zheng Y, Chew M; Consortium for Refractive Error and Myopia, Burdon KP, Craig JE, Iyengar SK, Igo RP Jr, Lass JH Jr; Fuchs' Genetics Multi-Center Study Group, Chew EY, Haller T, Mihailov E, Metspalu A, Wedenoga J, Simpson CL, Wojciechowski R, Höhn R, Mirshahi A, Zeller T, Pfeiffer N, Lackner KJ; Wellcome Trust Case Control Consortium 2, Bettecken T, Meitinger T, Oexle K, Pirastu M, Portas L, Nag A, Williams KM, Yonova-Doing E, Klein R, Klein BE, Hosseini SM, Paterson AD; Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions, and Complications Research Group, Makela KM, Lehtimaki T, Kahonen M, Raitakari O, Yoshimura N, Matsuda F, Chen LJ, Pang CP, Yip SP, Yap MK, Meguro A, Mizuki N, Inoko H, Foster PJ, Zhao JH, Vithana E, Tai ES, Fan Q, Xu L, Campbell H, Fleck B, Rudan I, Aung T, Hofman A, Utterlinden AG, Bencic G, Khor CC, Forward H, Pärssinen O, Mitchell P, Rivadenieira F, Hewitt AW, Williams C, Oostra BA, Teo YY, Hammond CJ, Stambolian D, Mackay DA, Klaver CC, Wong TY, Saw SM, Baird PN.	Nine loci for ocular axial length identified through genome-wide association studies, including shared loci with refractive error.	Am J Hum Genet.	93	264-77	2013
---	--	-----------------	----	--------	------

Fan Q, Barathi VA, Cheng C Y, Zhou X, Meguro A, Nakata I, Khor CC, Goh LK, Li Y J, Lim W, Ho CE, Hawthorne F, Zheng Y, Chua D, Inoko H, Yamashiro K, Ohno-Matsui K, Matsuo K, Matsuda F, Vithana E, Seielstad M, Mizuki N, Beuerman RW, Tai ES, Yoshimura N, Aung T, Young TL, Wong TY, Teo YY, Saw SM.	Genetic variants on chromosome 1q41 influence ocular axial length and high myopia.	PLoS Genet.	8	e1002753	2012
Jirarattanasopa P, Ooto S, Nakata I, Tsujikawa A, Yamashiro K, Oishi A, Yoshimura N.	Choroidal thickness, vascular hyperpermeability, and complement factor H in age-related macular degeneration and polypoidal choroidal vasculopathy.	Invest Ophtalmol Vis Sci.	53	3663-72	2012
Oishi A, Yamashiro K, Tsujikawa A, Ooto S, Tamura H, Nakata I, Miyake M, Yoshimura N.	Long-term effect of intravitreal injection of anti-VEGF agent for visual acuity and chorioretinal atrophy progression in myopic choroidal neovascularization.	Graefes Arch Clin Exp Ophtalmol.	251	1-7	2013
Yamashiro K, Tomita K, Tsujikawa A, Nakata I, Akagi-Kurashige Y, Miyake M, Ooto S, Tamura H, Yoshimura N.	Factors associated with the response of age-related macular degeneration to intravitreal ranibizumab treatment.	Am J Ophtalmol.	154	125-36	2012
Akagi-Kurashige Y, Kumagai K, Yamashiro K, Nakanishi H, Nakata I, Miyake M, Tsujikawa A, Moriyama M, Ohno-Matsui K, Mochizuki M, Yamada R, Matsuda F, Yoshimura N.	Vascular endothelial growth factor gene polymorphisms and choroidal neovascularization in highly myopic eyes.	Invest Ophtalmol Vis Sci.	53	2349-53	2012
Akagi-Kurashige Y, Tsujikawa A, Oishi A, Ooto S, Yamashiro K, Tamura H, Nakata I, Ueda-Arakawa N, Yoshimura N.	Relationship between retinal morphological findings and visual function in age-related macular degeneration.	Graefes Arch Clin Exp Ophtalmol.	250	1129-36	2012
Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Hayashi H, Akagi-Kurashige Y, Tsujikawa A, Otani A, Saito M, Iida T, Oishi A, Matsuo K, Tajima K, Matsuda F, Yoshimura N.	Significance of C2/CFB variants in age-related macular degeneration and polypoidal choroidal vasculopathy in a Japanese population.	Invest Ophtalmol Vis Sci.	53	794-9	2012

Yamashiro K, Mori K, Nakata I, Tsuchihashi T, Horie-Inoue K, Nakanishi H, Tsujikawa A, Saito M, Iida T, Yamada R, Matsuda F, Inoue S, Awata T, Yoneya S, Yoshimura N.	Association of elastin gene polymorphism to age-related macular degeneration and polypoidal choroidal vasculopathy.	Invest Ophtalmol Vis Sci.	52	8780-4	2011
Tomita K, Tsujikawa A, Yamashiro K, Ooto S, Tamura H, Otani A, Nakayama Y, Yoshimura N.	Treatment of polypoidal choroidal vasculopathy with photodynamic therapy combined with intravitreal injections of ranibizumab.	Am J Ophtalmol.	153	68-80	2011
Nakata I, Yamashiro K, Nakanishi H, Tsujikawa A, Otani A, Yoshimura N.	VEGF gene polymorphism and response to intravitreal bevacizumab and triple therapy in age-related macular degeneration.	Jpn J Ophtalmol.	55	435-43	2011
Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Hayashi H, Tsujikawa A, Otani A, Saito M, Iida T, Oishi A, Matsuo K, Tajima K, Matsuda F, Yoshimura N.	Association between the SERPING1 gene and age-related macular degeneration and polypoidal choroidal vasculopathy in Japanese.	PLoS One.	6	e19108	2011
Tsujikawa A, Ojima Y, Yamashiro K, Nakata I, Ooto S, Tamura H, Nakanishi H, Hayashi H, Otani A, Yoshimura N.	Association of lesion size and visual prognosis of polypoidal choroidal vasculopathy.	Am J Ophtalmol.	151	961-72	2011
Nakata I, Yamashiro K, Yamada R, Gotoh N, Nakanishi H, Hayashi H, Tsujikawa A, Otani A, Ooto S, Tamura H, Saito M, Saito K, Iida T, Oishi A, Kurimoto Y, Matsuda F, Yoshimura N.	Genetic variants in pigment epithelium-derived factor influence response of polypoidal choroidal vasculopathy to photodynamic therapy.	Ophthalmology.	118	1408-15	2011
Hayashi H, Yamashiro K, Nakanishi H, Nakata I, Kurasawa M, Ohno-Matsui K, Mochizuki M, Ozaki M, Yamada R, Matsuda F, Yoshimura N.	Association of 15q14 and 15q25 with high myopia in Japanese.	Invest Ophtalmol Vis Sci.	52	4853-8	2011
Nakanishi H, Tsujikawa A, Yodoi Y, Ojima Y, Otani A, Tamura H, Yamashiro K, Ooto S, Yoshimura N.	Prognostic factors for visual outcomes 2-years after intravitreal bevacizumab for myopic choroidal neovascularization.	Eye (London).	25	375-81	2011
Tsujikawa A, Ojima Y, Yamashiro K, Ooto S, Tamura H, Nakata I, Yoshimura N.	Development of polypoidal lesions in age-related macular degeneration.	Eye (London).	25	481-8	2011