

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishimura Y, Takizawa R, Koike S, Kinoshita A, Satomura Y, Kawasaki S, Yamasue H, Tochigi M, Kakiuchi C, Sasaki T, Iwayama Y, Yamada K, Yoshikawa T, Kasai K.	Association of decreased prefrontal hemodynamic response during a verbal fluency task with EGR3 gene polymorphism in patients with schizophrenia and in healthy individuals.	<i>Neuroimage</i>	1	527-534	2014
Sato H, Yahata N, Funane T, Takizawa R, Katara T, Atsumori H, Nishimura Y, Kinoshita A, Kiyguchi M, Koizumi H, Fukuda M, Kasai K.	A NIRS-fMRI investigation of prefrontal cortex activity during a working memory task.	<i>Neuroimage.</i>	83	158-173	2013
Chou PH, Koike S, Nishimura Y, Kawasaki S, Satomura Y, Kinoshita A, Takizawa R, Kasai K.	Distinct effects of duration of untreated psychosis on brain cortical activities in different treatment phases of schizophrenia: A multi-channel near-infrared spectroscopy study.	<i>Prog Neuropsychopharmacol Biol Psychiatry.</i>	49C	63-69	2013
Koike S, Nishimura Y, Takizawa R, Yahata N, Kasai K.	Near-Infrared Spectroscopy in Schizophrenia: A Possible Biomarker for Predicting Clinical Outcome and Treatment Response.	<i>Front Psychiatry.</i>	4	145	2013
Koike S, Takizawa R, Nishimura Y, Kinou M, Kawasaki S, Kasai K.	Reduced but broader prefrontal activity in patients with schizophrenia during n-back working memory tasks: a multi-channel near-infrared spectroscopy study.	<i>J Psychiatr Res.</i>	47(9)	1240-1246.	2013
Hyodo, K., Dan, I., Suwabe, K., Kyutoku, Y., Yamada, Y., Akahori, M., Byun, K., Kato, M., and Soya, H.	Acute moderate exercise enhances compensatory brain activation in older adults.	<i>Neurobiology of Aging.</i>	33(11)	2621-2631	2012
Moriai-Izawa, A., Dan, H., Dan, I., Sano, T., Ooguro, K., Yokota, H., Tsuzuki, D., and Watanabe, E.	Multichannel fNIRS assessment of overt and covert confrontation naming.	<i>Brain and Language.</i>	121(3)	185-193	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kyutoku, Y., Tada, R., Umeyama, T., Harada, K., Kikuchi, S., Watanabe, E.	Liegey-Dougall, A., Dan, I. Cognitive and psychological reactions of the general population three months after the 2011 Tohoku Earthquake and Tsunami.	<i>PLoS ONE.</i>	7(2)	e31014	2012
Tsuzuki, D., Cai, D. S., Haruka, D., Kyutoku, Y., Fujita, A., Watanabe, E. and Dan, I.	Stable and convenient spatial registration of stand-alone NIRS data through anchor-based probabilistic registration.	<i>Neuroscience Research.</i>	72(2)	163-171	2012
Monden, Y., Dan, H., Nagashima, M., Dan, I., Kyutoku, Y., Okamoto, M., Yamagata, T., Momoi, Y. M., and Watanabe, E.	Clinically-oriented monitoring of acute effects of methylphenidate on cerebral hemodynamics in ADHD children using fNIRS.	<i>Clinical Neurophysiology.</i>	123	1147-1157	2012
Watanabe, H., Homae, F., Nakano, T., Tsuzuki, D., Enkhtur, L., Nemoto, K., Dan, I., and Taglia, G.	Effect of auditory input on activations in infant diverse cortical regions during audiovisual processing.	<i>Human Brain Mapping.</i>	34(3)	543-565	2013
Okamoto M, *Dan I.	Extrinsic information influences taste and flavor perception: a review from psychological and neuroimaging perspectives.	<i>Seminars in Cell and Developmental Biology.</i>	24(3)	247-255	2013
Okamoto M, Kyutoku Y, Sawada M, Clowney L, Watanabe E, Dan I, Kawamoto K.	Health numeracy in Japan: measures of basic numeracy account for framing bias in a highly numerate population.	<i>BMC Medical Informatics and Decision Making.</i>	12	104	2012
Monden Y, Dan H, Nagashima M, *Dan I, Tsuzuki D, Kyutoku Y, Gunji Y, Yamagata T, Watanabe E, Momoi M Y.	Right prefrontal activation as a neuro-functional biomarker for monitoring acute effects of methylphenidate in ADHD children: An fNIRS study.	<i>NeuroImage: Clinical.</i>	1(1)	130-140	2012
Cooper R J, Caffini M, Dubb J, Custo A, Tsuzuki D, Fischl B, Wells W, Dan I, Boas D A.	Validating atlas-guided DOT: a comparison of diffuse optical tomography informed by atlas and subject-specific anatomies.	<i>NeuroImage.</i>	62(3)	1999-2006	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nagashima M, Dan I, Monden Y, Dan H, , Tsuzuki D, Mizutani T, Kyutoku Y, Gunji Y, Momoi M Y, Watanabe E, Yamagata T.	Neuropharmacological effect of methylphenidate on attention network in children with attention deficit/hyperactivity disorder during oddball paradigms as assessed using fNIRS.	<i>Neurophotonics.</i>			in press
Byun KG, Hyodo K, Suwabe K, Ochi G, Sakairi Y, Kato M, Dan I, Soyama H.	Positive effect of acute mild exercise on executive function via arousal-related prefrontal activations: an fNIRS study.	<i>NeuroImage.</i>			in press
Matsui M, Homae F, Tsuzuki D, Watanabe H, Katagiri M, Uda S, Nakashima M, Dan I, Taga G.	Referential framework for transcranial anatomical correspondence for fNIRS based on manually traced sulci and gyri of an infant brain.	<i>Neuroscience Research.</i>			in press
Tsuzuki D, Dan I.	Spatial registration for functional near-infrared spectroscopy: from channel position on the scalp to cortical location in individual and group analyses.	<i>NeuroImage.</i>	85(1)	92-103	2014
Dan H, Dan I, Sano T, Kyutoku Y, Oguro K, Yokota H, Tsuzuki D, Watanabe E.	Language-specific cortical activation patterns for verbal fluency tasks in Japanese as assessed by multichannel functional near-infrared spectroscopy.	<i>Brain and Language.</i>	126	208-216	2013
Tagai K, Nagata T, Shinagawa S, Nemoto K, Inamura K, Tsuno N, Nakayama K.	Correlation between both Morphologic and Functional Changes and Anxiety in Alzheimer's Disease.	<i>Dement Geriatr Cogn Disord.</i>	38(3-4)	153-160	2014
Shiratori Y, Tachikawa H, Nemoto K, Endo G, Aiba M, Matsui Y, Asada T.	Network analysis for motives in suicide cases: A cross-sectional study.	<i>Psychiatry Clin Neurosci.</i>	68(4)	299-307 doi: 10.1111/pcn.12132.	2014
Nakamura K, Takahashi T, Nemoto K, Furuichi A, Nishiyama S, Nakamura Y, Ikeda E, Kido M, Noguchi K, Seto H, Suzuki M.	Gray matter changes in subjects at high risk for developing psychosis and first-episode schizophrenia: a voxel-based structural MRI study.	<i>Front Psychiatry.</i>		doi: 10.3389/fpsy.2013.00016.	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ota M, Sato N, Ishikawa M, Hori H, Sasayama D, Hattori K, Terai shi T, Obu S, Nakata Y, Nemoto K, Moriguchi Y, Hashimoto R, Kunugi H.	Discrimination of female schizophrenia patients from healthy women using multiple structural brain measures obtained with voxel-based morphometry.	<i>Psychiatry Clin Neurosci.</i>	66(7)	611-617	2012
Matsuda H, Mizumura S, Nemoto K, Yamashita F, Imabayashi E, Sato N, Asada T.	Automatic voxel-based morphometry of structural MRI by SPM8 plus diffeomorphic anatomic registration through exponentiated Lie algebra improves the diagnosis of probable Alzheimer Disease.	<i>AJNR Am J Neuroradiol.</i>	33(6)	1109-1114	2012
Ohi K, Hashimoto R, Yasuda Y, Nemoto K, Ohnishi T, Fukumoto M, Yamamori H, Umeda-Yano S, Okada T, Iwase M, Kazui H, Takeda M.	Impact of the genome wide supported NRG1 gene on anterior cingulate morphology in schizophrenia.	<i>PLoS One</i>	7(1)	e29780	2012
Ota M, Fujii T, Nemoto K, Tatsumi M, Moriguchi Y, Hashimoto R, Sato N, Iwata N, Kunugi H.	A polymorphism of the ABCA1 gene confers susceptibility to schizophrenia and related brain changes.	<i>Prog Neuropsychopharmacol Biol Psychiatry.</i>	35(8)	1877-1883	2012
Sumiyoshi, C., Kawakubo, Y, Suga, M., Sumiyoshi, T., Kasai, K.	Impaired ability to organize information in individuals with autism spectrum disorders and their siblings.	<i>Neurosci Res</i>	69	252-257	2011
Iwanami, A., Okajima, Y, Ota, H, Tani, M, Yamada, T, Hashimoto R, Kanai, C, Watanabe, H, Yamasue, H, Kawakubo, Y, Kato, N.	Task dependent prefrontal dysfunction in persons with Asperger's disorder investigated with multi-channel near-infrared spectroscopy.	<i>Research in Autism Spectrum Disorders</i>	5(3)	1187-1193	2011
Kawakubo Y, Suga M, Tochigi M, Yumoto M, Itoh K, Sasaki T, Kano Y, Kasai K.	Effects of metabotropic glutamate receptor 3 genotype on phonetic mismatch negativity.	<i>PLoS ONE</i>	6(10)	e24929	2011
Shimada T, Kitamoto A, Todokoro A, Ishii-Takahashi A, Kuwabara H, Kim SY, Watanabe K, Minowa I, Somyeya T, Ohtsu H, Kano Y, Kasai K, Kato N, Sasaki T.	Parental Age and Assisted Reproductive Technology in Autism Spectrum Disorders, Attention Deficit Hyperactivity Disorder, and Tourette Syndrome in a Japanese Population.	<i>Research in Autism Spectrum Disorders</i>	1	500-507	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kirihara K, Kasai K, Tada M, Nagai T, Kawakubo Y, Yamasaki S, Onitsuka T, Araki T.	Neurophysiological impairment in emotional face processing is associated with low extraversion in schizophrenia.	<i>Prog Neuropsychopharmacol Biol Psychiatry</i>	37(2)	270-275	2012
Watanabe T, Yahata N, Abe O, Kuwabara H, Inoue H, Takano Y, Iwashiro N, Natsubori T, Aoki Y, Takao T, Sasaki H, Gonoi W, Murakami M, Katsura M, Kunimatsu A, Kawakubo Y, Matsuzaki H, Tsuchiya KJ, Kato N, Kano Y, Miyashita Y, Kasai K, Yamasue H.	Diminished medial prefrontal activity behind autistic social judgments of incongruent information.	<i>PLoS ONE</i>	7(6)	e39561	2012
Aoki Y, Abe O, Yahata N, Kuwabara H, Natsubori N, Iwashiro N, Takano Y, Inoue H, Kawakubo Y, Gonoi W, Sasaki H, Murakami M, Katsura M, Nippashi Y, Takao H, Kunimatsu A, Matsuzaki H, Tsuchiya KJ, Kato N, Kasai K, Yamasue H.	Absence of age-related prefrontal NAA change in adults with autism-spectrum disorders.	<i>Translational Psychiatry</i>	2	e178; doi:10.1038/tp.2012.108	2012
Kamio Y, Inada N, Moriwaki A, Kuroda M, Koyama T, Tsujii H, Kawakubo Y, Kuwabara H, Tsuchiya K, Uno Y,	Constantino JN. Quantitative autistic traits ascertained in a national survey of 22,529 Japanese schoolchildren.	<i>Acta Psychiatrica Scandinavica</i>		doi: 10.1111/acps.12034.	2012
Watanabe T, Yahata N, Kawakubo Y, Inoue H, Takano Y, Iwashiro N, Natsubori T, Takao H, Sasaki H, Gonoi W, Murakami M, Katsura M, Kunimatsu A, Abe O, Kasai K, Yamasue H.	Network structure underlying resolution of conflicting nonverbal and verbal social information.	<i>Social Cognitive and Affective Neuroscience</i>			in press
Ishii-Takahashi A, Takizawa R, Nishimura Y, Kawakubo Y, Kasai K, Kano Y	Prefrontal activation during inhibitory control measured by near-infrared spectroscopy for differentiating between autism spectrum disorders and attention deficit hyperactivity disorder in adults.	<i>Neuroimage Clin</i>	26	53-63	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kuroda M, Kawakubo Y, Kuwabara H, Yokoyama K, Kano Y, Kaminio Y.	A cognitive-behavioral intervention for emotion regulation in adults with high-functioning autism spectrum disorders: study protocol for a randomized controlled trial.	<i>Trials</i> ,	14	231	2013
Saito Y, Suga M, Tochigi M, Abe O, Yahata N, Kawakubo Y, Liu X, Kawamura Y, Sasaki T, Kasai K, Yamasue H.	Neural correlate of autistic-like traits and a common allele in the oxytocin receptor gene.	<i>Soc Cogn Affect Neurosci</i>			in press
Kuwabara H, Yamasue H, Koike S, Inoue H, Kawakubo Y, Kuroda M, Takano Y, Iwashiro N, Natsubori T, Aoki Y, Kano Y, Kasai K.	Altered Metabolites in the Plasma of Autism Spectrum Disorder: A Capillary Electrophoresis Time-of-Flight Mass Spectroscopy Study.	<i>PLoS One</i>	8(9)	e73814	2013
Yoshida, T., Suga, M., Arima, K., Muranaka, Y., Tanaka, T., Eguchi, S., Lin, C., Yoshida, S., Ishikawa, M., Higuchi, Y., Seo, T., Ueoka, Y., Tomotake, M., Keneda, Y., Darby, D., Maruff, P., Iyo, M., Kasai, K., Higuchi, T., Sumiyoshi, T., Ohmori, T., Takahashi, K., and Hashimoto, K.	Criterion and construct validity of the Cogstate Schizophrenia Battery in Japanese patients with schizophrenia.	<i>PLoS ONE</i>	6	e20469	2011
Matsuoka, Y., Nishi, D., Yonemoto, N., Hamazaki, K., Hamazaki, T. and Hashimoto, K.	Potential role of BDNF in omega-3 fatty acid supplementation to prevent post-traumatic distress after accidental injury: An open-labeled pilot study.	<i>Psychother. Psychosom.</i>	80	310-312	2011
Hashimoto, K.	The role of glutamate on the action of antidepressants. Prog. Neuropsychopharmacol.	<i>Biol. Psychiatry</i>	35	1558-1568	2011
Matsuzawa, D. and Hashimoto, K	Magnetic resonance spectroscopy study of antioxidant defense system in schizophrenia. Antioxi.	<i>Redox Sig</i>	15	2057-2065	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tadokoro, S., Kanahara, N., Kikuchi, S., Hashimoto, K. and Iyo, M.	Fluvoxamine prevents onset of psychosis: a case report of a patient at ultra-high risk of psychotic disorder.	<i>Ann. Gen. Psychiatry</i>	10	26	2011
Niitsu, T., Shirayama, Y., Matsuzawa, D., Hasegawa, T., Shiina, A., Hashimoto, T., Kanahara, N., Shiraishi, T., Fukami, G., Fujisaki, M., Watanabe, H., Nakazato, M., Asano, M., Kimura, S., Hashimoto, K. and Iyo, M.	Associations of serum brain-derived neurotrophic factor with cognitive impairments and negative symptoms in schizophrenia.	<i>Prog. Neuropsychopharmacol. Biol. Psychiatry</i>	35	1836-1840	2011
Kishimoto, A., Kaneko, M., Gotoh, T. and Hashimoto, K.	Ifenprodil for the treatment of flashbacks in female posttraumatic stress disorder patients with a history of childhood sexual abuse.	<i>Biol. Psychiatry</i>	71	e7-e8	2012
Niitsu, T., Iyo, M., and Hashimoto, K.	Sigma-1 receptor agonists as therapeutic drugs for cognitive impairments in neuropsychiatric disease.	<i>Curr. Pharm. Des</i>	18	875-883	2012
Yoshida, T., Iyo, M. and Hashimoto, K.	Recent advances in the potential therapeutic drugs for cognitive deficits in schizophrenia.	<i>Curr. Psychiatry Reviews</i>	8	140-150	2012
Nakazato, M., Hashimoto, K., Shimizu, E., Niitsu, T., and Iyo, M.	Possible involvement of brain-derived neurotrophic factor (BDNF) in Eating Disorders (ED).	<i>IUBMB Life</i>	64	355-361	2012
Yoshida, T., Ishikawa, M., Iyo, M., and Hashimoto, K.	Serum levels of mature brain-derived neurotrophic factor (BDNF) and its precursor proBDNF in healthy subjects.	<i>Open Clin. Chem.</i>	J.5	7-12	2012
Ishima, T., and Hashimoto, K.	Potentiation of nerve growth factor-induced neurite outgrowth in PC12 cells by ifenprodil: role of sigma-1 receptor and IP <sub>3</sub> receptor.	<i>PLoS One</i>	7	e37989.	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hashimoto, K.	A BDNF Val66Met polymorphism and ketamine-induced rapid antidepressant action.	<i>Clin. Psychopharmacol. Neurosci.</i>	10	59-60	2012
Wang, W., Fu, W., Wu, J., Ma, X.C., Sun, X.L., Huang, Y., Hashimoto, K., and Gao, G.G.	Prevalence of PTSD and depression among the junior middle school students in a rural town far from the epicenter of the Wenchuan earthquake in China.	<i>PLoS ONE</i>	7	e41665.	2012
Yoshida, T., Ishikawa, M., Niitsu, T., Nakazato, M., Watanabe, H., Shiraishi, T., Shiina, A., Hashimoto, T., Kanahara, N., Hasegawa, T., Enohara, M., Kimura, A., Iyo, M., and Hashimoto, K.	Decreased serum levels of mature brain-derived neurotrophic factor (BDNF), but not its precursor proBDNF, in patients with major depressive disorder.	<i>PLoS One</i>	7	e42676	2012
Hashimoto, K., and Furuse, T.	Sigma-1 receptor agonist fluvoxamine for delirium in older adults.	<i>Int. J. Geriatr. Psychiatry</i>	27	981-983	2012
Niitsu, T., Fujisaki, M., Shiina, A., Yoshida, T., Hasegawa, T., Kanahara, N., Hashimoto, T., Shiraishi, T., Fukami, G., Nakazato, M., Shirayama, Y., Hashimoto, K. and Iyo, M.	A randomized, double-blind, placebo-controlled trial of fluvoxamine in patients with schizophrenia: a preliminary study.	<i>J. Clin. Psychopharmacol.</i>	32	591-601	2012
Tadokoro, S., Okamura, N., Sekine, Y., Kanahara, N., Hashimoto, K. and Iyo, M.	Chronic treatment with aripiprazole, a dopamine D2 receptor partial agonist, stabilizes dopamine sensitivity in rats.	<i>Schizophrenia Bull.</i>	38	1012-1020	2012
Ishima, T., Iyo, M., and Hashimoto, K.	Neurite outgrowth mediated by the heat shock protein HSP90 $\alpha$ : a novel target for the antipsychotic drug aripiprazole.	<i>Transl. Psychiatry</i>	2	e170.	2012
Nakazato, M., Arakawa, S., Takase, M., Suzuki, M., Shiina, A., Hashimoto, T., Kanahara, N., Kimura, H., Niitsu, T., Yoshida, T., Shiraishi, T., Watanabe, H., Ishima, T., Fujita, Y., Hashimoto, K., Shimizu, E., and Iyo, M.	Effectiveness of enteral formula with enriched polyunsaturated fatty acids in the treatment of anorexia nervosa: a pilot open case study.	<i>Open Nutrition J</i>	6	104-107	2012



発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hashimoto, K.	Editorial: Understanding depression: linking brain-derived neurotrophic factor (BDNF), transglutaminase 2 (TG2), and serotonin.	<i>Expert Rev. Neurother.</i>	13	5-7	2013
Hashimoto, K.	Sigma-1 receptor chaperone and brain-derived neurotrophic factor: emerging links between cardiovascular disease and depression.	<i>Prog. Neurobiol.</i>	100	15-29	2013
Hashimoto, K., Malchow, B., Falkai, P., and Schmitt, A.	Glutamate modulators as potential therapeutic drugs in schizophrenia and affective disorders.	<i>Eur. Arch. Psychiatry Clin. Neurosci.</i>	263	367-377	2013
Yamamori, H., Hashimoto, R., Ishima, T., Kishi, F., Yasuda, Y., Ohikubo, K., Fujimoto, M., Umeheda-Yano, S., Ito, A., Hashimoto, K., and Takeda, M.	Plasma levels of mature brain-derived neurotrophic factor (BDNF) and matrix metalloproteinase-9 (MMP-9) in treatment-resistant schizophrenia treated with clozapine.	<i>Neurosci. Lett.</i>	556	37-41	2013
Niitsu, T., Ishima, T., Yoshida, T., Hashimoto, T., Matsuzawa, D., Shirayama, Y., Nakazato, M., Shimizu, E., Hashimoto, K., and Iyo, M.	A positive correlation between serum levels of mature brain-derived neurotrophic factor and negative symptoms in schizophrenia.	<i>Psychiatry Res.</i>	215	268-273	2014
Södersten, K., Pålsson, E., Beneroso, K.L.F., Ishima, T., Landén, M., Funa, K., Hashimoto, K., and Ågren, H.	Abnormality in serum levels of mature brain-derived neurotrophic factor (BDNF) and its precursor pro-BDNF in mood-stabilizing patients with bipolar disorder: A study from two independent sets.	<i>J. Affect. Dis.</i>	160	1-9	2014
Hashimoto, K.	Abnormalities of the glutamine-glutamate-GABA cycle in the schizophrenia brain.	<i>Schizophrenia Res.</i>			in press.
Hashimoto, K.	Serum brain-derived neurotrophic factor as a predictor of incident dementia.	<i>JAMA Neurol.</i>			in press.

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takahashi T, Nakamura Y, Nakamura Y, Aleksic B, Takayanagi Y, Furuchi F, Kido M, Nakamura M, Sasabayashi S, Ikeda M, Noguchi K, Kaitani K, Iwata N, Ozaki N, Suzuki M	The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and orbitofrontal sulcogyral pattern in patients with schizophrenia and healthy subjects.	<i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i>			in press
Takahashi T, Malhi GS, Nakamura Y, Suzuki M, Pantelis C:	Olfactory sulcus morphology in established bipolar affective disorder.	<i>Psychiatry Research Neuroimaging</i>			in press
Shiino T, Koide T, Kusuma I, Ikeda M, Kunimoto S, Nakamura Y, Yoshimi A, Aleksic B, Banno M, Kikuchi T, Kohmura K, Adachi Y, Kawano N, Okada T, Inada T, Ujike H, Iidaka T, Suzuki M, Iwata N, Ozaki N	Common variants in BCL9 gene and schizophrenia in a Japanese population: Association study, meta-analysis and cognitive functional analysis.	<i>Journal of Medical Biochemistry</i>			in press
Takahashi T, Wood SJ, Yung AR, Nelson B, Lincoln A, Yücel M, Phillips LJ, Nakamura Y, Suzuki M, Brewer WJ, Proffitt TM, McGorry PD, Velakoulis D, Pantelis C	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders.	<i>Schizophrenia Research</i>			in press
Ikeda E, Shiozaki K, Ikeda H, Suzuki M, Hirayasu Y	Prefrontal dysfunction in remitted depression at work reinstatement using near-infrared spectroscopy.	<i>Psychiatry Research Neuroimaging</i>	214	254-259	2013
Takayanagi M, Wentz J, Takayanagi Y, Schretlen DJ, Ceyhan E, Wang L, Suzuki M, Sawa A, Barta PE, Ratnanather JT, Cascella NG	Reduced anterior cingulate gray matter volume and thickness in subjects with deficit schizophrenia.	<i>Schizophrenia Research</i>	150	484-490	2013
Aoki Y, Orikabe L, Takayanagi Y, Yahata N, Mozue Y, Sudo Y, Ishii T, Itokawa M, Suzuki M, Kurachi M, Okazaki Y, Kasai K, Yamasue H	Volume reductions in frontopolar and left perisylvian cortices in methamphetamine induced psychosis.	<i>Schizophrenia Research</i>	147	355-361	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takahashi T, Nakamura Y, Nakamura K, Nishiyama S, Ikeda E, Furuichi A, Kido M, Noguchi K, Suzuki M	Altered depth of the olfactory sulcus in subjects at risk of psychosis.	<i>Schizophrenia Research</i>	149	186-187	2013
Takahashi T, Nakamura K, Nishiyama S, Furuichi A, Ikeda E, Kido M, Nakamura Y, Kawasaki Y, Noguchi K, Seto H, Suzuki M	Increased pituitary volume in subjects at risk for psychosis and patients with first-episode schizophrenia.	<i>Psychiatry and Clinical Neurosciences</i>	67	540-548	2013
Yoshimura Y, Kikuchi M, Shitamichi K, Ueno S, Munesue T, Ono Y, Tsubokawa T, Haruta Y, Oi M, Niida Y, Remijn GB, Takahashi T, Suzuki M, Higashida H, Minabe Y	Atypical brain lateralisation in the auditory cortex and language performance in 3- to 7-year-old children with high-functioning autism spectrum disorder: a child-customised magnetoencephalography (MEG) study.	<i>Molecular Autism</i>	4	38	2013
Kikuchi M, Yoshimura Y, Shitamichi K, Ueno S, Hirosawa T, Munesue T, Ono Y, Tsubokawa T, Haruta Y, Oi M, Niida Y, Remijn GB, Takahashi T, Suzuki M, Higashida H, Minabe Y	A custom magnetoencephalography device reveals brain connectivity and high reading/decoding ability in children with autism.	<i>Science Report</i>	3	1139	2013
Kikuchi M, Yoshimura Y, Shitamichi K, Ueno S, Hiraishi H, Munesue T, Hirosawa T, Ono Y, Tsubokawa T, Inoue Y, Oi M, Niida Y, Remijn GB, Takahashi T, Suzuki M, Higashida H, Minabe Y	Anterior prefrontal hemodynamic connectivity in conscious 3- to 7-year-old children with typical development and autism spectrum disorder.	<i>PLoS ONE</i>	8	e56087	2013
Kikuchi M, Shitamichi K, Yoshimura Y, Ueno S, Hiraishi H, Hirosawa T, Munesue T, Nakatani H, Tsubokawa T, Haruta Y, Oi M, Niida Y, Remijn GB, Takahashi T, Suzuki M, Higashida H, Minabe Y	Altered brain connectivity in 3- to 7-year-old children with autism spectrum disorder.	<i>NeuroImage: Clinical</i>	2	394-401	2013
Takahashi T, Nakamura K, Ikeda E, Furuichi A, Kido M, Nakamura Y, Kawasaki Y, Noguchi K, Seto H, Suzuki M	Longitudinal MRI study of the midline brain structures in first-episode schizophrenia.	<i>Psychiatry Research: Neuroimaging</i>	212	150-153	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Miyanishi T, Sumiyoshi T, Higuchi Y, Seo T, Suzuki M	LORETA Current Source Density for Duration Mismatch Negativity and Neuropsychological Assessment in Early Schizophrenia.	<i>PLoS One</i>	8	e54080	2013
Aleksic B, Kushima I, Hashimoto R, Ohi K, Ikeda M, Yoshimi A, Nakamura Y, Ito Y, Okochi T, Fukuo Y, Yasuda Y, Fukumoto M, Yamamoto H, Ujike H, Suzuki M, Inada T, Takeda M, Kaibuchi K, Iwata N, Ozaki N	Analysis of the VAV3 as a candidate gene for schizophrenia: evidences from voxel-based morphometry and mutation screening.	<i>Schizophrenia Bulletin</i>	39	720-728	2013
Nakamura K, Takahashi T, Nemoto K, Furuichi A, Nishiyama S, Nakamura Y, Ikeda E, Kido M, Noguchi K, Seto H, Suzuki M	Gray matter changes in subjects at high risk for developing psychosis and first-episode schizophrenia: a voxel-based structural MRI study.	<i>Frontiers in Psychiatry</i>	4	16	2013
Takahashi T, Nakamura Y, Nakamura K, Ikeda E, Furuichi A, Kido M, Kawasaki Y, Noguchi K, Seto H, Suzuki M:	Altered depth of the olfactory sulcus in first-episode schizophrenia.	<i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i>	40	137-172	2013
Nakamura K, Kawasaki Y, Takahashi T, Furuichi A, Noguchi K, Seto H, Suzuki M	Reduced white matter fractional anisotropy and clinical symptoms in schizophrenia: a voxel-based diffusion tensor imaging study.	<i>Psychiatry Research: Neuroimaging</i>	202	233-238	2013
Kushima I, Aleksic B, Ito Y, Nakamura Y, Shiino T, Okochi T, Fukuo Y, Ujike H, Suzuki M, Inada T, Hashimoto R, Takeda M, Kaibuchi K, Iwata N, Ozaki N	Resequencing and association analysis of the KALRN and EPHB1 genes and their contribution to schizophrenia susceptibility.	<i>Schizophrenia Bulletin</i>	38	552-560	2012
Uematsu A, Matsui M, Tanaka C, Takahashi T, Noguchi K, Suzuki M, Nishijo H	Developmental trajectories of amygdala and hippocampus from infancy to early adulthood in healthy individuals.	<i>PLoS ONE</i>	7	e46970	2012
Takahashi T, Kido M, Nakamura K, Furuichi A, Zhou S-Y, Kawasaki Y, Noguchi K, Seto H, Kurachi M, Suzuki M	Longitudinal MRI study of the pituitary volume in chronic schizophrenia: a preliminary report.	<i>Psychiatry Research: Neuroimaging</i>	202	84-87	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Koide T, Aleksic B, Banno M, Yamashita S, Kikuchi T, Kohmura K, Akashi Y, Kawano N, Kushima I, Nakamura Y, Ikeda M, Ohi K, Yasuda Y, Hashimoto R, Inada T, Ujike H, Iidaka T, Suzuki M, Takeda M, Iwata N, Ozaki N	Common variants in MAGI2 gene are associated with increased risk for cognitive impairment in schizophrenia patients.	<i>PLoS ONE</i>	7	e36836	2012
Ikeda M., Aleksic B., Kinoshita Y., Okochi T., Kawashima K., Kushima I., Ito Y., Nakamura Y., Kishi T., Okumura T., Fukuo Y., Williams H.J., Hamshere M.L., Ivanov D., Inada T., Suzuki M., Hashimoto R., Ujike H., Takeda T., Craddock N., Kaibuchi K., Owen M.J., Ozaki N., O'Donovan M.C., and Iwata N.	Genome-wide association study of schizophrenia in a Japanese population.	<i>Biol. Psychiatry,</i>	69	472-478	2011
Itoh T., Sumiyoshi T., Higuchi Y., Suzuki M., and Kawasaki Y	LORETA analysis of three-dimensional distribution of delta-band activity in schizophrenia: Relation to negative symptoms.	<i>Neurosci. Res</i>	70	442-448	2011
Takahashi T., Zhou S.Y., Nakamura K., Tanino R., Furuichi A., Kido M., Kawasaki Y., Noguchi K., Seto H., Kurachi M., and Suzuki M	Longitudinal volume changes of the pituitary gland in patients with schizotypal disorder and first-episode schizophrenia	<i>Prog. Neuropsychopharmacol. Biol. Psychiatry</i>	35	177-183	2011
Takahashi T., Zhou S.Y., Nakamura K., Tanino R., Furuichi A., Kido M., Kawasaki Y., Noguchi K., Seto H., Kurachi M., and Suzuki M.	A follow-up MRI study of the fusiform gyrus and middle and inferior temporal gyri in schizophrenia spectrum.	<i>Prog. Neuropsychopharmacol. Biol. Psychiatry</i>	35	1957-1964	2011
Takayanagi Y., Takahashi T., Orikabe L., Mozue Y., Kawasaki Y., Nakamura K., Sato Y., Itokawa M., Yamasue H., Kasai K., Kurachi M., Okazaki Y., and Suzuki M.	Classification of first-episode schizophrenia patients and healthy subjects by automated MRI measures of regional brain volume and cortical thickness.	<i>PLoS ONE</i>	6	e21047	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Orikabe L., Yamasue H., Inoue H., Takayanagi Y., Mozue Y., Sudo Y., Ishii T., Itokawa M., Suzuki M., Kurachi M., Okazaki Y., and Kasai K.	Reduced amygdala and hippocampal volumes in patients with methamphetamine psychosis.	<i>Schizophr. Res.</i>	132	183-189	2011
Kaido T, <u>Noda T</u> , Otsuki T, Kaneko Y, Takahashi A, Nakai T, Nabatame M, Tani M.	Titanium alloys as fixation device material for cranioplasty and its safety in electroconvulsive therapy.	<i>J ECT</i>	27(1)	e27-8	2011
<u>Noda T</u> , Yoshida S, Matsuda T, Okamoto N, Sakamoto K, Koseki S, Nunomachi Y, Matsushima E, Kunugi H, Higuchi T.	Frontal and right temporal activations correlate negatively with depression severity during verbal fluency task: a multi-channel near-infrared spectroscopy study.	<i>J Psychiatr Res</i>	46(7)	905-912	2012
Koseki S, <u>Noda T</u> , Yokoyama S, Kunisato Y, Ito D, Suyama H, Matsuda T, Sugimura Y, Ishihara N, Shimizu Y, Nakazawa K, Yoshida S, Arimura K, Suzuki S.	The relationship between positive and negative automatic thought and activity in the prefrontal and temporal cortices: a multi-channel near-infrared spectroscopy (NIRS) study.	<i>J Affect Disord</i>	151(1)	352-359	2013
Ota M, Ishikawa M, Sato N, Hori H, Sasayama D, Hattori K, Teraishi T, <u>Noda T</u> , Obu S, Nakata Y, Higuchi T, Kunugi H.	Discrimination between schizophrenia and major depressive disorder by magnetic resonance imaging of the female brain.	<i>J Psychiatr Res</i>	47(10)	1383-1388	2013
Ota M, Sato N, Nakata Y, Ito K, Kamiya K, Maekusa N, Ogawa M, Okamoto T, Obu S, <u>Noda T</u> , Araki M, Yamamura T, Kunugi H.	Abnormalities of cerebral blood flow in multiple sclerosis: a pseudocontinuous arterial spin labeling MRI study.	<i>Magn Reson Imaging</i>	31(6)	990-995	2013
Kunugi H, Koga N, Hashikura M, <u>Noda T</u> , Shimizu Y, Kobayashi T, Yamanaka J, Kanemoto N, Higuchi T.	Validation of computer-administered clinical rating scale: Hamilton Depression Rating Scale assessment with Interactive Voice Response technology--Japanese version.	<i>Psychiatry Clin Neurosci.</i>	67(4)	253-258	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nakanishi H, Kurosaki M, Nakanishi K, Tsuchiya K, Noda T, Tamaki N, Yasui Y, Hosokawa T, Ueda K, Ikakura J, Anami K, Asahina Y, Enomoto N, Higuchi T, Izumi N.	Impaired brain activity in cirrhotic patients with minimal hepatic encephalopathy: Evaluation by near-infrared spectroscopy.	<i>Hepatol Res.</i>		doi: 10.1111/hepr.12127	2013
Takizawa R, Fukuda M, Kawasaki S, Kasai K, Mimura M, Pu S, Noda T, Niwa S, Okazaki Y	Joint Project for Psychiatric Application of Near-Infrared Spectroscopy (JPSY-NIRS) Group. Neuroimaging-aided differential diagnosis of the depressive state.	<i>Neuroimage.</i>	85	498-507	2014
Goto M, Abe O, Kabasawa H, Takao H, Miyati T, Hayashi N, Kurosu T, Iwatsubo T, Yamashita F, Matsuda H, Inano S, Mori H, Kunimatsu A, Aoki S, Ino K, Yano K, Ohtomo K	Effects of image distortion correction on voxel-based morphometry.	<i>Magn Reson Med Sci,</i>	11(1)	27-34	2012
Goto M, Abe O, Miyati T, Kabasawa H, Takao H, Hayashi N, Kurosu T, Iwatsubo T, Yamashita F, Matsuda H, Mori H, Kunimatsu A, Aoki S, Ino K, Yano K, Ohtomo K.	Influence of signal intensity non-uniformity on brain volumetry using an atlas-based method.	<i>Korean J Radiol,</i>	13(4)	391-402	2012
Matsuda H, Mizumura S, Nemoto K, Yamashita F, Imabayashi E, Sato N, Asada T.	Automatic voxel-based morphometry of structural MRI by SPM8 plus diffeomorphic anatomic registration through exponentiated Lie algebra improves the diagnosis of probable Alzheimer Disease.	<i>AJNR Am J Neuroradiol,</i>	33(6)	1109-1114	2012
Maikusa N, Yamashita F, Tanaka K, Abe O, Kawaguchi A, Kabasawa H, Chiba S, Kasahara A, Kobayashi N, Yuasa T, Sato N, Matsuda H, Iwatsubo T; Japanese Alzheimer's Disease Neuroimaging Initiative.	Improved volumetric measurement of brain structure with a distortion correction procedure using an ADNI phantom.	<i>Med Phys,</i>	41(2)	022302	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Uwano I, Kudo K, Yamashita F, Goodwin J, Higuchi S, Ito K, Harada T, Ogawa A, Sasaki M.	Intensity inhomogeneity correction for magnetic resonance imaging of human brain at 7T.	<i>Med Phys</i> ,	41(2)	022302	2014
Orikabe L, Yamasue H, Inoue H, Takayanagi Y, Mozue Y, Sudo Y, Ishii T, Itokawa M, Suzuki M, Kurachi M, Okazaki Y, Kasai K.	Reduced amygdala and hippocampal volumes in patients with methamphetamine psychosis.	<i>Schizophr Res</i>	132(2-3)	183-189 [DOI:10.1016/j.schres.2011.07.006]	2011
Nishimura Y, Takahashi K, Ohtani T, Ikeda-Sugita R, Okazaki Y, Kasai K.	Dorsolateral prefrontal hemodynamic responses during a verbal fluency task in hypomanic bipolar disorder.	<i>Bipolar Disorders</i> ,			In press
福田正人	精神科領域におけるNIRS画像. In: 北川泰久・寺本明・三村将 編『神経・精神疾患診療マニュアル』	日本医師会雑誌	142	12	2013
福田正人	臨床神経生理学から見た精神疾患の病態生理	精神経誌	115	187-193	2013
福田正人, 村井俊哉, 笠井清登, 池淵恵美	統合失調症の認知障害論	<i>Progress in Medicine</i>	32	2369-2375	2012
福田正人, 三國雅彦	先進医療「うつ症状の光トポグラフィー検査」	精神経誌	114	801-806	2012
福田正人, 三國雅彦	心理現象・精神疾患へのNIRSの応用.	電子情報通信学会誌	95	372-376	2012
滝沢龍, 笠井清登, 福田正人	ヒト前頭前野の発達と進化	日本生物学的精神医学会誌	23	41-46	2012



発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
滝沢龍、笠井清登、福田正人	気分障害の脳画像研究と先進医療NIRSの紹介－光トポグラフィー検査「うつ症状の鑑別診断補助」.	精神医学	53	383-392	2011
糸川昌成、新井誠、小池進介、滝沢龍、市川智恵、宮下光弘、吉川武男、宮田敏男、笠井清登、岡崎祐士.	脳科学研究から見えてきた統合失調症の病態および治療と予防の展開	精神医学.	53(12)	1195-1200	2011
里村嘉弘、滝沢龍、笠井清登	うつ状態と光トポグラフィー (NIRS)	治療	93(12)	2437-2442	2011
里村嘉弘、滝沢龍、笠井清登.	気分障害の診断・治療と近赤外線スペクトロスコーピー (NIRS)－東大病院「こころの検査プログラム」の紹介－ <特集:内科医のためのうつ病診療>	Medical Practice	28(10)	1822-1826	2011
榊原英輔、西村幸香、滝沢龍、荒木剛、八幡憲明、笠井清登	精神疾患の脳機能を測る	BRAIN MEDICAL	23(3)	43-50	2011
滝沢龍、西村幸香、小池進介、笠井清登、福田正人	統合失調症のNIRS研究と臨床応用	精神科	16(5)	448-456	2010
滝沢龍、笠井清登、福田正人	自分自身を変えるところと脳－人間の精神機能と自己制御性－	こころの科学 150号. 特別企画「こころと脳の科学」	150	100-106	2010
永井達哉、多田真理子、荒木剛	可塑性と臨床－統合失調症	Clinical Neuroscience	29	825-827	2011
小池進介・滝沢龍・西村幸香・高野洋輔・岩白訓周・里村嘉弘・管心・荒木剛・笠井清登	発症リスクの高い状態患者における不適正な血液動態学的反応 (Inappropriate hemodynamic response in the individuals with at-risk mental state).	日本生物学的精神医学会誌	23(1)	61-69	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
西村幸香	精神科領域におけるNIRSの臨床応用	認知神経科学	14(3)	183-189	2012
里村嘉弘・滝沢龍・西村幸香・笠井清登	うつ病の診断補助ツールとしてのNIRS. 特集: 『うつ病を「客観的に」診断するとは?—どこからが病気か—』	精神科	22(3)	250-258	2013
西村幸香	20. 脳画像診断/近赤外線スペクトロスコピー(脳画像検査の実用化). 特集: 精神保健・医療・福祉の今がわかるキーワード126.	精神科臨床サービス	13(2)	186-187	2013
大溪俊幸・西村幸香・樋口智江・安井巨子・内山智恵・高橋克昌・高柳陽一郎・中北真由美・岡田直大・湯本洋介・杉田侖奈・福田正人	光トポグラフィ検査による精神疾患の鑑別診断補助	臨床病理レビュー			in press
西村幸香	精神科診断におけるNIRS. 特集I. NIRSの臨床応用	精神科	23(4)	397-404	2013
小池進介.	統合失調症. 特集I. NIRSの臨床応用	精神科	23(4)	414-420	2013
太田 深秀, 佐藤 典子, 石川 正憲, 堀 弘明, 篠山 大明, 服部 功太郎, 寺石 俊也, 大部 聡子, 中田 安弘, 根本 清貴, 守口 善也, 橋本 亮太, 功刀 浩.	MRIによる女性統合失調症患者と女性健常群との判別分析.	精神神経学雑誌	115	1171-1177	2013
根本 清貴.	画像統計解析法(MRIおよびPET/SPECT)の基礎.	老年精神医学雑誌	24	399-406	2013
根本 清貴	VBMの利点と問題点	精神科	22	401-404	2013
高橋 卓巳, 根本 清貴, 川西 洋一, 水上 勝義, 朝田 隆	両側高頻度反復経頭蓋磁気刺激により臨床症状が改善するとともに脳血流SPECTでの血流改善を認めた大うつ病性障害の1例.	精神科治療学	27	1059-1064	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
根本 清貴	精神科領域の用語解説VB M.	分子精神医学	12	210-211	2012
根本清貴	脳血流SPECTによる認知 症の画像診断	PET Journal	14	26-28	2011
根本清貴, 朝田隆	高齢者の地域疫学研究に おける画像所見	Dementia Japan	25(1)	69-73	2011
石井礼花	発達障害のDTI・MRI・N IRS	児童青年精神医学 とその近接領域,	52(4)	421-425	2011
川久保友紀	発達障害の脳科学	Journal of Clinic al Rehabilitation.	22(1)	74-77	2013
黒田美保, 川久保友紀, 桑原斉, 金生由紀子, 神尾陽子	発達障害再考：診断閾値 の臨床的意義を問い直す 自閉症スペクトラム障 害成人への小集団認知行 動療法の研究過程でみら れた閾下症例.	精神神経医学			in press
石井礼花	「Multimodal imaging from Infancy to adolesc ence illustrating typical and atypical brain de velopment」	日本生物学的精神 医学会誌			in press
橋本謙二	つ・不安障害治療フォー ラム. 講演1: Fluvoxamin eの特徴ーシグマ-1受容体 アゴニスト作用ー	臨床精神薬理	14	129-140	2011
橋本謙二	統合失調症治療薬の新た な開発の動向	医薬ジャーナル	47	111-115	2011
橋本謙二、岸本 朗、 白山幸彦、古瀬 勉	精神病性うつ病に対する シグマ-1受容体アゴニスト フルボキサミン単剤治療 の可能性	新薬と臨床	60	34-43	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
橋本謙二、平田幸一、 加藤忠史	うつ病関連疾患（PSD、 双極性障害）をめぐる最 近の話題—シグマ-1受容 体アゴニストの可能性を 探る	臨床精神薬理	14	303-318	2011
吉田泰介、伊豫雅臣、 橋本謙二	薬物療法による予後改 善：認知改善薬を中心に。	精神医学	53(2)	127-134	2011
橋本謙二	特集 統合失調症の社会 復帰—QOLの向上を目指 したバイオ・ソーシャル な取り組み。統合失調症 の病態からみた新しい治 療薬の開発	精神神経学雑誌	113(4)	368-372	2011
橋本謙二	精神神経疾患の新規治療 薬としての抗生物質ミノ サイクリン	分子精神医学	12	15-20	2012
橋本謙二	統合失調症における内在 性D-セリンと新規治療戦 略	臨床精神薬理	15(5)	665-669	2012
橋本謙二	精神疾患の病態解析に基 づいた新しい治療薬の創 製	月刊ファインケミ カル	41(7)	11-14	2012
橋本謙二	精神疾患の血液バイオマ ーカーとしてのBDNFの 臨床検査への応用可能性	臨床精神医学	41(7)	879-884	2012
橋本謙二	統合失調症の病態からみ た新しい治療薬	日本生物学的精神 医学会誌	23(2)	97-101	2012
橋本謙二	高齢者とグルタミン酸機 能	老年精神医学雑誌	23(8)	932-937	2012