

別紙4

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体 の 編集者名	書籍名	出版社 名	出版地	出版年	ページ
Kanno, K., <u>Ishiura S.</u>	Genetic variants of the dopaminergic system in human and model organisms.	Inoue-Murayama, M. et al.	From Genes to Animal Behavior	Springer	New York	2011	227-237
<u>Ishiura S.</u> , Kino Y, Oma Y, Sasagawa N, Nukina N.	MBNL proteins regulate alternative splicing of the skeletal muscle chloride channel <i>CLCNI</i>	Takeda, S.	Fifty years of neuromuscular disorder research after discovery of serum creatine kinase as a diagnostic marker of muscular dystrophy.	Igaku-shoin	Tokyo	2011	18-25

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ohsawa, N., Koebis, M., Suo, S., <u>Nishino, I.</u> , <u>Ishiura, S.</u>	Alternative splicing of PDLM3/ALP, for α-actinin-associated LIM protein 3, is aberrant in persons with myotonic dystrophy.	Biochem. Biophys. Res. Commun.	409	64-69	2011
Koebis, M., Ohsawa, N., Kino, Y., Sasagawa, N., <u>Nishino, I.</u> , <u>Ishiura, S.</u>	The alternative splicing of myomesin 1 gene is aberrantly regulated in myotonic dystrophy type 1.	Genes to Cells	16	961-972	2011
Kanno, K., <u>Ishiura, S.</u>	Differential effects of the HESR/HEY transcription factor family on dopamine transporter (<i>DAT1</i>) reporter gene expression via variable number of tandem repeats.	J. Neurosci. Res.	89	562-575	2011
Yonemura, Y., Futai, E., Yagishita, S., Suo, S., Tomita, T., Iwatsubo, T., <u>Ishiura, S.</u>	Comparison of presenilin 1 and presenilin 2 gamma-secretase activities using a yeast reconstitution system.	J.Biol.Chem.	286	44569-44575	2011
Asai, M, Yagishita, S., Iwata, N., Saido, T.C., <u>Ishiura, S.</u> , Maruyama, K.	An alternative metabolic pathway of amyloid precursor protein C-terminal fragments via cathepsin B in a human neuroglioma model.	FASEB J.	25	3720-3730	2011

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Oguro, A., Kubota, H., <u>Ishiura, S.</u> , Shimizu, M., Atomi, Y.	Protective role of the ubiquitin binding protein Tollip against the toxicity of polyglutamine-expansion proteins.	Neurosci.Lett.	503	234-239	2011
古戸道典、 <u>石浦章一</u>	RNA結合タンパク質が引き起こす筋強直性ジストロフイー	医学のあゆみ	238	481-484	2011
Sato, K., Tanabe, C., Yonemura, Y., Watahiki, H., Zhao, Y., Yagishita, S., Ebina, M., Suo, S., Futai, E., Murata, M., <u>Ishiura, S.</u>	Localization of mature neprilysin in lipid rafts.	J.Neurosci.Res.	90	870-877	2012
Keduka E, Hayashi YK, Shalaby S, Mitsuhashi H, Noguchi S, Nonaka I, <u>Nishino I.</u>	<i>In Vivo Characterization of Mutant Myotilins.</i>	Am J Pathol.	180(4)	1570-1580	2012
Zhao, Y., Koebis, M., Suo, S., Ohno, S. & <u>Ishiura, S.</u>	Regulation of <i>SERCA1</i> alternative splicing by PMA through PKC pathway.	Biochem.Biophys. Res.Commun.	423	212-217	2012

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kanno, K. & Ishiura, S.	The androgen receptor facilitates inhibition of human <i>dopamine transporter (DAT1)</i> reporter gene expression by HESR1 and HESR2 via the variable number of tandem repeats.	Neurosci.Lett.	525	54-59	2012
Matsuda C, Miyake K, Kameyama K, Keduka E, Takeshima H, Imamura T, Araki N, <u>Nishino I</u> , Hayashi YK	The C2A domain in dysferlin is important for association with MG53 (TRIM 72).	PLoS Curr.	4	e5035add8c aff4	2012
Mori-Yoshimura M, Okuma A, Oya Y, Fujimura-Kiyono C, Nakajima H, Matsuura K, Takemura A, Malicdan MC, Hayashi YK, Nonaka I, Murata M, <u>Nishino I</u>	Clinicopathological features of centronuclear myopathy in Japanese populations harboring mutations in dynamin 2.	Clin Neurol Neurosurg.	114(6)	678-683	2012
Oana, K., Oma, Y., Suo, S., Takahashi, M.P., <u>Nishino, I.</u> , Takeda, S. & <u>Ishiura, S.</u>	Manumycin A corrects aberrant splicing of <i>Clcn1</i> in myotonic dystrophy type 1 (DM1) mice.	Scientific Reports	Scientific Reports	2142	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Koebis, M., Kiyatake, T., Yamaura, H., Nagano, K., Higashihara, M., Sonoo, M., Hayashi, Y., Negishi, Y., Endo-Takahashi, Y., Yanagihara, D., Matsuda, R., Takahashi, M.P., <u>Nishino, I.</u> & <u>Ishiura, S.</u>	Ultrasound-enhanced delivery of morpholino with bubble liposomes ameliorates the myotonia of myotonic dystrophy model mice.	Scientific Reports	3	2242	2013
Suo, S. & <u>Ishiura, S</u>	Dopamine modulates acetylcholine release via octopamine CREB signaling in <i>Caenorhabditis elegans</i> .	PLoS ONE	8	e72578	2013
Sasagawa, N., Koebis, M., Yonemura, Y., Mitsuhashi, H. & <u>Ishiura, S.</u>	A high-salinity solution with calcium chloride enables RNase-free, easy plasmid isolation within 55 minutes.	Bioscience Trends	7	270-275	2013
石浦章一、小穴康介、 古戎道典	筋強直性ジストロフィー	臨床神経学	53	1109 - 1111	2013
Motoki T, Fukuda M, Nakano T, Matsukage S, Fukui A, Akiyoshi S, Hayashi YK, Ishii E, <u>Nishino I</u>	Fatal hepatic hemorrhage by peliosis hepatitis in X-linked myotubular myopathy: A case report.	Neuromuscul Disord.	23(11)	917-921	2013
Liang WC, Hayashi YK, Ogawa M, Wang CH, Huang WT, <u>Nishino I</u> , JongYJ	Limb-girdle muscular dystrophy type 2I is not rare in Taiwan.	Neuromuscul Disord.	23(8)	675-681	2013

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Murakami N, Hayashi YK, Oto Y, Shiraishi M, Itabashi H, Kudo K, <u>Nishino I</u> , Nonaka I, Nagai T	Congenital generalized lipodystrophy type 4 with muscular dystrophy: Clinical and pathological manifestations in early childhood.	Neuromuscul Disord.	23(5)	441-444	2013
Kanno, K., Kokubo, H., Takahashi, A., Koide, T. & <u>Ishiura, S.</u>	Enhanced prepulse inhibition and low sensitivity to a dopamine agonist in <i>Hesr1</i> -knockout mice.	J.Neurosci. Res.	92	287-297	2014
Yoshida, M., Oami, E., Wang, M., <u>Ishiura, S.</u> & and Suo, S.	Non-redundant function of two highly homologous octopamine receptors in food deprivation-mediated signaling in <i>C. elegans</i> .	J.Neurosci. Res.	92	671-678	2014
大澤奈摘、趙一夢、 <u>石浦章一</u>	筋強直性ジストロフィー	周産期医学	44	237-239	2014
趙一夢、 <u>石浦章一</u>	筋強直性ジストロフィー 研究の現在	BRAIN and NER VE	66	259-264	2014