

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	人口	全STD(件数)						梅毒									
			報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)					
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間				
16富山 男 配偶あり	0-5		0															
	10-15	42	0	0.00		0.00		0	0.00				0.00					
	20-25	1146	0	0.00		0.00		0	0.00				0.00					
	25-30	7629	3	478.44	323.25	633.62	440.16	297.39	582.93	0	0.00		0.00					
	30-35	17154	1	70.93	31.07	110.78	65.25	28.59	101.92	0	0.00		0.00					
	35-40	26030	5	233.70	174.98	292.43	215.01	160.98	269.03	0	0.00		0.00					
	40-45	23562	3	154.91	104.66	205.16	142.52	96.28	188.75	0	0.00		0.00					
	45-50	23296	2	104.45	62.95	145.95	96.10	57.92	134.28	0	0.00		0.00					
	50-55	24496	1	49.67	21.76	77.58	45.69	20.02	71.37	0	0.00		0.00					
	55-60	29693	2	81.95	49.39	114.51	75.39	45.44	105.35	1	40.97	17.95	64.00	37.70	16.51	58.88		
	60-65+	39664	0	0.00		0.00				0	0.00		0.00					
	計	292001	19	79.17	68.96	89.37	72.83	63.44	82.22	1	4.17	1.83	6.51	3.83	1.68	5.99		
16富山 男 配偶なし	0-5		0															
	10-15	24424	0	0.00		0.00		0	0.00				0.00					
	20-25	21158	11	632.54	525.40	739.68	581.94	483.37	680.51	0	0.00		0.00					
	25-30	19718	7	431.92	340.21	523.64	397.37	312.99	481.75	0	0.00		0.00					
	30-35	16647	7	511.60	402.97	620.24	470.68	370.73	570.62	0	0.00		0.00					
	35-40	15526	4	313.45	225.40	401.51	288.38	207.37	369.39	0	0.00		0.00					
	40-45	10960	2	222.02	133.81	310.23	204.26	123.11	285.41	0	0.00		0.00					
	45-50	8217	1	148.07	64.87	231.26	136.22	59.68	212.76	0	0.00		0.00					
	50-55	6725	1	180.92	79.26	282.57	166.44	72.92	259.96	1	180.92	79.26	282.57	166.44	72.92	259.96		
	55-60	7150	0	0.00		0.00				0	0.00		0.00					
	60-65+	7507	0	0.00		0.00				0	0.00		0.00					
	計	155858	33	257.61	232.41	282.80	237.00	213.82	260.18	1	7.81	3.42	12.19	7.18	3.15	11.22		
16富山 男 計			52	141.26	130.26	152.27	129.96	119.84	140.09	2	5.43	3.27	7.59	5.00	3.01	6.98		
16富山 女 配偶あり	0-5		0															
	10-15	87	2	27969.35	16984.67	38954.03	25731.80	15625.89	35837.71	0	0.00		0.00					
	20-25	2058	3	1773.57	1198.60	2348.53	1631.68	1102.71	2160.65	0	0.00		0.00					
	25-30	10390	7	819.70	645.67	993.73	754.12	594.01	914.23	0	0.00		0.00					
	30-35	20366	6	358.44	276.23	440.65	329.77	254.13	405.40	0	0.00		0.00					
	35-40	29420	5	206.78	154.82	258.73	190.23	142.43	238.03	0	0.00		0.00					
	40-45	26611	5	228.60	171.16	286.04	210.31	157.47	263.16	0	0.00		0.00					
	45-50	26120	2	93.16	56.15	130.17	85.71	51.65	119.76	0	0.00		0.00					
	50-55	27054	3	134.92	91.15	178.68	124.12	83.86	164.39	0	0.00		0.00					
	55-60	32016	0	0.00		0.00				0	0.00		0.00					
	60-65+	39185	0	0.00		0.00				0	0.00		0.00					
	計	78609	1	15.48	6.78	24.17	14.24	6.24	22.24	0	0.00		0.00					
16富山 女 配偶なし	0-5		0															
	10-15	22956	12	636.00	532.86	739.14	585.12	490.23	680.01	0	0.00		0.00					
	20-25	19358	20	1257.02	1099.16	1414.88	1156.46	1011.22	1301.69	0	0.00		0.00					
	25-30	15431	15	1182.68	1011.18	1354.19	1088.07	930.28	1245.86	0	0.00		0.00					
	30-35	11397	7	747.27	588.61	905.93	687.49	541.52	833.46	0	0.00		0.00					
	35-40	10389	0	0.00		0.00				0	0.00		0.00					
	40-45	7378	0	0.00		0.00				0	0.00		0.00					
	45-50	5844	2	416.38	250.97	581.80	383.07	230.89	535.25	0	0.00		0.00					
	50-55	5047	1	241.07	105.62	376.51	221.78	97.17	346.39	0	0.00		0.00					
	55-60	6364	0	0.00		0.00				0	0.00		0.00					
	60-65+	9876	0	0.00		0.00				0	0.00		0.00					
	計	87147	1	13.96	6.12	21.81	12.84	5.63	20.06	0	0.00		0.00					
16富山 女 計			92	227.00	213.70	240.29	208.84	196.60	221.07	0	0.00		0.00					

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	人口	全STD(件数)						梅毒					
			報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)	
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間
21岐阜 男 配偶あり														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		134	0	0.00		0.00		0.00				0.00		
20-		2877	2	845.79	509.85	1181.73	374.68	225.86	523.51			0.00		
25-		15703	3	232.44	157.04	307.84	102.97	69.57	136.37			0.00		
30-		33673	11	397.45	330.12	464.78	176.07	146.24	205.90	36.13	15.83	56.43	16.01	
35-		48841	15	373.66	319.46	427.87	165.53	141.52	189.54	0.00			0.00	
40-		46413	9	235.93	191.74	280.11	104.51	84.94	124.09	26.21	11.48	40.94	11.61	
45-		47341	12	308.40	258.38	358.42	136.62	114.46	158.78	0.00			0.00	
50-		47922	6	152.33	117.39	187.27	67.48	52.00	82.96	0.00			0.00	
55-		56386	4	86.31	62.06	110.56	38.24	27.49	48.98	0.00			0.00	
60-		70852	3	51.52	34.80	68.23	22.82	15.42	30.23	0.00			0.00	
65+		181113	4	26.87	19.32	34.42	11.90	8.56	15.25	6.72	2.94	10.49	2.98	
計		551255	69	152.29	141.99	162.59	67.46	62.90	72.03	3	6.62	4.47	8.77	
21岐阜 男 配偶なし														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		51389	15	355.13	303.62	406.65	157.32	134.50	180.15	0.00			0.00	
20-		45296	21	564.07	494.92	633.22	249.88	219.25	280.52	0.00			0.00	
25-		38550	14	441.85	375.51	508.19	195.74	166.35	225.13	0.00			0.00	
30-		29660	9	369.18	300.04	438.32	163.55	132.92	194.18	0.00			0.00	
35-		27052	9	404.78	328.97	480.58	179.32	145.73	212.90	0.00			0.00	
40-		19811	5	307.07	229.91	384.22	136.03	101.85	170.21	0.00			0.00	
45-		15262	2	159.44	96.09	222.78	70.63	42.57	98.69	0.00			0.00	
50-		12107	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
55-		11935	1	101.94	44.66	159.22	45.16	19.78	70.53	0.00			0.00	
60-		12134	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
65+		34245	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
計		297441	76	310.87	290.84	330.91	137.72	128.84	146.59	0	0.00		0.00	
21岐阜 計														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		51523	15	354.21	302.83	405.59	156.92	134.15	179.68	0.00			0.00	
20-		48173	23	580.89	512.85	648.94	257.34	227.19	287.48	0.00			0.00	
25-		54253	17	381.24	329.29	433.19	168.89	145.88	191.90	0.00			0.00	
30-		63333	20	384.21	335.94	432.48	170.21	148.82	191.59	19.21	8.42	30.01	8.51	
35-		75893	24	384.75	340.63	428.88	170.45	150.90	189.99	0.00			0.00	
40-		66224	14	257.21	218.58	295.83	113.94	96.83	131.05	18.37	8.05	28.70	8.14	
45-		62603	14	272.08	231.23	312.94	120.53	102.43	138.63	0.00			0.00	
50-		60029	6	121.61	93.71	149.50	53.87	41.51	66.23	0.00			0.00	
55-		68321	5	89.04	66.67	111.42	39.44	29.53	49.36	0.00			0.00	
60-		82986	3	43.98	29.71	58.25	19.48	13.16	25.81	0.00			0.00	
65+		215358	4	22.60	16.25	28.95	10.01	7.20	12.82	5.65	2.47	8.82	2.50	
計		848696	145	207.87	198.17	217.57	92.09	87.79	96.38	3	4.30	2.91	5.70	
21岐阜 女 配偶あり														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		265	1	4591.19	2016.21	7166.18	2033.90	893.18	3174.62	0.00			0.00	
20-		5086	12	2870.63	2405.53	3335.72	1271.69	1065.65	1477.72	0.00			0.00	
25-		22587	7	377.06	296.99	457.13	167.04	131.57	202.51	0.00			0.00	
30-		40977	8	237.53	190.35	284.72	105.23	84.32	126.13	0.00			0.00	
35-		55942	12	260.98	218.65	303.31	115.62	96.86	134.37	0.00			0.00	
40-		52306	6	139.56	107.55	171.58	61.83	47.64	76.01	0.00			0.00	
45-		52622	4	92.48	66.50	118.47	40.97	29.46	52.48	0.00			0.00	
50-		53023	3	68.84	46.51	91.17	30.50	20.60	40.39	0.00			0.00	
55-		60722	3	60.11	40.61	79.61	26.63	17.99	35.27	0.00			0.00	
60-		68847	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
65+		142904	1	8.51	3.73	13.30	3.77	1.65	5.89	0.00			0.00	
計		555281	57	124.89	115.60	134.19	55.33	51.21	59.44	0	0.00		0.00	
21岐阜 女 配偶なし														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		49770	17	415.58	358.95	472.21	184.10	159.02	209.19	0.00			0.00	
20-		44695	29	789.42	707.08	871.77	349.72	313.24	386.19	0.00			0.00	
25-		31707	18	690.70	599.25	782.15	305.98	265.47	346.49	0.00			0.00	
30-		21211	10	573.60	471.70	675.50	254.11	208.96	299.25	0.00			0.00	
35-		18762	6	389.08	299.84	478.33	172.36	132.83	211.90	0.00			0.00	
40-		14586	4	333.65	239.92	427.38	147.81	106.29	189.33	0.00			0.00	
45-		12078	3	302.20	204.17	400.23	133.88	90.45	177.30	0.00			0.00	
50-		10042	1	121.16	53.08	189.23	53.67	23.51	83.83	0.00			0.00	
55-		11730	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
60-		16541	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
65+		137961	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
計		369083	88	290.09	272.71	307.46	128.51	120.81	136.21	0	0.00		0.00	
21岐阜 計														
0-			0	0.00		0.00		0.00				0.00		
5-			0	0.00		0.00		0.00				0.00		
10-			0	0.00		0.00		0.00				0.00		
15-		50035	18	437.69	379.73	495.65	193.90	168.22	219.57	0.00			0.00	
20-		49781	41	1002.06	914.16	1089.96	443.91	404.97	482.85	0.00			0.00	
25-		54294	25	560.22	497.28	623.17	248.18	220.29	276.06	0.00			0.00	
30-		62188	18	352.16	305.52	398.79	156.01	135.35	176.67	0.00			0.00	
35-		74704	18	293.16	254.33	331.98	129.87	112.67	147.07	0.00			0.00	
40-		66892	10	181.89	149.57	214.20	80.58	66.26	94.89	0.00			0.00	
45-		64700	7	131.63	103.68	159.59	58.31	45.93	70.70	0.00			0.00	
50-		63065	4	77.17	55.49	98.85	34.19	24.58	43.79	0.00			0.00	
55-		72452	3	50.38	34.03	66.72	22.32	15.08	29.56	0.00			0.00	
60-		85388	0	0.00		0.00	0.00	0.00	0.00	0.00			0.00	
65+		280865	1	4.33	1.90	6.77	1.92	0.84	3.00	0.00			0.00	
計		924364	145	190.85	181.95	199.76	84.55	80.60	88.49	0	0.00		0.00	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	人口	全STD(件数)				梅毒					
			報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)	
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間
28兵庫 男	0-											
配偶あり	5-											
	10-											
	15-	452	0	0.00		0.00			0	0.00		0.00
	20-	7787	4	624.97	449.43	800.52	565.60	406.73	0	0.00		0.00
	25-	40775	9	268.55	218.25	318.84	243.03	197.52	0	0.00		0.00
	30-	89079	18	245.85	213.29	278.41	222.49	193.03	0	0.00		0.00
	35-	134401	31	280.63	252.31	308.95	253.97	228.34	0	0.00		0.00
	40-	129969	41	383.81	350.13	417.49	347.35	316.87	0	0.00		0.00
	45-	125414	28	271.63	242.79	300.48	245.83	219.73	2	19.40	11.69	27.11
	50-	120120	13	131.67	111.15	152.19	119.16	100.59	0	0.00		0.00
	55-	139037	15	131.26	112.22	150.30	118.79	101.56	0	0.00		0.00
	60-	175059	2	13.90	8.38	19.42	12.58	7.58	0	0.00		0.00
	65+	441983	12	33.03	27.67	38.39	29.89	25.05	2	5.51	3.32	7.69
計		1404076	173	149.91	143.50	156.31	135.67	129.87	4	3.47	2.49	4.44
28兵庫 男	0-											
配偶なし	5-											
	10-											
	15-	134600	27	244.06	217.67	270.45	220.87	196.99	0	0.00		0.00
	20-	123579	57	561.18	519.42	602.94	507.87	470.08	0	0.00		0.00
	25-	103238	59	695.32	644.47	746.17	629.26	583.24	1	11.79	5.16	18.41
	30-	78518	32	495.85	446.61	545.10	448.75	404.18	0	0.00		0.00
	35-	74623	27	440.21	392.62	487.81	398.39	355.32	0	0.00		0.00
	40-	56233	14	302.91	257.42	348.39	274.13	232.97	0	0.00		0.00
	45-	43268	6	168.72	130.02	207.42	152.69	117.66	0	0.00		0.00
	50-	35249	2	69.03	41.60	96.46	62.47	37.65	0	0.00		0.00
	55-	36986	0	0.00		0.00			0	0.00		0.00
	60-	39498	0	0.00		0.00			0	0.00		0.00
	65+	96747	1	12.58	5.51	19.64	11.38	4.99	0	0.00		0.00
計		822539	225	332.81	320.35	345.28	301.19	289.91	1	1.48	0.65	2.31
28兵庫 男	0-											
計	5-											
	10-											
	15-	135052	27	243.24	216.94	269.54	220.13	196.33	0	0.00		0.00
	20-	131366	61	564.96	524.32	605.60	511.29	474.51	0	0.00		0.00
	25-	144013	68	574.49	535.35	613.62	519.91	484.49	1	8.45	3.70	13.20
	30-	167597	50	362.97	334.13	391.81	328.49	302.39	0	0.00		0.00
	35-	209024	58	337.60	312.70	362.51	305.53	282.99	0	0.00		0.00
	40-	186202	55	359.38	332.15	386.60	325.24	300.60	0	0.00		0.00
	45-	168682	34	245.23	221.60	268.86	221.94	200.55	2	14.43	8.69	20.16
	50-	155369	15	117.46	100.42	134.50	106.30	90.88	0	0.00		0.00
	55-	176023	15	103.68	88.64	118.72	93.83	80.22	0	0.00		0.00
	60-	214557	2	11.34	6.83	15.85	10.26	6.19	0	0.00		0.00
	65+	538730	13	29.36	24.78	33.93	26.57	22.43	2	4.52	2.72	6.31
計		2226615	398	217.48	211.35	223.60	196.81	191.27	5	2.73	2.05	3.42

地域	年齢	人口	全STD(件数)				梅毒					
			報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)	
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間
28兵庫 女	0-											
配偶あり	5-											
	10-											
	15-	765	1	1590.41	697.32	2483.51	1439.32	631.08	0	0.00		0.00
	20-	12183	12	1198.39	1004.10	1392.69	1084.54	908.71	0	0.00		0.00
	25-	54571	27	601.97	536.89	667.05	544.78	485.88	0	0.00		0.00
	30-	107800	32	361.16	325.29	397.03	326.85	294.39	0	0.00		0.00
	35-	152926	15	119.34	102.03	136.65	108.00	92.33	0	0.00		0.00
	40-	142743	17	144.90	125.15	164.65	131.13	113.26	0	0.00		0.00
	45-	135954	11	98.44	81.76	115.12	89.09	74.00	0	0.00		0.00
	50-	131308	10	92.66	76.19	109.12	83.86	68.96	0	0.00		0.00
	55-	149380	6	48.87	37.66	60.08	44.23	34.08	0	0.00		0.00
	60-	174861	4	27.83	20.01	35.65	25.19	18.11	0	0.00		0.00
	65+	350540	9	31.24	25.39	37.09	28.27	22.97	0	0.00		0.00
計		1413031	144	123.99	118.18	129.79	112.21	106.96	0	0.00		0.00
28兵庫 女	0-											
配偶なし	5-											
	10-											
	15-	131141	68	630.87	587.90	673.85	570.94	532.05	0	0.00		0.00
	20-	126015	113	1091.01	1033.36	1148.65	987.36	935.19	0	0.00		0.00
	25-	97010	77	965.71	903.89	1027.52	873.97	818.02	0	0.00		0.00
	30-	70082	34	590.26	533.39	647.13	534.19	482.72	0	0.00		0.00
	35-	65073	18	336.55	291.98	381.11	304.57	264.24	0	0.00		0.00
	40-	52049	7	163.63	128.88	198.38	148.08	116.63	0	0.00		0.00
	45-	42658	3	85.56	57.81	113.32	77.44	52.31	0	0.00		0.00
	50-	35138	3	103.88	70.18	137.57	94.01	63.51	0	0.00		0.00
	55-	38512	0	0.00		0.00			0	0.00		0.00
	60-	54185	0	0.00		0.00			0	0.00		0.00
	65+	364349	7	23.38	18.41	28.34	21.15	16.66	0	0.00		0.00
計		1076212	330	373.07	361.53	384.61	337.63	327.18	0	0.00		0.00
28兵庫 女	0-											
計	5-											
	10-											
	15-	131906	69	636.44	593.40	679.48	575.98	537.02	0	0.00		0.00
	20-	138198	125	1100.47	1045.19	1155.76	995.93	945.90	0	0.00		0.00
	25-	151581	104	834.76	788.78	880.74	755.46	713.84	0	0.00		0.00
	30-	177882	66	451.42	420.21	482.64	408.54	380.29	0	0.00		0.00
	35-	217999	33	184.18	166.16	202.19	166.68	150.38	0	0.00		0.00
	40-	194792	24	149.90	132.71	167.10	135.66	120.10	0	0.00		0.00
	45-	178612	14	95.36	81.04	109.69	86.31	73.34	0	0.00		0.00
	50-	166446	13	95.03	80.22	109.83	86.00	72.60	0	0.00		0.00
	55-	187892	6	38.85	29.94	47.76	35.16	27.10	0	0.00		0.00
	60-	229046	4	21.25	15.28	27.22	19.23	13.83	0	0.00		0.00
	65+	714889	16	27.23	23.41	31.06	24.84	21.18	0	0.00		0.00
計		2489243	474	231.68	225.70	237.66	209.67	204.26	0	0.00		0.00

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	人口	全STD(件数)								梅毒							
			報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)					
			推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間				
36 徳島	0-																	
男	5-																	
配偶あり	10-																	
	15-	57	0	0.00			0.00			0	0.00			0.00				
	20-	1082	0	0.00			0.00			0	0.00			0.00				
	25-	5586	2	435.61	262.56	608.67	432.13	260.46	603.80	0	0.00			0.00				
	30-	11617	5	523.66	392.09	655.22	519.47	388.96	649.98	0	0.00			0.00				
	35-	15614	6	467.53	360.30	574.76	463.79	357.42	570.16	0	0.00			0.00				
	40-	14678	6	497.34	383.28	611.41	493.36	380.21	606.52	0	0.00			0.00				
	45-	15773	6	462.82	356.67	568.97	459.11	353.81	564.41	0	0.00			0.00				
	50-	18424	6	396.22	305.34	487.10	393.05	302.90	483.20	0	0.00			0.00				
	55-	22657	4	214.80	154.45	275.14	213.08	153.22	272.94	0	0.00			0.00				
	60-	27050	4	179.91	129.37	230.46	178.47	128.33	228.61	0	0.00			0.00				
	65+	68762	0	0.00			0.00			0	0.00			0.00				
	計	201300	39	235.72	214.51	256.93	233.83	212.79	254.87	0	0.00			0.00				
36 徳島	0-																	
男	5-																	
配偶なし	10-																	
	15-	17815	1	68.29	29.92	106.67	67.75	29.68	105.82	0	0.00			0.00				
	20-	15177	9	721.49	586.39	856.58	715.71	581.70	849.73	0	0.00			0.00				
	25-	13280	11	1007.78	837.11	1178.45	999.72	830.41	1169.02	0	0.00			0.00				
	30-	10285	7	828.07	652.26	1003.87	821.44	647.04	995.84	0	0.00			0.00				
	35-	9094	4	535.15	384.83	685.47	530.87	381.75	679.99	1	133.79	58.61	208.96	132.72	58.15	207.29		
	40-	6886	5	883.43	661.51	1105.36	876.37	656.22	1096.52	0	0.00			0.00				
	45-	5793	2	420.05	253.18	586.92	416.69	251.15	582.22	0	0.00			0.00				
	50-	5590	0	0.00			0.00			0	0.00			0.00				
	55-	6105	0	0.00			0.00			0	0.00			0.00				
	60-	5884	0	0.00			0.00			0	0.00			0.00				
	65+	15770	0	0.00			0.00			0	0.00			0.00				
	計	111679	39	424.88	386.66	463.10	421.48	383.56	459.40	1	10.89	4.77	17.02	10.81	4.73	16.88		
36 徳島	0-																	
男	5-																	
計	10-																	
	15-	17872	1	68.08	29.82	106.33	67.53	29.59	105.48	0	0.00			0.00				
	20-	16259	9	673.47	547.36	799.58	668.09	542.98	793.19	0	0.00			0.00				
	25-	18866	13	838.37	707.76	968.98	831.66	702.09	961.23	0	0.00			0.00				
	30-	21902	12	666.61	558.50	774.71	661.27	554.04	768.51	0	0.00			0.00				
	35-	24708	10	492.42	404.94	579.90	488.48	401.70	575.26	1	49.24	21.57	76.91	48.85	21.40	76.30		
	40-	21564	11	620.63	515.51	725.76	615.67	511.39	719.95	0	0.00			0.00				
	45-	21566	8	451.33	361.68	540.97	447.72	358.79	536.65	0	0.00			0.00				
	50-	24014	6	303.99	234.26	373.72	301.56	232.39	370.73	0	0.00			0.00				
	55-	28762	4	169.20	121.67	216.74	167.85	120.70	215.01	0	0.00			0.00				
	60-	32934	4	147.77	106.26	189.28	146.59	105.41	187.77	0	0.00			0.00				
	65+	84532	0	0.00			0.00			0	0.00			0.00				
	計	312979	78	303.22	283.93	322.50	300.79	281.65	319.92	1	3.89	1.70	6.07	3.86	1.69	6.02		
36 徳島	0-																	
女	5-																	
配偶あり	10-																	
	15-	103	1	11812.30	5207.10	18417.50	11717.80	5165.44	18270.16	0	0.00			0.00				
	20-	1722	1	706.54	309.64	1103.44	700.89	307.16	1094.62	0	0.00			0.00				
	25-	7541	6	968.04	746.06	1190.02	960.30	740.09	1180.50	0	0.00			0.00				
	30-	13701	3	266.40	179.99	352.82	264.27	178.55	350.00	0	0.00			0.00				
	35-	18275	5	332.88	249.24	416.52	330.21	247.24	413.18	0	0.00			0.00				
	40-	16869	7	504.87	397.67	612.07	500.83	394.49	607.18	0	0.00			0.00				
	45-	18112	3	201.52	136.15	266.90	199.91	135.06	264.76	0	0.00			0.00				
	50-	20373	4	238.88	171.77	305.99	236.97	170.40	303.54	0	0.00			0.00				
	55-	23706	2	102.65	61.86	143.43	101.83	61.37	142.28	0	0.00			0.00				
	60-	25243	2	96.40	58.10	134.70	95.63	57.63	133.62	0	0.00			0.00				
	65+	56862	1	21.40	9.37	33.42	21.23	9.30	33.15	0	0.00			0.00				
	計	202507	35	210.28	190.31	230.25	208.60	188.79	228.41	0	0.00			0.00				
36 徳島	0-																	
女	5-																	
配偶なし	10-																	
	15-	16958	5	358.73	268.60	448.86	355.86	266.45	445.27	0	0.00			0.00				
	20-	14939	12	977.31	818.84	1135.77	969.49	812.29	1126.69	0	0.00			0.00				
	25-	11602	9	943.80	767.09	1120.51	936.25	760.96	1111.55	0	0.00			0.00				
	30-	8444	8	1152.69	923.80	1381.59	1143.47	916.41	1370.53	0	0.00			0.00				
	35-	7671	2	317.21	191.19	443.23	314.67	189.66	439.69	0	0.00			0.00				
	40-	6066	1	200.57	87.88	313.27	198.97	87.17	310.76	0	0.00			0.00				
	45-	5246	1	231.92	101.61	362.23	230.07	100.80	359.33	0	0.00			0.00				
	50-	4913	1	247.64	108.50	386.78	245.66	107.63	383.69	0	0.00			0.00				
	55-	5949	0	0.00			0.00			0	0.00			0.00				
	60-	7731	2	314.75	189.71	439.79	312.23	188.19	436.28	0	0.00			0.00				
	65+	63347	3	57.62	38.93	76.31	57.16	38.62	75.70	0	0.00			0.00				
	計	152866	44	350.20	320.54	379.86	347.40	317.97	376.82	0	0.00			0.00				
36 徳島	0-																	
女	5-																	
計	10-																	
	15-	17061	6	427.88	329.74	526.01	424.45	327.10	521.81	0	0.00			0.00				
	20-	16661	13	949.32	801.43	1097.21	941.73	795.02	1088.44	0	0.00			0.00				
	25-	19143	15	953.35	815.09	1091.61	945.72	808.57	1082.88	0	0.00			0.00				
	30-	22145	11	604.35	501.98	706.72	599.52	497.97	701.06	0	0.00			0.00				
	35-	25946	7	328.25	258.54	397.95	325.62	256.47	394.77	0	0.00			0.00				
	40-	22935	8	424.39	340.09	508.68	420.99	337.37	504.62	0	0.00			0.00				
	45-	23358	4	208.35	149.82	266.88	206.68	148.62	264.75	0	0.00			0.00				
	50-	25286	5	240.58	180.13	301.03	238.66	178.69	298.62	0	0.00			0.00				
	55-	29655	2	82.05	49.45	114.66	81.40	49.06	113.74	0	0.00			0.00				
	60-	32974																

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎												
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)										
			推定値	95%信頼区間	推定値	95%信頼区間		推定値	95%信頼区間	推定値	95%信頼区間									
99全国	0-																			
男	5-																			
配偶あり	10-																			
	15-	0	0.00		0.00		2	1730.68	1043.51	2417.85	1164.75	702.28	1627.21							
	20-	5	220.14	164.82	275.45	148.15	110.93	185.38	10	440.28	362.06	518.50	296.31	243.67	348.95					
	25-	6	48.67	37.51	59.84	32.76	25.24	40.27	17	137.90	119.11	156.70	92.81	80.16	105.46					
	30-	11	41.64	34.58	48.69	28.02	23.27	32.77	18	68.13	59.11	77.16	45.85	39.78	51.93					
	35-	21	54.26	47.61	60.92	36.52	32.04	41.00	27	69.77	62.22	77.31	46.95	41.88	52.03					
	40-	18	48.01	41.65	54.36	32.31	28.03	36.59	23	61.34	54.15	68.53	41.28	36.45	46.12					
	45-	16	43.69	37.55	49.82	29.40	25.27	33.53	14	38.23	32.48	43.97	25.73	21.86	29.59					
	50-	8	21.73	17.42	26.05	14.63	11.72	17.53	9	24.45	19.87	29.03	16.46	13.37	19.54					
	55-	11	25.15	20.89	29.41	16.93	14.06	19.80	13	29.72	25.09	34.36	20.00	16.89	23.12					
	60-	2	3.74	2.26	5.23	2.52	1.52	3.52	4	7.48	5.38	9.59	5.04	3.62	6.45					
	65+	2	1.49	0.90	2.08	1.00	0.60	1.40	4	2.98	2.14	3.81	2.00	1.44	2.57					
	計	100	23.68	22.35	25.01	15.94	15.04	16.83	141	33.39	31.81	34.97	22.47	21.41	23.53					
99全国	0-																			
男	5-																			
配偶なし	10-																			
	15-	24	60.70	53.74	67.67	40.85	36.17	45.54	29	73.35	65.70	81.01	49.37	44.21	54.52					
	20-	54	144.97	133.89	156.06	97.57	90.11	105.03	76	204.04	190.89	217.19	137.32	128.47	146.17					
	25-	46	142.78	130.96	154.61	96.09	88.13	104.05	68	211.07	196.69	225.45	142.05	132.37	151.73					
	30-	19	74.91	65.25	84.56	50.41	43.91	56.91	45	177.41	162.55	192.27	119.40	109.39	129.40					
	35-	24	100.16	88.68	111.65	67.41	59.68	75.14	23	95.99	84.74	107.24	64.60	57.03	72.17					
	40-	11	61.19	50.82	71.55	41.18	34.20	48.15	18	100.12	86.86	113.38	67.38	58.46	76.31					
	45-	3	21.67	14.64	28.71	14.59	9.65	19.32	3	21.67	14.64	28.71	14.59	9.85	19.32					
	50-	2	17.61	10.61	24.61	11.85	7.14	16.56	2	17.61	10.61	24.61	11.85	7.14	16.56					
	55-	1	8.59	3.76	13.41	5.78	2.53	9.03	4	34.35	24.70	44.00	23.12	16.62	29.61					
	60-	2	17.31	10.43	24.18	11.65	7.02	16.27	1	8.65	3.79	13.51	5.82	2.55	9.10					
	65+	0	0.00			0.00			1	3.54	1.55	5.53	2.38	1.04	3.72					
	計	186	73.54	70.51	76.57	49.49	47.45	51.53	270	106.75	103.10	110.40	71.84	69.38	74.30					
99全国	0-																			
男	5-																			
計	10-																			
	15-	24	60.53	53.59	67.47	40.74	36.06	45.41	31	78.18	70.29	86.07	52.62	47.31	57.93					
	20-	59	149.29	138.37	160.22	100.48	93.13	107.83	86	217.62	204.43	230.80	146.46	137.58	155.33					
	25-	52	116.74	107.64	125.83	78.57	72.44	84.69	85	190.82	179.19	202.45	128.42	120.60	136.25					
	30-	30	57.93	51.99	63.88	38.99	34.99	42.99	63	121.66	113.05	130.27	81.88	76.08	87.67					
	35-	45	71.82	65.80	77.83	48.33	44.28	52.38	50	79.80	73.46	86.14	53.70	49.44	57.97					
	40-	29	52.28	46.82	57.73	35.18	31.51	38.85	41	73.91	67.42	80.39	49.74	45.38	54.11					
	45-	19	37.65	32.80	42.50	25.34	22.07	28.60	17	33.69	29.09	38.28	22.67	19.58	25.76					
	50-	10	20.76	17.07	24.45	13.97	11.49	16.46	11	22.84	18.97	26.71	15.37	12.77	17.97					
	55-	12	21.67	18.15	25.18	14.58	12.22	16.95	17	30.70	26.51	34.88	20.66	17.84	23.47					
	60-	4	6.15	4.42	7.88	4.14	2.98	5.31	5	7.69	5.76	9.63	5.18	3.88	6.48					
	65+	2	1.23	0.74	1.72	0.83	0.50	1.16	5	3.08	2.30	3.85	2.07	1.55	2.59					
	計	286	42.36	40.95	43.76	28.51	27.56	29.45	411	60.87	59.18	62.55	40.96	39.83	42.10					

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎												
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)										
			推定値	95%信頼区間	推定値	95%信頼区間		推定値	95%信頼区間	推定値	95%信頼区間									
99全国	0-																			
女	5-																			
配偶あり	10-																			
	15-	1	472.13	206.88	737.37	317.74	139.23	496.25	9	4249.13	3454.64	5043.62	2859.66	2324.97	3394.35					
	20-	2	53.37	32.16	74.57	35.92	21.65	50.19	56	1494.28	1382.15	1606.42	1005.65	930.19	1081.12					
	25-	5	29.91	22.39	37.43	20.13	15.07	25.19	62	370.89	344.43	397.36	249.61	231.80	267.42					
	30-	5	15.76	11.80	19.72	10.61	7.94	13.27	58	182.81	169.32	196.29	123.03	113.95	132.11					
	35-	5	11.38	8.52	14.24	7.66	5.74	9.59	31	70.58	63.46	77.70	47.50	42.71	52.29					
	40-	1	2.43	1.06	3.79	1.63	0.72	2.55	27	65.49	58.41	72.57	44.08	39.31	48.84					
	45-	1	2.51	1.10	3.93	1.69	0.74	2.64	8	20.11	16.12	24.11	13.53	10.85	16.22					
	50-	0	0.00			0.00			5	12.50	9.36	15.64	8.41	6.30	10.53					
	55-	5	10.72	8.03	13.42	7.22	5.40	9.03	1	2.14	0.94	3.35	1.44	0.63	2.25					
	60-	2	3.77	2.27	5.26	2.53	1.53	3.54	1	1.88	0.82	2.94	1.27	0.56	1.98					
	65+	0	0.00			0.00			0	0.00			0.00							
	計	27	6.37	5.68	7.05	4.28	3.82	4.75	258	60.84	58.71	62.96	40.94	39.51	42.37					
99全国	0-																			
女	5-																			
配偶なし	10-																			
	15-	22	58.72	51.68	65.75	39.52	34.78	44.25	121	322.94	306.44	339.43	217.34	206.24	228.44					
	20-	15	42.81	36.60	49.02	28.81	24.63	32.99	187	533.68	511.76	555.61	359.17	344.41	373.93					
	25-	10	36.76	30.23	43.29	24.74	20.34	29.13	100	367.58	346.93	388.24	247.38	233.49	261.28					
	30-	8	41.49	33.25	49.73	27.92	22.37	33.47	43	222.99	203.89	242.10	150.08	137.22	162.93					
	35-	2	11.43	6.89	15.98	7.69	4.64													

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎										
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
03岩手 男 配偶あり	0-																	
	5-																	
	10-																	
	15-	0	0.00			0.00		1	13518.52	5964.59	21072.45	12220.74	5391.99	19049.50				
	20-	0	0.00			0.00		1	553.28	242.46	864.11	500.17	219.18	781.15				
	25-	0	0.00			0.00		1	120.25	52.68	187.81	108.70	47.62	169.78				
	30-	2	127.39	76.78	178.01	115.16	69.41	160.92	0	0.00			0.00					
	35-	2	97.62	58.83	136.40	88.25	53.18	123.31	3	146.43	98.93	193.93	132.37	89.43	175.31			
	40-	1	49.44	21.66	77.23	44.70	19.58	69.81	0	0.00			0.00					
	45-	2	86.97	52.42	121.53	78.82	47.38	109.86	2	86.97	52.42	121.53	78.82	47.38	109.86			
	50-	0	0.00			0.00			0	0.00			0.00					
	55-	1	31.63	13.86	49.40	28.59	12.53	44.66	0	0.00			0.00					
	60-	0	0.00			0.00			2	58.77	35.42	82.12	53.13	32.02	74.23			
	65+	0	0.00			0.00			0	0.00			0.00					
	計	8	28.52	22.86	34.19	25.79	20.66	30.91	10	35.65	29.32	41.99	32.23	26.50	37.96			
	03岩手 男 配偶なし	0-																
		5-																
10-																		
15-		0	0.00			0.00		1	37.16	16.28	58.04	33.59	14.72	52.46				
20-		3	148.86	100.57	197.15	134.57	90.91	178.22	7	347.34	273.58	421.09	313.99	247.31	380.67			
25-		3	170.54	115.21	225.86	154.17	104.15	204.18	10	568.46	467.47	669.44	513.88	422.59	605.18			
30-		0	0.00			0.00			2	132.50	79.86	185.14	119.78	72.19	167.37			
35-		3	216.30	146.13	286.46	195.53	132.10	258.96	2	144.20	86.91	201.49	130.35	78.56	182.15			
40-		2	176.78	106.54	247.01	159.81	96.31	223.30	2	176.78	106.54	247.01	159.81	96.31	223.30			
45-		0	0.00			0.00			0	0.00			0.00					
50-		0	0.00			0.00			1	100.94	44.22	157.66	91.25	39.98	142.53			
55-		0	0.00			0.00			1	101.75	44.58	158.93	91.99	40.30	143.67			
60-		0	0.00			0.00			0	0.00			0.00					
65+		0	0.00			0.00			0	0.00			0.00					
計		11	67.39	55.98	78.81	60.92	50.60	71.25	26	159.30	141.74	176.85	144.00	128.14	159.87			
03岩手 男 計		0-																
		5-																
	10-																	
	15-	0	0.00			0.00		2	74.11	44.66	103.56	67.00	40.38	93.61				
	20-	3	136.61	92.29	180.92	123.49	83.43	163.55	8	364.29	291.92	436.65	329.31	263.90	394.73			
	25-	3	115.80	78.23	153.36	104.68	70.72	138.64	11	424.58	352.66	496.51	383.82	318.81	448.84			
	30-	2	64.95	39.14	90.75	58.71	35.38	82.04	2	64.95	39.14	90.75	58.71	35.38	82.04			
	35-	5	145.53	108.96	182.10	131.56	98.50	164.61	5	145.53	108.96	182.10	131.56	98.50	164.61			
	40-	3	95.12	64.26	125.98	85.99	58.09	113.89	2	63.41	38.22	88.61	57.33	34.55	80.10			
	45-	2	59.87	36.08	83.66	54.12	32.62	75.63	2	59.87	36.08	83.66	54.12	32.62	75.63			
	50-	0	0.00			0.00			1	27.71	12.14	43.28	25.05	10.98	39.13			
	55-	1	24.13	10.57	37.69	21.81	9.56	34.07	1	24.13	10.57	37.69	21.81	9.56	34.07			
	60-	0	0.00			0.00			2	47.82	28.82	66.82	43.23	26.05	60.41			
	65+	0	0.00			0.00			0	0.00			0.00					
	計	19	42.82	37.30	48.34	38.71	33.72	43.70	36	81.14	73.54	88.74	73.35	66.48	80.22			
	03岩手 女 配偶あり	0-																
		5-																
10-																		
15-		0	0.00			0.00		1	6873.82	3022.25	10725.40	6213.94	2732.11	9695.76				
20-		0	0.00			0.00		7	2485.17	1957.90	3012.44	2246.59	1769.94	2723.24				
25-		1	91.64	40.15	143.13	82.84	36.29	129.39	3	274.91	185.73	364.09	248.52	167.90	329.14			
30-		0	0.00			0.00			5	268.79	201.25	336.33	242.99	181.93	304.04			
35-		0	0.00			0.00			2	86.75	52.28	121.22	78.42	47.27	109.58			
40-		0	0.00			0.00			1	42.65	18.69	66.62	38.56	16.89	60.22			
45-		0	0.00			0.00			1	38.26	16.76	59.76	34.59	15.15	54.02			
50-		0	0.00			0.00			0	0.00			0.00					
55-		0	0.00			0.00			0	0.00			0.00					
60-		0	0.00			0.00			0	0.00			0.00					
65+		0	0.00			0.00			0	0.00			0.00					
計		1	3.53	1.55	5.52	3.19	1.40	4.99	20	70.65	61.77	79.52	63.86	55.84	71.89			
03岩手 女 配偶なし		0-																
		5-																
	10-																	
	15-	0	0.00			0.00		8	309.56	248.07	371.06	279.85	224.26	335.44				
	20-	2	103.30	62.25	144.34	93.38	56.28	130.48	15	774.72	662.35	887.08	700.34	598.77	801.92			
	25-	0	0.00			0.00			6	407.55	314.07	501.02	368.42	283.92	452.93			
	30-	0	0.00			0.00			2	174.63	105.25	244.02	157.87	95.15	220.59			
	35-	0	0.00			0.00			4	395.12	284.12	506.11	357.19	256.85	457.52			
	40-	0	0.00			0.00			1	117.35	51.41	183.28	106.08	46.48	165.69			
	45-	0	0.00			0.00			0	0.00			0.00					
	50-	0	0.00			0.00			0	0.00			0.00					
	55-	0	0.00			0.00			0	0.00			0.00					
	60-	0	0.00			0.00			0	0.00			0.00					
	65+	0	0.00			0.00			0	0.00			0.00					
	計	2	9.29	5.60	12.98	8.40	5.06	11.74	36	167.25	151.58	182.91	151.19	137.03	165.35			
	03岩手 女 計	0-																
		5-																
10-																		
15-		0	0.00			0.00		9	346.31	281.45	411.17	313.06	254.43	371.70				
20-		2	90.18	54.35	126.01	81.52	49.13	113.91	22	991.95	873.16	1110.73	896.72	789.34	1004.10			
25-		1	39.01	17.09	60.93	35.26	15.45	55.08	9	351.09	285.33	416.84	317.38	257.94	376.82			
30-		0	0.00			0.00			7	232.91	183.45	282.37	210.55	165.84	255.27			
35-		0	0.00			0.00			6	180.85	139.36	222.33	163.48	125.98	200.98			
40-		0	0.00			0.00			2	62.56	37.71	87.42	56.56	34.09	79.03			
45-		0	0.00			0.00			1	29.81	13.06	46.55	26.94	11.80	42.08			
50-		0	0.00			0.00			0	0.00			0.00					
55-		0	0.00			0.00			0	0.00			0.00					
60-		0	0.00			0.00			0	0.00			0.00					
65+		0	0.00			0.00			0	0.00			0.00					
計		3	6.02	4.07	7.97	5.44	3.68	7.21	56	112.37	103.93	120.81	101.58	93.96	109.21			

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
08茨城 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			1	251.01	109.98	392.05	126.76	55.54	197.98
	25-	1	50.85	22.28	79.43	25.68	11.25	40.11	4	203.41	146.27	260.56	102.72	73.87	131.58
	30-	2	50.59	30.49	70.69	25.55	15.40	35.70	1	25.30	11.08	39.51	12.77	5.60	19.95
	35-	2	35.78	21.56	50.00	18.07	10.89	25.25	5	69.45	66.97	111.93	45.17	33.82	56.52
	40-	3	55.86	37.74	73.99	28.21	19.06	37.36	5	93.11	69.71	116.50	47.02	35.20	58.83
	45-	3	56.07	37.88	74.26	28.31	19.13	37.50	4	74.76	53.75	95.76	37.75	27.15	48.36
	50-	3	51.63	34.88	68.38	26.07	17.61	34.53	3	51.63	34.88	68.38	26.07	17.61	34.53
	55-	2	28.02	16.88	39.15	14.15	8.53	19.77	3	42.03	28.39	55.66	21.22	14.34	28.11
	60-	1	12.39	5.43	19.35	6.26	2.74	9.77	0	0.00			0.00		
65+	0	0.00			0.00			1	5.10	2.23	7.96	2.57	1.13	4.02	
計	17	26.86	23.20	30.52	13.57	11.72	15.41	27	42.66	38.05	47.28	21.55	19.22	23.88	
08茨城 男 配偶なし	0-														
	5-														
	10-														
	15-	5	81.41	60.95	101.87	41.11	30.78	51.44	10	162.83	133.89	191.76	82.23	67.62	96.84
	20-	7	120.69	95.06	146.32	60.95	48.00	73.89	7	120.69	95.06	146.32	60.95	48.00	73.89
	25-	7	135.86	107.01	164.72	68.61	54.04	83.18	7	135.86	107.01	164.72	68.61	54.04	83.18
	30-	2	48.78	29.40	68.17	24.64	14.85	34.42	13	317.09	267.68	366.51	160.13	135.18	185.09
	35-	10	262.74	216.06	309.43	132.69	109.11	156.26	3	78.82	53.25	104.39	39.81	26.89	52.72
	40-	3	105.00	70.94	139.07	53.03	35.82	70.23	5	175.00	131.03	218.98	88.38	66.17	110.58
	45-	1	45.40	19.89	70.91	22.93	10.04	35.81	0	0.00			0.00		
	50-	1	52.21	22.87	81.55	26.37	11.55	41.18	0	0.00			0.00		
	55-	0	0.00			0.00			1	51.19	22.43	79.95	25.85	11.33	40.38
	60-	1	57.65	25.26	90.05	29.11	12.75	45.47	1	57.65	25.26	90.05	29.11	12.75	45.47
65+	0	0.00			0.00			1	22.87	10.02	35.72	11.55	5.06	18.04	
計	37	92.42	83.88	100.95	46.67	42.36	50.98	48	119.89	110.17	129.62	60.55	55.64	65.46	
08茨城 男 計	0-														
	5-														
	10-														
	15-	5	81.14	60.75	101.53	40.98	30.68	51.27	10	162.28	133.44	191.11	81.95	67.39	96.51
	20-	7	112.93	88.95	136.92	57.03	44.92	69.14	8	129.07	103.43	154.71	65.18	52.23	78.13
	25-	8	112.38	90.05	134.70	56.75	45.48	68.03	11	154.52	128.34	180.70	78.03	64.81	91.25
	30-	4	49.67	35.72	63.63	25.08	18.04	32.13	14	173.85	147.74	199.95	87.79	74.61	100.98
	35-	12	127.72	107.00	148.43	64.50	54.04	74.96	8	85.15	68.23	102.06	43.00	34.46	51.54
	40-	6	72.93	56.20	89.66	36.83	28.38	45.28	10	121.55	99.95	143.14	61.38	50.47	72.29
	45-	4	52.96	38.08	67.83	26.74	19.23	34.26	4	52.96	38.08	67.83	26.74	19.23	34.26
	50-	4	51.77	37.23	66.32	26.15	18.80	33.49	3	38.83	26.23	51.43	19.61	13.25	25.97
	55-	2	22.00	13.26	30.74	11.11	6.69	15.52	4	43.99	31.63	56.35	22.22	15.98	28.46
	60-	2	20.40	12.29	28.50	10.30	6.21	14.39	1	10.20	4.47	15.93	5.15	2.26	8.04
65+	0	0.00			0.00			2	8.34	5.02	11.65	4.21	2.54	5.88	
計	54	52.26	48.27	56.26	26.39	24.38	28.41	75	72.59	67.88	77.30	36.66	34.28	39.04	
08茨城 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00			0.00			0	0.00			0.00		
	20-	0	0.00			0.00			8	1255.27	1006.02	1504.52	633.91	508.04	759.78
	25-	0	0.00			0.00			9	349.28	283.87	414.70	176.39	143.35	209.42
	30-	2	43.22	26.05	60.40	21.83	13.16	30.50	7	151.29	119.16	183.42	76.40	60.17	92.62
	35-	0	0.00			0.00			3	47.97	32.41	63.53	24.22	16.37	32.08
	40-	0	0.00			0.00			0	0.00			0.00		
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			1	15.86	6.95	24.77	8.01	3.51	12.51
	55-	1	13.36	5.85	20.87	6.75	2.96	10.54	1	13.36	5.85	20.87	6.75	2.96	10.54
	60-	1	12.71	5.57	19.86	6.42	2.81	10.03	0	0.00			0.00		
65+	0	0.00			0.00			0	0.00			0.00			
計	4	6.33	4.55	8.11	3.20	2.30	4.09	29	45.89	41.10	50.68	23.17	20.76	25.59	
08茨城 女 配偶なし	0-														
	5-														
	10-														
	15-	2	35.34	21.30	49.38	17.84	10.75	24.93	13	229.68	193.89	265.48	115.99	97.91	134.06
	20-	3	59.40	40.13	78.67	30.00	20.26	39.73	15	296.98	253.90	340.07	149.98	128.22	171.73
	25-	1	25.51	11.18	39.85	12.88	5.64	20.13	7	178.60	140.67	216.53	90.19	71.04	109.35
	30-	2	72.81	43.88	101.74	36.77	22.16	51.38	5	182.03	136.29	227.77	91.93	68.83	115.03
	35-	0	0.00			0.00			1	41.29	18.09	64.49	20.85	9.13	32.57
	40-	0	0.00			0.00			2	111.07	66.94	155.20	56.09	33.80	78.38
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			2	162.11	97.71	226.52	81.87	49.34	114.39
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
65+	0	0.00			0.00			1	6.91	3.03	10.80	3.49	1.53	5.45	
計	8	18.99	15.22	22.77	9.59	7.69	11.50	46	109.21	100.16	118.26	55.15	50.58	59.72	
08茨城 女 計	0-														
	5-														
	10-														
	15-	2	35.10	21.15	49.05	17.73	10.68	24.77	13	228.16	192.61	263.72	115.22	97.27	133.18
	20-	3	52.74	35.63	69.85	26.63	17.99	35.28	23	404.35	356.99	451.72	204.20	180.28	228.12
	25-	1	15.39	6.74	24.04	7.77	3.41	12.14	16	246.30	211.71	280.90	124.38	106.91	141.86
	30-	4	54.25	39.01	69.49	27.39	19.70	35.09	12	162.74	136.34	189.14	82.18	68.85	95.51
	35-	0	0.00			0.00			4	46.10	33.15	59.06	23.28	16.74	29.82
	40-	0	0.00			0.00			2	26.02	15.68	36.35	13.14	7.92	18.36
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			3	39.79	26.88	52.70	20.09	13.57	26.61
	55-	1	11.12	4.87	17.37	5.62	2.46	8.77	1	11.12	4.87	17.37	5.62	2.46	8.77
	60-	1	10.22	4.48	15.96	5.16	2.26	8.06	0	0.00			0.00		
65+	0	0.00			0.00			1	3.32	1.46	5.19	1.68	0.74	2.62	
計	12	11.39	9.55	13.24	5.75	4.82	6.69	75	71.21	66.59	75.83	35.96	33.63	38.30	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間			
12千葉 男 配偶あり	0-5															
	10-15	0	0.00			0.00		1	3210.20	1408.72	5011.68	1492.74	655.06	2330.43		
	20-25	3	474.27	320.44	628.11	220.54	149.00	292.07	4	632.36	454.74	809.98	294.05	211.46	376.64	
	30-35	3	78.92	53.32	104.53	36.70	24.79	48.60	3	78.92	53.32	104.53	36.70	24.79	48.60	
	40-45	2	23.69	14.28	33.11	11.02	6.64	15.39	5	59.23	44.35	74.11	27.54	20.62	34.46	
	50-55	2	15.90	9.58	22.22	7.39	4.46	10.33	5	39.76	29.77	49.75	18.49	13.84	23.13	
	60-65	2	16.05	9.67	22.42	7.46	4.50	10.43	2	16.05	9.67	22.42	7.46	4.50	10.43	
	65+	0	0.00			0.00			0	0.00			0.00			
	計	15	11.56	9.89	13.24	5.38	4.60	6.16	23	17.73	15.65	19.81	8.24	7.28	9.21	
	12千葉 男 配偶なし	0-5														
		10-15	2	16.74	10.09	23.40	7.79	4.69	10.88	1	8.37	3.67	13.08	3.89	1.71	6.08
		20-25	12	95.50	80.01	110.99	44.41	37.20	51.61	23	183.03	161.59	204.48	85.11	75.14	95.08
		30-35	10	91.42	75.17	107.66	42.51	34.96	50.06	17	155.41	134.23	176.58	72.26	62.42	82.11
		40-45	5	57.80	43.27	72.32	26.87	20.12	33.63	4	46.24	33.25	59.23	21.50	15.46	27.54
		50-55	6	71.54	55.13	87.95	33.26	25.63	40.90	4	47.69	34.29	61.09	22.18	15.95	28.41
60-65		1	15.94	6.98	24.90	7.41	3.25	11.58	1	15.94	6.98	24.90	7.41	3.25	11.58	
65+		1	21.57	9.45	33.69	10.03	4.39	15.67	0	0.00			0.00			
計		39	47.25	43.00	51.50	21.97	20.00	23.95	52	63.00	58.09	67.91	29.30	27.01	31.58	
12千葉 男 計		0-5														
		10-15	2	16.70	10.07	23.34	7.77	4.68	10.85	2	16.70	10.07	23.34	7.77	4.68	10.85
		20-25	15	113.65	97.16	130.14	52.85	45.18	60.51	27	204.57	182.45	226.69	95.12	84.84	105.41
		30-35	13	88.19	74.45	101.94	41.01	34.62	47.40	20	135.68	118.64	152.73	63.09	55.17	71.02
		40-45	7	40.95	32.26	49.65	19.04	15.00	23.09	9	52.65	42.79	62.52	24.48	19.90	29.07
		50-55	8	38.16	30.58	45.74	17.74	14.22	21.27	9	42.93	34.89	50.97	19.96	16.22	23.70
	60-65	3	16.01	10.82	21.21	7.45	5.03	9.86	3	16.01	10.82	21.21	7.45	5.03	9.86	
	65+	1	6.17	2.70	9.64	2.87	1.26	4.48	0	0.00			0.00			
	計	54	25.44	23.50	27.39	11.83	10.93	12.73	75	35.34	33.04	37.63	16.43	15.36	17.50	

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間			
12千葉 女 配偶あり	0-5															
	10-15	1	1687.47	739.91	2635.03	784.67	344.06	1225.29	3	5062.41	3423.48	6701.35	2354.02	1591.92	3116.13	
	20-25	2	182.05	109.72	254.38	84.66	51.02	118.29	20	1820.54	1591.96	2049.12	846.55	740.26	952.84	
	30-35	3	57.33	38.73	75.93	26.66	18.01	35.31	21	401.31	352.11	450.51	186.61	163.73	209.49	
	40-45	0	0.00			0.00			19	186.06	162.07	210.04	86.52	75.36	97.67	
	50-55	4	26.02	20.15	35.89	13.03	9.37	16.69	9	63.05	51.24	74.86	29.32	23.83	34.81	
	60-65	1	7.47	3.27	11.66	3.47	1.52	5.42	9	67.21	54.62	79.80	31.25	25.40	37.11	
	65+	1	8.24	3.61	12.87	3.83	1.68	5.98	4	32.95	23.70	42.21	15.32	11.02	19.63	
	計	13	9.99	8.43	11.54	4.64	3.92	5.37	85	65.30	61.32	69.28	30.36	28.51	32.21	
	12千葉 女 配偶なし	0-5														
		10-15	8	72.24	57.89	86.59	33.59	26.92	40.26	34	307.01	277.43	336.60	142.76	129.01	156.52
		20-25	3	26.78	18.09	35.47	12.45	8.41	16.49	49	437.40	402.29	472.50	203.39	187.07	219.71
		30-35	0	0.00			0.00			19	210.84	183.66	238.01	98.04	85.40	110.68
		40-45	2	31.97	19.26	44.67	14.86	8.96	20.77	11	175.81	146.03	205.60	81.75	67.90	95.60
		50-55	0	0.00			0.00			3	52.79	35.66	69.91	24.55	16.58	32.51
60-65		0	0.00			0.00			1	23.21	10.17	36.24	10.79	4.73	16.85	
65+		1	38.06	16.67	59.45	17.70	7.75	27.64	0	0.00			0.00			
計		14	16.10	13.68	18.52	7.49	6.36	8.61	117	134.53	127.54	141.52	62.56	59.31	65.81	
12千葉 女 計		0-5														
		10-15	9	80.84	65.70	95.98	37.59	30.55	44.63	37	332.32	301.63	363.02	154.53	140.26	168.80
		20-25	5	40.65	30.43	50.86	18.90	14.15	23.65	69	560.92	522.99	598.86	260.83	243.19	278.47
		30-35	3	21.06	14.23	27.89	9.79	6.62	12.97	40	280.81	255.86	305.75	130.58	118.98	142.18
		40-45	2	12.14	7.32	16.97	5.65	3.40	7.89	30	182.16	163.48	200.85	84.71	76.02	93.40
		50-55	4	20.04	14.41	25.67	9.32	6.70	11.94	12	60.13	50.37	69.88	27.96	23.42	32.49
	60-65	1	5.65	2.48	8.82	2.63	1.15	4.10	10	56.50	46.46	68.54	26.27	21.60	30.94	
	65+	1	6.51	2.85	10.16	3.03	1.33	4.73	4	26.03	18.71	33.34	12.10	8.70	15.50	
	計	27	12.43	11.09	13.78	5.78	5.16	6.41	202	93.03	89.35	96.71	43.26	41.55	44.97	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	淋菌性尿道炎・頸管炎				報告数	クラミジア性尿道炎・頸管炎									
			推定値	人口10万対	95%信頼区間	推定値		人口10万対(回収率調整)	95%信頼区間	推定値	人口10万対	95%信頼区間	推定値	人口10万対(回収率調整)	95%信頼区間		
16富山 男 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00		0	0.00		0.00		
	10-15	0	0.00		0.00		0	0.00		0.00		0	0.00		0.00		
	20-25	1	159.48	69.87	249.09	146.72	64.28	229.16	1	159.48	69.87	249.09	146.72	64.28	229.16		
	30-35	0	0.00		0.00				0	0.00		0.00					
	40-45	1	46.74	20.48	73.00	43.00	18.84	67.16	0	0.00		0.00					
	50-55	1	51.64	22.62	80.65	47.51	20.81	74.20	1	51.64	22.62	80.65	47.51	20.81	74.20		
	60-65	0	0.00		0.00				0	0.00		0.00					
	65+	1	40.97	17.95	64.00	37.70	16.51	58.88	0	0.00		0.00					
	計	5	20.83	15.60	26.07	19.17	14.35	23.98	2	8.33	5.02	11.64	7.67	4.62	10.71		
	16富山 男 配偶なし	0-5	0	0.00		0.00				0	0.00		0.00				
		10-15	4	230.02	165.40	294.63	211.61	152.17	271.06	3	172.51	116.55	228.47	158.71	107.23	210.20	
		20-25	1	61.70	27.03	96.37	56.77	24.87	88.66	4	246.81	177.48	316.15	227.07	163.28	290.86	
		30-35	2	146.17	88.10	204.25	134.48	81.05	187.91	1	73.09	32.02	114.15	67.24	29.46	105.02	
		40-45	0	0.00		0.00				1	78.36	34.33	122.40	72.09	31.58	112.60	
50-55		0	0.00		0.00				1	111.01	48.63	173.38	102.13	44.74	159.51		
60-65		0	0.00		0.00				1	148.07	64.87	231.26	136.22	59.68	212.76		
65+		0	0.00		0.00				0	0.00		0.00					
計		7	54.64	43.04	66.25	50.27	39.60	60.95	11	85.87	71.32	100.42	79.00	65.62	92.38		
16富山 男 計		0-5	0	0.00		0.00				0	0.00		0.00				
		10-15	4	218.20	156.90	279.50	200.74	144.35	257.14	3	163.65	110.56	216.74	150.56	101.72	199.40	
		20-25	2	88.98	53.63	124.33	81.86	49.34	114.39	5	222.45	166.55	278.35	204.65	153.23	256.08	
		30-35	2	71.99	43.39	100.59	66.23	39.92	92.55	1	35.99	15.77	56.22	33.12	14.51	51.72	
		40-45	1	29.28	12.83	45.73	26.94	11.80	42.07	1	29.28	12.83	45.73	26.94	11.80	42.07	
	50-55	1	35.24	15.44	55.05	32.42	14.20	50.64	2	70.49	42.48	98.49	64.85	39.08	90.61		
	60-65	0	0.00		0.00				1	38.61	16.91	60.30	35.52	15.56	55.48		
	65+	1	33.02	14.47	51.58	30.38	13.31	47.45	0	0.00		0.00					
	計	12	32.60	27.31	37.89	29.99	25.13	34.86	13	35.32	29.81	40.82	32.49	27.43	37.55		
	16富山 女 配偶あり	0-5	0	0.00		0.00				2	27969.35	16984.67	38954.03	25731.80	15625.89	35837.71	
		10-15	0	0.00		0.00				3	1773.57	1198.60	2348.53	1631.88	1102.71	2160.65	
		20-25	0	0.00		0.00				4	468.40	336.82	599.97	430.93	309.88	551.98	
		30-35	0	0.00		0.00				5	298.70	223.65	373.75	274.80	205.76	343.85	
		40-45	0	0.00		0.00				2	82.71	49.85	115.57	76.09	45.86	106.33	
50-55		0	0.00		0.00				2	91.44	55.11	127.77	84.13	50.70	117.55		
60-65		0	0.00		0.00				0	0.00		0.00					
65+		0	0.00		0.00				0	0.00		0.00					
計		0	0.00		0.00				18	75.02	65.09	84.96	69.02	59.88	78.16		
16富山 女 配偶なし		0-5	1	53.00	23.22	82.78	48.76	21.36	76.16	8	424.00	339.78	508.22	390.08	312.60	467.56	
		10-15	1	62.85	27.53	98.17	57.82	25.33	90.31	14	879.91	747.82	1012.01	809.52	687.99	931.05	
		20-25	2	157.69	95.04	220.34	145.08	87.44	202.72	9	709.61	576.74	842.49	652.84	530.60	775.09	
		30-35	0	0.00		0.00				4	427.01	307.06	546.96	392.85	282.50	503.21	
		40-45	0	0.00		0.00				0	0.00		0.00				
	50-55	0	0.00		0.00				0	0.00		0.00					
	60-65	0	0.00		0.00				0	0.00		0.00					
	65+	0	0.00		0.00				0	0.00		0.00					
	計	4	24.19	17.39	30.99	22.25	16.00	28.51	35	211.66	191.56	231.76	194.73	176.23	213.22		
	16富山 女 計	0-5	1	52.80	23.13	82.47	48.58	21.28	75.87	10	528.00	434.20	621.80	485.76	399.46	572.06	
		10-15	1	56.81	24.89	88.73	52.27	22.90	81.63	17	965.79	834.22	1097.36	888.53	767.48	1009.57	
		20-25	2	94.24	56.80	131.68	86.70	52.25	121.15	13	612.55	517.11	707.99	563.55	475.74	651.35	
		30-35	0	0.00		0.00				9	344.74	280.18	409.30	317.16	257.76	376.56	
		40-45	0	0.00		0.00				2	61.13	36.84	85.41	56.24	33.89	78.58	
50-55		0	0.00		0.00				2	71.59	43.15	100.04	65.86	39.70	92.03		
60-65		0	0.00		0.00				0	0.00		0.00					
65+		0	0.00		0.00				0	0.00		0.00					
計		4	9.87	7.10	12.64	9.08	6.53	11.63	53	130.77	120.68	140.86	120.31	111.02	129.59		

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
21岐阜 男 配偶あり	0-5														
	5-10	0	0.00			0.00		0	0.00			0.00			
	10-15	1	422.89	185.31	660.48	187.34	82.09	292.59	1	422.89	185.31	660.48	187.34	82.09	292.59
	15-20	0	0.00			0.00			2	154.96	93.39	216.53	68.65	41.37	95.92
	20-25	3	108.40	73.23	143.56	48.02	32.44	63.60	4	144.53	103.92	185.13	64.03	46.04	82.01
	25-30	4	99.64	71.65	127.64	44.14	31.74	56.54	3	74.73	50.49	98.98	33.11	22.37	43.85
	30-35	3	78.64	53.13	104.15	34.84	23.54	46.14	1	26.21	11.48	40.94	11.61	5.09	18.14
	35-40	4	102.80	73.92	131.68	45.54	32.75	58.33	1	25.70	11.26	40.14	11.39	4.99	17.78
	40-45	3	76.17	51.46	100.87	33.74	22.80	44.69	2	50.78	30.60	70.95	22.49	13.56	31.43
	45-50	0	0.00			0.00			2	43.15	26.01	60.30	19.12	11.52	26.71
	50-55	0	0.00			0.00			0	0.00			0.00		
	55-60	0	0.00			0.00			0	0.00			0.00		
	60-65+	0	0.00			0.00			0	0.00			0.00		
計	18	39.73	34.47	44.99	17.60	15.27	19.93	16	35.31	30.35	40.27	15.64	13.45	17.84	
21岐阜 男 配偶なし	0-5														
	5-10	6	142.05	109.47	174.64	62.93	48.49	77.37	8	189.40	151.78	227.03	83.91	67.24	100.57
	10-15	3	80.58	54.44	106.72	35.70	24.12	47.28	10	268.60	220.88	316.33	118.99	97.95	140.13
	15-20	2	63.12	38.04	88.20	27.96	16.85	39.07	7	220.93	174.01	267.84	97.87	77.09	118.65
	20-25	1	41.02	17.97	64.07	18.17	7.96	28.38	4	164.08	117.98	210.18	72.69	52.27	93.11
	25-30	1	44.98	19.70	70.25	19.92	8.73	31.12	1	44.98	19.70	70.25	19.92	8.73	31.12
	30-35	0	0.00			0.00			1	61.41	26.91	95.92	27.21	11.92	42.49
	35-40	0	0.00			0.00			1	79.72	34.93	124.51	35.32	15.47	55.16
	40-45	0	0.00			0.00			0	0.00			0.00		
	45-50	0	0.00			0.00			1	101.94	44.66	159.22	45.16	19.78	70.53
	50-55	0	0.00			0.00			0	0.00			0.00		
	55-60	0	0.00			0.00			0	0.00			0.00		
	60-65+	0	0.00			0.00			0	0.00			0.00		
計	13	53.18	44.89	61.46	23.56	19.89	27.23	33	134.98	121.78	148.19	59.80	53.95	65.65	
21岐阜 男 計	31	44.44	39.96	48.93	19.69	17.70	21.67	49	70.25	64.61	75.88	31.12	28.62	33.62	
21岐阜 女 配偶あり	0-5														
	5-10	0	0.00			0.00			1	4591.19	2016.21	7166.18	2033.90	893.18	3174.62
	10-15	0	0.00			0.00			8	1913.75	1533.85	2293.65	847.79	679.50	1016.09
	15-20	0	0.00			0.00			5	269.33	201.66	337.00	119.31	89.33	149.29
	20-25	1	29.69	13.01	46.38	13.15	5.76	20.54	5	148.46	111.15	185.76	65.77	49.24	82.29
	25-30	1	21.75	9.53	33.97	9.63	4.22	15.05	5	108.74	81.42	136.07	48.17	36.07	60.28
	30-35	0	0.00			0.00			1	23.26	10.19	36.33	10.30	4.51	16.09
	35-40	0	0.00			0.00			1	23.12	10.13	36.11	10.24	4.49	16.00
	40-45	0	0.00			0.00			0	0.00			0.00		
	45-50	1	20.04	8.78	31.30	8.88	3.89	13.86	0	0.00			0.00		
	50-55	0	0.00			0.00			0	0.00			0.00		
	55-60	0	0.00			0.00			0	0.00			0.00		
	60-65+	0	0.00			0.00			0	0.00			0.00		
計	3	6.57	4.44	8.71	2.91	1.97	3.86	26	56.97	50.69	63.25	25.24	22.46	28.02	
21岐阜 女 配偶なし	0-5														
	5-10	2	48.89	29.47	68.32	21.66	13.05	30.26	9	220.01	178.81	261.22	97.47	79.21	115.72
	10-15	1	27.22	11.93	42.52	12.06	5.28	18.84	18	489.99	425.10	554.87	217.06	188.32	245.81
	15-20	2	76.74	46.25	107.24	34.00	20.49	47.51	8	306.98	246.00	367.96	135.99	108.98	163.00
	20-25	2	114.72	69.14	160.30	50.82	30.63	71.01	4	229.44	164.98	293.90	101.64	73.09	130.20
	25-30	1	64.85	28.41	101.29	28.73	12.59	44.87	2	129.69	78.17	181.22	57.45	34.63	80.28
	30-35	0	0.00			0.00			0	0.00			0.00		
	35-40	1	100.73	44.13	157.34	44.63	19.55	69.70	0	0.00			0.00		
	40-45	0	0.00			0.00			1	121.16	53.08	189.23	53.67	23.51	83.83
	45-50	0	0.00			0.00			0	0.00			0.00		
	50-55	0	0.00			0.00			0	0.00			0.00		
	55-60	0	0.00			0.00			0	0.00			0.00		
	60-65+	0	0.00			0.00			0	0.00			0.00		
計	9	29.67	24.11	35.23	13.14	10.68	15.60	42	138.45	126.45	150.46	61.33	56.02	66.65	
21岐阜 女 計	12	15.79	13.23	18.36	7.00	5.86	8.13	68	89.50	83.40	95.60	39.65	36.95	42.35	