

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎										
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
28兵庫 男 配偶あり	0-5																	
	10-15	0	0.00			0.00		0	0.00			0.00						
	20-25	1	156.24	68.45	244.03	141.40	61.95	220.85	3	468.73	316.69	620.77	424.20	286.61	561.79			
	25-30	1	29.84	13.07	46.61	27.00	11.83	42.18	6	179.03	137.96	220.10	162.02	124.86	199.19			
	30-35	2	27.32	16.46	38.17	24.72	14.90	34.54	7	95.61	75.30	115.91	86.53	68.15	104.90			
	35-40	10	90.53	74.44	106.61	81.93	67.37	96.48	8	72.42	58.03	86.81	65.54	52.52	78.56			
	40-45	8	74.89	60.01	89.77	67.78	54.31	81.24	13	121.70	102.73	140.66	110.13	92.97	127.30			
	45-50	7	67.91	53.49	82.33	61.46	48.40	74.51	7	67.91	53.49	82.33	61.46	48.40	74.51			
	50-55	2	20.26	12.21	28.31	18.33	11.05	25.62	3	30.39	20.53	40.24	27.50	18.58	36.42			
	55-60	6	52.50	40.46	64.55	47.52	36.62	58.42	6	52.50	40.46	64.55	47.52	36.62	58.42			
	60-65+	0	0.00			0.00			1	6.95	3.04	10.86	6.29	2.76	9.82			
	計	37	32.06	29.10	35.02	29.02	26.34	31.70	55	47.66	44.05	51.27	43.13	39.86	46.40			
	28兵庫 男 配偶なし	0-5																
		10-15	11	99.43	82.59	116.28	89.98	74.74	105.23	9	81.35	66.12	96.59	73.62	59.83	87.41		
15-20		24	236.29	209.19	263.39	213.84	189.31	238.36	20	196.91	172.17	221.64	178.20	155.81	200.59			
20-25		19	223.92	195.05	252.78	202.64	176.52	228.77	21	247.49	217.14	277.83	223.98	196.51	251.44			
25-30		8	123.96	99.34	148.59	112.19	89.90	134.47	19	294.41	256.46	332.36	266.44	232.10	300.79			
30-35		4	65.22	46.89	83.54	59.02	42.44	75.60	10	163.04	134.07	192.01	147.55	121.34	173.77			
35-40		4	86.54	62.23	110.86	78.32	56.32	100.33	5	108.18	81.00	135.37	97.90	73.30	122.51			
40-45		1	28.12	12.32	43.92	25.45	11.15	39.75	1	28.12	12.32	43.92	25.45	11.15	39.75			
45-50		1	34.52	15.12	53.91	31.24	13.68	48.79	0	0.00			0.00					
50-55		0	0.00			0.00			0	0.00			0.00					
55-60		0	0.00			0.00			0	0.00			0.00					
60-65+		0	0.00			0.00			0	0.00			0.00					
計		72	106.50	99.45	113.55	96.38	90.00	102.76	85	125.73	118.07	133.39	113.78	106.85	120.72			
28兵庫 男 計		0-5																
	10-15	11	99.10	82.31	115.89	89.68	74.49	104.88	9	81.08	65.89	96.27	73.38	59.63	87.12			
	15-20	25	231.54	205.52	257.56	209.54	186.00	233.09	23	213.02	188.06	237.97	192.78	170.20	215.37			
	20-25	20	168.97	147.74	190.20	152.91	133.70	172.13	27	228.10	203.44	252.77	206.43	184.11	228.76			
	25-30	10	72.59	59.70	85.49	65.70	54.02	77.37	26	188.75	167.95	209.54	170.82	151.99	189.64			
	30-35	14	81.49	69.25	93.73	73.75	62.67	84.82	18	104.77	90.90	118.65	94.82	82.26	107.38			
	35-40	12	78.41	65.69	91.13	70.96	59.45	82.47	18	117.61	102.04	133.19	106.44	92.34	120.54			
	40-45	8	57.70	46.24	69.17	52.22	41.85	62.59	8	57.70	46.24	69.17	52.22	41.85	62.59			
	45-50	3	23.49	15.87	31.11	21.26	14.36	28.16	3	23.49	15.87	31.11	21.26	14.36	28.16			
	50-55	6	41.47	31.96	50.99	37.53	28.92	46.14	6	41.47	31.96	50.99	37.53	28.92	46.14			
	55-60	0	0.00			0.00			1	5.67	2.48	8.86	5.13	2.25	8.02			
	60-65+	0	0.00			0.00			1	2.26	0.99	3.53	2.04	0.90	3.19			
	計	109	59.56	56.35	62.77	53.90	51.00	56.80	140	76.50	72.87	80.13	69.23	65.94	72.52			

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎									
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間				
28兵庫 女 配偶あり	0-5																
	10-15	0	0.00			0.00		1	1590.41	697.32	2483.51	1439.32	631.08	2247.57			
	15-20	0	0.00			0.00		10	998.66	821.28	1176.04	903.79	743.26	1064.32			
	20-25	1	22.30	9.77	34.82	20.18	8.84	31.51	16	356.72	306.62	406.83	322.83	277.49	368.18		
	25-30	2	22.57	13.60	31.54	20.43	12.31	28.55	15	169.29	144.73	193.86	153.21	130.98	175.44		
	30-35	0	0.00			0.00			8	63.65	51.00	76.29	57.60	46.16	69.04		
	35-40	0	0.00			0.00			11	93.76	77.87	109.64	84.85	70.48	99.23		
	40-45	0	0.00			0.00			1	8.95	3.92	13.98	8.10	3.55	12.65		
	45-50	0	0.00			0.00			3	27.80	18.78	36.82	25.16	17.00	33.32		
	50-55	3	24.43	16.51	32.36	22.11	14.94	29.29	0	0.00			0.00				
	55-60	0	0.00			0.00			1	6.96	3.05	10.87	6.30	2.76	9.84		
	60-65+	0	0.00			0.00			0	0.00			0.00				
	計	6	5.17	3.98	6.35	4.68	3.60	5.75	66	56.83	52.90	60.76	51.43	47.87	54.99		
	28兵庫 女 配偶なし	0-5															
10-15		9	83.50	67.86	99.14	75.57	61.41	89.72	46	426.77	391.42	462.12	386.22	354.23	418.22		
15-20		5	48.27	36.14	60.41	43.69	32.71	54.67	70	675.85	630.47	721.22	611.64	570.57	652.71		
20-25		4	50.17	36.07	64.26	45.40	32.65	58.16	50	627.08	577.26	676.90	567.51	522.42	612.60		
25-30		2	34.72	20.93	48.52	31.42	18.94	43.91	15	260.41	222.63	298.19	235.67	201.48	269.86		
30-35		1	18.70	8.19	29.20	16.92	7.41	26.43	9	168.27	136.76	199.79	152.29	123.76	180.81		
35-40		0	0.00			0.00			1	23.38	10.24	36.51	21.15	9.27	33.04		
40-45		0	0.00			0.00			2	57.04	34.38	79.71	51.62	31.11	72.14		
45-50		0	0.00			0.00			0	0.00			0.00				
50-55		0	0.00			0.00			0	0.00			0.00				
55-60		0	0.00			0.00			0	0.00			0.00				
60-65+		0	0.00			0.00			0	0.00			0.00				
計		21	23.74	20.83	26.65	21.49	18.85	24.12	193	218.19	209.36	227.01	197.46	189.47	205.45		
28兵庫 女 計		0-5															
	10-15	9	83.01	67.47	98.56	75.13	61.06	89.20	47	433.52	397.99	469.04	392.33	360.18	424.48		
	15-20	5	44.02	32.96	55.08	39.84	29.83	49.85	80	704.30	660.07	748.54	637.39	597.36	677.43		
	20-25	5	40.13	30.05	50.22	36.32	27.19	45.45	66	529.75	493.12	566.38	479.42	446.27	512.58		
	25-30	4	27.36	19.67	35.05	24.76	17.80	31.72	30	205.19	184.14	226.24	185.70	166.65	204.75		
	30-35	1	5.58	2.44	8.72	5.05	2.21	7.89	17	94.88	81.95	107.81	85.86	74.16	97.57		
	35-40	0	0.00			0.00			12	74.95	62.79	87.11	67.83	56.83	78.83		
	40-45	0	0.00			0.00			3	20.44	13.81	27.06	18.49	12.49	24.49		
	45-50	0	0.00			0.00			3	21.93	14.81	29.04	19.85	13.41	26.28		
	50-55	3	19.43	13.12	25.73	17.58	11.88	23.28	0	0.00			0.00				
	55-60	0	0.00			0.00			1	5.31	2.33	8.30	4.81	2.11	7.51		
	60-65+	0	0.00			0.00			0	0.00			0.00				
	計	27	13.20	11.77	14.62	11.94	10.65	13.23	259	126.59	122.17	131.01	114.57	110.57	118.57		

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
			推定値	95%信頼区間	推定値	95%信頼区間		推定値	95%信頼区間	推定値	95%信頼区間				
36 徳島 男 配偶あり	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	0	0.00		0.00		0	0.00		0.00					
	25-	0	0.00		0.00		0	0.00		0.00					
	30-	0	0.00		0.00		1	104.73	45.88	163.58	103.89	45.52	162.27		
	35-	0	0.00		0.00		3	233.76	157.93	309.60	231.89	156.67	307.12		
	40-	0	0.00		0.00		1	82.89	36.31	129.47	82.23	36.02	128.43		
	45-	0	0.00		0.00		0	0.00		0.00					
	50-	0	0.00		0.00		1	66.04	28.93	103.14	65.51	28.70	102.32		
	55-	0	0.00		0.00		2	107.40	64.73	150.07	106.54	64.21	148.87		
	60-	0	0.00		0.00		0	0.00		0.00					
65+	0	0.00		0.00		0	0.00		0.00						
計	0	0.00		0.00		8	48.35	38.75	57.96	47.97	38.44	57.49			
36 徳島 男 配偶なし	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	80.17	35.12	125.21	79.52	34.84	124.21	6	480.99	370.67	591.31	477.14	367.71	586.58
	25-	4	366.47	263.52	469.41	363.53	261.41	465.66	2	183.23	110.43	256.03	181.77	109.55	253.98
	30-	1	118.30	51.83	184.76	117.35	51.41	183.29	2	236.59	142.59	330.59	234.70	141.45	327.94
	35-	0	0.00		0.00				2	267.58	161.27	373.88	265.44	159.98	370.89
	40-	1	176.89	77.41	275.96	175.27	76.79	273.76	3	530.06	358.14	701.99	525.82	355.27	696.37
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	7	76.26	60.06	92.46	75.65	59.58	91.72	15	163.41	139.71	187.12	162.11	138.59	185.63	
36 徳島 男 計	0-	0	0.00		0.00				0	0.00		0.00			
	5-	0	0.00		0.00				0	0.00		0.00			
	10-	0	0.00		0.00				0	0.00		0.00			
	15-	0	0.00		0.00				0	0.00		0.00			
	20-	1	74.83	32.78	116.88	74.23	32.52	115.94	6	448.98	346.00	551.96	445.39	343.24	547.54
	25-	4	257.96	185.49	330.43	255.90	184.01	327.78	2	128.98	77.73	180.23	127.95	77.11	178.78
	30-	1	55.55	24.34	86.76	55.11	24.14	86.07	3	166.65	112.59	220.71	165.32	111.69	218.95
	35-	0	0.00		0.00				5	246.21	184.34	308.07	244.24	182.87	305.61
	40-	1	56.42	24.72	88.12	55.97	24.52	87.42	4	225.68	162.28	289.09	223.88	160.98	286.77
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				1	50.66	22.20	79.13	50.26	22.02	78.50
	55-	0	0.00		0.00				2	84.60	50.99	118.22	83.93	50.58	117.27
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	7	27.21	21.43	32.99	26.99	21.26	32.73	23	89.41	78.93	99.89	88.69	78.30	99.09	
36 徳島 女 配偶あり	0-	0	0.00		0.00				1	11812.30	5207.10	18417.50	11717.80	5165.44	18270.16
	5-	0	0.00		0.00				0	0.00		0.00			
	10-	0	0.00		0.00				4	645.36	464.09	826.63	640.20	460.38	820.02
	15-	0	0.00		0.00				2	177.60	107.04	248.16	176.18	106.18	246.18
	20-	0	0.00		0.00				2	133.15	80.25	186.05	132.09	79.61	184.56
	25-	0	0.00		0.00				3	216.37	146.18	286.56	214.64	145.01	284.27
	30-	0	0.00		0.00				1	67.17	29.43	104.92	66.64	29.19	104.08
	35-	0	0.00		0.00				1	59.72	26.16	93.28	59.24	25.95	92.53
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	0	0.00		0.00				14	84.11	71.48	96.74	83.44	70.91	95.97	
36 徳島 女 配偶なし	0-	0	0.00		0.00				3	215.24	145.42	285.06	213.52	144.25	282.78
	5-	0	0.00		0.00				6	488.65	376.58	600.73	484.74	373.57	595.92
	10-	1	104.87	45.94	163.79	104.03	45.58	162.48	1	104.87	45.94	163.79	104.03	45.58	162.48
	15-	0	0.00		0.00				2	288.17	173.69	402.66	285.87	172.30	399.44
	20-	0	0.00		0.00				0	0.00		0.00			
	25-	0	0.00		0.00				0	0.00		0.00			
	30-	0	0.00		0.00				0	0.00		0.00			
	35-	0	0.00		0.00				0	0.00		0.00			
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	1	7.96	3.49	12.43	7.90	3.46	12.33	12	95.51	80.02	111.00	94.74	79.38	110.11	
36 徳島 女 計	0-	0	0.00		0.00				4	285.25	205.12	365.38	282.97	203.48	362.46
	5-	0	0.00		0.00				6	438.15	337.66	538.64	434.64	334.95	534.33
	10-	0	0.00		0.00				5	317.78	237.94	397.63	315.24	236.03	394.45
	15-	1	63.56	27.84	99.27	63.05	27.62	98.48	4	219.76	158.03	281.50	218.01	156.76	279.25
	20-	0	0.00		0.00				2	93.78	56.52	131.05	93.03	56.07	130.00
	25-	0	0.00		0.00				3	159.15	107.52	210.77	157.87	106.66	209.09
	30-	0	0.00		0.00				1	52.09	22.82	81.36	51.67	22.64	80.71
	35-	0	0.00		0.00				1	48.12	21.08	75.15	47.73	20.91	74.55
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	1	3.42	1.50	5.35	3.40	1.49	5.30	26	89.01	79.21	98.82	88.30	78.57	98.03	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス									
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間				
99全国 男 配偶あり	0-5																
	10-15	0	0.00			0.00			0	0.00			0.00				
	20-25	1	44.03	19.29	68.77	29.63	12.98	46.28	0	0.00			0.00				
	30-35	6	48.67	37.51	59.84	32.76	25.24	40.27	0	0.00			0.00				
	40-45	17	64.35	55.58	73.12	43.31	37.40	49.21	6	22.71	17.50	27.92	15.28	11.78	18.79		
	50-55	33	85.27	76.93	93.61	57.39	51.78	63.00	11	28.42	23.61	33.24	19.13	15.89	22.37		
	60-65	24	64.01	56.67	71.35	43.08	38.14	48.02	5	13.33	9.98	16.69	8.97	6.72	11.23		
	65+	26	70.99	63.17	78.81	47.78	42.51	53.04	10	27.30	22.45	32.16	18.38	15.11	21.64		
	計	137	32.44	30.88	34.00	21.83	20.78	22.88	55	13.02	12.04	14.01	8.76	8.10	9.43		
	99全国 男 配偶なし	0-5															
		10-15	8	20.23	16.21	24.25	13.62	10.91	16.32	2	5.06	3.05	7.07	3.40	2.05	4.76	
		20-25	32	85.91	77.38	94.44	57.82	52.07	63.56	7	18.79	14.80	22.78	12.65	9.96	15.33	
		30-35	41	127.26	116.10	138.43	85.65	78.13	93.16	12	37.25	31.21	43.29	25.07	21.00	29.13	
40-45		32	126.16	113.63	138.89	84.90	76.47	93.34	9	35.48	28.84	42.13	23.88	19.41	28.35		
50-55		23	95.99	84.74	107.24	64.60	57.03	72.17	7	29.21	23.01	35.42	19.66	15.49	23.84		
60-65		7	38.94	30.67	47.21	26.20	20.64	31.77	4	22.25	16.00	28.50	14.97	10.77	19.18		
65+		8	57.80	46.31	69.28	38.90	31.17	46.62	3	21.67	14.64	28.71	14.59	9.85	19.32		
計		158	62.47	59.67	65.26	42.04	40.16	43.92	46	18.19	16.68	19.69	12.24	11.23	13.25		
99全国 男 計		0-5															
		10-15	8	20.18	16.17	24.18	13.58	10.88	16.28	2	5.04	3.04	7.05	3.39	2.05	4.74	
		20-25	33	83.50	75.34	91.67	56.20	50.70	61.69	7	17.71	13.95	21.47	11.92	9.39	14.45	
		30-35	47	105.51	96.87	114.16	71.01	65.19	76.83	12	26.94	22.57	31.31	18.13	15.19	21.07	
	40-45	49	94.62	87.03	102.22	63.68	58.57	68.79	15	28.97	24.76	33.17	19.49	16.67	22.32		
	50-55	56	89.37	82.66	96.08	60.15	55.63	64.66	18	28.73	24.92	32.53	19.33	16.77	21.89		
	60-65	31	55.88	50.24	61.52	37.61	33.81	41.40	9	16.22	13.19	19.26	10.92	8.87	12.96		
	65+	34	67.37	60.88	73.86	45.34	40.97	49.71	13	25.76	21.74	29.77	17.34	14.63	20.04		
	計	295	43.69	42.26	45.12	29.40	28.44	30.36	101	14.96	14.12	15.79	10.07	9.50	10.63		
	99全国 女 配偶あり	0-5															
		10-15	0	0.00			0.00			1	472.13	206.88	737.37	317.74	139.23	496.25	
		20-25	1	26.68	11.69	41.68	17.96	7.87	28.05	7	186.79	147.12	226.45	125.71	99.01	152.40	
		30-35	2	11.96	7.21	16.72	8.05	4.85	11.25	20	119.64	104.61	134.68	80.52	70.40	90.64	
40-45		4	12.61	9.07	16.15	8.48	6.10	10.87	18	56.73	49.22	64.25	38.18	33.12	43.24		
50-55		5	11.38	8.52	14.24	7.66	5.74	9.59	24	54.64	48.37	60.91	36.77	32.56	40.99		
60-65		3	7.28	4.92	9.64	4.90	3.31	6.49	18	43.66	37.88	49.44	29.38	25.49	33.28		
65+		2	5.03	3.03	7.03	3.38	2.04	4.73	21	52.79	46.32	59.26	35.53	31.17	39.88		
計		17	4.01	3.46	4.55	2.70	2.33	3.07	165	38.91	37.20	40.61	26.18	25.04	27.33		
99全国 女 配偶なし		0-5															
		10-15	6	16.01	12.34	19.69	10.78	8.30	13.25	15	40.03	34.23	45.84	26.94	23.03	30.85	
		20-25	10	28.54	23.47	33.61	19.21	15.79	22.62	41	117.01	106.74	127.28	78.75	71.84	85.66	
		30-35	5	18.38	13.76	23.00	12.37	9.26	15.48	31	113.95	102.45	125.45	76.69	68.95	84.43	
	40-45	2	10.37	6.25	14.49	6.98	4.21	9.75	24	124.46	110.19	138.74	83.76	74.16	93.37		
	50-55	1	5.72	2.50	8.93	3.85	1.69	6.01	15	85.75	73.31	98.19	57.71	49.34	66.08		
	60-65	2	14.77	8.90	20.63	9.94	5.99	13.89	8	59.07	47.33	70.80	39.75	31.85	47.65		
	65+	0	0.00			0.00			6	55.66	42.89	68.42	37.46	28.86	46.05		
	計	30	10.05	9.02	11.08	6.76	6.07	7.46	153	51.26	48.93	53.58	34.49	32.93	36.06		
	99全国 女 計	0-5															
		10-15	6	15.92	12.27	19.58	10.72	8.26	13.17	16	42.46	36.50	48.43	28.58	24.56	32.59	
		20-25	11	28.36	23.56	33.16	19.09	15.85	22.32	48	123.75	113.72	133.79	83.29	76.53	90.04	
		30-35	7	15.94	12.55	19.32	10.73	8.45	13.00	51	116.12	106.98	125.25	78.15	72.00	84.30	
40-45		6	11.76	9.06	14.46	7.92	6.10	9.73	42	82.34	75.20	89.47	55.41	50.61	60.22		
50-55		6	9.77	7.53	12.01	6.57	5.07	8.08	39	63.50	57.79	69.22	42.74	38.89	46.58		
60-65		5	9.13	6.83	11.42	6.14	4.60	7.69	26	47.47	42.24	52.70	31.95	28.43	35.47		
65+		2	3.96	2.38	5.53	2.66	1.60	3.72	27	53.40	47.63	59.18	35.94	32.05	39.83		
計		47	6.50	5.97	7.04	4.38	4.02	4.74	318	44.01	42.62	45.39	29.62	28.68	30.55		

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
03岩手 男 配偶あり	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	120.25	52.68	187.81	108.70	47.62	169.78	0	0.00					
	25-	0	0.00		0.00				1	63.70	27.91	99.49	57.58	25.23	89.94
	30-	1	48.81	21.38	76.24	44.12	19.33	68.92	1	48.81	21.38	76.24	44.12	19.33	68.92
	35-	0	0.00		0.00				0	0.00		0.00			
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	3	130.46	88.14	172.78	117.94	79.68	156.19	2	86.97	52.42	121.53	78.62	47.38	109.86
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				1	10.10	4.42	15.77	9.13	4.00	14.26	
計	5	17.83	13.35	22.31	16.12	12.07	20.17	5	17.83	13.35	22.31	16.12	12.07	20.17	
03岩手 男 配偶なし	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	49.62	21.74	77.50	44.86	19.65	70.06	0	0.00		0.00			
	25-	5	284.23	212.81	355.65	256.94	192.38	321.50	0	0.00		0.00			
	30-	5	331.25	248.02	414.48	299.45	224.21	374.69	2	132.50	79.86	185.14	119.78	72.19	167.37
	35-	2	144.20	86.91	201.49	130.35	78.56	182.15	0	0.00		0.00			
	40-	1	88.39	38.72	138.05	79.90	35.01	124.80	0	0.00		0.00			
	45-	0	0.00		0.00				1	96.07	42.09	150.04	86.84	38.05	135.64
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	14	85.78	72.89	98.66	77.54	65.90	89.19	4	24.51	17.62	31.39	22.15	15.93	28.38	
03岩手 男 計	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	45.54	19.95	71.12	41.16	18.03	64.29	0	0.00		0.00			
	25-	6	231.59	178.47	284.71	209.36	161.34	257.38	0	0.00		0.00			
	30-	5	162.37	121.57	203.17	146.78	109.90	183.67	3	97.42	65.82	129.03	88.07	59.50	116.64
	35-	3	87.32	58.99	115.64	78.93	53.33	104.54	1	29.11	12.75	45.46	26.31	11.53	41.10
	40-	1	31.71	13.89	49.52	28.66	12.56	44.77	1	31.71	13.89	49.52	28.66	12.56	44.77
	45-	3	89.81	60.67	118.94	81.18	54.85	107.52	3	89.81	60.67	118.94	81.18	54.85	107.52
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				1	8.38	3.67	13.08	7.57	3.32	11.83	
計	19	42.82	37.30	48.34	38.71	33.72	43.70	9	20.28	16.49	24.08	18.34	14.90	21.77	

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
03岩手 女 配偶あり	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	355.02	155.56	554.49	320.94	140.63	501.26	1	355.02	155.56	554.49	320.94	140.63	501.26
	25-	1	91.64	40.15	143.13	82.84	36.29	129.39	1	91.64	40.15	143.13	82.84	36.29	129.39
	30-	0	0.00		0.00				4	215.03	154.62	275.44	194.39	139.78	249.00
	35-	0	0.00		0.00				4	173.51	124.76	222.25	156.85	112.78	200.91
	40-	0	0.00		0.00				2	85.30	51.41	119.19	77.11	46.47	107.75
	45-	2	76.52	46.12	106.93	69.18	41.69	96.66	2	76.52	46.12	106.93	69.18	41.69	96.66
	50-	0	0.00		0.00				1	34.26	15.01	53.51	30.97	13.57	48.38
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				1	30.12	13.20	47.05	27.23	11.93	42.53
65+	0	0.00		0.00				2	24.28	14.63	33.93	21.95	13.23	30.67	
計	4	14.13	10.16	18.10	12.77	9.18	16.36	18	63.58	55.16	72.00	57.48	49.87	65.09	
03岩手 女 配偶なし	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	1	38.70	16.95	60.44	34.98	15.32	54.64	0	0.00		0.00			
	20-	5	258.24	193.35	323.13	233.45	174.79	292.11	2	103.30	62.25	144.34	93.38	56.28	130.48
	25-	1	67.92	29.76	106.09	61.40	26.90	95.91	2	135.85	81.87	189.82	122.81	74.01	171.60
	30-	1	87.32	38.25	136.38	78.93	34.58	123.29	1	87.32	38.25	136.38	78.93	34.58	123.29
	35-	0	0.00		0.00				1	98.78	43.28	154.28	89.30	39.12	139.47
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
65+	0	0.00		0.00				0	0.00		0.00				
計	8	37.17	29.78	44.55	33.60	26.92	40.27	6	27.87	21.48	34.27	25.20	19.42	30.98	
03岩手 女 計	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	1	38.48	16.86	60.10	34.78	15.24	54.33	0	0.00		0.00			
	20-	6	270.53	208.48	332.58	244.56	188.46	300.66	3	135.27	91.38	179.15	122.28	82.61	161.95
	25-	2	78.02	47.02	109.02	70.53	42.51	98.55	3	117.03	79.06	154.99	105.79	71.47	140.11
	30-	1	33.27	14.58	51.97	30.08	13.18	46.98	5	166.37	124.56	208.17	150.39	112.60	188.19
	35-	0	0.00		0.00				5	150.70	112.84	188.57	136.24	102.00	170.47
	40-	0	0.00		0.00				2	62.56	37.71	87.42	56.56	34.09	79.03
	45-	2	59.61	35.93	83.30	53.89	32.48	75.30	2	59.61	35.93	83.30	53.89	32.48	75.30
	50-	0	0.00		0.00				1	27.53	12.06	43.00	24.89	10.90	38.87
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				1	23.18	10.15	36.20	20.95	9.18	32.73
65+	0	0.00		0.00				2	11.46	6.91	16.01	10.36	6.24	14.47	
計	12	24.08	20.17	27.99	21.77	18.24	25.30	24	48.16	42.63	53.68	43.54	38.54	48.53	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間			
08茨城 男 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00						
	10-15	0	0.00		0.00		0	0.00		0.00						
	20-25	0	0.00		0.00		0	0.00		0.00						
	30-35	1	25.30	11.08	39.51	12.77	5.60	19.95	0	0.00						
	40-45	5	89.45	66.97	111.93	45.17	33.82	56.52	2	35.78	21.56	50.00	18.07	10.89	25.25	
	50-55	1	18.62	8.16	29.08	9.40	4.12	14.69	0	0.00		0.00				
	60-65	1	18.69	8.19	29.19	9.44	4.13	14.74	0	0.00		0.00				
	65+	3	51.63	34.88	68.38	26.07	17.61	34.53	1	17.21	7.54	26.88	8.69	3.81	13.57	
	計	12	18.96	15.89	22.04	9.58	8.02	11.13	4	6.32	4.54	8.10	3.19	2.30	4.09	
	08茨城 男 配偶なし	0-5	3	48.85	33.00	64.69	24.67	16.67	32.67	0	0.00		0.00			
		10-15	3	51.72	34.94	68.50	26.12	17.65	34.59	2	34.48	20.78	48.18	17.41	10.49	24.33
		20-25	6	116.45	89.74	143.17	58.81	45.32	72.30	1	19.41	8.50	30.31	9.80	4.29	15.31
		30-35	5	121.96	91.31	152.61	61.59	46.11	77.07	2	48.78	29.40	68.17	24.64	14.85	34.42
40-45		4	105.10	75.57	134.62	53.07	38.16	67.99	0	0.00		0.00				
50-55		0	0.00		0.00			0.00	0	0.00		0.00				
60-65		1	57.65	25.26	90.05	29.11	12.75	45.47	0	0.00		0.00				
65+		0	0.00		0.00			0.00	0	0.00		0.00				
計		25	62.44	55.43	69.46	31.53	27.99	35.08	6	14.99	11.55	18.42	7.57	5.83	9.30	
08茨城 男 計		0-5	3	48.68	32.89	64.48	24.59	16.61	32.56	0	0.00		0.00			
		10-15	3	48.40	32.70	64.10	24.44	16.51	32.37	2	32.27	19.45	45.09	16.29	9.82	22.77
		20-25	6	84.28	64.95	103.62	42.56	32.80	52.33	1	14.05	6.15	21.94	7.09	3.11	11.08
		30-35	6	74.51	57.41	91.60	37.63	28.99	46.26	2	24.84	14.97	34.70	12.54	7.56	17.53
	40-45	9	95.79	77.85	113.73	48.37	39.31	57.43	2	21.29	12.83	29.74	10.75	6.48	15.02	
	50-55	2	24.31	14.65	33.97	12.28	7.40	17.15	0	0.00		0.00				
	60-65	3	39.72	26.83	52.60	20.06	13.55	26.56	1	13.24	5.80	20.68	6.69	2.93	10.44	
	65+	1	38.83	26.23	51.43	19.61	13.25	25.97	1	12.94	5.67	20.22	6.54	2.86	10.21	
	計	37	35.81	32.50	39.12	18.08	16.41	19.76	10	9.68	7.96	11.40	4.89	4.02	5.76	

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス								
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)				
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間			
08茨城 女 配偶あり	0-5	0	0.00		0.00		1	2650.69	1162.85	4138.53	1338.60	587.24	2089.96			
	10-15	0	0.00		0.00		1	156.91	68.74	245.07	79.24	34.72	123.76			
	20-25	0	0.00		0.00		2	77.62	46.78	108.46	39.20	23.62	54.77			
	30-35	1	21.61	9.47	33.76	10.91	4.78	17.05	0	0.00		0.00				
	40-45	0	0.00		0.00		4	63.96	45.99	81.93	32.30	23.22	41.37			
	50-55	2	33.98	20.48	47.48	17.16	10.34	23.98	1	16.99	7.44	26.53	8.58	3.76	13.40	
	60-65	0	0.00		0.00		3	50.90	34.39	67.42	25.71	17.37	34.05			
	65+	0	0.00		0.00		1	15.86	6.95	24.77	8.01	3.51	12.51			
	計	3	4.75	3.21	6.29	2.40	1.62	3.18	16	25.32	21.76	28.87	12.79	10.99	14.58	
	08茨城 女 配偶なし	0-5	0	0.00		0.00		0	0.00		0.00					
		10-15	1	19.80	8.67	30.92	10.00	4.38	15.62	0	0.00		0.00			
		20-25	0	0.00		0.00		2	51.03	30.75	71.30	25.77	15.53	36.01		
		30-35	0	0.00		0.00		2	72.81	43.88	101.74	36.77	22.16	51.38		
40-45		0	0.00		0.00		1	41.29	18.09	64.49	20.85	9.13	32.57			
50-55		0	0.00		0.00		2	111.07	66.94	155.20	56.09	33.80	78.38			
60-65		0	0.00		0.00		0	0.00		0.00						
65+		0	0.00		0.00		0	0.00		0.00						
計		1	2.37	1.04	3.71	1.20	0.53	1.87	7	16.62	13.09	20.15	8.39	6.61	10.18	
08茨城 女 計		0-5	0	0.00		0.00		1	17.55	7.69	27.41	8.86	3.88	13.84		
		10-15	1	17.58	7.70	27.46	8.88	3.89	13.87	1	17.58	7.70	27.46	8.88	3.89	13.87
		20-25	0	0.00		0.00		4	61.58	44.28	78.88	31.10	22.36	39.83		
		30-35	1	13.56	5.94	21.18	6.85	3.00	10.70	2	27.12	16.35	37.90	13.70	8.25	19.14
	40-45	0	0.00		0.00		5	57.63	43.15	72.11	29.10	21.79	36.42			
	50-55	2	26.02	15.68	36.35	13.14	7.92	18.36	3	39.03	26.37	51.69	19.71	13.31	26.10	
	60-65	0	0.00		0.00		3	41.15	27.80	54.50	20.78	14.04	27.52			
	65+	0	0.00		0.00		1	13.26	5.81	20.72	6.70	2.93	10.46			
	計	4	3.80	2.73	4.87	1.92	1.38	2.46	23	21.84	19.28	24.40	11.03	9.74	12.32	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性クラミジア性尿道炎・頸管炎						性器ヘルペス					
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)	
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間
12千葉	0-												
男	5-												
配偶あり	10-												
	15-	0	0.00			0.00		0	0.00			0.00	
	20-	1	158.09	69.26	246.92	73.51	32.21	114.82	0	0.00		0.00	
	25-	0	0.00			0.00			0	0.00		0.00	
	30-	6	71.08	54.77	87.38	33.05	25.47	40.63	0	0.00		0.00	
	35-	7	55.66	43.84	67.48	25.88	20.38	31.38	4	31.80	22.87	40.74	14.79
	40-	6	48.14	37.10	59.19	22.39	17.25	27.52	0	0.00		0.00	10.63
	45-	9	77.82	63.25	92.40	36.19	29.41	42.97	2	17.29	10.42	24.17	8.04
	50-	4	36.23	26.05	46.41	16.85	12.11	21.58	1	9.06	3.97	14.15	4.21
	55-	1	7.65	3.35	11.95	3.56	1.56	5.56	0	0.00		0.00	4.85
	60-	1	6.15	2.69	9.60	2.86	1.25	4.46	0	0.00		0.00	1.85
	65+	3	7.53	5.09	9.98	3.50	2.37	4.64	2	5.02	3.03	7.02	2.34
	計	38	29.29	26.62	31.96	13.62	12.38	14.86	9	6.94	5.64	8.24	3.23
12千葉	0-												
男	5-												
配偶なし	10-												
	15-	2	16.74	10.09	23.40	7.79	4.69	10.88	0	0.00		0.00	
	20-	10	79.58	65.44	93.72	37.00	30.43	43.58	1	7.96	3.49	12.43	3.70
	25-	16	146.26	125.72	166.81	68.01	58.46	77.57	2	18.28	11.02	25.55	8.50
	30-	10	115.59	95.05	136.13	53.75	44.20	63.30	3	34.68	23.43	45.93	16.12
	35-	5	59.61	44.63	74.59	27.72	20.75	34.69	0	0.00		0.00	10.89
	40-	0	0.00			0.00			1	15.94	6.98	24.90	7.41
	45-	0	0.00			0.00			0	0.00		0.00	3.25
	50-	1	28.21	12.36	44.06	13.12	5.75	20.49	1	28.21	12.36	44.06	13.12
	55-	1	27.79	12.17	43.40	12.92	5.66	20.18	0	0.00		0.00	5.75
	60-	3	81.10	54.79	107.41	37.71	25.48	49.94	0	0.00		0.00	20.49
	65+	0	0.00			0.00			0	0.00		0.00	
	計	48	58.16	53.44	62.87	27.04	24.85	29.24	8	9.69	7.77	11.62	4.51
12千葉	0-												
男	5-												
計	10-												
	15-	2	16.70	10.07	23.34	7.77	4.68	10.85	0	0.00		0.00	
	20-	11	83.34	69.22	97.46	38.75	32.19	45.32	1	7.58	3.32	11.83	3.52
	25-	16	108.55	93.30	123.79	50.47	43.38	57.56	2	13.57	8.18	18.96	6.31
	30-	16	93.61	80.46	106.76	43.53	37.41	49.64	3	17.55	11.86	23.25	8.16
	35-	12	57.24	47.96	66.53	26.62	22.30	30.93	4	19.08	13.72	24.44	8.87
	40-	6	32.02	24.68	39.37	14.89	11.48	18.31	1	5.34	2.34	8.34	2.48
	45-	9	55.55	45.15	65.96	25.83	20.99	30.67	2	12.35	7.44	17.25	5.74
	50-	5	34.28	25.67	42.90	15.94	11.94	19.55	2	13.71	8.26	19.16	6.38
	55-	2	12.00	7.23	16.77	5.58	3.36	7.80	0	0.00		0.00	3.84
	60-	4	20.03	14.40	25.66	9.31	6.70	11.93	0	0.00		0.00	8.91
	65+	3	6.23	4.21	8.26	2.90	1.96	3.84	2	4.16	2.50	5.81	1.93
	計	86	40.52	38.06	42.97	18.84	17.70	19.98	17	8.01	6.92	9.10	3.72
地域	年齢	非淋菌性クラミジア性尿道炎・頸管炎						性器ヘルペス					
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)	
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間
12千葉	0-												
女	5-												
配偶あり	10-												
	15-	0	0.00			0.00		0	0.00			0.00	
	20-	0	0.00			0.00		2	182.05	109.72	254.38	84.66	51.02
	25-	0	0.00			0.00		5	95.55	71.54	119.56	44.43	33.27
	30-	0	0.00			0.00		5	48.96	36.66	61.27	22.77	17.05
	35-	0	0.00			0.00		5	35.03	26.22	43.83	16.29	12.19
	40-	0	0.00			0.00		5	37.34	27.96	46.72	17.36	13.00
	45-	0	0.00			0.00		2	16.48	9.93	23.02	7.66	4.62
	50-	0	0.00			0.00		2	17.05	10.27	23.82	7.93	4.78
	55-	0	0.00			0.00		4	28.62	20.58	36.66	13.31	9.57
	60-	0	0.00			0.00		3	18.06	12.20	23.92	8.40	5.67
	65+	0	0.00			0.00		1	3.18	1.39	4.97	1.48	0.65
	計	0	0.00			0.00		34	26.12	23.60	28.64	12.15	10.98
12千葉	0-												
女	5-												
配偶なし	10-												
	15-	0	0.00			0.00		6	54.18	41.75	66.61	25.19	19.41
	20-	1	8.93	3.91	13.94	4.15	1.82	6.48	8	71.41	57.23	85.60	33.21
	25-	0	0.00			0.00		4	44.39	31.92	56.86	20.64	14.84
	30-	0	0.00			0.00		0	0.00			0.00	26.44
	35-	0	0.00			0.00		5	87.98	65.87	110.09	40.91	30.63
	40-	0	0.00			0.00		2	46.41	27.97	64.85	21.58	13.01
	45-	0	0.00			0.00		0	0.00			0.00	30.16
	50-	0	0.00			0.00		0	0.00			0.00	
	55-	0	0.00			0.00		0	0.00			0.00	
	60-	0	0.00			0.00		0	0.00			0.00	
	65+	0	0.00			0.00		0	0.00			0.00	
	計	1	1.15	0.50	1.80	0.53	0.23	0.84	25	28.75	25.52	31.98	13.37
12千葉	0-												
女	5-												
計	10-												
	15-	0	0.00			0.00		6	53.89	41.53	66.25	25.06	19.31
	20-	1	8.13	3.56	12.70	3.78	1.66	5.90	10	81.29	66.85	95.74	37.80
	25-	0	0.00			0.00		9	63.18	51.35	75.02	29.38	23.88
	30-	0	0.00			0.00		5	30.36	22.73	37.99	14.12	10.57
	35-	0	0.00			0.00		10	50.10	41.20	59.01	23.30	19.16
	40-	0	0.00			0.00		7	39.55	31.15	47.95	18.39	14.48
	45-	0	0.00			0.00		2	13.01	7.84	18.18	6.05	3.65
	50-	0	0.00			0.00		2	13.93	8.39	19.46	6.48	3.90
	55-	0	0.00			0.00		4	23.46	16.87	30.05	10.91	7.84
	60-	0	0.00			0.00		3	14.39	9.72	19.06	6.69	4.52
	65+	0	0.00			0.00		1	1.73	0.76	2.71	0.81	0.35
	計	1	0.46	0.20	0.72	0.21	0.09	0.33	59	27.17	25.18	29.16	12.63

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
16富山 男 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00		0.00			
	10-15	0	0.00		0.00		0	0.00		0.00		0.00			
	20-25	0	0.00		0.00		0	0.00		0.00		0.00			
	25-30	1	159.48	69.87	249.09	146.72	64.28	229.16	0	0.00		0.00			
	30-35	1	70.93	31.07	110.78	65.25	28.59	101.92	0	0.00		0.00			
	35-40	3	140.22	94.73	185.71	129.00	87.16	170.85	0	0.00		0.00			
	40-45	1	51.64	22.62	80.65	47.51	20.81	74.20	0	0.00		0.00			
	45-50	2	104.45	62.95	145.95	96.10	57.92	134.28	0	0.00		0.00			
	50-55	0	0.00		0.00				1	49.67	21.76	77.58	45.69	20.02	71.37
	55-60	0	0.00		0.00				0	0.00		0.00			
	60-65	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				1	12.25	5.37	19.14	11.27	4.94	17.61
	計	8	33.33	26.71	39.96	30.67	24.57	36.76	2	8.33	5.02	11.64	7.67	4.62	10.71
	16富山 男 配偶なし	0-5	0	0.00		0.00		0	0.00		0.00		0.00		
10-15		0	0.00		0.00		0	0.00		0.00		0.00			
20-25		3	172.51	116.55	228.47	158.71	107.23	210.20	1	57.50	25.19	89.82	52.90	23.18	82.63
25-30		2	123.41	74.38	172.44	113.53	68.43	158.64	0	0.00		0.00			
30-35		4	292.34	210.22	374.47	268.96	193.40	344.51	0	0.00		0.00			
35-40		0	0.00		0.00				2	156.73	94.46	218.99	144.19	86.90	201.48
40-45		0	0.00		0.00				1	111.01	48.63	173.38	102.13	44.74	159.51
45-50		0	0.00		0.00				0	0.00		0.00			
50-55		0	0.00		0.00				0	0.00		0.00			
55-60		0	0.00		0.00				0	0.00		0.00			
60-65		0	0.00		0.00				0	0.00		0.00			
65+		0	0.00		0.00				0	0.00		0.00			
計		9	70.26	57.10	83.42	64.64	52.53	76.74	4	31.23	22.45	40.00	28.73	20.66	36.80
16富山 男 計		0-5	0	0.00		0.00		0	0.00		0.00		0.00		
	10-15	0	0.00		0.00		0	0.00		0.00		0.00			
	20-25	3	163.65	110.56	216.74	150.56	101.72	199.40	1	54.55	23.90	85.20	50.19	21.99	78.38
	25-30	3	133.47	90.17	176.77	122.79	82.96	162.63	0	0.00		0.00			
	30-35	5	179.97	134.75	225.20	165.58	123.97	207.18	0	0.00		0.00			
	35-40	3	87.83	59.34	116.33	80.81	54.59	107.02	2	58.56	35.29	81.82	53.87	32.47	75.28
	40-45	1	35.24	15.44	55.05	32.42	14.20	50.64	1	35.24	15.44	55.05	32.42	14.20	50.64
	45-50	2	77.22	46.54	107.90	71.04	42.81	99.26	0	0.00		0.00			
	50-55	0	0.00		0.00				1	38.97	17.07	60.87	35.85	15.71	56.00
	55-60	0	0.00		0.00				0	0.00		0.00			
	60-65	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				1	10.39	4.55	16.23	9.56	4.19	14.93
	計	17	46.18	39.89	52.48	42.49	36.70	48.28	6	16.30	12.56	20.04	15.00	11.56	18.44
	16富山 女 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00		0.00		
10-15		0	0.00		0.00		0	0.00		0.00		0.00			
20-25		0	0.00		0.00		0	0.00		0.00		0.00			
25-30		3	351.30	237.35	465.25	323.20	218.36	428.03	0	0.00		0.00			
30-35		0	0.00		0.00				0	0.00		0.00			
35-40		3	124.07	83.82	164.31	114.14	77.11	151.17	0	0.00		0.00			
40-45		2	91.44	55.11	127.77	84.13	50.70	117.55	0	0.00		0.00			
45-50		1	46.58	20.41	72.75	42.85	18.77	66.93	0	0.00		0.00			
50-55		3	134.92	91.15	178.68	124.12	83.86	164.39	0	0.00		0.00			
55-60		0	0.00		0.00				0	0.00		0.00			
60-65		0	0.00		0.00				0	0.00		0.00			
65+		0	0.00		0.00				1	15.48	6.78	24.17	14.24	6.24	22.24
計		0	0.00		0.00				13	54.18	45.74	62.63	49.85	42.08	57.62
16富山 女 配偶なし		0-5	0	0.00		0.00		0	0.00		0.00		0.00		
	10-15	0	0.00		0.00		0	0.00		0.00		0.00			
	20-25	2	106.00	63.88	148.12	97.52	58.77	136.27	2	125.70	75.76	175.64	115.65	69.70	161.59
	25-30	0	0.00		0.00				3	236.54	159.81	313.27	217.61	147.02	288.21
	30-35	0	0.00		0.00				1	106.75	46.77	166.74	98.21	43.03	153.40
	35-40	0	0.00		0.00				0	0.00		0.00			
	40-45	0	0.00		0.00				0	0.00		0.00			
	45-50	2	416.38	250.97	581.80	383.07	230.89	535.25	0	0.00		0.00			
	50-55	1	241.07	105.62	376.51	221.78	97.17	346.39	0	0.00		0.00			
	55-60	0	0.00		0.00				0	0.00		0.00			
	60-65	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				1	13.96	6.12	21.81	12.84	5.63	20.06
	計	0	0.00		0.00				12	72.57	60.80	84.34	66.76	55.93	77.59
	16富山 女 計	0-5	0	0.00		0.00		0	0.00		0.00		0.00		
10-15		0	0.00		0.00		0	0.00		0.00		0.00			
20-25		0	0.00		0.00		0	0.00		0.00		0.00			
25-30		6	282.72	217.87	347.56	260.10	200.44	319.76	0	0.00		0.00			
30-35		0	0.00		0.00				1	38.30	16.78	59.83	35.24	15.44	55.04
35-40		0	0.00		0.00				3	91.69	61.94	121.43	84.35	56.99	111.72
40-45		0	0.00		0.00				2	71.59	43.15	100.04	65.86	39.70	92.03
45-50		0	0.00		0.00				3	114.19	77.15	151.24	105.06	70.97	139.14
50-55		4	151.60	109.01	194.20	139.48	100.29	178.66	0	0.00		0.00			
55-60		0	0.00		0.00				0	0.00		0.00			
60-65		0	0.00		0.00				0	0.00		0.00			
65+		0	0.00		0.00				2	14.68	8.85	20.51	13.51	8.14	18.87
計		0	0.00		0.00				25	61.68	54.75	68.62	56.75	50.37	63.13

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数	人口10万対		報告数	人口10万対(回収率調整)		報告数	人口10万対		報告数	人口10万対(回収率調整)			
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
21岐阜 男 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	0	0.00		0.00			0	0.00		0.00				
	20-	1	77.48	33.94	121.02	34.32	15.04	53.61	0	0.00		0.00			
	25-	2	72.26	43.55	100.98	32.01	19.29	44.73	0	0.00		0.00			
	30-	6	149.46	115.18	183.75	66.21	51.02	81.40	0	0.00		0.00			
	35-	3	78.64	53.13	104.15	34.84	23.54	46.14	0	0.00		0.00			
	40-	5	128.50	96.21	160.79	56.93	42.62	71.23	2	51.40	30.98	71.82	22.77	13.72	31.82
	45-	0	0.00			0.00			0	0.00		0.00			
	50-	1	21.58	9.45	33.70	9.56	4.19	14.93	1	21.58	9.45	33.70	9.56	4.19	14.93
	55-	2	34.34	20.70	47.99	15.21	9.17	21.26	0	0.00		0.00			
	60-	3	20.15	13.62	26.69	8.93	6.03	11.82	0	0.00		0.00			
	65+	計	23	50.76	44.82	56.71	22.49	19.85	25.12	3	6.62	4.47	8.77	2.93	1.98
21岐阜 男 配偶なし	0-	0						0	0.00						
	5-	0						0	0.00						
	10-	0						0	0.00						
	15-	1	23.68	10.37	36.98	10.49	4.59	16.38	0	0.00		0.00			
	20-	6	161.16	124.19	198.13	71.39	55.02	87.77	0	0.00		0.00			
	25-	3	94.68	63.97	125.40	41.94	28.34	55.55	1	31.56	13.83	49.29	13.98	6.13	21.84
	30-	3	123.06	83.14	162.98	54.52	36.83	72.20	0	0.00		0.00			
	35-	6	269.85	207.95	331.75	119.54	92.12	146.96	0	0.00		0.00			
	40-	3	184.24	124.47	244.01	81.62	55.14	108.10	0	0.00		0.00			
	45-	1	79.72	34.93	124.51	35.32	15.47	55.16	0	0.00		0.00			
	50-	0	0.00			0.00			0	0.00		0.00			
	55-	0	0.00			0.00			0	0.00		0.00			
	60-	0	0.00			0.00			0	0.00		0.00			
	65+	0	0.00			0.00			0	0.00		0.00			
計	23	94.08	83.06	105.10	41.68	36.79	46.56	1	4.09	1.79	6.39	1.81	0.79	2.83	
21岐阜 男 計	0-	0						0	0.00						
	5-	0						0	0.00						
	10-	0						0	0.00						
	15-	1	23.61	10.35	36.88	10.46	4.58	16.34	0	0.00		0.00			
	20-	6	151.54	116.78	186.30	67.13	51.73	82.53	0	0.00		0.00			
	25-	4	89.70	64.50	114.91	39.74	28.57	50.90	1	22.43	9.82	35.03	9.93	4.35	15.52
	30-	5	96.05	71.92	120.19	42.55	31.86	53.24	0	0.00		0.00			
	35-	12	192.38	161.17	223.58	85.22	71.40	99.05	0	0.00		0.00			
	40-	6	110.23	84.95	135.52	48.83	37.63	60.03	0	0.00		0.00			
	45-	6	116.61	89.86	143.36	51.66	39.81	63.51	2	38.87	23.43	54.31	17.22	10.38	24.06
	50-	0	0.00			0.00			0	0.00		0.00			
	55-	1	17.81	7.80	27.81	7.89	3.46	12.32	1	17.81	7.80	27.81	7.89	3.46	12.32
	60-	2	29.32	17.67	40.97	12.99	7.83	18.15	0	0.00		0.00			
	65+	3	16.95	11.45	22.45	7.51	5.07	9.94	0	0.00		0.00			
計	46	65.94	60.48	71.41	29.21	26.79	31.63	4	5.73	4.12	7.35	2.54	1.83	3.25	
21岐阜 女 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			2	478.44	288.38	668.50	211.95	127.75	296.15	
	10-	0	0.00		0.00			2	107.73	64.93	150.54	47.73	28.76	66.69	
	15-	0	0.00		0.00			1	29.69	13.01	46.38	13.15	5.76	20.54	
	20-	1	21.75	9.53	33.97	9.63	4.22	15.05	2	43.50	26.21	60.78	19.27	11.61	26.93
	25-	0	0.00		0.00			1	23.26	10.19	36.33	10.30	4.51	16.09	
	30-	0	0.00		0.00			2	46.24	27.87	64.61	20.49	12.35	28.62	
	35-	0	0.00		0.00			3	68.84	46.51	91.17	30.50	20.60	40.39	
	40-	0	0.00		0.00			1	20.04	8.78	31.30	8.88	3.89	13.86	
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			1	8.51	3.73	13.30	3.77	1.65	5.89	
	55-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			1	8.51	3.73	13.30	3.77	1.65	5.89	
	65+	0	0.00		0.00			0	0.00		0.00				
計	1	2.19	0.96	3.42	0.97	0.43	1.52	15	32.87	28.10	37.63	14.56	12.45	16.67	
21岐阜 女 配偶なし	0-	0						0	0.00						
	5-	0						2	54.44	32.81	76.07	24.12	14.54	33.70	
	10-	0	0.00		0.00			1	38.37	16.81	59.93	17.00	7.45	26.55	
	15-	1	38.37	16.81	59.93	17.00	7.45	26.55	1	57.36	25.13	89.59	25.41	11.13	39.69
	20-	0	0.00		0.00			1	64.85	28.41	101.29	28.73	12.59	44.87	
	25-	1	64.85	28.41	101.29	28.73	12.59	44.87	1	83.41	36.54	130.28	36.95	16.19	57.72
	30-	0	0.00		0.00			1	83.41	36.54	130.28	36.95	16.19	57.72	
	35-	0	0.00		0.00			2	201.47	121.42	281.51	89.25	53.79	124.71	
	40-	0	0.00		0.00			0	0.00		0.00				
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			0	0.00		0.00				
	55-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計	4	13.19	9.48	16.89	5.84	4.20	7.48	9	29.67	24.11	35.23	13.14	10.68	15.60	
21岐阜 女 計	0-	0						0	0.00						
	5-	0						4	97.76	70.30	125.23	43.31	31.14	55.48	
	10-	0	0.00		0.00			3	67.23	45.42	89.04	29.78	20.12	39.44	
	15-	2	48.63	29.31	67.96	21.54	12.98	30.10	2	24.32	10.65	37.98	10.77	4.72	16.83
	20-	1	22.41	9.82	35.00	9.93	4.35	15.51	3	39.13	23.58	54.68	17.33	10.45	24.22
	25-	0	0.00		0.00			3	48.86	33.01	64.71	21.64	14.62	28.67	
	30-	0	0.00		0.00			2	36.38	21.92	50.83	16.12	9.71	22.52	
	35-	2	32.57	19.63	45.52	14.43	8.70	20.16	4	75.22	54.09	96.35	33.32	23.96	42.68
	40-	0	0.00		0.00			3	57.88	39.10	76.65	25.64	17.32	33.96	
	45-	0	0.00		0.00			1	16.79	7.36	26.23	7.44	3.26	11.62	
	50-	0	0.00		0.00			0	0.00		0.00				
	55-	0	0.00		0.00			1	4.33	1.90	6.77	1.92	0.84	3.00	
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計	5	6.58	4.93	8.23	2.92	2.18	3.65	24	31.59	27.97	35.21	13.99	12.39	15.60	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
28兵庫 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00			0	0.00		0.00				
	20-	0	0.00		0.00			0	0.00		0.00				
	25-	1	29.84	13.07	46.61	27.00	11.83	42.18	0	0.00					
	30-	6	81.95	63.15	100.75	74.16	57.15	91.18	3	40.97	27.68	54.27	37.08	25.05	49.11
	35-	8	72.42	58.03	86.81	65.54	52.52	78.56	4	36.21	26.04	46.38	32.77	23.56	41.98
	40-	9	84.25	68.47	100.03	76.25	61.97	90.53	4	37.44	28.92	47.97	33.89	24.37	43.41
	45-	2	19.40	11.69	27.11	17.56	10.58	24.54	4	38.80	27.90	49.71	35.12	25.25	44.98
	50-	3	30.39	20.53	40.24	27.50	18.58	36.42	2	20.26	12.21	28.31	18.33	11.05	25.62
	55-	1	8.75	3.83	13.67	7.92	3.47	12.37	1	8.75	3.83	13.67	7.92	3.47	12.37
	60-	0	0.00			0.00			1	6.95	3.04	10.86	6.29	2.76	9.82
65+	2	5.51	3.32	7.69	4.98	3.00	6.96	6	16.52	12.73	20.31	14.95	11.52	18.38	
計	32	27.73	24.97	30.48	25.09	22.60	27.59	25	21.66	19.23	24.10	19.61	17.40	21.81	
28兵庫 男 配偶なし	0-														
	5-														
	10-														
	15-	2	18.08	10.90	25.26	16.36	9.86	22.86	1	9.04	3.96	14.12	8.18	3.58	12.78
	20-	9	88.61	72.01	105.20	80.19	65.17	95.21	2	19.69	11.87	27.51	17.82	10.74	24.90
	25-	6	70.71	54.49	86.93	63.99	49.31	78.67	8	94.28	75.55	113.01	85.32	68.37	102.27
	30-	2	30.99	18.68	43.30	28.05	16.90	39.19	2	30.99	18.68	43.30	28.05	16.90	39.19
	35-	5	81.52	61.04	102.01	73.78	55.24	92.32	5	81.52	61.04	102.01	73.78	55.24	92.32
	40-	2	43.27	26.08	60.47	39.16	23.60	54.72	0	0.00			0.00		
	45-	4	112.48	80.88	144.08	101.79	73.19	130.39	0	0.00			0.00		
	50-	0	0.00			0.00			1	34.52	15.12	53.91	31.24	13.68	48.79
	55-	0	0.00			0.00			0	0.00			0.00		
	60-	0	0.00			0.00			0	0.00			0.00		
65+	1	12.58	5.51	19.64	11.38	4.99	17.78	0	0.00			0.00			
計	31	45.85	41.23	50.48	41.50	37.31	45.69	19	28.10	24.48	31.73	25.43	22.16	28.71	
28兵庫 男 計	0-														
	5-														
	10-														
	15-	2	18.02	10.86	25.18	16.31	9.83	22.78	1	9.01	3.95	14.07	8.15	3.57	12.73
	20-	9	83.35	67.74	98.97	75.44	61.31	89.57	2	18.52	11.16	25.88	16.76	10.10	23.42
	25-	7	59.14	46.58	71.70	53.52	42.15	64.89	8	67.59	54.16	81.01	61.17	49.01	73.32
	30-	8	58.08	46.54	69.61	52.56	42.12	63.00	5	36.30	27.18	45.42	32.85	24.59	41.10
	35-	13	75.67	63.88	87.46	68.48	57.81	79.15	9	52.39	42.57	62.20	47.41	38.53	56.29
	40-	11	71.88	59.70	84.05	65.05	54.03	76.07	4	26.14	18.79	33.48	23.65	17.01	30.30
	45-	6	43.28	33.35	53.20	39.17	30.18	48.15	4	28.85	20.75	36.96	26.11	18.77	33.45
	50-	3	23.49	15.87	31.11	21.26	14.36	28.16	3	23.49	15.87	31.11	21.26	14.36	28.16
	55-	1	6.91	3.03	10.80	6.26	2.74	9.77	1	6.91	3.03	10.80	6.26	2.74	9.77
	60-	0	0.00			0.00			1	5.67	2.48	8.86	5.13	2.25	8.02
65+	3	6.78	4.58	8.97	6.13	4.14	8.12	6	13.55	10.44	16.66	12.26	9.45	15.08	
計	63	34.42	31.99	36.86	31.15	28.95	33.36	44	24.04	22.01	26.08	21.76	19.92	23.60	
28兵庫 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00				0	0.00		0.00			
	20-	0	0.00		0.00				1	99.87	43.75	155.98	90.38	39.60	141.16
	25-	1	22.30	9.77	34.82	20.18	8.84	31.51	6	133.77	103.09	164.46	121.06	93.29	148.83
	30-	2	22.57	13.60	31.54	20.43	12.31	28.55	8	90.29	72.35	108.23	81.71	65.48	97.95
	35-	2	15.91	9.59	22.23	14.40	8.68	20.12	5	39.78	29.78	49.78	36.00	26.95	45.05
	40-	0	0.00		0.00				4	34.09	24.52	43.67	30.85	22.19	39.52
	45-	0	0.00		0.00				9	80.54	65.46	95.63	72.89	59.24	86.54
	50-	0	0.00		0.00				6	55.59	42.84	68.35	50.31	38.77	61.85
	55-	0	0.00		0.00				3	24.43	16.51	32.36	22.11	14.94	29.29
	60-	0	0.00		0.00				3	20.87	14.10	27.65	18.89	12.76	25.02
65+	0	0.00		0.00				9	31.24	25.39	37.09	28.27	22.97	33.56	
計	5	4.31	3.22	5.39	3.90	2.92	4.88	54	46.50	42.94	50.05	42.08	38.86	45.30	
28兵庫 女 配偶なし	0-														
	5-														
	10-														
	15-	3	27.83	18.80	36.86	25.19	17.02	33.36	4	37.11	26.68	47.54	33.58	24.15	43.02
	20-	3	28.96	19.57	38.36	26.21	17.71	34.72	22	212.41	186.96	237.85	192.23	169.20	215.26
	25-	3	37.62	25.42	49.83	34.05	23.00	45.10	13	163.04	137.63	188.45	147.55	124.56	170.55
	30-	1	17.36	7.61	27.12	15.71	6.88	24.54	14	243.05	206.55	279.55	219.96	186.93	252.99
	35-	0	0.00		0.00				5	93.48	69.99	116.98	84.60	63.34	105.86
	40-	1	23.38	10.24	36.51	21.15	9.27	33.04	3	70.13	47.38	92.88	63.46	42.88	84.05
	45-	0	0.00		0.00				1	28.52	12.50	44.55	25.81	11.31	40.32
	50-	1	34.63	15.17	54.08	31.34	13.73	48.94	2	69.25	41.74	96.77	62.67	37.77	87.57
	55-	0	0.00		0.00				0	0.00			0.00		
	60-	0	0.00		0.00				0	0.00			0.00		
65+	1	3.34	1.46	5.22	3.02	1.32	4.72	6	20.04	15.44	24.63	18.13	13.97	22.29	
計	13	14.70	12.41	16.99	13.30	11.23	15.37	70	79.14	73.82	84.45	71.62	66.81	76.43	
28兵庫 女 計	0-														
	5-														
	10-														
	15-	3	27.67	18.69	36.65	25.04	16.92	33.17	4	36.89	26.53	47.26	33.39	24.01	42.77
	20-	3	26.41	17.84	34.98	23.90	16.15	31.66	23	202.49	178.76	226.21	183.25	161.78	204.72
	25-	4	32.11	23.09	41.13	29.06	20.89	37.22	19	152.50	132.85	172.16	138.02	120.23	155.81
	30-	3	20.52	13.86	27.18	18.57	12.55	24.59	22	150.47	132.45	168.50	136.18	119.87	152.49
	35-	2	11.16	6.73	15.60	10.10	6.09	14.12	10	55.81	45.89	65.73	50.51	41.53	59.48
	40-	1	6.25	2.74	9.76	5.65	2.48	8.83	7	43.72	34.44	53.01	39.57	31.16	47.97
	45-	0	0.00		0.00				10	68.12	56.01	80.22	61.65	50.69	72.60
	50-	1	7.31	3.20	11.42	6.62	2.90	10.33	8	58.48	46.86	70.09	52.92	42.41	63.44
	55-	0	0.00		0.00				3	19.43	13.12	25.73	17.58	11.88	23.28
	60-	0	0.00		0.00				3	15.94	10.77	21.11	14.42	9.74	19.10
65+	1	1.70	0.75	2.66	1.54	0.67	2.41	15	25.53	21.82	29.23	23.10	19.75	26.46	
計	18	8.80	7.63	9.96	7.96	6.91	9.02	124	60.61	57.55	63.67	54.85	52.08	57.62	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス													
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)									
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間								
36徳島 男 配偶あり	0-5																				
	10-15	0	0.00			0.00		0	0.00			0.00									
	20-25	0	0.00			0.00		0	0.00			0.00									
	25-30	2	435.61	262.56	608.67	432.13	260.46	603.80	0	0.00			0.00								
	30-35	1	104.73	45.88	163.58	103.89	45.52	162.27	2	209.46	126.24	292.68	207.79	125.23	290.34						
	35-40	3	233.76	157.93	309.60	231.89	156.67	307.12	0	0.00			0.00								
	40-45	4	331.56	238.42	424.70	328.91	236.51	421.31	1	82.89	36.31	129.47	82.23	36.02	128.43						
	45-50	4	308.54	221.87	395.22	306.08	220.09	392.06	0	0.00			0.00								
	50-55	4	264.15	189.94	338.35	262.04	188.42	335.65	1	66.04	28.93	103.14	65.51	28.70	102.32						
	55-60	0	0.00			0.00			1	53.70	23.53	83.87	53.27	23.34	83.20						
	60-65	1	44.98	19.70	70.25	44.62	19.55	69.69	2	89.96	54.22	125.70	89.24	53.78	124.69						
	65+	0	0.00			0.00			0	0.00			0.00								
	計	19	114.84	100.03	129.64	113.92	99.23	128.60	7	42.31	33.32	51.29	41.97	33.06	50.88						
	36徳島 男 配偶なし	0-5																			
		10-15	0	0.00			0.00		1	68.29	29.92	106.67	67.75	29.68	105.82						
20-25		0	0.00			0.00		1	80.17	35.12	125.21	79.52	34.84	124.21							
25-30		3	274.85	185.69	364.01	272.65	184.21	361.09	0	0.00			0.00								
30-35		3	354.89	239.77	470.00	352.05	237.85	466.24	0	0.00			0.00								
35-40		1	133.79	58.61	208.96	132.72	58.15	207.29	0	0.00			0.00								
40-45		0	0.00			0.00			1	176.69	77.41	275.96	175.27	76.79	273.76						
45-50		1	210.02	92.02	328.03	208.34	91.28	325.40	1	210.02	92.02	328.03	208.34	91.28	325.40						
50-55		0	0.00			0.00			0	0.00			0.00								
55-60		0	0.00			0.00			0	0.00			0.00								
60-65		0	0.00			0.00			0	0.00			0.00								
65+		0	0.00			0.00			0	0.00			0.00								
計		8	87.15	69.84	104.47	86.46	69.28	103.63	4	43.58	31.33	55.82	43.23	31.08	55.37						
36徳島 男 計		0-5																			
		10-15	0	0.00			0.00		1	68.08	29.82	106.33	67.53	29.59	105.48						
	20-25	0	0.00			0.00		1	74.83	32.78	116.88	74.23	32.52	115.94							
	25-30	5	322.45	241.43	403.47	319.87	239.50	400.24	0	0.00			0.00								
	30-35	4	222.20	159.78	284.63	220.42	158.50	282.35	2	111.10	66.96	155.24	110.21	66.42	154.00						
	35-40	4	196.97	141.63	252.30	195.39	140.50	250.28	0	0.00			0.00								
	40-45	4	225.68	162.28	289.09	223.88	160.98	286.77	2	112.84	68.01	157.68	111.94	67.46	156.41						
	45-50	5	282.08	211.20	352.96	279.82	209.51	350.13	1	56.42	24.72	88.12	55.96	24.52	87.41						
	50-55	4	202.66	145.73	259.59	201.04	144.56	257.52	1	50.66	22.20	79.13	50.26	22.02	78.50						
	55-60	0	0.00			0.00			1	42.30	18.53	66.07	41.96	18.38	65.54						
	60-65	1	36.94	16.18	57.70	36.65	16.05	57.24	2	73.89	44.53	103.24	73.29	44.17	102.42						
	65+	0	0.00			0.00			0	0.00			0.00								
	計	27	104.96	93.61	116.31	104.12	92.86	115.38	11	42.76	35.52	50.01	42.42	35.23	49.61						
	36徳島 女 配偶あり	0-5																			
		10-15	0	0.00			0.00		0	0.00			0.00								
20-25		0	0.00			0.00		0	0.00			0.00									
25-30		1	161.34	70.69	251.99	160.05	70.12	249.98	0	0.00			0.00								
30-35		1	98.80	38.90	138.70	98.09	38.59	137.59	1	66.58	29.17	103.98	66.04	28.93	103.15						
35-40		2	133.15	80.25	186.05	132.09	79.61	184.56	3	216.37	146.18	286.56	214.64	145.01	284.27						
40-45		1	72.12	31.60	112.65	71.55	31.35	111.75	3	134.35	80.97	187.73	133.27	80.32	186.23						
45-50		0	0.00			0.00			2	179.16	121.04	237.28	177.73	120.07	235.38						
50-55		0	0.00			0.00			2	102.65	61.86	143.43	101.83	61.37	142.28						
55-60		0	0.00			0.00			2	96.40	58.10	134.70	95.63	57.63	133.62						
60-65		0	0.00			0.00			1	21.40	9.37	33.42	21.23	9.30	33.15						
65+		4	24.03	17.28	30.78	23.84	17.14	30.54	15	90.12	77.05	103.20	89.40	76.43	102.37						
36徳島 女 配偶なし		0-5																			
		10-15	0	0.00			0.00		2	143.49	86.48	200.50	142.34	85.79	198.90						
		20-25	0	0.00			0.00		5	407.21	304.90	509.52	403.95	302.46	505.45						
	25-30	0	0.00			0.00		6	629.20	484.90	773.50	624.17	481.02	767.32							
	30-35	0	0.00			0.00		5	720.43	539.44	901.42	714.67	535.13	894.21							
	35-40	0	0.00			0.00		2	317.21	191.19	443.23	314.67	189.66	439.69							
	40-45	1	200.57	87.88	313.27	198.97	87.17	310.76	0	0.00			0.00								
	45-50	0	0.00			0.00			1	231.92	101.61	362.23	230.07	100.80	359.33						
	50-55	0	0.00			0.00			1	247.64	108.50	386.78	245.66	107.63	383.69						
	55-60	0	0.00			0.00			0	0.00			0.00								
	60-65	0	0.00			0.00			1	157.38	68.95	245.80	156.12	68.40	243.83						
	65+	2	38.41	23.15	53.68	38.11	22.97	53.25	1	19.21	8.41	30.00	19.05	8.35	29.76						
	計	3	23.88	16.13	31.62	23.69	16.00	31.37	24	191.02	169.11	212.92	189.49	167.76	211.22						
	36徳島 女 計	0-5																			
		10-15	0	0.00			0.00		2	142.63	85.96	199.29	141.48	85.27	197.70						
20-25		0	0.00			0.00		5	365.12	273.38	456.86	362.20	271.20	453.21							
25-30		0	0.00			0.00		7	444.90	350.43	539.37	441.34	347.62	535.05							
30-35		1	54.94	24.07	85.81	54.50	23.88	85.13	5	274.70	205.68	343.73	272.51	204.03	340.98						
35-40		2	93.78	56.52	131.05	93.03	56.07	130.00	3	140.68	95.04	186.31	139.55	94.28	184.82						
40-45		2	106.10	63.94	148.25	105.25	63.43	147.06	3	159.15	107.52	210.77	157.87	106.66	209.09						
45-50		0	0.00			0.00			3	156.26	10										