

## 別紙4

## 研究成果の刊行に関する一覧表

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hagiya H, Murase T, Suzuki M, Shibayama K, Kokumai Y, Watanabe N, Maki M, and Otsuka F.	<i>Chromobacterium violaceum</i> nosocomial pneumonia in two Japanese patients at an intensive care unit.	J Infect Chemother.	in press		2014
Suzuki M, Suzuki S, Matsui M, Hiraki Y, Kawano F, Shibayama K.	A subclass B3 metallo- -lactamase found in <i>Pseudomonas alcaligenes</i> .	J Antimicrob Chemother.	In press		2014
Wachino J, Matsui M, Tran HH, Suzuki M, Suzuki S, Shibayama K.	Evaluation of a Double-Disk Synergy Test with a Common Metallo- -Lactamase Inhibitor, Mercaptoacetate, for Detecting NDM-1-Producing <i>Enterobacteriaceae</i> and <i>Acinetobacter baumannii</i> .	Jpn J Infect Dis.	67(1)	66-8	2014
Suzuki M, Suzuki S, Matsui M, Hiraki Y, Kawano F, Shibayama K.	Genome Sequence of a Strain of the Human Pathogenic Bacterium <i>Pseudomonas alcaligenes</i> That Caused Bloodstream Infection.	Genome Announc.	Oct 31 1(5)	e00919-13	2013

Matsui M, Shibayama K, Tsuji Y, Kamimura H, Karube Y, Yoshida M, Masuda Y, Hiraki Y, Takaki K, Kawano F.	Isolation of genetically indistinguishable carbapenem-resistant and -susceptible <i>Acinetobacter baumannii</i> isolates from a single patient.	Antimicrob Agents Chemother.	57(11)	5781-2	2013
Rimbara E, Mori S, Kim H, Shibayama K.	Role of -glutamyl transpeptidase in the pathogenesis of <i>Helicobacter pylori</i> infection.	Microbiol Immunol.	57(10)	665-73	2013
Rimbara E, Matsui M, Mori S, Suzuki S, Suzuki M, Kim H, Sekizuka T, Kuroda M, Shibayama K.	Draft Genome Sequence of <i>Helicobacter fennelliae</i> Strain MRY12-0050, Isolated from a Bacteremia Patient.	Genome Announc.	1(4)	e00512-13	2013
Suzuki M, Matsui M, Suzuki S, Rimbara E, Asai S, Miyachi H, Takata T, Hiraki Y, Kawano F, Shibayama K.	Genome Sequences of Multidrug-Resistant <i>Acinetobacter baumannii</i> Strains from Nosocomial Outbreaks in Japan.	Genome Announc.	1(4)	e00476-13	2013
Matsui M, Suzuki S, Suzuki M, Arakawa Y, Shibayama K.	Rapid discrimination of <i>Acinetobacter baumannii</i> international clone II lineage by pyrosequencing SNP analyses of <i>bla</i> <sub>OXA-51-like</sub> genes.	J Microbiol Methods.	94(2)	121-4	2013
Rimbara E, Mori S, Kim H, Matsui M, Suzuki S, Takahashi S, Yamamoto S, Mukai M, Shibayama K.	<i>Helicobacter cinaedi</i> and <i>Helicobacter fennelliae</i> transmission in a hospital from 2008 to 2012.	J Clin Microbiol.	51(7)	2439-42	2013

Matsuoka M, Sasaki T, Seki N, Kobayashi M, Sawabe K, Sasaki Y, Shibayama K, Sasaki T, Arakawa Y.	Hemin-binding proteins as potent markers for serological diagnosis of infections with <i>Bartonella quintana</i> .	Clin Vaccine Immunol.	20(4)	620-6	2013
Suzuki S, Matsui M, Suzuki M, Sugita A, Kosuge Y, Kodama N, Ichise Y, Shibayama K.	Detection of tripoli metallo- -lactamase 2 (TMB-2), a variant of <i>bla</i> <sub>TMB-1</sub> , in clinical isolates of <i>Acinetobacter</i> spp. in Japan.	J Antimicrob Chemother.	68(6)	1441-2	2013
Kimura K, Nagano N, Nagano Y, Wachino J, Shibayama K, Arakawa Y.	Ability of the VITEK(R) 2 system to detect group B streptococci with reduced penicillin susceptibility (PRGBS)	J Antimicrob Chemother	68(6)	1442-4	2013
Kimura K, Wachino J, Kurokawa H, Matsui M, Suzuki S, Yamane K, Nagano N, Shibayama K, Arakawa Y.	High cephalosporin resistance due to amino acid substitutions in PBP1A and PBP2X in a clinical isolate of group B <i>Streptococcus</i>	J Antimicrob Chemother	68(7)	1533-6	2013
Kimura K, Matsubara K, Yamamoto G, Shibayama K, Arakawa Y.	Active screening of group B streptococci with reduced penicillin susceptibility and altered serotype distribution isolated from pregnant women in Kobe, Japan	Jpn J Infect Dis.	66(2)	158-60	2013

Kimura K, Nishiyama Y, Shimizu S, Wachino J, Matsui M, Suzuki S, Yamane K, Shibayama K, Arakawa Y	Screening for group B streptococci with reduced penicillin susceptibility in clinical isolates obtained between 1977 and 2005	Jpn J Infect Dis.	66(2)	158-60	2013
Kimura K, Nishiyama Y, Shimizu S, Wachino J, Matsui M, Suzuki S, Yamane K, Shibayama K, Arakawa Y	Molecular Epidemiology of Extended-Spectrum -Lactamases and <i>Escherichia coli</i> Isolated from Retail Foods Including Chicken Meat in Japan	Foodborne Pathog Dis.	11(2)	104-10	2014
Sato N, Kawamura K, Nakane K, Wachino J, Arakawa Y.	First detection of fosfomycin resistance gene <i>fosA3</i> in CTX-M-producing <i>Escherichia coli</i> isolates from healthy individuals in Japan	Microb Drug Resist.	19(6)	477-82	2013
Hattori T, Kawamura K, Arakawa Y.	Comparison of test methods for detecting metallo-lactamase-producing Gram-negative bacteria	Jpn J Infect Dis.	66(6)	512-8	2013
Kimura K, Yanagisawa H, Wachino J, Shibayama K, Arakawa Y.	Rapid and reliable loop-mediated isothermal amplification method for detecting <i>Streptococcus agalactiae</i>	Jpn J Infect Dis.	66(6)	546-8	2013
Tada T, Miyoshi-Akiyama T, Shimada K, Shimojima M, Kirikae T.	Novel 6'-N-Aminoglycoside Acetyltransferase AAC(6')-Iaj from a Clinical Isolate of <i>Pseudomonas aeruginosa</i> .	Antimicrob Agents Chemother.	Jan;57 (1)	96-100	2013

T. Tada, T. Miyoshi-Akiyama, RK. Dahal, M.K Sah, H. Ohara, T. Kirikae, B.M. Pokhrel.	NDM-8 metallo-lactamase in a multidrug-resistant <i>Escherichia coli</i> strain isolated in Nepal.	Antimicrob. Agents. Chemother.	57(5)	2394-2396	2013
T. Tada, T. Miyoshi-Akiyama, Y. Kato, N. Ohmagari, N. Takeshita, N.V. Hung, D.M.Phuong, T.A. Thu, N.G. Binh, N.Q. Anh, T.T. Nga, P.H. Truong, P.T. Xuan, L.T. Thu, N.T. Son, T. Kirikae.	Emergence of 16S rRNA methylase-producing <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> isolates in hospitals in Vietnam.	BMC Infect. Dis.	13(1)	251	2013
T. Tada, T. Miyoshi-Akiyama, K. Shimada, M. Shimima, T. Kirikae.	IMP-43 and IMP-44 metallo-lactamases with increased carbapenemase activities in multidrug-resistant <i>Pseudomonas aseurinosa</i> .	Antimicrob. Agents. Chemother.	57(9)	4427-4432	2013
T. Tada, T. Miyoshi-Akiyama, R.K. Dahal, S.K. Mishra, H. Ohara, K. Shimada, T. Kirikae, B.M. Pokhrel.	Dissemination of multidrug-resistant <i>Klebsiella pneumoniae</i> clinical isolates with various combinations of carbapenemases (NDM-1 and OXA-72) and 16S rRNA methylases (ArmA, RmtC and RmtF) in Nepal.	Int.J.Antimicob. Agents.	42(4)	372-374	2013

Y. Hamada, K. Watanabe, T. Tada, K. Mezaki, S. Takeuchi, T. Shimizu, T. Kirikae, N. Ohmagari.	Three cases of IMP-type metallo-lactamase-producing <i>Enterobacter cloacae</i> blood stream infection in Japan.	J. Infect. Chemother.	19(5)	956-958	2013
T. Tada, T. Miyoshi-Akiyama, R.K. Dahal, M.K. Sah, H. Ohara, K. Shimada, T. Kirikae, B.M. Pokhrel.	NDM-1 Metallo-beta-Lactamase and ArmA 16S rRNA methylase producing <i>Providencia rettgeri</i> clinical isolates in Nepal.	BMC Infect. Dis.	14(1)	56	2014
T. Tada, T. Miyoshi-Akiyama, K. Shimada, M. Shimojima, T. Kirikae.	Dissemination of 16S rRNA methylase ArmA-producing <i>Acinetobacter baumannii</i> and emergence of OXA-72 carbapenemase-coproducers in Japan.	Antimicrob. Agents. Chemother.	In press		
Kurushima J, Hayashi I, Sugai M, Tomita H.	Bacteriocin protein BacL1 of <i>Enterococcus faecalis</i> is a peptidoglycan D-isoglutamyl-L-lysine endopeptidase.	Journal of Biological Chemistry.	288	36915-36925	2103
Hirakawa H, Tomita H.	Interference of bacterial cell-to-cell communication: a new concept of antimicrobial chemotherapy breaks antibiotic resistance.	Frontiers Microbiology.	4	114	2013

Matsumoto T, Hirayama Y, Hisamitsu Y, Fukumura M, Hirata A, Tanaka K, Kurokawa M, Tamura Y, Yoshida H, Suzuki K, Nagai T, Kawase I, Hoshino Y	Simultaneous and Longitudinal Comparison of Interferon Gamma Release Assays Among Health Care Workers in Japan	Mycobacterial Diseases	in press.		
Matsumoto T, Koshii Y, Sakane K, Murakawa T, Hirayama Y, Yoshida H, Kurokawa M, Tamura Y, Nagai T, Kawase I	A novel approach to automated genotyping of <i>Mycobacterium tuberculosis</i> using a panel of 15 MIRU VNTRs.	Journal of microbiological methods	93	239-241	2013
Matsumoto T, Ogata H, Toyota E, Suzuki K, Saito T, Fujita A, Suetake T, Chikamatsu K, Mizuno K, Mitarai S	Clinical evaluation of a line probe assay kit for the identification of mycobacterium species and detection of drug-resistant mycobacterium tuberculosis	Kekkaku: [Tuberculosis]	88(3)	253-259	2013
Takaya A, Sato Y, Shoji K, Sone K, Yamamoto T.	Methylation of 23S rRNA nucleotide G748 by RlmA <sup>II</sup> methyltransferase renders <i>Streptococcus pneumoniae</i> telithromycin-susceptible.	Antimicrob. Agents Chemother	57	3789-3796	2013
Morioka I, Takahashi N, Kitajima H; Committee for Infection Prevention and Vaccine Promotion of the Japan Society for Premature and Newborn Medicine.	Prevalence of MRSA colonization in Japanese neonatal care unit patients in 2011.	Pediatr Int.	2013 Oct 15. doi: 10.1111/ped.12232.		2013

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
松本智成	感染症の診断と治療、 予防-最近の進歩- 4. IGRAによる結核診断	渡辺彰	日本内科学会 雑誌	日本内科 学会	東京	2013	p2888- 2899
松本智成	結核 - 古くて新しい 感染症 - 結核菌の分 子疫学の展開		最新医学 68 巻11月	最新医学 社	大阪	2013	p2496- 2502
松本智成	多剤耐性結核の現状 呼 吸 32(8) p697-702 2013		呼吸 32(8)	一般社団 法人 呼吸研究	東京	2013	697-70 2
山本友子	マクロライド耐性-肺 炎球菌のもつマクロ ライド耐性機構を中 心に-	富田治芳	化学療法の領 域特集・細菌 の進化から考 える抗菌薬耐 性	医薬ジャ ーナル社	東京	2013	44-54