

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
	なし						

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ogawa, T., S. Tsuji-Kawahara, T. Yuasa, S. Kinoshita, T. Chikaishi, S. Takamura, H. Matsumura, T. Seya, T. Saga, and <u>M. Miyazawa</u> .	Natural killer cells recognize Friend retrovirus-infected erythroid progenitor cells through NKG2D-RAE-1 interactions in vivo.	<i>J. Virol.</i>	85:	5423-5435	2011
Sironi, M., F. R. Guerini, C. Agliardi, M. Biasin, R. Cagliani, M. Fumagalli, D. Caputo, A. Cassinotti, S. Ardizzone, M. Zanzottera, E. Bolognesi, S. Riva, Y. Kanari, <u>M. Miyazawa</u> , and M. Clerici.	An evolutionary analysis of <i>RAC2</i> identifies haplotypes associated with human autoimmune diseases.	<i>Mol. Biol. Evol.</i>	28	3319-3329	2011
Hayasaka, N., K. Aoki, S. Kinoshita, S. Yamaguchi, J. K. Wakefield, S. Tsuji-Kawahara, K. Horikawa, H. Ikegami, S. Wakana, T. Murakami, R. Ramabhadran, <u>M. Miyazawa</u> , and S. Shibata	Attenuated food anticipatory activity and abnormal circadian locomotor rhythms in <i>Rgs16</i> knockdown mice.	<i>PLoS One</i>	6	e17655	2011
Nomura, W., Ohashi, N., Okuda, Y., Narumi, T., Ikura, T., <u>Ito, N.</u> , and Tamamura, H.	Fluorescence-Quenching Screening of Protein Kinase C Ligands with an Environmentally Sensitive Fluorophore	<i>Bioconjugate Chem</i>	22	923-930	2011
Fujii, S., H. Masuno, Y. Taoda, A. Kano, A. Wongmayura, M. Nakabayashi, <u>N. Ito</u> , M. Shimizu, E. Kawachi, T. Hirano, Y. Endo, A. Tanatani, and H. Kagechika.	Boron Cluster-based Development of Potent Non-Secosteroidal Vitamin D Receptor Ligands: Direct Observation of Hydrophobic Interaction between Protein Surface and Carborane.	<i>J. Am. Chem. Soc.</i>	133	20933-20941	2011

Ohtani, H., T. Nakajima, H. Akari, T. Ishida, and <u>A. Kimura</u> .	Molecular evolution of immunoglobulin superfamily genes in primates.	<i>Immuno-genetics</i>	63	417-428	2011
Chen, Z., T. Nakajima, Y. Inoue, T. Kudo, M. Jibiki, T. Iwai, and <u>A. Kimura</u> .	A single nucleotide polymorphism in the 3'-untranslated region of MyD88 gene is associated with Buerger disease but not with Takayasu arteritis in Japanese.	<i>J. Hum. Genet.</i>	56	545-547	2011
Takahara, Y., S. Matsuoka, T. Kuwano, T. Tsukamoto, H. Yamamoto, H. Ishii, T. Nakasone, A. Takeda, M. Inoue, A. Iida, H. Hara, T. Shu, M. Hasegawa, H. Sakawaki, M. Horiike, T. Miura, T. Igarashi, T. K. Naruse, <u>A. Kimura</u> , and T. Matano T	Dominant induction of vaccine antigen-specific cytotoxic T lymphocyte responses after simian immunodeficiency virus challenge.	<i>Biochem. Biophys. Res. Commun.</i>	408	615-619	2011
Naruse, T. K., Y. Okuda, K. Mori, H. Akari, T. Matano, and <u>A. Kimura</u> .	ULBP4/RAET1E is highly polymorphic in the Old World monkey.	<i>Immuno-genetics</i>	63	501-509	2011
Nakamura, M., Y. Takahara, H. Ishii, H. Sakawaki, M. Horiike, T. Miura, T. Igarashi, T. K. Naruse, <u>A. Kimura</u> , T. Matano, and S. Matsuoka.	Major histocompatibility complex class I-restricted cytotoxic T lymphocyte responses during primary simian immunodeficiency virus infection in Burmese rhesus macaques.	<i>Microbiol. Immunol.</i>	55	768-773	2011
Takahashi, M., Z. Chen, K. Watanabe, H. Kobayashi, T. Nakajima, <u>A. Kimura</u> , and Y. Izumi.	Toll-like receptor 2 gene polymorphisms associated with aggressive periodontitis in Japanese.	<i>Open Dent. J.</i>	5	190-194	2011
Mori, M., B. Sriwanthana, N. Wichukchinda, C. Boonthimat, N. Tsuchiya, T. Miura, P. Pathipvanich, <u>K. Ariyoshi</u> , and P. Sawanpanyalert.	Unique CRF01_AE Gag CTL Epitopes Associated with Lower HIV-Viral Load and Delayed Disease Progression in a Cohort of HIV-Infected Thais.	<i>PLoS One</i>	6	e22680	2011
Rojanawiwat ,A., N. Tsuchiya, P. Pathipvanich, W. Pumpradit, W. P. Schmidt, S. Honda, W. Auwanit, P. Sawanpanyalert, and <u>K. Ariyoshi</u> .	Impact of the National Access to Antiretroviral Program on the incidence of opportunistic infections in Thailand.	<i>International Health</i>	3	101-107	2011

Li, J., Y. Hakata, E. Takeda, Q. Liu, Y. Iwatani, C. A. Kozak, and <u>M. Miyazawa</u>	Two genetic determinants acquired late in <i>Mus</i> evolution regulate the inclusion of exon 5, which alters mouse APOBEC3 translation efficiency.	<i>PLoS Pathog.</i>	8	e1002478	2012
<u>Miyazawa, M.</u> , K. Okubo, K. Shiraki, M. Maruyama, J. Yamada, and H. Yamada.	Immunological approaches for healthy longevity.	<i>Anti-Aging Medicine</i>	9	43-50	2012
Tamashiro, T., Y. Tanabe, T. Ikura, <u>N. Ito</u> , and M. Oda.	Critical roles of Asp270 and Trp273 in the α -repeat of the carbohydrate-binding module of endo-1,3- β -glucanase for laminarin-binding avidity.	<i>Glycoconj. J.</i>	29	77–85	2012
Nomura, W., A. Masuda, K. Ohba, A. Urabe, <u>N. Ito</u> , R. Abe, N. Yamamoto, and H. Tamamura.	Effects of DNA Binding of Zinc Finger and Linkers for Domain Fusion on Catalytic Activity of Sequence-Specific Chimeric Recombinases Determined by a Facile Fluorescent System.	<i>Biochemistry</i>	51	1510–1517	2012
Ishii, H., M. Kawada, T. Tsukamoto, H. Yamamoto, S. Matsuoka, T. Shiino, A. Takeda, M. Inoue, A. Iida, H. Hara, T. Shu, M. Hasegawa, T. K. Naruse, <u>A. Kimura</u> , M. Takiguchi, and T. Matano.	Impact of vaccination on cytotoxic T lymphocyte immunodominance and cooperation against simian immunodeficiency virus replication in rhesus macaques.	<i>J. Virol.</i>	86	738-745	2012
Takaki, A., A. Yamazaki, T. Maekawa, H. Shibata, K. Hirayama, <u>A. Kimura</u> , H. Hirai, and M. Yasunami.	Positive selection of Toll-like receptor 2 polymorphisms in two closely related old world monkey species, rhesus and Japanese macaques.	<i>Immuno-genetics</i>	64	15-29	2012
Saito, Y., T. K. Naruse, H. Akari, T. Matano, and <u>A. Kimura</u> .	Diversity of MHC class I haplotypes in cynomolgus macaques.	<i>Immuno-genetics</i>	64	131-141	2012
Yoshimoto, N., Y. Sakamaki, M. Haeta, A. Kato, Y. Inaba, T. Itoh, M. Nakabayashi, <u>N. Ito</u> , and K. Yamamoto.	Butyl pocket formation in the vitamin D receptor strongly affects the agonistic or antagonistic behavior of ligands.	<i>J. Med. Chem.</i>	55	4373–4381	2012
Shinohara, M., K. Io, K. Shindo, M. Matsui, T. Sakamoto, K. Tada, M. Kobayashi, N. Kadowaki, and <u>A. Takaori-Kondo</u> .	APOBEC3B can impair genomic stability by inducing base substitutions in genomic DNA in human cells.	<i>Scientific Reports</i>	2	806	2012

Matsunaga, S., T. Sawasaki, H. Ode, R. Morishita, A. Furukawa, R. Sakuma, W. Sugiura, H. Sato, M. Katahira, <u>A. Takaori-Kondo</u> , N. Yamamoto, and A. Ryo.	Molecular and enzymatic characterization of XMRV protease by a cell-free proteolytic analysis.	<i>J. Proteomics</i>	75	4863-4873	2012
Furukawa, A., H. Okamura, R. Morishita, S. Matsunaga, N. Kobayashi, T. Ikegami, T. Kodaki, <u>A. Takaori-Kondo</u> , A. Ryo, T. Nagata, and M. Katahira.	NMR study of xenotropic murine leukemia virus-related virus protease in a complex with amprenavir.	<i>Biochem. Biophys. Res. Commun.</i>	425	284-289	2012
Ohtani, H., T. K. Naruse, Y. Iwasaki, T. Ishida, H. Akari, T. Matano, and <u>A. Kimura</u> .	Lineage-specific evolution of T-cell immunoglobulin and mucin domain 1 gene in the primates.	<i>Immunogenetics</i>	64	669-678	2012
Mori, M., K. Matsuki, T. Maekawa, M. Tanaka, B. Sriwanthana, M. Yokoyama, and <u>K. Ariyoshi</u> .	Development of a novel in silico docking simulation model for the fine HIV-1 cytotoxic T lymphocyte epitope mapping.	<i>PLoS One</i>	7	e41703	2012
Sriwanthana, B., M. Mori, M. Tanaka, S. Nishimura, T. Miura, P. Pathipvanich, P. Sawanpanyalert, and <u>K. Ariyoshi</u> .	The effect of HLA polymorphisms on the recognition of Gag epitopes in HIV-1 CRF01_AE infection.	<i>PLoS One</i>	7	e41696	2012
Tsuchiya, N., P. Pathipvanich, A. Rojanawiwat, N. Wichukchinda, I. Koga, M. Koga, W. Auwanit, P. E. Kilgore, <u>K. Ariyoshi</u> , and P. Sawanpanyalert.	Chronic hepatitis B and C co-infection increased all-cause mortality in HAART-naive HIV patients in northern Thailand.	<i>Epidemiol. Infect.</i>	1	1-9	2012
Nomura, T., K. Terahara, H. Yamamoto, T. Shiino, N. Takahashi, T. Nakane, N. Iwamoto, H. Ishii, T. Tsukamoto, M. Kawada, S. Matsuoka, A. Takeda, K. Terahara, Y. Tsunetsugu-Yokota, N. Iwata-Yoshikawa, H. Hasegawa, T. Sata, T. K. Naruse, <u>A. Kimura</u> , and T. Matano.	Association of major histocompatibility complex class I haplotypes with disease progression after simian immunodeficiency virus challenge in Burmese rhesus macaques.	<i>J. Virol.</i>	86	6481-6490	2012
Chonabayashi, K., M. Hishizawa, S. Kawamata, Y. Nagai, T. Ohno, T. Ishikawa, T. Uchiyama, and <u>A. Takaori-Kondo</u> .	Direct binding of Grb2 has an important role in the development of myeloproliferative disease induced by ETV6/FLT3.	<i>Leukemia</i>	27	1433-1436	2013

Sato, T., T. Kitawaki, H. Fujita, M. Iwata, T. Iyoda, K. Inaba, T. Ohteki, S. Hasegawa, K. Kawada, Y. Sakai, H. Ikeuchi, H. Nakase, A. Niwa, <u>A. Takaori-Kondo</u> , and N. Kadowaki	Human CD1c ⁺ myeloid dendritic cells acquire a high level of retinoic acid-producing capacity in response to vitamin D ₃ .	<i>J. Immunol.</i>	191	3152-3160	2013
Takahashi, N., T. Nomura, Y. Takahara, H. Yamamoto, T. Shiino, A. Takeda, M. Inoue, A. Iida, H. Hara, T. Shu, M. Hasegawa, H. Sakawaki, T. Miura, T. Igarashi, Y. Koyanagi, T. K. Naruse, <u>A. Kimura</u> , and T. Matano.	A novel protective MHC-I haplotype not associated with dominant Gag-specific CD8 ⁺ T-cell responses in SIVmac239 infection of Burmese rhesus macaques.	<i>PLoS One</i>	8	e54300	2013
Sharma, G., H. Ohtani, G. Kaur, T. K. Naruse, S. K. Sharma, M. Vajpayee, <u>A. Kimura</u> , and N. K. Mehra.	Status of TIM-1 exon 4 haplotypes and CD4 ⁺ T cell counts in HIV-1 seroprevalent north Indians.	<i>Hum. Immunol.</i>	74	163-165	2013
Sapsutthipas, S., N. Tsuchiya, P. Pathipavanich, <u>K. Ariyoshi</u> , P. Sawanpanyalert, N. Takeda, P. Isarangkura-na-ayuthaya, and M. Kameoka.	CRF01_AE-specific neutralizing activity observed in plasma derived from HIV-1-infected Thai patients residing in northern Thailand: comparison of neutralizing breadth and potency between plasma derived from rapid and slow progressors.	<i>PLoS One</i> :	8	e53920	2013
Tsumiyama K, A. Hashiramoto, M. Takimoto, S. Tsuji-Kawahara, <u>M. Miyazawa</u> , and S. Shiozawa	IFN- γ -producing effector CD8 T lymphocytes cause immune glomerular injury by recognizing antigen presented as immune complex on target tissue.	<i>J. Immunol.</i>	191	91-96	2013
Tsuji-Kawahara, S., H. Kawabata, H. Matsukuma, S. Kinoshita, T. Chikaishi, M. Sakamoto, Y. Kawasaki, and <u>M. Miyazawa</u>	Differential requirements of cellular and humoral immune responses for Fv2-associated resistance to erythroleukemia and for the regulation of retrovirus-induced myeloid leukemia development.	<i>J. Virol</i>	87	13760-13774	2013
Nakabayashi, M., Tsukahara, Y., Iwasaki-Miyamoto, Y., Mihori-Shimazaki, M., Yamada, S., Inaba, S., Oda, M., Shimizu, M., Makishima, M, Tokiwa, H., Ikura, T., and <u>Ito, N.</u>	Crystal structures of hereditary vitamin D-resistant rickets-associated vitamin D receptor mutants R270L and W282R bound to 1,25-dihydroxyvitamin D ₃ and synthetic ligands.	<i>J. Med. Chem.</i>	56	6745–6760	2013

Masuno, H., Ikura, T., Morizono, D., Orita, I., Yamada, S., Shimizu, M. and <u>Ito, N.</u>	Crystal structures of complexes of vitamin D receptor ligand-binding domain with lithocholic acid derivatives.	<i>J. Lipid Res.</i>	54	2206-2213	2013
Ikura, T., and <u>Ito, N.</u>	Peptidyl-prolyl isomerase activity of FK506 binding protein 12 prevents tau peptide from aggregating.	<i>Protein Engineering, Design and Selection</i>	26	539-546	2013
Fujita, H., T. Kitawaki, T. Sato, T. Maeda, S. Kamihira, <u>A. Takaori-Kondo</u> , and N. Kadowaki.	The tyrosine kinase inhibitor dasatinib suppresses cytokine production by plasmacytoid dendritic cells by targeting endosomal transport of CpG DNA.	<i>Eur. J. Immunol.</i>	43	93-103	2013
Nakayama, E. E., T. Nakajima, G. Kaur, J. Miyama, H. Terunuma, N. K. Mehra <u>A. Kimura</u> , and T. Shioda	A naturally occurring single amino acid substitution in human TRIM5a linker region affects its anti-HIV-1 activity and susceptibility to HIV-1 infection	<i>AIDS Res. Hum. Retroviruses</i>	29	919-924	2013
An, J., T. Nakajima, H. Shibata, T. Arimura, M. Yasunami, and <u>A. Kimura</u>	A novel link of HLA locus to the regulation of immunity and infection: NFKBIL1 regulates alternative splicing of human immune-related genes and influenza virus M gene	<i>J. Autoimmun.</i>	47	25-33	2013
Higo, K., Ikura, T., Oda, M., Morii, H., Takahashi, J., Abe, R. and <u>Ito, N.</u>	High resolution crystal structure of the Grb2 SH2 domain with a phosphopeptide derived from CD28.	<i>PLoS One</i>	8	e74482	2013
Pathipvanich, P., N. Tsuchiya, A. Rojanawiwat, W. P. Schmidt, W. Auwanit, P. Sawanpanyalert, and <u>K. Ariyoshi</u>	Changing burden of HIV/AIDS to clinical settings in Northern Thailand over 15 years.	<i>Jpn. J. Infect. Dis</i>	66	375-378	2013
Takamura, S., E. Kajiwara, S. Tsuji-Kawahara, T. Masumoto, M. Fujisawa, M. Kato, T. Chikaishi, Y. Kawasaki, S. Kinoshita, M. Itoi, N. Sakaguchi, and <u>M. Miyazawa</u>	Infection of adult thymus with murine retrovirus induces virus-specific central tolerance that prevents functional memory CD8 ⁺ T cell differentiation.	<i>PLoS Pathog.</i>	10	e1003937	2014
Tsuji-Kawahara, S. and <u>M. Miyazawa</u>	Elimination of Friend retrovirus in the absence of CD8 ⁺ T cells.	<i>J. Virol.:</i>	88	1854-1855	2014

Matsui, Y., K. Shindo, K. Nagata, K. Io, K. Tada, F. Iwai, M. Kobayashi, N. Kadowaki, R. Harris, and A. Takaori-Kondo	Defining HIV-1 Vif residues that interact with CBF β by site-directed mutagenesis.	<i>Virology</i>	449	82-87	2014
Yoshioka, S., Y. Miura, H. Yao, S. Satake, Y. Hayashi, A. Tamura, T. Hishita, T. Ichinohe, H. Hirai, A. Takaori-Kondo, and T. Maekawa	C/EBP β expressed by bone marrow mesenchymal stromal cells regulates early B-cell lymphopoiesis.	<i>Stem cells</i>	32	730-740	2014
Arai, Y., Y. Nishinaka, T. Arai, M. Morita, K. Mizugishi, S. Adachi, A. Takaori-Kondo, T. Watanabe, and K. Yamashita	Uric acid induces NADPH oxidase-independent neutrophil extracellular trap formation.	<i>Biochem. Biophys. Res. Commun.</i>	443	556-561	2014
Sakamoto, T., M. Kobayashi, K. Tada, M. Shinohara, K. Io, K. Nagata, F. Iwai, Y. Takiuchi, Y. Arai, K. Yamashita, K. Shindo, N. Kadowaki, Y. Koyanagi, and A. Takaori-Kondo	CKIP-1 is an intrinsic negative regulator of T-cell activation through an interaction with CARMA1.	<i>PLoS One</i>	9	e85762	2014
Furukawa, A., K. Sugase, R. Morishita, T. Nagata, T. Kodaki, A. Takaori-Kondo, A. Ryo, and M. Katahira	Quantitative analysis of location- and sequence-dependent deamination by APOBEC3G using real-time NMR spectroscopy.	<i>Angew Chem. Int. Ed. Engl.</i>	53	2349-2352	2014
Mori, F., T. Ishida, A. Ito, F. Sato, A. Masaki, T. Narita, S. Suzuki, T. Yamada, H. Takino, M. Ri, S. Kusumoto, H. Komatsu, M. Hishizawa, K. Imada, A. Takaori-Kondo, A. Niimi, R. Ueda, H. Inagaki, and S. Iida	Antitumor effects of bevacizumab in a microenvironment-dependent human adult T-cell leukemia/lymphoma mouse model.	<i>Eur. J. Haematol.</i>	92	219-228	2014
Naruse, T. K., H. Akari, T. Matano, and A. Kimura	Divergence and diversity of ULBP2 genes in rhesus and cynomolgus macaques.	<i>Immunogenetics</i>	66	161-170	2014
Mori, M., N. Wichukchinda, R. Miyahara, A. Rojanawiwat, P. Pathipvanich, T. Maekawa, T. Miura, P. Goulder, M. Yasunami, K. Ariyoshi, and P. Sawanpanyalert	HLA-B*35: 05 is a protective allele with a unique structure among HIV-1 CRF01_AE-infected Thais, in whom the B*57 frequency is low.	<i>AIDS</i>	28	959-967	2014

