

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----------------|---|-----------------------------|--|--------|-----|------|-----------------|
| 永井宏和 | 濾胞性リンパ腫 | 直江知樹、 小澤敬也、 中尾眞二 編 | 血液疾患最新の治療 2014-2016 | 南江堂 | 東京 | 2014 | 171-175 |
| 永井宏和 | ホジキンリンパ腫 | 日本血液学会編 | 造血器腫瘍診療ガイドライン | 金原出版 | 東京 | 2013 | 246-267 |
| 永井宏和 | 悪性リンパ腫におけるTLSリスク評価、CQ | 日本臨床腫瘍学会編 | 腫瘍崩壊症候群(TLS)診療ガイドライン | 金原出版 | 東京 | 2013 | 19-20、 32-41 |
| 永井宏和 | 白血球減少 | 矢野久子、 矢野邦夫 | ナーシンググラフィカ 健康の回復と看護 造血機能障害/ 免疫機能障害 | メディカ出版 | 大阪 | 2014 | 27-31 |
| 永井宏和 | Hodgkin リンパ腫 | 木崎昌弘編 | カラーテキスト血液病学 | 中外医学社 | 東京 | 2013 | 498-505 |
| 渡邊俊樹 (分担執筆) | 「IV.リンパ球系 3. 成人T細胞白血病/リンパ腫におけるNF-kB経路の活性化」 | | Annual Review 2014 血液 | 中外医学社 | 東京 | 2014 | 147-152 |
| 矢永由里子 | 序章 身体医療と心理臨床 | 矢永由里子・ 小池眞規子(編) | がんとエイズの心理臨床 | 創元社 | 大阪 | 2013 | 1～8 |
| 矢永由里子 | HIV/エイズ医療のなかの心理臨床 | 矢永由里子・ 小池眞規子(編) | がんとエイズの心理臨床 | 創元社 | 大阪 | 2013 | 199～ 202 |
| 矢永由里子 | 終章 これからの新臨床 | 矢永由里子・ 小池眞規子(編) | がんとエイズの心理臨床 | 創元社 | 大阪 | 2013 | 203～ 215 |
| 後藤裕樹、 岡田誠治 | HIV/AIDS関連悪性腫瘍 | | 最新がん薬物療法学 がん薬物療法の最新知見 日本臨床増刊号 | 日本臨床社 | 大阪 | 2014 | 510-514 |

| | | | | | | | |
|------|--------------------------|--|---------------------------------|------|----|------|---------|
| 岡田誠治 | がん治療、治療の最先端 - HLの臨床応用への道 | | 揺らぎ・ダイナミクスと生体機能 物理化学的視点から見た生体分子 | 化学同人 | 京都 | 2013 | 314-324 |
|------|--------------------------|--|---------------------------------|------|----|------|---------|

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|------------------------------------|-------------------------------|-----------|------|
| Ota Y, Hishima T, Mochizuki M, Kodama Y, Moritani S, Oyaizu N, Mine S, <u>Ajisawa A</u> , <u>Tanuma J</u> , <u>Uehira T</u> , <u>Hagiwara S</u> , <u>Yajima K</u> , <u>Koizumi Y</u> , <u>Shirasaka T</u> , <u>Kojima Y</u> , <u>Nagai H</u> , <u>Yokomaku Y</u> , <u>Shiozawa Y</u> , <u>Koibuchi T</u> , <u>Iwamoto A</u> , <u>Oka S</u> , <u>Hasegawa H</u> , <u>Okada S</u> , * <u>Katano H</u> . | Classification of AIDS-related lymphoma cases between 1987 and 2012 in Japan based on the WHO Classification of Lymphomas, fourth edition. | <i>Cancer Med</i> | 3 | 143-153 | 2014 |
| Kariya R, Taura M, Suzu S, Kai H, Katano, and * <u>Okada S</u> . | HIV protease inhibitor Lopinavir induces apoptosis of primary effusion lymphoma cells via suppression of NF- κ B pathway. | <i>Cancer Lett</i> | 342(1) | 52-59 | 2014 |
| Watanabe D, Otani N, Suzuki S, Dohi H, Hirota K, Yonemoto H, Koizumi Y, Otera H, Yajima K, Nishida Y, <u>Uehira T</u> , Shima M, Shirasaka T, and Okuno T | Evaluation of VZV-specific cell-mediated immunity in adults infected with HIV-1 by using a simple IFN- γ release assay | <i>J Med Virol</i> | 85(8) | 1313-1320 | 2013 |
| Yanagisawa K, <u>Tanuma J</u> , <u>Hagiwara S</u> , <u>Gatanaga H</u> , <u>Kikuchi Y</u> , <u>Oka S</u> . | Epstein-Barr viral load in cerebrospinal fluid as a diagnostic marker of central nervous system involvement of AIDS-related lymphoma. | <i>Internal Medicine</i> | 52(9) | 955-959 | 2013 |
| Matsunaga A, Hishima T, Tanaka N, Yamasaki M, Yoshida L, Mochizuki M, <u>Tanuma J</u> , <u>Oka S</u> , <u>Ishizaka Y</u> , <u>Shimura M</u> , <u>Hagiwara S</u> . | DNA methylation profiling can classify HIV-associated lymphomas | <i>AIDS</i> | 28(4) | 503-10 | 2014 |
| Kojima Y, Ohashi H, Nakamura T, Nakamura H, Yamamoto H, Miyata Y, Iida H, <u>Nagai H</u> . | Acute thrombotic thrombocytopenic purpura after pneumococcal vaccination. | <i>Blood Coagul Fibrinolysis</i> . | Jan 24. [Epub ahead of print] | | 2014 |

| | | | | | |
|---|--|------------------------------|--|---------------|---|
| Kojima Y, <u>Hagiwara S</u> , <u>Uehira T</u> , <u>Ajisawa A</u> , Kitanaka A, <u>Tanuma J</u> , <u>Okada S</u> , <u>Nagai H</u> . | Clinical Outcomes of AIDS-related Burkitt Lymphoma: A Multi- institution in Japan. | <i>Jpn J Clin Oncol.</i> | Feb 20. [Epub ahead of print] | | 2014 |
| Mizuno H, Sawa M, Yanada M, Shirahata M, Watanabe M, Kato T, <u>Nagai H</u> , Ozawa Y, Morishita T, Tsuzuki M, Goto E, Tsujimura A, Suzuki R, Atsuta Y, Emi N, Naoe T. | Micafungin for empirical antifungal therapy in patients with febrile neutropenia: multicenter phase 2 study. | <i>Int J Hematol.</i> | 98(2) | 231-6 | 2013 |
| Yasuda T, Suzuki R, Ishikawa Y, Terakura S, Inamoto Y, Yanada M, <u>Nagai H</u> , Ozawa Y, Ozeki K, Atsuta Y, Emi N, Naoe T. | Randomized controlled trial comparing ciprofloxacin and cefepime in febrile neutropenic patients with hematological malignancies. | <i>Int J Infect Dis.</i> | 17 | e385-90 | 2013 |
| Goto H, Kojima Y, <u>Nagai H</u> , <u>Okada S</u> . | Establishment of a CD4-positive cell line from an AIDS-related primary effusion lymphoma. | <i>Int J Hematol.</i> | 97(5) | 624-33 | 2013 |
| Asanuma S, Yamagishi M, Kawanami K, Nakano K, Sato-Otsubo A, Muto S, Sanada M, Yamochi T, Kobayashi S, Utsunomiya A, Iwanaga M, Yamaguchi K, Uchimaruk, Ogawa S, <u>Watanabe T</u> . | Adult T-cell leukemia cells are characterized by abnormalities of Helios expression that promotes T-cell growth. | <i>Cancer Sci</i> | 104(8) | 1097- 1106 | Aug. 2013 (doi: 10.111 1/cas.1 2181) |
| Tsukasaki K, Imaizumi Y, Tokura Y, Ohshima K, Kawai K, Utsunomiya A, Amano M, <u>Watanabe T</u> , Nakamura S, Iwatsuki K, Kamihira S, Yamaguchi K, Shimoyama M | Meeting report on the possible proposal of an extra-nodal primary cutaneous variant in the lymphoma type of adult T-cell leukemia- lymphoma. | <i>J Dermatol</i> | in press | | |
| Togano T, Nakashima M, Watanabe M, Umezawa K, <u>Watanabe T</u> , Higashihara M, Horie R. | Synergistic Effect of 5- Azacytidine and NF- κ B Inhibitor DHMEQ on Apoptosis Induction in Myeloid Leukemia Cells. | <i>Oncol Res</i> | 20(12) | 571-577 | 2013 |
| Ly BT, Chi HT, Yamagishi M, Kano Y, Hara Y, Nakano K, Sato Y, <u>Watanabe T</u> . | Inhibition of FLT3 expression by green tea catechins in FLT3 mutated-AML cells. | <i>PLoS One</i> | 8(6) | e66378 | 2013 |
| Mahieux R, <u>Watanabe T</u> . | Forefront studies on HTLV-1 oncogenesis. | <i>Front Microbiol</i> | 4 | 156 | 2013 |

| | | | | | |
|--|---|--|----------|---------|------|
| Nakano K, Ando T, Yamagishi M, Yokoyama K, Ishida T, Ohsugi T, Tanaka Y, Brighty DW, <u>Watanabe T.</u> | Viral interference with host mRNA surveillance, the nonsense-mediated mRNA decay (NMD) pathway, through a new function of HTLV-1 Rex: implications for retroviral replication. | <i>Microbes Infect</i> | 15(6-7) | 491-505 | 2013 |
| Yuki H, Ueno S, Tatetsu H, Niido H, Iino T, Endo S, Kawano Y, Komohara Y, Takeya M, Hata H, Okada S, <u>Watanabe T</u> , Akashi K, Mitsuya H, Okuno Y. | PU.1 is a potent tumor suppressor in classical Hodgkin lymphoma cells. | <i>Blood</i> | 121(6) | 962-970 | 2013 |
| <u>Fujiwara S</u> , Kimura H, Imadome K, Arai A, Kodama, E, Morio T, Shimizu N, and Wakiguchi H. | Current studies on chronic active Epstein-Barr virus infection in Japan. Pediatrics | <i>Pediatrics International</i> | in press | | 2014 |
| <u>Fujiwara S.</u> | Reproduction of Epstein-Barr virus infection and pathogenesis in humanized mice | <i>Immune Network</i> | in press | | 2014 |
| <u>Fujiwara S</u> , Matsuda G, and Imadome K. | Humanized mouse models of Epstein-Barr virus infection and associated diseases | <i>pathogens</i> | 2 | 153-176 | 2013 |
| Nakamura H, Liao H, Minami K, Toyoda M, Akutsu H, Miyagawa Y, Okita H, Kiyokawa N, Umezawa A, Imadome K, Inoue N, and <u>Fujiwara S.</u> | Human cytomegalovirus induces apoptosis in neural stem/progenitor cells derived from induced pluripotent stem cells by generating mitochondrial dysfunction and endoplasmic reticulum stress. | <i>Herpesviridae</i> | 4(2) | | 2013 |
| Goto H, Kojima Y, Matsuda K, Kariya R, Taura M, Kuwahara K, <u>Nagai H</u> , <u>Katano H</u> , and * <u>Okada S.</u> | Efficacy of anti-CD47 antibody-mediated phagocytosis with macrophages against primary effusion lymphoma. | <i>Eur J Cancer</i> | in press | | |

| | | | | | |
|---|---|---|----------|---------|------|
| Endo M, Yamamoto Y, Nakano M, Matsuda T, Odagiri H, Horiguchi H, Miyata K, Kadomatsu T, Motokawa I, <u>Okada S</u> , Iwase H, Oike Y. | Serum ANGPTL2 Levels Reflect Clinical Features of Breast Cancer Patients: Implications for The Pathogenesis of Breast Cancer Metastasis. | <i>Int J Biol Markers</i> | in press | | |
| Puthdee N, *Vaeteewoottacharn K, Seubwai W, Wonkchalee O, Keawkong W, Juasook A, Pinloar S, Pairojkul C, Wongkham C, <u>Okada S</u> , Boonmars T, Wongkham S. | Establishment of an Allo-Transplantable Hamster Cholangiocarcinoma Cell Line and Its Application for In Vivo Screening of Anti-cancer Drugs. | <i>Korean J Parasitol</i> | 51(6) | 711-717 | 2013 |
| Vaeteewoottacharn K, Michai M, Srikoon P, Hattori S, Kariya R, Matsuda K, Wongkuham S, and * <u>Okada S</u> . | Potent reactive oxygen species JNK-p38 activation by sodium salicylate potentiates death of primary effusion lymphoma cells. | <i>Anticancer Res</i> | in press | | |
| *Suzuki K, Hattori S, Marks K, Ahlenstiel C, Maeda Y, Ishida T, Millington M, Boyd M, Symonds G, Cooper DA, <u>Okada S</u> , and Kelleher AD. | Promoter targeting shRNA suppresses HIV-1 infection in vivo through transcriptional gene silencing. | <i>Molecular Therapy-Nucleic Acids</i> | 2 | e137 | 2013 |
| Motoyama K, Onodera R, Okamatsu A, Higashi T, Kariya R, <u>Okada S</u> , and *Arima H. | Potential use of the complex of doxorubicin with folate-conjugated methyl- β -cyclodextrin for tumor-selective cancer chemotherapy. | <i>J Drug Target</i> | in press | | |
| Chen J, Zhao R, Semba U, Oda M, Suzuki T, Toba K, Hattori S, <u>Okada S</u> , and *Yamamoto T. | Involvement of cross-linked ribosomal protein S19 oligomers and C5a receptor in definitive erythropoiesis. | <i>Exp Mol Pathol</i> | 95(3) | 364-375 | 2013 |
| Taura M, Kariya R, Kudo E, Goto H, Iwawaki T, Amano M, Suico MA, Kai H, Mitsuya H, and * <u>Okada S</u> . | Comparative analysis of ER stress response by HIV protease inhibitors: Lopinavir but not Darunavir induces potent ER stress response via ROS/JNK pathway. | <i>Free Radic Biol Med</i> | 65C | 778-788 | 2013 |

| | | | | | |
|--|--|--------------------------------|-----------|-------------|------|
| Srikoon P, Kariya R, Kudo E, Goto H, Vaeteewoottacharn K, Taura M, Wongkham S, and *Okada S. | Diethyldithiocarbamate suppress NF- κ B dependent metastatic pathway in cholangiocarcinoma cell line. | <i>Asian Pac J Cancer Prev</i> | 14(7) | 4441-4446 | 2013 |
| Vaeteewoottacharn K, Kariya R, Matsuda K, Taura M, Wongkham C, Wongkham S, and *Okada S. | Perturbation of proteasome function by bortezomib leading to ER stress induced apoptotic cell death in cholangiocarcinoma. | <i>Cancer Res Clin Oncol</i> | 139(9) | 1551-1562 | 2013 |
| Silsirivanit A, Araki N, Wongkham C, Vaeteewoottacharn K, Pairojkul C, Kuwahara K, Narimatsu Y, Sawaki H, Narimatsu H, Okada S, Sakaguchi N, Wongkham S. | CA-S27: A novel Lewis A associated carbohydrate epitope is diagnostic and prognostic for cholangiocarcinoma. | <i>Cancer Sci</i> | 104(10) | 1278-1284 | 2013 |
| Onodera R, Motoyama K, Okamatsu A, Higashi T, Kariya R, Okada S, and Arima H. | Involvement of cholesterol depletion from lipid rafts in apoptosis induced by methyl- β -cyclodextrin. | <i>Int J Pharm</i> | 452 (1-2) | 116-123 | 2013 |
| Ohsugi T, Ishida T, Shimasaki T, Okada S, and Umezawa K. | p53 dysfunction precedes the activation of nuclear factor- κ B during disease progression in mice expressing Tax, a human T-cell leukemia virus type 1 oncoprotein. | <i>Carcinogenesis</i> | 34(9) | 2129-2136 | 2013 |
| Nakamura T, Aizawa T, Kariya R, Okada S, Demura M, Kawano K, Makabe K, and *Kuwajima K. | Molecular mechanisms of the cytotoxicity of HAMLET and other protein-oleic acid complexes. | <i>J Biol Chem</i> | 288(20) | 14408-14416 | 2013 |
| Suzu I, Goto H, Hiwatashi N, Hattori S, Rotjanapan K, Leeanansaksiri W, and *Okada S. | Antioxidant and Antityrosinase Activity of <i>Cissus quadrangularis</i> Extract. | <i>Nat Prod Commun</i> | 8(5) | 629-630 | 2013 |
| Tanaka A, Takeda S, Kariya R, Matsuda K, Urano E, Okada S, and *Komano J. | A novel therapeutic molecule against HTLV-1 infection targeting provirus. | <i>Leukemia</i> | 27(8) | 1621-1627 | 2013 |
| Goto H, Matsuda K, Srikoon P, Kariya R, Hattori S, Taura M, Katano H, and *Okada S. | Potent antitumor activity of zoledronic acid-induced V γ 9V δ 2 T cells against primary effusion lymphoma. | <i>Cancer Lett</i> | 331(2) | 174-182 | 2013 |

| | | | | | |
|---|---|---|--------|-----------|------|
| Kudo E, Taura M, Matsuda K, Shimamoto M, Kariya R, Goto H, Hattori S, Kimura S, and *Okada S. | Inhibition of HIV-1 replication by a tricyclic coumarin GUT-70 in acutely and chronically infected cells. | <i>Bioorg Med Chem Lett</i> | 23(1) | 606-609 | 2013 |
| 今村顕史、加藤博史、照屋勝治、上平朝子、矢嶋敬史郎、四本美保子、岡田誠治、片野晴隆. | エイズに合併するカポジ肉腫などのHHV-8関連疾患に対する治療の手引き. | 日本エイズ学会誌 | 16(1) | 42-51 | 2014 |
| 岡田誠治 | エイズ関連悪性リンパ腫 | 血液フロンティア | 23(6) | 71-80 | 2013 |
| 味澤篤、永井宏和、小田原隆、照井康仁、上平朝子、四本美保子、萩原將太郎、田沼順子、岡田誠治 | HIV 関連悪性リンパ腫治療の手引きVer 2.0 | <i>The Japanese Society for AIDS Research</i> | 15 | 46-57 | 2013 |
| 永井宏和 | 腫瘍崩壊症候群への対応 | 臨床腫瘍ブラクティス | 10 | 78-81 | 2014 |
| 山岸誠、渡邊俊樹、 | 特集/血液疾患におけるエピゲノム異常と治療「ATL発症におけるエピゲノム解析の進歩 (The State of the Art in Epigenomics of Adult T Cell Leukemia)」 | 血液内科 | 66(2) | | 2013 |
| 渡邊俊樹 | 特集：リンパ系腫瘍—最新の病態解析と治療—「成人T細胞白血病／リンパ腫の分子病態解析と治療の進歩」 | 最新医学 | 68(10) | 40-47 | 2013 |
| 矢永由里子 | カウンセリング概論 | 日本医療マネジメント学会 医療福祉連携士講習 | | 22-27 | 2013 |
| 徳永隆之、永井宏和 | ホジキンリンパ腫 | 日本臨床 | 73 | 538-541 | 2014 |
| 永井宏和 | 治療薬剤、1. 濾胞性リンパ腫 | 新しい診断と治療のABC79 (最新医学・別冊) | | 129-137 | 2013 |
| 永井宏和 | 悪性リンパ腫に対する抗体療法 | 最新医学 | 69 | 426-432 | 2014 |
| 永井宏和 | ホジキンリンパ腫治療の新展開 | <i>Trends in Hematological Malignancies</i> | 5 | 52-53 | 2013 |
| 永井宏和 | 濾胞性リンパ腫—標準療法と今後の課題 | 日本医師会雑誌 | 142 | 1041-1046 | 2013 |

| | | | | | |
|-----------|---------------------|--|-----|-----------|------|
| 永井宏和 | HIV関連リンパ腫治療の最近の進歩 | 血液内科 | 67 | 89-88 | 2013 |
| 永井宏和 | HIV関連リンパ腫 | 血液症候群 (第2版) 日本臨床 (別冊) | | 394-398 | 2013 |
| 永井宏和、直江知樹 | 分子標的治療薬の種類、命名法、臨床課題 | 特集 外科 医が知っておくべき癌治療の薬物療法、外科 (増刊号) | 75 | 1273-1276 | 2013 |
| 永井宏和 | 悪性リンパ腫—治療のポイント | 日本内科学会誌 | 101 | 2322-2329 | 2013 |