

・ 研究成果の刊行一覧

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
<b>徳永勝士</b>	多因子疾患に関する大規模ゲノム解析研究の最前線		MEDICAL TECHNOLOGY 3	医歯薬出版株式会社		2014	42(3): 272-276
長岡進矢, <b>八橋 弘</b>	インターフェロン治療, -III. 治療編 2. 抗ウイルス薬による治療-	田中榮司 他	HEPATOLOGY PRACTICE 1 B 型肝炎の診療を極める -基本から最前線まで	文光堂	東京	2013	97-103
<b>八橋 弘</b>	.HBV とその感染症の基礎, 4 .HBV 感染の診断法	持田智	de novo B 型肝炎 - HBV 再活性化予防のための基礎知識 -	医薬ジャーナル社	大阪	2013	55-67
<b>八橋 弘</b>	PegIFN と HBs 抗原量	溝上雅史	別冊・医学のあゆみ B 型肝炎 - 最新治療コンセンサス	医歯薬出版株式会社	東京	2013	63-68

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
Nishida N, <b>Tokunaga K</b> , and Mizokami M:	Genome-wide association study reveals host genetic factors for liver diseases.	J. Clin. Translat. Hepatol.	in press		2014
* <b>Tokunaga K</b>	Lessons from genome-wide search for disease-related genes with special reference to HLA-disease associations.	Genes	5	e84-96	2014
* <b>Nishida N</b> , Sawai H; Kashiwase K, Minami M, Sugiyama M, Seto WK, Yuen MF, Posuwan N, Poovorawan Y, Ahn SH, Han KH, Matsuura K, <b>Tanaka Y</b> , <b>Kurosaki M</b> , Asahina Y, Izumi N, Kang JH, Hige S, Ide T, Yamamoto K, Sakaida I, Murawaki Y, Itoh Y, Tamori A, Orito E, Hiasa Y, <b>Honda M</b> , Kaneko S, Mita E, Suzuki K, <b>Hino K</b> ,	New susceptibility and resistance HLA-DPA1/DPB1 alleles to hepatitis B virus-related diseases identified by a trans-ethnic association study in Asia', submitted to PLOS Genetics, on which you are listed as an author.	PLoS One	in press		2014

Tanaka E, <b><u>Mochida S</u></b> , Watanabe M, Eguchi Y, Murata K, Korenaga M, Mawatari Y, Ohashi J, Kawashima M, <b><u>Tokunaga K</u></b> , <b><u>Mizokami M</u></b> .					
* <b><u>Kusumoto S</u></b> , <b><u>Tanaka Y</u></b> , <b><u>Mizokami M</u></b> , Ueda R.	Strategy for preventing hepatitis B reactivation in patients with resolved HBV infection following rituximab-containing chemotherapy	Hepatology			2013
<b><u>Kusumoto S</u></b> , <b><u>Tanaka Y</u></b> , <b><u>Mizokami M</u></b> , Ueda R	Is Antiviral Prophylaxis Necessary to Prevent Hepatitis B Virus (HBV) Reactivation in Patients With HBV-Resolved Infection Receiving Rituximab-Containing Chemotherapy?	J Clin Oncol.	31(35)	4480	2013
Trinks J, Sugiyama M, <b><u>Tanaka Y</u></b> , Kurbanov F, Benetucci J, Giménez E, Weissenbacher MC, <b><u>Mizokami M</u></b> , Oubiña JR	In vitro replication competence of a hepatitis B genotype D/A recombinant virus: dissimilar biological behaviour regarding its parental genotypes	J Gen Virol	94	2724-8	2013
*Ito K, Yotsuyanagi H, <b><u>Yatsuhashi H</u></b> , Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, <b><u>Tanaka Y</u></b> , Sugiyama M, Murata K, Masaki N, <b><u>Mizokami M</u></b>	Risk Factors for Long-Term Persistence of Serum Hepatitis B Surface Antigen Following Acute Hepatitis B Virus Infection in Japanese Adults	Hepatology	59(1)	89-97	2014
*Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, <b><u>Mizokami M</u></b> , Miyakawa Y, <b><u>Koike K</u></b>	High Levels of Hepatitis B Virus After the Onset of Disease Lead to Chronic Infection in Patients With Acute Hepatitis B	Clin Infect Dis	57(7)	935-42	2013
Nakano N, <b><u>Kusumoto S</u></b> , <b><u>Tanaka Y</u></b> , Ishida T, Takeuchi S, Takatsuka Y, Akinaga S, <b><u>Mizokami M</u></b> , Ueda R, Utsunomiya A	Reactivation of hepatitis B virus in a patient with adult T-cell leukemia-lymphoma receiving the anti-CC chemokine receptor 4 antibody mogamulizumab	Hepatol Res			2013

*Watashi K, Sluder A, Daito T, Matsunaga S, Ryo A, Nagamori S, Iwamoto M, Nakajima S, Tsukuda S, Borroto-Esoda K, Sugiyama M, <b>Tanaka Y</b> , Kanai Y, Kusuhara H, <b>Mizokami M</b> , <b>Wakita T</b> .	Cyclosporin A and its analogs inhibit hepatitis B virus entry into cultured hepatocytes through targeting a membrane transporter NTCP.	Hepatology.	doi: 10.1002/hep.26982.	[Epub ahead of print]	2013
Nakagawa, S., Bai, H., Sakurai, T., Nakaya, Y., Konno, T., Miyazawa, T., <b>Gojobori, T.</b> , Imakawa, K.	Dynamic Evolution of Endogenous Retrovirus-Derived Genes Expressed in Bovine Conceptuses during the Period of Placentation.	Genome Biol Evol	5(2)	296-306	2013
Takeda, J., Yamasaki, C., Murakami, K., Nagai, Y., Sera, M., Hara, Y., Obi, N., Habara, T., <b>Gojobori, T.</b> , Imanishi, T.	H-InvDB in 2013: an omics study platform for human functional gene and transcript discovery.	NAR	41(D1)	D915-9	2013
Iwamoto M, Watashi K, Tsukuda S, Aly HH, Fukasawa M, Fujimoto A, Suzuki R, Aizaki H, Ito T, Koiwai O, Kusuhara H, <b>Wakita T</b> .	Evaluation and identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP.	Biochem Biophys Res Commun.	443(3)	808-13	2014
Okamoto Y, Shinjo K, Shimizu Y, Sano T, Yamao K, Gao W, Fujii M, Osada H, Sekido Y, Murakami S, <b>Tanaka Y</b> , Joh T, Sato S, Takahashi S, <b>Wakita T</b> , Zhu J, Issa JP, Kondo Y.	Hepatitis virus infection affects DNA methylation in mice with humanized livers.	Gastroenterology.	146(2)	562-72.	2014
*Watashi K, Liang G, Iwamoto M, Marusawa H, Uchida N, Daito T, Kitamura K, Muramatsu M, Ohashi H, Kiyohara T, Suzuki R, Li J, Tong S, <b>Tanaka Y</b> , Murata K, Aizaki H, <b>Wakita T</b> .	Interleukin-1 and tumor necrosis factor-alpha trigger restriction of hepatitis B virus infection via a cytidine deaminase AID.	J Biol Chem.	288(44)	31715-27	2013
<b>八橋 弘</b>	ウイルス肝炎と肝癌の撲滅を目指した実地診療のすすめかた ,B型肝炎の自然経過と治療の進歩 - 実地医家はどのように対処すればよいのか -	Medical Practice	30(2)	186-193	2013

*Morita S, <b><u>Matsumoto A</u></b> , Umemura T, Shibata S, Kamijo N, Ichikawa Y, Kimura T, Joshita S, Komatsu M, Yoshizawa K, Tanaka E.	Characteristics and prediction of hepatitis B e-antigen negative hepatitis following seroconversion in patients with chronic hepatitis B.	Hepatology Res	in press		2013
Kanda T, Jiang X, Nakamoto S, Nakamura M, Miyamura T, Wu S, <b><u>Yokosuka O</u></b> .	Different effects of three interferons L on Toll-like receptor-related gene expression in HepG2 cells.	Cytokine	64(2)	577-83	2013
Jiang X, Kanda T, Tanaka T, Wu S, Nakamoto S, Imazeki F, <b><u>Yokosuka O</u></b> .	Lipopolysaccharide blocks induction of unfolded protein response in human hepatoma cell lines.	Immunol Lett	152(1)	8-15	2013
Wu S, Kanda T, Nakamoto S, Jiang X, Miyamura T, Nakatani SM, Ono SK, Takahashi-Nakaguchi A, Gono T, <b><u>Yokosuka O</u></b> .	Prevalence of hepatitis C virus subgenotypes 1a and 1b in Japanese patients: ultra-deep sequencing analysis of HCV NS5B genotype-specific region.	PLoS One	8(9)	e73615	2013
*Miyuchi T, Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Kato K, Arai M, Mikami S, Sugiura N, Kimura M, Goto N, Imazeki F, <b><u>Yokosuka O</u></b> .	Efficacy of lamivudine or entecavir against virological rebound after achieving HBV DNA negativity in chronic hepatitis B patients.	Int J Med Sci	10(6)	647-52	2013
*Kamezaki H, Kanda T, Arai M, Wu S, Nakamoto S, Chiba T, Maruyama H, Fujiwara K, Kanai F, Imazeki F, Nomura F, <b><u>Yokosuka O</u></b> .	Adherence to medication is a more important contributor to viral breakthrough in chronic hepatitis B patients treated with entecavir than in those with Lamivudine.	Int J Med Sci	10(5)	567-74	2013
Harigai M, <b><u>Mochida S</u></b> , Mimura T, <b><u>Koike T</u></b> , Miyasaka N.	The proposal for management of rheumatic disease patients with hepatitis B virus infection receiving immunosuppressive therapy.	Mod Rheumatol	24	1-7	2014
Ge X, Leung TM, Arriazu E, Lu Y, Urtasun R, Christensen B, Fiel MI, <b><u>Mochida S</u></b> , Sørensen ES, Nieto N.	Osteopontin binding to lipopolysaccharide lower tumor necrosis factor- $\alpha$ and prevents early alcohol-induced liver injury in mice.	Hepatology		doi: 10.1002/hep.26931..	2013 Nov 9 [Epub ahead of print].

*Uchida Y, Kouyama J, Naiki K, Sugawara K, Inao M, Nakayama N, <b><u>Mochida S.</u></b>	Novel hepatitis B virus strain developing due to recombination between genotypes H and B strains isolated from a Japanese patient	Hepatol Res		Doi: 10.1111/hepr.12238	2013 Sep 10.
Hamaoka K, Nagoshi S, Sugawara K, Naiki K, Uchida Y, Inao M, Nakayama N, Fujiwara K, <b><u>Mochida S.</u></b>	SNPs in the promoter region of osteopontin gene as a possible host factor for sex difference in hepatocellular carcinoma development in patients with HCV.	Hepatol Int	7	683-692	2013
*Oketani M, Ide A, Nakayama N, Takikawa Y, Naiki T, Yamagishi Y, Ichida T, <b><u>Mochida S.</u></b> , Ohnishi S, Tsubouchi H	Etiology and prognosis of fulminant hepatitis and late-onset hepatic failure in Japan: Summary of the annual nationwide survey between 2004 and 2009.	Hepatol Res	43	97-105	2013
<b><u>Mochida S.</u></b> , Takikawa Y, Nakatama N, Oektani M, Maiki T, Yamagishi Y, Fujiwara K, Ichida K, Tsubouchi H.	Classification of the etiologies of acute liver failure in Japan: A report by the Intractable Hepato-Biliary Diseases Study Group of Japan.	Hepatol Res	in press		2014
Nakagawa H, Hikiba Y, Hirata Y, Font-Burgada J, Sakamoto K, Hayakawa Y, Taniguchi K, Umemura A, Kinoshita H, Sakitani K, Nishikawa Y, Hirano K, Ikenoue T, Ijichi H, Dhar D, Shibata W, Akanuma M, <b><u>Koike K.</u></b> , Karin M, Maeda S.	Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis.	Proc Natl Acad Sci U S A			[Epub ahead of print]
Otsuka M, Kishikawa T, Yoshikawa T, Ohno M, Takata A, Shibata C, <b><u>Koike K.</u></b>	The role of microRNAs in hepatocarcinogenesis: current knowledge and future prospects.	J Gastroenterol			[Epub ahead of print]
Uranbileg B, Enooku K, Soroida Y, Ohkawa R, Kudo Y, Nakagawa H, Tateishi R, Yoshida H, Shinzawa S, Moriya K, Ohtomo N, Nishikawa T, Inoue Y, Tomiya T, Kojima S, Matsuura T, <b><u>Koike K.</u></b> , Yatomi Y, Ikeda H.	High ubiquitous mitochondrial creatine kinase expression in hepatocellular carcinoma denotes a poor prognosis with highly malignant potential.	Int J Cancer			[Epub ahead of print]

Shibata C, Kishikawa T, Otsuka M, Ohno M, Yoshikawa T, Takata A, Yoshida H, <b><u>Koike K.</u></b>	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression.	Biochem Biophys Res Commun			[Epub ahead of print]
Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Fushimi K, <b><u>Koike K.</u></b>	Acute liver disease in Japan: a nationwide analysis of the Japanese Diagnosis Procedure Combination database.	J Gastroenterol			[Epub ahead of print]
Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, <b><u>Mizokami M.</u></b> Miyakawa Y, <b><u>Koike K.</u></b>	High levels of HBV after the onset lead to chronic infection in patients with acute hepatitis B.	Clin Infect Dis	57(7)	935-942	2013
Mikoshihara N, Miyashita M, Sakai T, Tateishi R, <b><u>Koike K.</u></b>	Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life.	Psychooncology			[Epub ahead of print]
Ohki T, Tateishi R, Akahane M, Mikami S, Sato M, Uchino K, Arano T, Enoku K, Kondo Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Matsuyama Y, Omata M, Ohtomo K, <b><u>Koike K.</u></b>	CT with hepatic arteriography as a pretreatment examination for hepatocellular carcinoma patients: a randomized controlled trial.	Am J Gastroenterol	108	1305-1313	2013
Inoue Y, Tomiya T, Nishikawa T, Ohtomo N, Tanoue Y, Ikeda H, <b><u>Koike K.</u></b>	Induction of p53-Dependent p21 Limits Proliferative Activity of Rat Hepatocytes in the Presence of Hepatocyte Growth Factor.	PLoS One	8(11)	e78346	2013
*He G, Dhar D, Nakagawa H, Font-Burgada J, Ogata H, Jiang Y, Shalpour S, Seki E, Yost SE, Jepsen K, Frazer KA, Harismendy O, Hatziaepostolou M, Iliopoulos D, Suetsugu A, Hoffman	Identification of liver cancer progenitors whose malignant progression depends on autocrine IL-6 signaling.	Cell	155(2)	384-396	2013

RM, Tateishi R, <b><u>Koike K</u></b> , Karin M.					
*Kishikawa T, Otsuka M, Yoshikawa T, Ohno M, Takata A, Shibata C, Kondo Y, Akanuma M, Yoshida H, <b><u>Koike K</u></b> .	Regulation of the expression of the liver cancer susceptibility gene MICA by microRNAs.	Sci Rep	3	2739	2013
Liu Y, Higashitsuji H, Higashitsuji H, Itoh K, Sakurai T, <b><u>Koike K</u></b> , Hirota K, Fukumoto M, Fujita J.	Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing factor inhibiting hypoxia-inducible factor-1 (FIH-1) and activating hypoxia-inducible factor-1.	Biochem Biophys Res Commun	432(1)	22-27	2013
Ohno M, Shibata C, Kishikawa T, Yoshikawa T, Takata A, Kojima K, Akanuma M, Kang YJ, Yoshida H, Otsuka M, <b><u>Koike K</u></b> .	The flavonoid apigenin improves glucose tolerance through inhibition of microRNA maturation in miRNA103 transgenic mice.	Sci Rep	3	2553	2013
*Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, <b><u>Koike K</u></b> , Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res	43(6)	596-604	2013
Tateishi R, Shiina S, Akahane M, Sato J, Kondo Y, Masuzaki R, Nakagawa H, Asaoka Y, Goto T, Otomo K, Omata M, Yoshida H, <b><u>Koike K</u></b> .	Frequency, risk factors and survival associated with an intrasubsegmental recurrence after radiofrequency ablation for hepatocellular carcinoma.	PLoS One	8(4)	e59040	2013
Ikeda H, Enooku K, Ohkawa R, <b><u>Koike K</u></b> , Yatomi Y.	Plasma lysophosphatidic acid levels and hepatocellular carcinoma.	Hepatology	57	417-418	2013
Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Hikiba Y, Obi S, Goto T, Kang YJ, Maeda S, Yoshida H, Omata M, Asahara H, <b><u>Koike K</u></b> .	MiRNA-140 acts as a liver tumor suppressor by controlling NF- $\kappa$ B activity via directly targeting Dnmt1 expression.	Hepatology	57	162-170	2013
*Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, <b><u>Sakamoto M</u></b> .	Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of	Exp Cell Res.	319	113-121	2013



	hepatocellular carcinoma cells.				
Effendi K, Yamazaki K, Mori T, Masugi Y, Makino S, <b><u>Sakamoto M.</u></b>	Involvement of hepatocellular carcinoma biomarker, cyclase-associated protein 2 in zebrafish body development and cancer progression.	Exp Cell Res.	319	35-44	2013
* <b><u>Shirabe K.</u></b> Toshima T, <b><u>Taketomi A.</u></b> Taguchi K, Yoshizumi T, Uchiyama H, Harimoto N, Kajiyama K, Egashira A, Maehara Y.	Hepatic aflatoxin B1-DNA adducts and TP53 mutations in patients with hepatocellular carcinoma despite low exposure to aflatoxin B1 in southern Japan.	Liver Int.	31(9)	1366-72	2011
<b><u>Taketomi A.</u></b> Takeishi K, Mano Y, Toshima T, Motomura T, Aishima S, Uchiyama H, Yoshizumi T, <b><u>Shirabe K.</u></b> Maehara Y.	Total resection of the right hepatic vein drainage area with the aid of three-dimensional computed tomography.	Surg Today.	42(1)	46-51	2012
Motomura T, Koga E, <b><u>Taketomi A.</u></b> Fukuhara T, Mano Y, Muto J, Konishi H, Toshima T, Uchiyama H, Yoshizumi T, <b><u>Shirabe K.</u></b> Maehara Y.	Efficacy of splenectomy in preventing anemia in patients with recurrent hepatitis C following liver transplantation is not dependent on inosine triphosphate pyrophosphatase genotype.	Hepatol Res.	42(3)	288-95	2012
<b><u>Taketomi A.</u></b> <b><u>Shirabe K.</u></b> Toshima T, Morita K, Hashimoto N, Kayashima H, Ikegami T, Yoshizumi T, Soejima Y, Maehara Y.	The long-term outcomes of patients with hepatocellular carcinoma after living donor liver transplantation: a comparison of right and left lobe grafts.	Surg Today.	42(6)	559-64	2012
Harada N, <b><u>Shirabe K.</u></b> Ijichi H, Matono R, Yoshizumi T, <b><u>Taketomi A.</u></b> Soejima Y, Maehara Y.	Acoustic radiation force impulse imaging predicts postoperative ascites resulting from curative hepatic resection for hepatocellular carcinoma.	Surgery.	151(6)	837-43	2012
Matono R, Yoshiya S, Motomura T, Toshima T, Kayashima H, Masuda T, Yoshizumi T, <b><u>Taketomi A.</u></b> <b><u>Shirabe K.</u></b>	Factors linked to longterm survival of patients with hepatocellular carcinoma accompanied by tumour thrombus in the major portal	HPB (Oxford)	14(4)	247-53	2012

Maehara Y.	vein after surgical resection.				
*Takeishi K, <b><u>Taketomi A</u></b> , <b><u>Shirabe K</u></b> , Toshima T, Motomura T, Ikegami T, Yoshizumi T, Sakane F, Maehara Y.	Diacylglycerol kinase alpha enhances hepatocellular carcinoma progression by activation of Ras-Raf-MEK-ERK pathway.	J Hepatol.	57(1)	77-83	2012
Kamiyama T, Nakanishi K, Yokoo H, Kamachi H, Tahara M, Kakisaka T, Tsuruga Y, Todo S, <b><u>Taketomi A</u></b> .	Analysis of the risk factors for early death due to disease recurrence or progression within 1 year after hepatectomy in patients with hepatocellular carcinoma.	World J Surg Oncol			2012
Chuma M, Sakamoto N, Nakai A, Hige S, Nakanishi <b><u>M</u></b> , <b><u>Natsuizaka</u></b> M, Suda G, Ito T, Hatanaka K, Matsuno Y, Yokoo H, Kamiyama T, <b><u>Taketomi A</u></b> , Fujii G, Tashiro K, Hikiba Y, Fujimoto M, Asaka M, Maeda S.	Heat shock factor 1 accelerates hepatocellular carcinoma development by activating nuclear factor- $\kappa$ B/mitogen-activated protein kinase.	Carcinogenesis.	35(2)	272-81	2014
Honda S, Miyagi H, Suzuki H, Minato M, Haruta M, Kaneko Y, Hatanaka KC, Hiyama E, Kamijo T, Okada T, <b><u>Taketomi A</u></b> .	RASSF1A methylation indicates a poor prognosis in hepatoblastoma patients.	Pediatr Surg Int.	29(11)	1147-52	2013
Wakayama K, Kamiyama T, Yokoo H, Kakisaka T, Kamachi H, Tsuruga Y, Nakanishi K, Shimamura T, Todo S, <b><u>Taketomi A</u></b> .	Surgical management of hepatocellular carcinoma with tumor thrombi in the inferior vena cava or right atrium.	World J Surg Oncol.			2013
Shibasaki S, Takahashi N, Toi H, Tsuda I, Nakamura T, Hase T, Minagawa N, Homma S, Kawamura H, <b><u>Taketomi A</u></b> .	Percutaneous transhepatic gallbladder drainage followed by elective laparoscopic cholecystectomy in patients with moderate acute cholecystitis under antithrombotic therapy.	J Hepatobiliary Pancreat			2013
Okada T, Honda S, Miyagi H, Kubota KC, Cho K, <b><u>Taketomi A</u></b> .	Liver fibrosis in prenatally diagnosed choledochal cysts.	J Pediatr Gastroenterol Nutr.	57(2)		2013

*Kamiyama T, Yokoo H, Furukawa J, Kuroguchi M, Togashi T, Miura N, Nakanishi K, Kamachi H, Kakisaka T, Tsuruga Y, Fujiyoshi M, <b><u>Taketomi A</u></b> , Nishimura S, Todo S.	Identification of novel serum biomarkers of hepatocellular carcinoma using glycomic analysis.	Hepatology.	57(6)	2314-25	2013
<b><u>Shirabe K</u></b> , Motomura T, Takeishi K, Morita K, Kayashima H, <b><u>Taketomi A</u></b> , Ikegami T, Soejima Y, Yoshizumi T, Maehara Y.	Human early liver regeneration after hepatectomy in patients with hepatocellular carcinoma: special reference to age.	Scand J Surg.	102(2)	101-5	2013
Ijichi H, <b><u>Shirabe K</u></b> , <b><u>Taketomi A</u></b> , Yoshizumi T, Ikegami T, Mano Y, Aishima S, Abe K, Honda H, Maehara Y.	Clinical usefulness of (18) F-fluorodeoxyglucose positron emission tomography/computed tomography for patients with primary liver cancer with special reference to rare histological types, hepatocellular carcinoma with sarcomatous change and combined hepatocellular and cholangiocarcinoma.	Hepatol Res.	43(5)	481-7	2013
Shimada S, Kamiyama T, Yokoo H, Wakayama K, Tsuruga Y, Kakisaka T, Kamachi H, <b><u>Taketomi A</u></b> .	Clinicopathological characteristics and prognostic factors in young patients after hepatectomy for hepatocellular carcinoma.	World J Surg Oncol.			2013
<b><u>Taketomi A</u></b> , <b><u>Shirabe K</u></b> , Muto J, Yoshiya S, Motomura T, Mano Y, Ikegami T, Yoshizumi T, Sugio K, Maehara Y.	A rare point mutation in the Ras oncogene in hepatocellular carcinoma.	Surg Today	43(3)	289-92	2013
Mano Y, Aishima S, Fujita N, <b><u>Tanaka Y</u></b> , Kubo Y, Motomura T, <b><u>Taketomi A</u></b> , <b><u>Shirabe K</u></b> , Maehara Y, Oda Y.	Tumor-associated macrophage promotes tumor progression via STAT3 signaling in hepatocellular carcinoma.	Pathobiology.	80(3)	146-54	2013
* <b><u>Kurosaki M</u></b> , Tsuchiya K, Nakanishi H, Itakura J, Izumi N.	Serum HBV RNA as a possible marker of HBV replication in the liver during nucleot(s)ide	Journal of Gastroenterology	48	777-778	2013

	analogue therapy.				
*Tomiya Y, Nishina S, Hara Y, Kawase T, <b>Hino K</b>	Hepatic oxidative stress in ovariectomized transgenic mice expressing the hepatitis C virus polyprotein is augmented through suppression of AMPK/PGC-1alpha signaling	Hepatol Res	DOI: 10.1111/hepr.12254		2013
<b>Hino K</b> , Hara Y, Nishina S	Mitochondrial reactive oxygen species as a mystery voice in hepatitis C	Hepatol Res	DOI: 10.1111/hepr.12247		2013
<b>Hino K</b> , Nishina S, Hara Y	Iron metabolic disorder in chronic hepatitis C: Mechanisms and relevance to hepatocarcinogenesis	J Gastroenterol Hepatol	28 Suppl 4	1993/8/1	2013
*Tomiya Y, Takenaka K, Kodama T, Kawanaka M, sasaki K, Nishina S, Yoshioka N, Hara Y, <b>Hino K</b>	Risk factors for survival and the development of hepatocellular carcinoma in patients with primary biliary cirrhosis	Intern Med	52	1553-9	2013
Korenaga K, Korenaga M, Teramoto F, Suzuki T, Nishina S, Sasaki K, Nakashima Y, Tomiyama Y, Yoshioka N, Hara Y, Moriya T, <b>Hino K</b>	Clinical usefulness of non-protein respiratory quotient measurement in non-alcoholic fatty liver disease	Hepatol Res	43	1284-94	2013
Nakamura M, Nakashima H, Tsutsumi K, Matsumoto H, Muta Y, Ueno D, Yoshida K, <b>Hino K</b> , Urakami A, Tanaka M	First jejunal vein oriented mesenteric excision for pancreatoduodenectomy	J Gastroenterol	48	989-95	2013
Kawanaka M, Nishino K, Suehiro M, Goto D, Urata N, Oka T, Kawamoto H, Nakamura H, Yodoi J, <b>Hino K</b> , Yamada G	Treatment of nonalcoholic steatohepatitis with vitamins E and C: a pilot study	Hepatic Medicine: Evidence and Research	5	11-16	2013
<b>Natsuizaka M</b> , Kinugasa H, Kagawa S, Whelan KA, Naganuma S, Subramanian H, Chang S, Nakagawa KJ, Rustgi NL, Kita Y, Natsugoe S, Basu D, Gimotty PA, Klein-Szanto AJ, Diehl JA, Rustgi AK, Nakagawa H.	IGFBP3 promotes esophageal cancer growth by suppressing oxidative stress in hypoxic tumor microenvironment.	Am J Cancer Res	4(1)	29	2014

Ijichi H, Yoshizumi T, Ikegami T, Soejima Y, Ikeda T, Kawanaka H, Uchiyama H, Yamashita Y, Morita M, Oki E, Mimori K, Sugimachi K, Saeki H, Watanabe M, <b>Shirabe K</b> , Maehara Y	Recurrent hepatitis B following recurrence of hepatocellular carcinoma after living donor liver transplantation.	Fukuoka Igaku Zasshi.	104( 10 )	376-82	2013
Zhang B, Jia WH, Matsuo K, Shin A, Xiang YB, <b>Matsuda K</b> , Jee SH, Kim DH, Cheah PY, Ren Z, Cai Q, Long J, Shi J, Wen W, Yang G, Ji BT, Pan ZZ, Matsuda F, Gao YT, Oh JH, Ahn YO, Kubo M, Thean LF, Park EJ, Li HL, Park JW, Jo J, Jeong JY, Hosono S, Nakamura Y, Shu XO, Zeng YX, Zheng W.	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians.	Int J Cancer.	doi: 10.1002/ijc.28733.		2014 [Epub ahead of print]
*Lo PH, Urabe Y, Kumar V, Tanikawa C, <b>Koike K</b> , Kato N, Miki D, Chayama K, Kubo M, Nakamura Y, <b>Matsuda K</b> .	Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk.	PLoS One.	8(4)	e61279	2013
Urabe Y, Ochi H, Kato N, Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, <b>Koike K</b> , Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, <b>Matsuda K</b> .	A genome-wide association study of HCV-induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at the MHC region.	J Hepatol.	58(5)	875-82.	2013
Tanikawa C, Matsuo K, Kubo M, Takahashi A, Ito H, Tanaka H, Yatabe Y, Yamao K, Kamatani N, Tajima K, Nakamura Y, <b>Matsuda K</b> .	Impact of PSCA variation on gastric ulcer susceptibility.	Plos one	8(5)	E63698	2013
Wang J, Carvajal-Carmona LG, Chu JH, Zauber AG; APC Trial Collaborators, Kubo M, <b>Matsuda K</b> , Dunlop M, Houlston RS, Sieber O, Lipton L, Gibbs P, Martin NG, Montgomery GW, Young J, Baird PN,	Germline variants and advanced colorectal adenomas: adenoma prevention with celecoxib trial genome-wide association study.	Clin Cancer Res.	19(23)	6430-7	2013

Ratain MJ, Nakamura Y, Weiss ST, Tomlinson I, Bertagnolli MM.					
*Zeng SS, Yamashita T, Kondo M, Nio K, Hayashi T, Hara Y, Nomura Y, Yoshida M, Hayashi T, Oishi N, Ikeda H, <b>Honda M</b> , Kaneko S.	The transcription factor SALL4 regulates stemness of EpCAM-positive hepatocellular carcinoma.	J Hepatol	60(1)	127-134	2014
Takeshita Y, Takamura T, <b>Honda M</b> , Kita Y, Zen Y, Kato KI, Misu H, Ota T, Nakamura M, Yamada K, Sunagozaka H, Arai K, Yamashita T, Mizukoshi E, Kaneko S.	The effects of ezetimibe on non-alcoholic fatty liver disease and glucose metabolism: a randomised controlled trial.	Diabetologia	in press		2014
<b>Honda M</b> , Shirasaki T, Shimakami T, Sakai A, Horii R, Arai K, Yamashita T, Sakai Y, Yamashita T, Okada H, Murai K, Nakamura M, Mizukoshi E, Kaneko S.	Hepatic interferon-stimulated genes are differentially regulated in the liver of chronic hepatitis C patients with different interleukin 28B genotypes.	Hepatology	in press		2013
Terashima T, Yamashita T, Arai K, Sunagozaka H, Kitahara M, Nakagawa H, Kagaya T, Mizukoshi E, <b>Honda M</b> , Kaneko S.	Feasibility and efficacy of hepatic arterial infusion chemotherapy for advanced hepatocellular carcinoma after sorafenib.	Hepatol Res	in press		2013
*Spaniel C, <b>Honda M</b> , Selitsky SR, Yamane D, Shimakami T, Kaneko S, Lanford RE, Lemon SM.	MicroRNA-122 abundance in hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection.	PLoS One	in press		2013
<b>Honda M</b> , Yamashita T, Yamashita T, Arai K, Sakai Y, Sakai A, Nakamura M, Mizukoshi E, Kaneko S.	Peretinoin, an acyclic retinoid, improves the hepatic gene signature of chronic hepatitis C following curative therapy of hepatocellular carcinoma.	BMC Cancer	in press		2013
Miyahara K, Nouse K, Morimoto Y, Takeuchi Y, Hagihara H, Kuwaki K, Onishi H, Ikeda F, Miyake Y, Nakamura S, Shiraha H, Takaki A, <b>Honda M</b> , Kaneko S, Sato T, Sato S, Obi S, Iwadou S, Kobayashi Y, Takaguchi K, Kariyama K,	Pro-angiogenic cytokines for prediction of outcomes in patients with advanced hepatocellular carcinoma.	Br J Cancer	109(8)	2072-2078	2013

Takuma Y, Takabatake H, Yamamoto K; Okayama Liver Cancer Group.					
Higashimoto M, Sakai Y, Takamura M, Usui S, Nasti A, Yoshida K, Seki A, Komura T, <b>Honda M</b> , Wada T, Furuichi K, Ochiya T, Kaneko S.	Adipose tissue derived stromal stem cell therapy in murine ConA-derived hepatitis is dependent on myeloid-lineage and CD4+ T-cell suppression.	Eur J Immunol	43(11)	2956-2968	2013
Seki A, Sakai Y, Komura T, Nasti A, Yoshida K, Higashimoto M, <b>Honda M</b> , Usui S, Takamura M, Takamura T, Ochiya T, Furuichi K, Wada T, Kaneko S.	Adipose tissue-derived stem cells as a regenerative therapy for a mouse steatohepatitis-induced cirrhosis model.	Hepatology	58(3)	1133-1142	2013
Komura T, Sakai Y, <b>Honda M</b> , Takamura T, Wada T, Kaneko S.	ER stress induced impaired TLR signaling and macrophage differentiation of human monocytes.	Cell Immunol	282(1)	44-52	2013
Shirasaki T, <b>Honda M</b> , Shimakami T, Horii R, Yamashita T, Sakai Y, Sakai A, Okada H, Watanabe R, Murakami S, Yi M, Lemon SM, Kaneko S.	MicroRNA-27a regulates lipid metabolism and inhibits hepatitis C virus replication in human hepatoma cells.	J Virol	87(9)	5270-5286	2013
Hodo Y, <b>Honda M</b> , Tanaka A, Nomura Y, Arai K, Yamashita T, Sakai Y, Yamashita T, Mizukoshi E, Sakai A, Sasaki M, Nakanuma Y, Moriyama M, Kaneko S.	Association of interleukin-28B genotype and hepatocellular carcinoma recurrence in patients with chronic hepatitis C.	Clin Cancer Res	19(7)	1827-1837	2013
Yamashita T, <b>Honda M</b> , Nakamoto Y, Baba M, Nio K, Hara Y, Zeng SS, Hayashi T, Kondo M, Takatori H, Yamashita T, Mizukoshi E, Ikeda H, Zen Y, Takamura H, Wang XW, Kaneko S.	Discrete nature of EpCAM+ and CD90+ cancer stem cells in human hepatocellular carcinoma.	Hepatology	57(4)	1484-1497	2013
Nishino J, <b>Mano S</b>	The Number of Candidate Variants in Exome Sequencing for Mendelian Disease under No Genetic Heterogeneity	Computational and Mathematical Methods in Medicine	2013	179761-13pp.	2013
間野修平	ポストゲノム時代に遺伝疫学を考える	生物の科学「遺伝」	67(3)	368-371	2013
Jo Nishino, Masaya Sugiyama, <b>Nao Nishida</b> , <b>Katsushi Tokunaga</b> ,	The SNP × age interaction on response to interferon- $\alpha$ and ribavirin therapy in	Journal of Medical Virology		in press	

<b>Masashi Mizokami, Shuhei Mano</b>	hepatitis C woman patients				
Ahn S, Tamai M, Nakashima K, Ito M, <b>Suzuki T</b> , Tagawa Y.	An in vitro liver model consisting of endothelial vascular networks surrounded by human hepatoma cell lines allows for improved hepatitis B virus replication.	J Biosci. Bioeng.		in press	2014
*Posuwan N, Payungporn S, Tangkijvanich P, Ogawa S, Murakami S, Iijima S, Matsuura K, Shinkai N, Watanabe T, Poovorawan Y, <b>Tanaka Y.</b>	Genetic association of human leukocyte antigens with chronicity or resolution of hepatitis B infection in thai population.	PLoS One.	9(1)	e86007	
Elkady A, Aboufotuh S, Ali EM, Sayed D, Abdel-Aziz NM, Ali AM, Murakami S, Iijima S, <b>Tanaka Y.</b>	Incidence and characteristics of HBV reactivation in hematological malignant patients in south Egypt.	World J Gastroenterol.	19(37)	6214-20	

\*研究成果の別刷あり