

・ 研究成果の刊行一覧

研究成果の刊行に関する一覧表

平成 23 年度

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
Sakamoto N, Nakagawa M, <u>Tanaka Y</u> , Sekine-Osajima Y, Ueyama M, Kurosaki M, <u>Nishida N</u> , Tamori A, Yuki NS, Itsui Y, Azuma S, Kakinuma S, Hige S, Itoh Y, Tanaka E, Hiasa Y, Izumi N, <u>Tokunaga K</u> , <u>Mizokami M</u> , Watanabe M; Ochanomizu-Liver Conference Study Group.	Association of IL28B variants with response to pegylated-interferon alpha plus ribavirin combination therapy reveals intersubgenotypic differences between genotypes 2a and 2b.	J Med Virol.	83(5)	871-87 8	2011
* <u>Tanaka Y</u> , Kurosaki M, Nishida N, Sugiyama M, Matsuura K, Sakamoto N, Enomoto N, <u>Yatsuhashi H</u> , Nishiguchi S, Hino K, Hige S, Itoh Y, Tanaka E, <u>Mochida S</u> , Honda M, Hiasa Y, Koike A, Sugauchi F, Kaneko S, Izumi N, <u>Tokunaga K</u> , <u>Mizokami M</u>	Genome-wide association study identified ITPA/DDRGK1 variants reflecting thrombocytopenia in pegylated interferon and ribavirin therapy for chronic hepatitis C.	Hum Mol Genet.	20(17)	3507-3 516	2011
Kurosaki M, <u>Tanaka Y</u> , Tanaka K, Suzuki Y, Hoshioka Y, Tamaki N, Kato T, Yasui Y, Hosokawa T, Ueda K, Tsuchiya K, Kuzuya T, Nakanishi H, Itakura J, Takahashi Y, Asahina Y, Matsuura K, Sugauchi F, Enomoto N, <u>Nishida N</u> , <u>Tokunaga K</u> , <u>Mizokami M</u> , Izumi N	Relationship between polymorphisms of the inosine triphosphatase gene and anaemia or outcome after treatment with pegylated interferon and ribavirin.	Antivir Ther	16(5)	685-69 4	2011
Ogoshi K, Hashimoto SI, Nakatani Y, Qu W, Oshima K, Tokunaga K, Sugano S, Hattori M, Morishita S, and Matsushima K	Genome-wide profiling of DNA methylation in human cancer cells.	Genomics.	98(4)	280-28 7	2011
*Kusakabe A, <u>Tanaka Y</u> , Inoue M, Kurbanov F, Tatematsu K, Nojiri S, Joh T, Tsugane S, <u>Mizokami M</u> .	A population-based cohort study for the risk factors of HCC among hepatitis B virus mono-infected subjects in Japan.	J Gastroenter ol	46(1)	117-12 4	2011

Wu S, Imazeki F, Kurbanov F, Fukai K, Arai M, Kanda T, Yonemitsu Y, <u>Tanaka Y</u> , <u>Mizokami M</u> , <u>Yokosuka O</u> .	Evolution of hepatitis B genotype C viral quasi-species during hepatitis B e antigen seroconversion.	J Hepatol	54(1)	19-25	2011
<u>Yokosuka O</u> , Kurosaki M, Imazeki F, Arase Y, <u>Tanaka Y</u> , Chayama K, Tanaka E, Kumada H, Izumi N, <u>Mizokami M</u> , Kudo M.	Management of hepatitis B: Consensus of the Japan Society of Hepatology 2009.	Hepatol Res	41(1)	1-21	2011
Gulube Z, Chirara M, Kew M, <u>Tanaka Y</u> , <u>Mizokami M</u> , Kramvis A.	Molecular characterization of hepatitis B virus isolates from Zimbabwean blood donors.	J Med Virol	83(2)	235-244	2011
Sugauchi F, <u>Tanaka Y</u> , Kusumoto S, Matsuura K, Sugiyama M, Kurbanov F, Ueda R, <u>Mizokami M</u> .	Virological and clinical characteristics on reactivation of occult hepatitis B in patients with hematological malignancy.	J Med Virol	83(3)	412-418	2011
Yuen MF, Ka-Ho Wong D, Lee CK, <u>Tanaka Y</u> , Allain JP, Fung J, Leung J, Lin CK, Sugiyama M, Sugauchi F, <u>Mizokami M</u> , Lai CL.	Transmissibility of Hepatitis B Virus (HBV) Infection through Blood Transfusion from Blood Donors with Occult HBV Infection.	Clin Infect Dis	52(5)	624-632	2011
Tatematsu K, <u>Tanaka Y</u> , Sugiyama M, Sudoh M, <u>Mizokami M</u> .	Host sphingolipid biosynthesis is a promising therapeutic target for the inhibition of hepatitis B virus replication.	J Med Virol	83(4)	587-593	2011
Sugiyama M, Inui A, Shin IT, Komatsu H, Mukaide M, Masaki N, Murata K, Ito K, Nakanishi M, Fujisawa T, <u>Mizokami M</u> .	Easy-to-use phylogenetic analysis system for hepatitis B virus infection.	Hepatol Res	41(10)	936-945	2011
Fukuchi S, Hosoda K, Homma K, <u>Gojobori T</u> , Nishikawa K.	Binary classification of protein molecules into intrinsically disordered and ordered segments.	BMC Struct Biol.	11(1)	1-29	2011
Barrero RA, Keeble-Gagnère G, Zhang B, Moolhuijzen P, Ikeo K, Tateno Y, <u>Gojobori T</u> , Guerrero FD, Lew-Tabor A, Bellgard M.	Evolutionary conserved microRNAs are ubiquitously expressed compared to tick-specific miRNAs in the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> .	BMC Genomics	12(328)	1-17	2011

Bousquet J, Anto JM, Sterk PJ, Adcock IM, Chung KF, Roca J, Agusti A, Brightling C, Cambon-Thomsen A, Cesario A, Abdelhak S, Antonarakis SE, Avignon A, Ballabio A, Baraldi E, Baranov A, Bieber T, Bockaert J, Brahmachari S, Brambilla C, Bringer J, Dauzat M, Ernberg I, Fabbri L, Froguel P, Galas D, <b>Gojobori T</b> , Hunter P, Jorgensen C, Kauffmann F, Kourilsky P, Kowalski ML, Lancet D, Pen CL, Mallet J, Mayosi B, Mercier J, Metspalu A, Nadeau JH, Ninot G, Noble D, Oztürk M, Palkonen S, Préfaut C, Rabe K, Renard E, Roberts RG, Samolinski B, Schünemann HJ, Simon HU, Soares MB, Superti-Furga G, Tegner J, Verjovski-Almeida S, Wellstead P, Wolkenhauer O, Wouters E, Balling R, Brookes AJ, Charron D, Pison C, Chen Z, Hood L, Auffray C.	Systems medicine and integrated care to combat chronic noncommunicable diseases.	Genome Med.	3(7):43	1-12	2011
Taniya T, Tanaka S, Yamaguchi-Kabata Y, Hanaoka H, Yamasaki C, Maekawa H, Barrero RA, Lenhard B, Datta MW, Shimoyama M, Bumgarner R, Chakraborty R, Hopkinson I, Jia L, Hide W, Auffray C, Minoshima S, Imanishi T, <b>Gojobori T</b> .	A prioritization analysis of disease association by data-mining of functional annotation of human genes.	Genomics	99(1)	1-9	2012
Kodama Y, Mashima J, Kaminuma E, <b>Gojobori T</b> , Ogasawara O, Takagi T, Okubo K, Nakamura Y.	The DNA Data Bank of Japan launches a new resource, the DDBJ Omics Archive of functional genomics experiments.	Nucleic Acids Res.	40(Database issue)	D38-42	2012
obayashi Y, Suzuki Y, Itou T, Ito F, <b>Gojobori T</b> , and Sakai T.	Evolutionary history of dog rabies in Brazil.	J of General Virology	92	85-90	2011

Hatin W, Nur-Shafawati A, Zahri M, Xu S, Jin L, Tan S-G, Rizman-Idid M, Zifalil, B, <u>Gojobori T.</u> , and others.	Gene dosage imbalance of human chromosome 21 in mouse embryonic stem cells differentiating to neurons.	PLoS One.	6(4)	e18312	2011
Weng L, Kohara M, <u>Wakita T.</u> , Shimotohno K, Toyoda T.	Detergent-induced activation of the hepatitis C virus genotype 1b RNA polymerase.	Gene.	496(2)	79-87.	2012
*Murayama A, Kato T, Akazawa D, Sugiyama N, Date T, Masaki T, Nakamoto S, <u>Tanaka Y</u> , <u>Mizokami M</u> , <u>Yokosuka O</u> , Nomoto A, <u>Wakita T.</u>	Production of Infectious Chimeric Hepatitis C Virus Genotype 2b Harboring Minimal Regions of JFH-1.	J Virol.	86(4)	2143-5 2.	2012
Salim MT, Aoyama H, Sugita K, Watashi K, <u>Wakita T.</u> , Hamasaki T, Okamoto M, Urata Y, Hashimoto Y, Baba M.	Potent and selective inhibition of hepatitis C virus replication by novelphenanthridinone derivatives.	Biochem Biophys Res Commun.	415(4)	714-9.	2011
Sugiyama M, <u>Tanaka Y</u> , <u>Wakita T.</u> , Nakanishi M, <u>Mizokami M</u> .	Genetic Variation of theIL-28B Promoter Affecting Gene Expression.	PLoS One.	6(10)	e26620 .	2011
Arnaud N, Dabo S, Akazawa D, Fukasawa M, Shinkai-Ouchi F, Hugon J, <u>Wakita T.</u> , Meurs EF.	Hepatitis C virus reveals a novel early control in acute immune response.	PLoS Pathog.	7(10)	e10022 89.	2011
Okamoto Y, Masaki T, Murayama A, Munakata T, Nomoto A, Nakamoto S, <u>Yokosuka O</u> , Watanabe H, <u>Wakita T.</u> , Kato T.	Development of recombinant hepatitis C virus with NS5A from strainsof genotypes 1 and 2.	Biochem Biophys Res Commun.	410(3)	404-9.	2011
Akazawa D, Morikawa K, Omi N, Takahashi H, Nakamura N, Mochizuki H, Date T, Ishii K, Suzuki T, <u>Wakita T.</u>	Production and characterization of HCV particles from serum-free culture.	Vaccine.	29(29-30)	4821-8.	2011
Saeed M, Shiina M, Date T, Akazawa D, Watanabe N, Murayama A, Suzuki T, Watanabe H, Hiraga N, Imamura M, Chayama K, Choi Y, Krawczynski K, Liang TJ, <u>Wakita T.</u> , Kato T.]	In vivo adaptation of hepatitis C virus in chimpanzees for efficient virus production and evasion of apoptosis.	Hepatology.	54(2)	425-33.	2011
Aly HH, Oshiumi H, Shime H, Matsumoto M, <u>Wakita T.</u> , Shimotohno K, Seya T.	Development of mouse hepatocyte lines permissive for hepatitis C virus (HCV).	PLoS One.	6(6)	e21284 .	2011

*Tamada Y, <b><u>Yatsuhashi H</u></b> , Masaki N, Nakamura M, Mita E, Komatsu T, Watanabe Y, Muro T, Shimada M, Hijioka T, Satoh T, Mano Y, Komeda T, Takahashi M, Kohno H, Ota H, Hayashi S, Miyakawa Y, Abiru S, Ishibashi H.	Hepatitis B virus strains of subgenotype A2 with an identical sequence spreading rapidly from the capital region to all over Japan in patients with acute hepatitis B.	Gut.	61(5)	765-73	2012
<b>八橋 弘</b> , 長岡進矢 , 阿比留正剛	B型肝炎に対するIFN治療	総合臨牀	60(1)	81-86	2011
<b>八橋 弘</b> , 長岡進矢 , 玉田陽子	B型急性肝炎の動向と診断・治療	日本臨牀	69(増4)	440-445	2011
<b>八橋 弘</b>	感染に由来するヒトの腫瘍-その現状と対策 B型肝炎ウイルスと肝細胞癌	臨床と微生物	38(3)	27-33	2011
<b>八橋 弘</b> , 長岡進矢	ウイルス肝炎・治療/どのように実際の治療をすすめるか , HBワクチンの今後 - 現状と将来 -	Medical Practice	28(8)	1449-1452	2011
Yoshizawa K, <b><u>Matsumoto A</u></b> , Ichijo T, Umemura T, Joshiwa S, Komatsu M, Tanaka N, Tanaka E, Ota M, Katsuyama Y, Kiyosawa K, Abe M, Onji M.	Long-term outcome of Japanese patients with type 1 autoimmune hepatitis.	Hepatology	56(2)	668-76	2012
Wu S, Fukai K, Imazeki F, Arai M, Kanda T, Yonemitsu Y, <b><u>Yokosuka O</u></b> .	Initial virological response and viral mutation with adefovir dipivoxil added to ongoing Lamivudine therapy in Lamivudine-resistant chronic hepatitis B.	Dig Dis Sci.	56(4)	1207-14.	2011
*Bekku D, Arai M, Imazeki F, Yonemitsu Y, Kanda T, Fujiwara K, Fukai K, Sato K, Itoga S, Nomura F, <b><u>Yokosuka O</u></b> .	Long-term follow-up of patients with hepatitis B e antigen negative chronic hepatitis B.	J Gastroenterol Hepatol.	26(1)	122-8.	2011
Kamezaki H, Kanda T, Wu S, Nakamoto S, Arai M, Maruyama H, Fujiwara K, Imazeki F, <b><u>Yokosuka O</u></b> .	Emergence of entecavir-resistant mutations in nucleos(t)ide-naive Japanese patients infected with hepatitis B virus: virological breakthrough is also dependent on adherence	Scand J Gastroenterol.	46(9)	1111-7.	2011

	to medication.				
Wu S, Kanda T, Imazeki F, Nakamoto S, Shirasawa H, <b>Yokosuka O.</b>	Nuclear receptor mRNA expression by HBV in human hepatoblastoma cell lines.	Cancer Lett.	312(1)	33-42.	2011
Togo S, Arai M, Tawada A, Chiba T, Kanda T, Fujiwara K, Imazeki F, <b>Yokosuka O.</b>	Clinical importance of serum hepatitis B surface antigen levels in chronic hepatitis B.	J Viral Hepat.	18(10)	e508-1 5.	2011
Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Arai M, Fujiwara K, Goto N, Imazeki F, <b>Yokosuka O.</b>	Efficacy of lamivudine or entecavir on acute exacerbation of chronic hepatitis B.	Int J Med Sci.	9	27-32	2012
Nakayama N, Oketani M, Kawamura Y, Inao M, Nagoshi S, Fujiwara K, Tsubouchi H, <b>Mochida S.</b>	Novel Classification of Acute Liver Failure through Clustering Using a Self-Organizing Map: Usefulness for Prediction of the Outcome.	J Gastroenterol	46	1127-1 135	2011
<b>Mochida S</b> , Takikawa Y, Nakayama N, Oketani M, Naiki T, Yamagishi Y, Ichida T, Tsubouchi H.	Diagnostic Criteria of Acute Liver Failure: A Report by the Intractable Hepato-Biliary Diseases Study Group of Japan.	Hepatol Res	41	805-81 2	2011
<b>持田 智</b> , 滝川康裕, 中山伸朗, 桶谷 真, 内木隆文, 山岸由幸, 市田隆文, 坪内博仁.	我が国における「急性肝不全」の概念, 診断基準の確立: 厚生労働省科学研究費補助金(難治性疾患克服研究事業)「難治性の肝・胆道疾患に関する調査研究」班, ワーキンググループ-1, 研究報告.	肝臓	52	393-39 8	2011
Yoshimi A, Yamamoto G, Goto T, <b>Koike K</b> , Kurokawa M	Hepatocellular carcinoma in cirrhotic liver with graft-versus-host disease	Ann Hematol	91(9)	1501-2	2012
Ohki T, Tateishi R, Akahane M, Shiina S, Yamashiki N, Mikami S, Enooku K, Goto E, Masuzaki R, Kondo Y, Goto T, Inoo S, Ohtomo K, Omata M, Yoshida H, <b>Koike K</b>	Characteristics of hepatocellular carcinoma nodules newly detected by computed tomography during arteriography and arterial portography: preliminary report of a randomized controlled trial	Hepatol Int	6(3)	639-64 5	2012
Takata A, Otsuka M, Kogiso T, Kojima K, Yoshikawa T, Tateishi R, Kato N, Shiina S, Yoshida H, Omata M, <b>Koike</b>	Direct differentiation of hepatic cells from human induced pluripotent stem cells using a limited number	Hepatol Int	5(4)	890-89 8	2011

<b>K</b>	of cytokines.				
Inoue H, Yamazaki S, Shimizu M, Uozaki H, Goto T, Ohnishi S, <b>Koike K</b>	Liver injury induced by the Japanese herbal drug kamishoyosan	Gastroenterol Hepatol (NY)	7(10) 5	692-69 5	2011
Arano T, Nakagawa H, Tateishi R, Ikeda H, Uchino K, Enooku K, Goto E, Masuzaki R, Asaoka Y, Kondo Y, Goto T, Shiina S, Omata M, Yoshida H, <b>Koike K</b>	Serum level of adiponectin and the risk of liver cancer development in chronic hepatitis C patients	Int J Cancer	129	2226-2 235	2011
Goto T, Yoshida H, Tateishi R, Enooku K, Goto E, Sato T, Ohki T, Masuzaki R, Imamura J, Shiina S, <b>Koike K</b> , Omata M	Influence of serum HBV DNA load on recurrence of hepatocellular carcinoma after treatment with percutaneous radiofrequency ablation	Hepatol Int	5(3)	767-77 3	2011
Taguwa S, Kambara H, Fujita N, Noda T, Yoshimori T, <b>Koike K</b> , Moriishi K, Matsuura Y	Dysfunction of autophagy participates in vacuole formation and cell death in cells replicating hepatitis C virus	J Virol	85	13185- 13194	2011
Kudo Y, <b>Tanaka Y</b> , Tateishi K, Yamamoto K, Yamamoto S, Mohri D, Isomura Y, Seto M, Nakagawa H, Asaoka Y, Tada M, Ohta M, Ijichi H, Hirata Y, Otsuka M, Ikenoue T, Maeda S, Shiina S, Yoshida H, Nakajima O, Kanai F, Omata M, <b>Koike K</b>	Altered composition of fatty acids exacerbates hepatotumorigenesis during activation of the phosphatidylinositol 3-kinase pathway	J Hepatol	55(6)	1400-1 408	2011
Ishizaka N, Hongo M, Sakamoto A, Saito K, Furuta K, <b>Koike K</b>	Liver lipid content is reduced in rat given 7-day administration of angiotensin II	J Renin Angiotensin Aldosterone Syst	12(4)	462-46 8	2011
Bertot LC, Sato M, Tateishi R, Yoshida H, <b>Koike K</b>	Mortality and complication rates of percutaneous ablative techniques for the treatment of liver tumors: a systematic review	Eur Radiol	21(12)	462-46 8	2011
Yamashiki N, Sugawara Y, Tamura S, Kaneko J, Yoshida H, Aoki T, Hasegawa K, Akahane M, Ohtomo K, Fukayama M, <b>Koike K</b> , Kokudo N	Diagnostic accuracy of $\alpha$ -fetoprotein and des- $\gamma$ -carboxy prothrombin in screening for hepatocellular carcinoma in liver transplant candidates	Hepatol Res	41(12)	1199-1 207	2011

Fujinaga H, Tsutsumi T, Yotsuyanagi H, Moriya K, <b>Koike K</b>	Hepatocarcinogenesis in hepatitis C: HCV shrewdly exacerbates oxidative stress by modulating both production and scavenging of reactive oxygen species	Oncology	Suppl 1	11-17	2011
Ikeda H, Tateishi R, Enooku K, Yoshida H, Nakagawa H, Masuzaki R, Kondo Y, Goto T, Shiina S, Kume Y, Tomiya T, Inoue Y, Nishikawa T, Ohtomo N, Tanoue Y, Ono T, <b>Koike K</b> , Yatomi Y	Prediction of hepatocellular carcinoma development by plasma ADAMTS13 in chronic hepatitis B and C	Cancer Epidemiol Biomarkers Prev	20(10)	2204-2 211	2011
Watanabe S, Enomoto N, <b>Koike K</b> , Izumi N, Takikawa H, Hashimoto E, Moriyasu F, Kumada H, Imawari M ; PERFECT Study Group.	Cancer preventive effect of pegylated interferon $\alpha$ -2b plus ribavirin in a real-life clinical setting in Japan: PERFECT interim analysis.	Hepatol Res	41(10)	955-96 4	2011
Otsuka M, Takata A, Yoshikawa T, Kojima K, Kishikawa T, Shibata C, Takekawa M, Yoshida H, Omata M, <b>Koike K</b>	Receptor for Activated Protein Kinase C: Requirement for Efficient MicroRNA Function and Reduced Expression in Hepatocellular Carcinoma. PLoS One	PLoS One	6(9)	e24359 .	2011
Uchino K, Tateishi R, Shiina S, Kanda M, Masuzaki R, Kondo Y, Goto T, Omata M, Yoshida H, <b>Koike K</b>	Hepatocellular carcinoma with extrahepatic metastasis: Clinical features and prognostic factors.	Cancer	117(19)	4475-4 483	2011
Takata A, Otsuka M, Kojima K, Yoshikawa T, Kishikawa T, Yoshida H, <b>Koike K</b>	MicroRNA-22 and microRNA-140 suppress NF- $\kappa$ B activity by regulating the expression of NF- $\kappa$ B coactivators	Biochem Biophys Res Commun	411(4)	826-83 1	2011
<b>Wakita T, Suzuki T</b> , Evans MJ, Shimotohno K, Chayama K, Matsuura Y, Hijikata M, Moriishi K, Seya T, Enomoto N, <b>Koike K</b> , Kato N, Kanto T, Hotta H	Will There Be an HCV Meeting in 2020? Summary of the 17th International Meeting on Hepatitis C Virus and Related Viruses.	Gastroenterology	141(1)	e1-5	2011
Nakagawa H, Hirata Y, Takeda K, Hayakawa Y, Sato T, Kinoshita H, Sakamoto K, Nakata W, Hikiba Y, Omata M, Yoshida H, <b>Koike K</b> , Ichijo H, Maeda S	Apoptosis signal-regulating kinase 1 inhibits hepatocarcinogenesis by controlling the tumor-suppressing function of stress-activated MAPK	Hepatology	54(1)	185-19 5	2011

*Kojima K, Takata A, Vadnais C, Otsuka M, Yoshikawa T, Akanuma M, Kondo Y, Kang YJ, Kishikawa T, Kato N, Xie Z, Zhang WJ, Yoshida H, Omata M, Nepveu A, <b>Koike K</b>	MicroRNA122 is a key regulator of $\alpha$ -fetoprotein expression and biologically aggressive behavior of hepatocellular carcinoma	Nat Commun	2	338	2011
Tsukada K, Sugawara Y, Kaneko J, Tamura S, Tachikawa N, Morisawa Y, Okugawa S, Kikuchi Y, Oka S, Kimura S, Yatomi Y, Makuchi M, Kokudo N, <b>Koike K</b>	Living donor liver transplantations in HIV- and hepatitis C virus-coinfected hemophiliacs: Experience in a Single Center	Transplantation	91(11)	1261-1 264	2011
Koshiyama A, Ichibangase T, Moriya K, <b>Koike K</b> , Yazawa I, Imai K	Liquid chromatographic separation of proteins derivatized with a fluorogenic reagent at cysteinyl residues on a non-porous column for differential proteomics analysis	J Chromatogr A	1218(22)	3447-3 452	2011
Nakagawa H, Ikeda H, Nakamura K, Ohkawa R, Masuzaki R, Tateishi R, Yoshida H, Watanabe N, Tejima K, Kume Y, Iwai T, Suzuki A, Tomiya T, Inoue Y, Nishikawa T, Ohtomo N, Tanoue Y, Omata M, Igarashi K, Aoki J, <b>Koike K</b> , Yatomi Y	Autotaxin as a novel serum marker of liver fibrosis	Clin Chim Acta	412(13-14)	1201-1 206	2011
Kershenobich K, Razavi HA, Cooper CL, Alberti A, Dusheiko GM, Pol S, Zuckerman E, <b>Koike K</b> , Han K-H, Wallace CM, Zeuzem S, Negro F	Applying a system approach to forecast the total hepatitis C virus-infected population size: model validation using US data	Liver Int.	31(S2)	4-17	2011

Sievert W, Altraif I, Razavi HA, Abdo A, Ahmed EA, AlOmair A, Amarapurkar D, Chen C-H, Dou X, El Khayat H, elShazly M, Esmat G, Guan R, Han K-H, <b>Koike K</b> , Largen A, McCaughan G, Mogawer S, Monis A, Nawaz A, Piratvisuth T, Sanai FM, Sharara AI, Sibbel S, Sood A, Suh DJ, Wallace C, Young K, Negro F	A systematic review of hepatitis C virus epidemiology in Asia, Australia and Egypt.	Liver Int.	31(S2)	61-80	2011
Yasui K, Hashimoto E, Komorizono Y, <b>Koike K</b> , Arii S, Imai Y, Shima T, Kanbara Y, Saibara T, Mori T, Kawata S, Uto H, Takami S, Sumida Y, Takamura T, Kawanaka M, Okanoue T; The Japan NASH Study Group ,The Ministry of Health, Labour and Welfare of Japan.	Characteristics of patients with nonalcoholic steatohepatitis who develop hepatocellular carcinoma	Clin Gastroenterol Hepatol	9(5)	428-43 3	2011
<b>Koike K</b> , Miyoshi H, Yotsyanagi H, Moriya K.	Effect of treatment with polynsaturated fatty acids on HCV-or diet-induced fatty liver	J Hepatol	54	1325-1 326	2011
Masuzaki R, Shiina S, Tateishi R, Yoshida H, Goto E, Sugioka Y, Kondo Y, Goto T, Ikeda H, Omata M, <b>Koike K</b>	Utility of contrast enhanced ultrasonography with sonazoid in radiofrequency ablation for hepatocellular carcinoma	J Gastroenterol Hepatol	26(4)	759-76 4	2011
Miyoshi H, Moriya K, Tsutsumi T, Shinzawa S, Fujie H, Shintani Y, Fujinaga H, Goto K, Todoroki T, <b>Suzuki T</b> , Miyamura T, Matsura Y, Yotsuyanagi H, <b>Koike K</b> .	Pathogenesis of lipid metabolism disorder in hepatitis C: polyunsaturated fatty acids counteract lipid alterations induced by the core protein.	J Hepatol.	54(3)	432-8.	2011
Kondo Y, Shiina S, Tateishi R, Arano T, Uchino K, Enooku K, Goto E, Nakagawa H, Masuzaki R, Asaoka Y, Fujie H, Goto T, Omata M, Yoshida H, <b>Koike</b>	Intrahepatic bile duct dilatation after percutaneous radiofrequency ablation for hepatocellular carcinoma: impact on patient's prognosis	Liver Int	31	197-20 5	2011

<b>K</b>					
*Kanamori H, Kawakami T, Effendi K, Yamazaki K, Mori T, Ebinuma H, Masugi Y, Du W, Nagasaka K, Ogiwara A, Kyono Y, Tanabe M, Saito H, Hibi T, <b>Sakamoto M.</b>	Identification by Differential Tissue Proteome Analysis of Talin-1 as a Novel Molecular Marker of Progression of HepatocellularCarcinoma.	Oncology	80	406-415	2011
Tsuchiya K, Komuta M, Yasui Y, Tamaki N, Hosokawa T, Ueda K, Kuzuya T, Itakura J, Nakanishi H, Takahashi Y, Kuroasaki M, Asahina Y, Enomoto N, <b>Sakamoto M.</b> , Izumi N.	Expression of keratin19 is related to high recurrence of hepatocellular carcinoma after radiofrequency ablation.	Oncology	80	278-288	2011
Yamazaki K, Masugi Y, <b>Sakamoto M.</b>	Molecular pathogenesis of hepatocellular carcinoma: altering transforming growth factor- $\beta$ signaling in hepatocarcinogenesis.	Dig Dis.	29(3)	284-8	2011
Yokoo H, Yasuda J, Nakanishi K, Chuma M, Kamiyama T, Todo S, Hirohashi S, <b>Sakamoto M.</b>	Clinicopathological significance of nuclear factor- $\kappa$ B activation in hepatocellular carcinoma.	Hepatol Res	41(3)	240-9	2011
Shirabe K, Toshima T, <b>Taketomi A</b> , Taguchi K, Yoshizumi T, Uchiyama H, Harimoto N, Kajiyama K, Egashira A, Maehara Y.	Hepatic aflatoxin B1-DNA adducts and TP53 mutations in patients with hepatocellular carcinoma despite low exposure to aflatoxin B1 in southern Japan..	Liver Int	31(9)	1366-1372	2011
Aishima S, Iguchi T, Fujita N, <b>Taketomi A</b> , Maehara Y, Tsuneyoshi M, Oda Y.	Histological and immunohistological findings in biliary intraepithelial neoplasia arising from a background of chronic biliary disease compared with liver cirrhosis of non-biliary aetiology.	Histopathology	59(5)	867-875	2011
*Sanefuji K, <b>Taketomi A</b> , Iguchi T, Sugimachi K, Ikegami T, Yamashita Y, Gion T, Soejima Y, Shirabe K, Maehara Y.	Significance of DNA Polymerase Delta Catalytic Subunit p125 Induced by Mutant p53 in the Invasive Potential of Human Hepatocellular Carcinoma.	Oncology	79(3-4)	229-237	2011

Kawate H, <b>Taketomi A</b> , Watanabe T, Nomura M, Kato M, Sakamoto R, Ikegami T, Soejima Y, Maehara Y, Takayanagi R.	Hypophosphatemic osteomalacia as a long-term complication after liver transplantation.	Transplantation	91(1)	e6-e8	2011
Shimoda S, Harada K, Niiro H, Shirabe K, <b>Taketomi A</b> , Maehara Y, Tsuneyama K, Nakanuma Y, Leung P, Ansari AA, Gershwin ME, Akashi K.	Interaction between Toll-like receptors and natural killer cells in the destruction of bile ducts in primary biliary cirrhosis.	Hepatology	53(4)	1270-1 281	2011
Shirabe K, <b>Taketomi A</b> , Morita K, Soejima Y, Uchiyama H, Kayashima H, Ninomiya M, Toshima T, Maehara Y.	Comparative evaluation of expanded criteria for patients with hepatocellular carcinoma beyond the Milan criteria undergoing living-related donor liver transplantation.	Clin Transpl	25(5)	e491-e 498	2011
Sugimachi K, Shirabe K, <b>Taketomi A</b> , Soejima Y, Iguchi T, Takeishi K, Toshima T, Aishima S, Tajima T, Maehara Y.	Prognostic significance of preoperative imaging in recipients of living donor liver transplantation for hepatocellular carcinoma.	Transplantation	91(5)	570-57 4	2011
Uchiyama H, Mano Y, <b>Taketomi A</b> , Soejima Y, Yoshizumi T, Ikegami T, Shirabe K, Maehara Y.	Kinetics of anti-blood type isoagglutinin titers and B lymphocytes in ABO-incompatible living donor liver transplantation with rituximab and plasma exchange.	Transplantation	92(10)	1134-1 139	2011
Aishima S, Fujita N, Mano Y, Kubo Y, Tanaka Y, <b>Taketomi A</b> , Shirabe K, Maehara Y, Oda Y.	Different roles of S100P Overexpression in Intrahepatic Cholangiocarcinoma: Carcinogenesis of Perihilar Type and Aggressive Behavior of Peripheral Type.	Am J Surg Pathol	35(4)	590-59 8	2011
*H. Mbarek, H. Ochi, Y. Urabe, V. Kumar, M.Kubo,N. Hosono, A. Takahashi,Y. Kamatani, D. Miki, H. Abe, T. Tsunoda, N. Kamatani, K. Chayama,	A genome-wide association study of chronic hepatitis B identified novel risk locus in a Japanese population.	Human molecular genetics.	20(19)	3884-3 892	2011

<b>Y. Nakamura, <u>K. Matsuda</u></b>					
J. Li, D. Yang, Y. He, M. Wang, Z. Wen, L. Liu, J. Yao, <b><u>K.Matsuda</u></b> , Y. Nakamura, J. Yu, X. Jiang, S. Sun, Q. Liu, Q. Song, M. Chen, H. Yang, F. Tang, X. Hu, J. Wang, Y. Chang, X. He, Y. Chen, J. Lin	Associations of HLA-DP variants with hepatitis B virus infection in southern and northern Han Chinese populations: a multicenter case-control study.	PloS one	6(8)	e24221	2011
V.Kumar, N.Kato, Y.Urabe, A.akahashi, R.Muroyama, .Hosono, .Otsuka,R.Tateishi,M. Omata,H.Nakagawa, <b><u>K.Koike</u></b> , N.Kamatani, M.Kubo, Y.Nakamura, <b><u>K.Matsuda</u></b> ,	Genome-wide association study identifies a susceptibility locus for HCV-induced hepatocellular carcinoma.	Nature genetics	43(5)	455-458	2011
Yamashita T, Arai K, Sunagozaka H, Ueda T, Terashima T, Yamashita T, Mizukoshi E, Sakai A, Nakamoto Y, <b><u>Honda M</u></b> , Kaneko S.	Randomized, Phase II Study Comparing Interferon Combined with Hepatic Arterial Infusion of Fluorouracil plus Cisplatin and Fluorouracil Alone in Patients with Advanced Hepatocellular Carcinoma.	Oncology.	81(5-6)	281-290	2011
Shindo H, Maekawa S, Komase K, Sueki R, Miura M, Kadokura M, Shindo K, Amemiya F, Kitamura T, Nakayama Y, Inoue T, <b><u>Sakamoto M</u></b> , Okada SI, Asahina Y, Izumi N, <b><u>Honda M</u></b> , Kaneko S, Enomoto N.	Characterization of naturally occurring protease inhibitor-resistance mutations in genotype 1b hepatitis C virus patients.	Hepatol Int.	Epub ahead of print		2011
Mizukoshi E, Nakamoto Y, Arai K, Yamashita T, Sakai A, Sakai Y, Kagaya T, Yamashita T, <b><u>Honda M</u></b> , Kaneko S.	Comparative analysis of various tumor-associated antigen-specific t-cell responses in patients with hepatocellular carcinoma.	Hepatology.	53(4)	1206-16	2011
<b><u>Honda M</u></b> , Takehana K, Sakai A, Tagata Y, Shirasaki T, Nishitani S, Muramatsu T, Yamashita T, Nakamoto Y, Mizukoshi E, Sakai Y, Yamashita T, Nakamura M, Shimakami T, Yi M, Lemon SM, <b><u>Suzuki T</u></b> , <b><u>Wakita T</u></b>	Malnutrition impairs interferon signaling through mTOR and FoxO pathways in patients with chronic hepatitis C.	Gastroenterology.	141(1)	128-40	2011

Kaneko S; Hokuriku Liver Study Group.					
Yamashita T, <b>Honda M</b> , Kaneko S.	Molecular mechanisms of hepatocarcinogenesis in chronic hepatitis C virus infection.	J Gastroenterol Hepatol.	26(6)	960-4	2011
Kurosaki M, <b>Tanaka Y</b> , <b>Nishida N</b> , Sakamoto N, Enomoto N, <b>Honda M</b> , Sugiyama M, Matsuura K, Sugauchi F, Asahina Y, Nakagawa M, Watanabe M, <b>Sakamoto M</b> , Maekawa S, Sakai A, Kaneko S, Ito K, Masaki N, <b>Tokunaga K</b> , Izumi N, Mizokami M.	Pre-treatment prediction of response to pegylated-interferon plus ribavirin for chronic hepatitis C using genetic polymorphism in IL28B and viral factors.	J Hepatol.	54(3)	439-48	2011
Sunagozaka H, <b>Honda M</b> , Yamashita T, Nishino R, Takatori H, Arai K, Yamashita T, Sakai Y, Kaneko S.	Identification of a secretory protein c19orf10 activated in hepatocellular carcinoma.	Int J Cancer.	129(7)	1576-85	2011
Saeed M, Suzuki R, Watanabe N, Masaki T, Tomonaga M, Muhammad A, Kato T, Matsuura Y, Watanabe H, <b>Wakita T</b> , <b>Suzuki T</b> .	Role of the endoplasmic reticulum-associated degradation (ERAD) pathway in degradation of hepatitis C virus envelope proteins and production of virus particles.	J Biol Chem	286 (43)	37264-37273	2011
Yamamoto M, Aizaki H, Fukasawa M, Teraoka T, Miyamura T, <b>Wakita T</b> , <b>Suzuki T</b> .	Structural requirements of virion-associated cholesterol for infectivity, buoyant density and apolipoprotein association of hepatitis C virus.	J Gen Virol	92	2082-2087	2011
Akazawa D, Morikawa K, Omi N, Takahashi H, Nakamura N, Mochizuki H, Date T, Ishii K, <b>Suzuki T</b> , <b>Wakita T</b>	Hepatitis C virus proteins modulate microRNA expression and chemosensitivity in malignant hepatocytes.	Vaccine	29	4821-4828	2011
Wen X, Abe T, Kukihara H, Taguwa S, Mori Y, Tani H, Kato N, <b>Suzuki T</b> , Tatsumi M, Moriishi K, Matsuura Y.	Elimination of hepatitis C virus from hepatocytes by a selective activation of therapeutic molecules.	PLoS One.	6	E15967	2011
Watanabe N, Aizaki H, Matsuura T, Kojima S, <b>Wakita T</b> , <b>Suzuki T</b> .	Hepatitis C virus RNA replication in human stellate cells regulates gene expression of extracellular	Biochem Biophys Res Commun.	407	135-140	2011

	matrix-related molecules.				
Inoue Y, Aizaki H, Hara H, Matsuda M, Ando T, Shimoji T, Masaki T, Shoji I, Homma S, Matsuura Y, Miyamura T, <b>Wakita T, Suzuki T.</b>	Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein.	Virology	410	38-47	2011
Iwasaki Y, Mori K, Ishii K, Maki N, Iijima S, Yoshida T, Okabayashi S, Katakai Y, Lee Y.J, Saito A, Funai H, Kimura N, Ageyama N, Yoshizaki S, <b>Suzuki T.</b> , Yasutomi Y, Miyamura T, Kannagi M and Akari H	Long-term persistent GBV-B infection and development of a chronic and progressive hepatitis C-like disease in marmosets.	Front Microbiol.	2	240	2011
*Sa-Nguanmoo P, <b>Tanaka Y</b> , Ratanakorn P, Sugiyama M, Murakami S, Payungporn S, Sommanustweechai A, <b>Mizokami M</b> , Poovorawan Y.	Cross-species transmission of gibbon and orangutan hepatitis B virus to uPA/SCID mice with human hepatocytes.	Virus Res.	158(1-2 )	209-15	2011
Matsuura K, <b>Tanaka Y</b> , Kusakabe A, Hige S, Inoue J, Komatsu M, Kuramitsu T, Hirano K, Ohno T, Hasegawa I, Kobashi H, Hino K, Hiasa Y, Nomura H, Sugauchi F, Nojiri S, Joh T, <b>Mizokami M.</b>	Recommendation of lamivudine-to-entecavir switching treatment in chronic hepatitis B responders: Randomized controlled trial.	Hepatol Res.	41(6)	505-511	2011

\*研究成果の別刷あり

平成 24 年度

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
<u>Nishida N</u> , Mawatari Y, Sageshima M, <u>Tokunaga K</u> .	Highly Parallel and Short-Acting Amplification with Locus-Specific Primers to Detect Single Nucleotide Polymorphisms by the DigiTag2 Assay.	PLoS One.	7(1)	e29967	2012
Sawai H, <u>Nishida N</u> , Mbarek H, <u>Matsuda K</u> , Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, <u>Mochida S</u> , Watanabe M, <u>Kurosaki M</u> , Asahina Y, Izumi N, <u>Honda M</u> , Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, <u>Hino K</u> , Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, <u>Tanaka Y</u> , <u>Mizokami M</u> , <u>Tokunaga K</u> .	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.	BMC Med Genet	13	47	2012
* <u>Nishida N</u> , Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S, Kang JH, Suzuki K, <u>Kurosaki M</u> , Asahina Y, <u>Mochida S</u> , Watanabe M, Tanaka E, <u>Honda M</u> , Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M, <u>Hino K</u> , Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, Izumi N, Han KH, <u>Tanaka Y</u> , <u>Tokunaga K</u> , <u>Mizokami M</u> .	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean.	PLoS One	7(6)	e39175	2012
*Kumar V, Yi Lo PH, Sawai H, Kato N, Takahashi A, Deng Z, Urabe Y, Mbarek H, <u>Tokunaga K</u> , <u>Tanaka Y</u> , Sugiyama M, <u>Mizokami M</u> , Muroyama R, Tateishi R, Omata M, <u>Koike K</u> , Tanikawa C, Kamatani N, Kubo M, Nakamura Y, <u>Matsuda K</u> .	Soluble MICa and a MICa variation as possible prognostic biomarkers for HBV-induced hepatocellular carcinoma.	Plos One	7(9)	E44743	2012

Kawashima M, Ohashi J, <b>Nishida N, Tokunaga K</b>	Evolutionary analysis of classical HLA class I and II genes suggests that recent positive selection acted on DPB1*04:01 in Japanese population.	PLoS One	7(10)	e46806	2012
*Nakamura M, <b>Nishida N</b> , Kawashima M, Aiba Y, Tanaka A, Yasunami M, Nakamura H, Komori A, Nakamura M, Zeniya M, Hashimoto E, Ohira H, Yamamoto K, Onji M, Kaneko S, <b>Honda M</b> , Yamagawa S, Nakao K, Ichida T, Takikawa H, Seike M, Umemura T, Ueno Y, Sakisaka S, Kikuchi K, Ebinuma H, Yamashiki N, Tamura S, Sugawara Y, Mori A, Yagi S, Shirabe K, <b>Taketomi A</b> , Arai K, Monoe K, Ichikawa T, Taniai M, Miyake Y, Kumagi T, Abe M, Yoshizawa K, Joshita S, Shimoda S, Honda K, Takahashi H, Hirano K, Takeyama Y, Harada K, Migita K, Ito M, <b>Yatsuhashi H</b> , Fukushima N, Ota H, Komatsu T, Saoshiro T, Ishida J, Kouno H, Kouno H, Yagura M, Kobayashi M, Muro T, Masaki N, Hirata K, Watanabe Y, Nakamura Y, Shimada M, Hirashima N, Komeda T, Sugi K, Koga M, Ario K, Takesaki E, Maehara Y, Uemoto S, Kokudo N, Tsubouchi H, <b>Mizokami M</b> , Nakanuma Y, <b>Tokunaga K</b> , Ishibashi H.	Genome-wide Association Study Identifies TNFSF15 and POU2AF1 as Susceptibility Loci for Primary Biliary Cirrhosis in the Japanese Population.	Am J Hum Genet.	91(4)	721-728	2012
澤井裕美、 <b>徳永勝士</b>	ゲノム多様性と感染症	細胞	243(6)	555-560	2013
川嶋実苗、 <b>徳永勝士</b>	よくわかるゲノムワイド関連解析 : GWAS を読む - 質の管理	医学のあゆみ		555-560	2012

<b>徳永勝士</b>	よくわかるゲノムワイド関連解析 : GWAS の今後の課題	医学のあゆみ		934-936	2012
新海登, <u>田中靖人</u> , 杉山真也, <u>溝上雅史</u>	【B型肝炎の抗ウイルス療法の進歩と耐性】核酸アナログ耐性変異パターン解析とその対策	消化器内科	54(5)	582-585	2012
Anai Y, Ochi H, Watanabe S, Nakagawa S, Kawamura M, <u>Gojobori T</u> , Nishigaki K.	Infectious Endogenous Retroviruses in Cats and Emergence of Recombinant Viruses	J. of Virology	86 (16)	8634-44	2012
Saeed M, Gondeau C, Hmwe S, Yokokawa H, Date T, Suzuki T, Kato T, Maurel P, <u>Wakita T</u> .	Replication of hepatitis C virus genotype 3a in cultured cells.	Gastroenterology.	144(1)	56-58.e7	2013
Date T, Kato T, Kato J, Takahashi H, Morikawa K, Akazawa D, Murayama A, Tanaka-Kaneko K, Sata T, <u>Tanaka Y</u> , <u>Mizokami M</u> , <u>Wakita T</u> .	Novel cell culture-adapted genotype 2a hepatitis C virus infectious clone.	J Virol.	86(19)	10805-20.	2012
Ando T, Imamura H, Suzuki R, Aizaki H, Watanabe T, <u>Wakita T</u> , Suzuki T.	Visualization and measurement of ATP levels in living cells replicating hepatitis C virus genome RNA.	PLoS Pathog.	8(3)	e1002561.	2012
Date T, Morikawa K, <u>Tanaka Y</u> , Tanaka-Kaneko K, Sata T, <u>Mizokami M</u> , <u>Wakita T</u> .	Replication and infectivity of a novel genotype 1b hepatitis C virus clone.	Microbiol Immunol.	56(5)	308-17.	2012
Bae SK, <u>Yatsuhashi H</u> , Hashimoto S, Motoyoshi Y, Ozawa E, Nagaoka S, Abiru S, Komori A, Migita K, Nakamura M, Ito M, Miyakawa Y, Ishibashi H.	Prediction of early HBeAg seroconversion by decreased titers of HBeAg in the serum combined with increased grades of lobular inflammation in the liver.	Med Sci Monit.	18(12)	CR 698-705	2012
*Toyama T, Ishida H, Ishibashi H, <u>Yatsuhashi H</u> , Nakamura M, Shimada M, Ohta H, Satoh T, Kato M, Hijioka T, Takano H, Komeda T, Yagura M, Mano H, Watanabe Y, Kobayashi M, Mita E.	Long-term outcomes of add-on adefovir dipivoxil therapy to ongoing lamivudine in patients with lamivudine-resistant chronic hepatitis B.	Hepatol Res.	42(12)	1168-74	2012

Migita K, Abiru S, Ohtani M, Jiuchi Y, Maeda Y, Bae SK, Bekki S, Hashimoto S, Yesmembetov K, Nagaoka S, Nakamura M, Komori A, Ichikawa T, Nakao K, <b><u>Yatsuhashi H</u></b> , Ishibashi H, Yasunami M.	HLA-DP gene polymorphisms and hepatitis B infection in the Japanese population.	Transl Res.	160(6)	443-4	2012
* <b><u>Matsumoto A</u></b> , Tanaka E, Suzuki Y, Kobayashi M, <b><u>Tanaka Y</u></b> , Shinkai N, Hige S, <b><u>Yatsuhashi H</u></b> , Nagaoka S, Chayama K, Tsuge M, <b><u>Yokosuka O</u></b> , Imazeki F, Nishiguchi S, Saito M, Fujiwara K, Torii N, Hiramatsu N, Karino Y, Kumada H.	Combination of hepatitis B viral antigens and DNA for prediction of relapse after discontinuation of nucleos(t)ide analogs in patients with chronic hepatitis B.	Hepatol Res.	42(2)	139-49	2012
<b><u>Matsumoto A</u></b> , Tanaka E, Morita S, Yoshizawa K, Umemura T, Joshiita S	Changes in the serum level of hepatitis B virus (HBV) surface antigen over the natural course of HBV infection.	J Gastroenterol.	47	1006-1 013	2012
Wu S, Kanda T, Nakamoto S, Imazeki F, <b><u>Yokosuka O</u></b> .	Knockdown of receptor-interacting serine/threonine protein kinase-2 (RIPK2) affects EMT-associated gene expression in human hepatoma cells.	Anticancer Res.	32(9)	3775-8 3.	2012
*Wu S, Kanda T, Imazeki F, Nakamoto S, Tanaka T, Arai M, Roger T, Shirasawa H, Nomura F, <b><u>Yokosuka O</u></b> .	Hepatitis B virus e antigen physically associates with receptor-interacting serine/threonine protein kinase 2 and regulates IL-6 gene expression.	J Infect Dis.	206(3)	415-20.	2012
Suzuki E, Chiba T, Zen Y, Miyagi S, Tada M, Kanai F, Imazeki F, Miyazaki M, Iwama A, <b><u>Yokosuka O</u></b> .	Aldehyde dehydrogenase 1 is associated with recurrence-free survival but not stem cell-like properties in hepatocellular carcinoma.	Hepatol Res.	42(11)	1100-1 1.	2012
Yan J, Kanda T, Wu S, Imazeki F, <b><u>Yokosuka O</u></b> .	Hepatitis A, B, C and E virus markers in Chinese residing in Tokyo, Japan.	Hepatol Res.	42(10)	974-81.	2012

Hamaoka K, Nagoshi S, Sugawara K, Naiki K, Uchida Y, Inao M, Nakayama N, Fujiwara K, <b><u>Mochida S.</u></b>	SNPs in the Promoter Region of Osteopon- tin Gene as a Possi- ble Host Factor for Sex Difference in Hepatocellular Car- cinoma Development in Patients with HCV.	Hepatol Int	7(2)	683-692	2013
Sugawara K, Nakayama N, <b><u>Mochida S.</u></b>	Acute Liver failure in Japan: Definition, Classification, and Prediction of the Outcome.	J Gastroenterol	47	849-861	2012
*Nakayama N, Oketani M, Kawamura Y, Inao M, Nagoshi S, Fujiwara K, Tsubouchi H, <b><u>Mochida S.</u></b>	Algorithm to Determine the Outcome of Patients with Acute Liver Failure; a Data Mining Analysis Using Decision Trees.	J Gastroenterol	47	664-677	2012
Naiki T, Nakayama N, <b><u>Mochida S.</u></b> , Oketani M, Takikawa Y, Suzuki K, Tada S, Yano K, Ichida T, Moriwaki H, Tsubouchi H.	Novel Scoring System as a Useful Model to Predict the Outcome of Patients with Acute Liver Failure: Application to Indication Criteria for Liver Transplantation.	Hepatol Res	42	8-75	2012
Yamashiki N, Sugawara Y, Tamura S, Nakayama N, Oketani M, Umeshita K, Umemoto S, <b><u>Mochida S.</u></b> , Tsubouchi H, Kokudo N.	Outcomes after Living Liver Transplantation for Acute Liver Failure in Japan: Results of a Nationwide Survey.	Liver Transplant	18	1069-1077	2012.
Imai Y, Chikayama T, Makazawa M, Watanabe K, Ando S, Mizuno Y, Yoshino K, Sugawara K, Hanaoka K, Fujimori K, Inao M, Nakayama N, Oka M, Nagoshi S, <b><u>Mochida S.</u></b>	Usefulness of Miriplatin as an Anticancer Agent for Transcatheter Arterial Chemoembolization in Patients with Unresectable Hepatocellular Carcinoma.	J Gastroenterol	47	179-186	2012
Hikita H, Enooku K, Satoh Y, Yoshida H, Nakagawa H, Masuzaki R, Tateishi R, Soroida Y, Sato M, Suzuki A, Gotoh H, Iwai T, Yokota H, <b><u>Koike K.</u></b> , Yatomi Y, Ikeda H.	Perihepatic lymph node enlargement is a negative predictor for sustained responses to pegylated interferon- $\alpha$ and ribavirin therapy for Japanese patients infected with hepatitis C virus genotype 1	Hepatol Res	43(10)	1005-12	2013
Gotoh H, Enooku K, Soroida Y, Sato M, Hikita H, Suzuki A, Iwai T, Yokota H, Yamazaki T, <b><u>Koike K.</u></b> , Yatomi Y, Ikeda H	Perihepatic lymph node enlargement observed at a general health examination: A cross-sectional study	Hepatol Res	43(8)	906-10	2013

Ohki T, Isogawa A, Iwamoto M, Ohsugi M, Yoshida H, Toda N, Tagawa K, Omata M, <b><u>Koike K</u></b>	The effectiveness of liraglutide in nonalcoholic Fatty liver disease patients with type 2 diabetes mellitus compared to sitagliptin and pioglitazone	Scientific WorldJournal		496453	2012
Kurano M, Hara M, Tsuneyama K, Okamoto K, Iso-O N, Matsushima T, <b><u>Koike K</u></b> , Tsukamoto K	Modulation of lipid metabolism with the over-expression of NPC1L1 in mice liver	J Lipid Res	53(11) 5	2275-8 5	2012
Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Hikiba Y, Obi S, Goto T, Kang YJ, Maeda S, Yoshida H, Omata M, Asahara H, <b><u>Koike K</u></b>	MicroRNA-140 acts as a liver tumor suppressor by controlling NF-κB activity by directly targeting DNA methyltransferase 1 (Dnmt1) expression.	Hepatology	57 0	162-17 0	2013
Hikita H, Nakagawa H, Tateishi R, Masuzaki R, Enooku K, Yoshida H, Omata M, Soroida Y, Sato M, Gotoh H, Suzuki A, Iwai T, Yokota H, <b><u>Koike K</u></b> , Yatomi Y, Ikeda H	Perihepatic lymph node enlargement is a negative predictor of liver cancer development in chronic hepatitis C patients	J Gastroenterol	48(3)	366-73	2013
Minami T, Kishikawa T, Sato M, Tateishi R, Yoshida H, <b><u>Koike K</u></b>	Meta-analysis: mortality and serious adverse events of peginterferon plus ribavirin therapy for chronic hepatitis C	J Gastroenterol	48(2)	254-68	2013
Okushin K, Asaoka Y, Fukuda I, Fujiwara N, Minami T, Sato M, Mikami S, Uchino K, Enooku K, Kondo Y, Tateishi R, Goto T, Shiina S, Yoshida H, <b><u>Koike K</u></b>	IGF-II producing hepatocellular carcinoma treated with sorafenib: metabolic complications and a foresight to molecular targeting therapy to the IGF signal	Case Rep Gastroenterol	6(3) 9	784-78 9	2012
*Yanagimoto S, Yotsuyanagi H, Kikuchi Y, Tsukada K, Kato M, Takamatsu J, Hige S, Chayama K, Moriya K, <b><u>Koike K</u></b>	Chronic hepatitis B in patients coinfected with human immunodeficiency virus in Japan: a retrospective multicenter analysis	J Infect Chemother	18(6) 0	883-89 0	2012
Ikeda H, Enooku K, Ohkawa R, <b><u>Koike K</u></b> , Yatomi Y	Plasma lysophosphatidic acid levels and hepatocellular carcinoma	Hepatology	57 8	417-41 8	2013
Shiina S, Tateishi R, Imamura M, Teratani T, Koike Y, Sato S, Obi S, Kanai F, Kato N, Yoshida H, Omata M, <b><u>Koike K</u></b>	Percutaneous ethanol injection for hepatocellular carcinoma: 20-year outcome and prognostic factors	Liver Int	32(9) 442	1434-1 442	2012

Uchino K, Obi S, Tateishi R, Sato S, Kanda M, Sato T, Arano T, Enooku K, Goto E, Masuzaki R, Nakagawa H, Asaoka Y, Kondo Y, Yamashiki N, Goto T, Shiina S, Omata M, Yoshida H, <b>Koike K</b>	Systemic combination therapy of intravenous continuous 5-fluorouracil and subcutaneous pegylated interferon alfa-2a for advanced hepatocellular carcinoma	J Gastroenterol	47(10)	1152-1 159	2012
Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, <b>Koike K</b>	Mortality and morbidity of hepatectomy, radiofrequency ablation, and embolization for hepatocellular carcinoma: a national survey of 54,145 patients	J Gastroenterol	47(10)	1125-1 133	2012
Yoshikawa T, Takata A, Otsuka M, Kishikawa T, Kojima K, Yoshida H, <b>Koike K</b>	Silencing of microRNA-122 enhances interferon- $\alpha$ signaling in the liver through regulating SOCS3 promoter methylation	Sci Rep	2	637	2012
Nakagawa H, Isogawa A, Tateishi R, Tani M, Yoshida H, Yamakado M, <b>Koike K</b>	Serum gamma-glutamyltransferase level is associated with serum superoxide dismutase activity and metabolic syndrome in a Japanese population	J Gastroenterol	47(2)	187-19 4	2012
Soroida Y, Ohkawa R, Nakagawa H, Satoh Y, Yoshida H, Kinoshita H, Tateishi R, Masuzaki R, Enooku K, Shiina S, Sato T, Obi S, Hoshino T, Nagatomo R, Okubo S, Yokota H, <b>Koike K</b> , Yatomi Y, Ikeda H	Increased activity of serum mitochondrial isoenzyme of creatine kinase in hepatocellular carcinoma patients predominantly with recurrence	J Hepatol	27(2)	330-33 6	2012
Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Kudo Y, Goto T, Yoshida H, <b>Koike K</b>	A miRNA machinery component DDX20 controls NF- $\kappa$ B via microRNA-140 function	Biochem Biophys Res Commun	420(3)	564-56 9	2012
Masuzaki R, Tateishi R, Yoshida H, Arano T, Uchino K, Enooku K, Goto E, Nakagawa H, Asaoka Y, Kondo Y, Goto T, Ikeda H, Shiina S, Omata M, <b>Koike K</b>	Assessment of disease progression in patients with transfusion-associated chronic hepatitis C using transient elastography	World J Gastroenterol	18(12)	1385-1 390	2012
Kudo Y, Tateishi K, Yamamoto K, Yamamoto S, Asaoka Y, Ijichi H, Nagae G, Yoshida H, Aburatani H, <b>Koike K</b>	Loss of 5-hydroxymethylcytosine is accompanied with malignant cellular transformation	Cancer Sci	103(4)	670-67 6	2012

Goto E, Masuzaki R, Tateishi R, Kondo Y, Imamura J, Goto T, Ikeda H, Akahane M, Shiina S, Omata M, Yoshida H, <b><u>Koike K</u></b>	Value of post-vascular phase (Kupffer imaging) by contrast-enhanced ultrasonography using Sonazoid in the detection of hepatocellular carcinoma	J Gastroenterol	47(4)	47(4)	2012
Shiina S, Tateishi R, Arano T, Uchino K, Enooku K, Nakagawa H, Asaoka Y, Sato T, Masuzaki R, Kondo Y, Goto T, Yoshida H, Omata M, <b><u>Koike K</u></b>	Radiofrequency ablation for hepatocellular carcinoma: 10-year outcome and prognostic factors	Am J Gastroenterol	107(4)	569-577	2012
Enooku K, Tateishi R, Kanai F, Kondo Y, Masuzaki R, Goto T, Shiina S, Yoshida H, Omata M, <b><u>Koike K</u></b>	Evaluation of molecular targeted cancer drug by changes in tumor marker doubling times	J Gastroenterol	47(1)	71-78	2012
*Hasegawa K, Kokudo N, Makuchi M, Izumi N, Ichida T, Kudo M, Ku Y, <b><u>Sakamoto M</u></b> , Nakashima O, Matsui O, Matsuyama Y.	Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey.	J Hepatol.	58(4)	724-9	2013
Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, <b><u>Sakamoto M</u></b>	Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of hepatocellular carcinoma cells.	Exp Cell Res.	319(3)	113-21	2013
*Effendi K, Yamazaki K, Mori T, Masugi Y, Makino S, <b><u>Sakamoto M</u></b> .	Involvement of hepatocellular carcinoma biomarker, cyclase-associated protein 2 in zebrafish body development and cancer progression.	Exp Cell Res.	319(1)	35-44	2013
Kamiyama T, Nakanishi K, Yokoo H, Kamachi H, Tahara M, Kakisaka T, Tsuruga Y, Todo S, <b><u>Taketomi A.</u></b>	Analysis of the risk factors for early death due to disease recurrence or progression within 1 year after hepatectomy in patients with hepatocellular carcinoma.	World J Surg Oncol	14(10)	107	2012
<b><u>Hino K</u></b> , Nishina S, Hara Y	Iron metabolic disorder in chronic hepatitis C: insights from recent evidence	Clin J Gastroenterol	5	251-6	2012

Matsui T, Motoki Y, Inomoto T, Miura D, Kato Y, Suenaga H, <b><u>Hino K</u></b> , Nojima J.	Temperature-related effects of adenosine triphosphatase-activated microglia on pro-inflammatory factors	Neurocrit Care	17	293-300	2012
Nakagawa M, <b><u>Sakamoto N</u></b> , Watanabe T, Nishimura-Sakurai Y, Onozuka Y, Azuma S, Kakinuma S, Nitta S, Kiyohashi K, Kusano-Kitazume A, Murakawa M, Yoshino K, Itsui Y, <b><u>Tanaka Y</u></b> , <b><u>Mizokami M</u></b> , Watanabe M, Ochanomizu Liver Conference Study Group	Association of ITPA gene variant and serum ribavirin concentration with blood cells decline in pegylated interferon-alfa plus ribavirin therapy for chronic hepatitis C.	Hepatol Int	7(1)	153-161	2013
Kohjima M, Enjoji M, Yoshimoto T, Yada R, Fujino T, Aoyagi Y, Fukushima N, Fukuizumi K, Harada N, Yada M, Kato M, Kotoh K, Nakashima M, <b><u>Sakamoto N</u></b> , <b><u>Tanaka Y</u></b> , Nakamura M	Add-on therapy of pitavastatin and eicosapentaenoic acid improves outcome of peginterferon plus ribavirin treatment for chronic hepatitis C.	J Med Virol	85(2)	250-260	2013
Kobayashi T, Hige S, Terashita K, Nakai M, Horimoto H, Sho T, Nakanishi M, Ogawa K, Chuma M, <b><u>Sakamoto N</u></b> , Asaka M	Anemia and thrombocytosis induced by ribavirin monotherapy in patients with chronic hepatitis C.	J Gastroenterol	47(11)	1228-1237	2012
Asahina Y, Tsuchiya K, Muraoka M, Tanaka K, Suzuki Y, Tamaki N, Hoshioka Y, Yasui Y, Katoh T, Hosokawa T, Ueda K, Nakanishi H, Itakura J, Takahashi Y, <b><u>Kurosaki M</u></b> , Enomoto N, Nitta S, <b><u>Sakamoto N</u></b> , Izumi N	Association of gene expression involving innate immunity and genetic variation in IL28B with antiviral response	Hepatology	55(1)	20-29	2012
Ueda T, <b><u>Honda M</u></b> , Horimoto K, Aburatani S, Saito S, Yamashita T, Sakai S, Nakamura M, Takatori H, Sunagozaka H, Kaneko S.	Gene expression profiling of hepatitis B- and hepatitis C-related hepatocellular carcinoma using graphical Gaussian modeling.	Genomics.	101(4)	238-248	2013
Sakai Y, Tatsumi I, Higashimoto M, Seki A, Nasti A, Yoshida K, Kawaguchi K, Wada T, <b><u>Honda M</u></b> , Komura T, Kaneko S.	Association of changes in the gene expression profile of blood cells with the local tumor inflammatory response in a murine tumor model.	Biochem Biophys Res Commun.	428(1)	36-43	2012

Mizukoshi E, Fushimi K, Arai K, Yamashita T, <b>Honda M</b> , Kaneko S.	Expression of chondroitin-glucuronate C5-epimerase and cellular immune responses in patients with hepatocellular carcinoma.	Liver Int.	32(10)	1516-26	2012
Okada H, <b>Honda M</b> , Campbell JS, Sakai Y, Yamashita T, Takeuchi Y, Hada K, Shirasaki T, Takabatake R, Nakamura M, Sunagozaka H, Tanaka T, Fausto N, Kaneko S.	Acyclic retinoid targets platelet-derived growth factor signaling in the prevention of hepatic fibrosis and hepatocellular carcinoma development.	Cancer Res.	72(17)	4459-71	2012
Kaneko S, Furuse J, Kudo M, Ikeda K, <b>Honda M</b> , Nakamoto Y, Onchi M, Shiota G, <b>Yokosuka O</b> , Sakaida I, Takehara T, Ueno Y, Hiroishi K, Nishiguchi S, Moriwaki H, Yamamoto K, Sata M, Obi S, Miyayama S, Imai Y.	Guideline on the use of new anticancer drugs for the treatment of Hepatocellular Carcinoma 2010 update.	Hepatol Res.	42(6)	523-542	2012
Takeshita Y, Takamura T, Kita Y, Ando H, Ueda T, Kato K, Misu H, Sunagozaka H, Sakai Y, Yamashita T, Mizukoshi E, <b>Honda M</b> , Kaneko S.	Beneficial effect of branched-chain amino acid supplementation on glycemic control in chronic hepatitis C patients with insulin resistance: implications for type 2 diabetes.	Metabolism	61(10)	1388-94	2012
*He D, Liu ZP, <b>Honda M</b> , Kaneko S, Chen L.	Coexpression network analysis in chronic hepatitis B and C hepatic lesions reveals distinct patterns of disease progression to hepatocellular carcinoma.	J Mol Cell Biol.	4(3)	140-52	2012
Mizuno H, <b>Honda M</b> , Shirasaki T, Yamashita T, Yamashita T, Mizukoshi E, Kaneko S.	Heterogeneous nuclear ribonucleoprotein A2/B1 in association with hTERT is a potential biomarker for hepatocellular carcinoma.	Liver Int.	32(7)	1146-55	2012
Sato Y, Ren XS, Harada K, Sasaki M, Morikawa H, Shiomi S, <b>Honda M</b> , Kaneko S, Nakanuma Y.	Induction of elastin expression in vascular endothelial cells relates to hepatoportal sclerosis in idiopathic portal hypertension: possible link to serum anti-endothelial cell antibodies.	Clin Exp Immunol.	167(3)	532-42	2012

Nakamura S, Kawai K, Takeshita Y, <b><u>Honda M</u></b> , Takamura T, Kaneko S, Matoba R, Matsubara K.	Identification of blood biomarkers of aging by transcript profiling of whole blood.	Biochem Biophys Res Commun.	418(2)	313-8	2012
Okusaka T, Kasugai H, Ishii H, Kudo M, Sata M, Tanaka K, Shioyama Y, Chayama K, Kumada H, Yoshikawa M, Seki T, Saito H, Hayashi N, Shiratori K, Okita K, Sakaida I, <b><u>Honda M</u></b> , Kusumoto Y, Tsutsumi T, Sakata K.	A randomized phase II trial of intra-arterial chemotherapy using SM-11355 (Miriplatin) for hepatocellular carcinoma.	Invest New Drugs.	30(5)	2015-25	2012
Du D, Zhu X, Kuno A, Matsuda A, Tsuruno C, Yu D, Zhang Y, Ikebara Y, <b><u>Tanaka Y</u></b> , Zhang X, Narimatsu H.	Comparison of Lect-Hepa and FibroScan for assessment of liver fibrosis in hepatitis B virus infected patients with different ALT levels.	Clin Chim Acta.	413(21-22)	1796-9	2012
Michikawa T, Inoue M, Sawada N, Iwasaki M, <b><u>Tanaka Y</u></b> , Shimazu T, Sasazuki S, Yamaji T, <b><u>Mizokami M</u></b> , Tsugane S; Japan Public Health Center-based Prospective Study Group.	Development of a prediction model for 10-year risk of hepatocellular carcinoma in middle-aged Japanese: the Japan Public Health Center-based Prospective Study Cohort II.	Prev Med.	55(2)	137-43	2012
Zhou B, Wang Z, Yang J, Sun J, Li H, <b><u>Tanaka Y</u></b> , <b><u>Mizokami M</u></b> , Hou J.	Novel evidence of HBV recombination in family cluster infections in western China.	PLoS One.	7(6)	e38241	2012
*Kondo Y, Ueno Y, Ninomiya M, Tamai K, <b><u>Tanaka Y</u></b> , Inoue J, Kakazu E, Kobayashi K, Kimura O, Miura M, Yamamoto T, Kobayashi T, Igarashi T, Shimosegawa T.	Sequential immunological analysis of HBV/HCV co-infected patients during Peg-IFN/RBV therapy.	J Gastroenterol.	47(12)	1323-35	2012
Sawada N, Inoue M, Iwasaki M, Sasazuki S, Shimazu T, Yamaji T, Takachi R, <b><u>Tanaka Y</u></b> , <b><u>Mizokami M</u></b> , Tsugane S; Japan Public Health Center-Based Prospective Study Group	Consumption of n-3 fatty acids and fish reduces risk of hepatocellular carcinoma.	Gastroenterology.	142(7)	1468-75	2012

Ragheb M, Elkady A, <b>Tanaka Y</b> , Murakami S, Attia FM, Hassan AA, Hassan MF, Shedad MM, Abdel Reheem HB, Khan A, <b>Mizokami M</b> .	Multiple intra-familial transmission patterns of hepatitis B virus genotype D in north-eastern Egypt.	J Med Virol.	84(4)	587-95	2012
Kuno A, Ikebara Y, <b>Tanaka Y</b> , Ito K, Matsuda A, Sekiya S, Hige S, <b>Sakamoto M</b> , Kage M, <b>Mizokami M</b> , Narimatsu H.	A serum "sweet-doughnut" protein facilitates fibrosis evaluation and therapy assessment in patients with viral hepatitis.	Sci Rep.	3	1065	2013
Rawal RK, Singh US, Chavre SN, Wang J, Sugiyama M, Hung W, Govindarajan R, Korba B, <b>Tanaka Y</b> , Chu CK.	2'-Fluoro-6'-methylene-carbo cyclic adenosine phosphoramidate (FMCAP) prodrug: In vitro anti-HBV activity against the lamivudine-entecavir resistant triple mutant and its mechanism of action.	Bioorg Med Chem Lett.	23(2)	503-6	2013
Sunbul M, Sugiyama M, Kurbanov F, Leblebicioglu H, Khan A, Elkady A, <b>Tanaka Y</b> , <b>Mizokami M</b> .	Specific mutations of basal core promoter are associated with chronic liver disease in hepatitis B virus subgenotype D1 prevalent in Turkey.	Microbiol Immunol.	57(2)	122-9.	2013
Watanabe T, <b>Tanaka Y</b> .	Reactivation of hepatitis viruses following immunomodulation systemic chemotherapy.	Hepatol Res.	43(2)	113-21	2012
Sakamoto T, <b>Tanaka Y</b> , Watanabe T, Iijima S, Kani S, Sugiyama M, Murakami S, Matsuura K, Kusakabe A, Shinkai N, Fuminaka S, <b>Mizokami M</b> .	Mechanism of the dependence of hepatitis B virus genotype G on co-infection with other genotypes for viral replication.	J Viral Hepat.	20(4)	e27-36	2013

平成 25 年度

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
<b>徳永勝士</b>	多因子疾患に関する大規模ゲノム解析研究の最前線		MEDICAL TECHNOLOGY 3	医歯薬出版株式会社		2014	42(3): 272-276
長岡進矢, <b>八橋 弘</b> .	インターフェロン治療,-III. 治療編, 2. 抗ウイルス薬による治療-	田中榮司他	HEPATOLOGY PRACTICE 1 B型肝炎の診療を極める -基本から最前線まで	文光堂	東京	2013	97-103
<b>八橋 弘</b> .	.HBVとその感染症の基礎, 4.HBV感染の診断法	持田智	de novo B型肝炎 - HBV再活性化予防のための基礎知識 -	医薬ジャーナル社	大阪	2013	55-67
<b>八橋 弘</b> .	PegIFNとHBs抗原量	溝上雅史	別冊・医学のあゆみ B型肝炎 - 最新治療コンセンサス	医歯薬出版株式会社	東京	2013	63-68

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
Nishida N, <b>Tokunaga K</b> , and Mizokami M:	Genome-wide association study reveals host genetic factors for liver diseases.	J. Clin. Translat. Hepatol.	in press		2014
* <b>Tokunaga K</b>	Lessons from genome-wide search for disease-related genes with special reference to HLA-disease associations.	Genes	5	e84-96	2014
* <b>Nishida N</b> , Sawai H; Kashiwase K, Minami M, Sugiyama M, Seto WK, Yuen MF, Posuwan N, Poovorawan Y, Ahn SH, Han KH, Matsuura K, <b>Tanaka Y</b> , <b>Kurosaki M</b> , Asahina Y, Izumi N, Kang JH, Hige S, Ide T, Yamamoto K, Sakaida I, Murawaki Y, Itoh Y, Tamori A, Orito E, Hiasa Y, <b>Honda M</b> , Kaneko S, Mita E, Suzuki K, <b>Hino K</b> , Tanaka E, <b>Mochida S</b> ,	New Susceptibility and Resistance HLA-DP Alleles to HBV-Related Diseases Identified by a Trans-Ethnic Association Study in Asia.	PLoS One	in press		2014

Watanabe M, Eguchi Y, Murata K, Korenaga M, Mawatari Y, Ohashi J, Kawashima M, <b><u>Tokunaga K, Mizokami M</u></b>					
<b><u>Kusumoto S, Tanaka Y, Mizokami M</u></b> , Ueda R.	Strategy for preventing hepatitis B reactivation in patients with resolved HBV infection following rituximab-containing chemotherapy	Hepatology			2013
<b><u>Kusumoto S, Tanaka Y, Mizokami M</u></b> , Ueda R	Is Antiviral Prophylaxis Necessary to Prevent Hepatitis B Virus (HBV) Reactivation in Patients With HBV-Resolved Infection Receiving Rituximab-Containing Chemotherapy?	J Clin Oncol.	31(35)	4480	2013
Trinks J, Sugiyama M, <b><u>Tanaka Y</u></b> , Kurbanov F, Benetucci J, Giménez E, Weissenbacher MC, <b><u>Mizokami M</u></b> , Oubiña JR	In vitro replication competence of a hepatitis B genotype D/A recombinant virus: dissimilar biological behaviour regarding its parental genotypes	J Gen Virol	94	2724-8	2013
*Ito K, Yotsuyanagi H, <b><u>Yatsuhashi H</u></b> , Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, <b><u>Tanaka Y</u></b> , Sugiyama M, Murata K, Masaki N, <b><u>Mizokami M</u></b>	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults	Hepatology	59(1)	89-97	2014
Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, <b><u>Mizokami M</u></b> , Miyakawa Y, <b><u>Koike K</u></b>	High levels of hepatitis B virus after the onset of disease lead to chronic infection in patients with acute hepatitis B	Clin Infect Dis	57(7)	935-42	2013
Nakano N, <b><u>Kusumoto S, Tanaka Y</u></b> , Ishida T, Takeuchi S, Takatsuka Y, Akinaga S, <b><u>Mizokami M</u></b> , Ueda R, Utsunomiya A	Reactivation of hepatitis B virus in a patient with adult T-cell leukemia-lymphoma receiving the anti-CC chemokine receptor 4 antibody mogamulizumab	Hepatol Res			2013

Watashi K, Sluder A, Daito T, Matsunaga S, Ryo A, Nagamori S, Iwamoto M, Nakajima S, Tsukuda S, Borroto-Esoda K, Sugiyama M, <u>Tanaka Y</u> , Kanai Y, Kusuhara H, <u>Mizokami M</u> , <u>Wakita T</u> .	Cyclosporin A and its analogs inhibit hepatitis B virus entry into cultured hepatocytes through targeting a membrane transporter NTCP.	Hepatology.	doi: 10.1002/hep.26982.	[Epub ahead of print]	2013
Nakagawa, S., Bai, H., Sakurai, T., Nakaya, Y., Konno, T., Miyazawa, T., <u>Gojobori, T.</u> , Imakawa, K.	Dynamic Evolution of Endogenous Retrovirus-Derived Genes Expressed in Bovine Conceptuses during the Period of Placentation.	Genome Biol Evol	5(2)	296-306	2013
Takeda, J., Yamasaki, C., Murakami, K., Nagai, Y., Sera, M., Hara, Y., Obi, N., Habara, T., <u>Gojobori, T.</u> , Imanishi, T.	H-InvDB in 2013: an omics study platform for human functional gene and transcript discovery.	NAR	41(D1)	D915-9	2013
Iwamoto M, Watashi K, Tsukuda S, Aly HH, Fukasawa M, Fujimoto A, Suzuki R, Aizaki H, Ito T, Koiwai O, Kusuhara H, <u>Wakita T</u> .	Evaluation and identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP.	Biochem Biophys Res Commun.	443(3)	808-13	2014
Okamoto Y, Shinjo K, Shimizu Y, Sano T, Yamao K, Gao W, Fujii M, Osada H, Sekido Y, Murakami S, <u>Tanaka Y</u> , Joh T, Sato S, Takahashi S, <u>Wakita T</u> , Zhu J, Issa JP, Kondo Y.	Hepatitis virus infection affects DNA methylation in mice with humanized livers.	Gastroenterology.	146(2)	562-72.	2014
*Watashi K, Liang G, Iwamoto M, Marusawa H, Uchida N, Daito T, Kitamura K, Muramatsu M, Ohashi H, Kiyohara T, Suzuki R, Li J, Tong S, <u>Tanaka Y</u> , Murata K, Aizaki H, <u>Wakita T</u> .	Interleukin-1 and tumor necrosis factor-alpha trigger restriction of hepatitis B virus infection via a cytidine deaminase AID.	J Biol Chem.	288(44)	31715-27	2013
<b>八橋 弘</b>	ウイルス肝炎と肝癌の撲滅を目指した実地診療のすすめかた ,B型肝炎の自然経過と治療の進歩 - 実地医家はどのように対処すればよいのか -	Medical Practice	30(2)	186-193	2013

*Morita S, <b><u>Matsumoto A.</u></b> Umemura T, Shibata S, Kamijo N, Ichikawa Y, Kimura T, Joshita S, Komatsu M, Yoshizawa K, Tanaka E.	Characteristics and prediction of hepatitis B e-antigen negative hepatitis following seroconversion in patients with chronic hepatitis B.	Hepatol Res	impress		2013
Kanda T, Jiang X, Nakamoto S, Nakamura M, Miyamura T, Wu S, <b><u>Yokosuka O.</u></b>	Different effects of three interferons L on Toll-like receptor-related gene expression in HepG2 cells.	Cytokine	64(2)	577-83	2013
Jiang X, Kanda T, Tanaka T, Wu S, Nakamoto S, Imazeki F, <b><u>Yokosuka O.</u></b>	Lipopolysaccharide blocks induction of unfolded protein response in human hepatoma cell lines.	Immunol Lett	152(1)	8-15	2013
Wu S, Kanda T, Nakamoto S, Jiang X, Miyamura T, Nakatani SM, Ono SK, Takahashi-Nakaguchi A, Gonoi T, <b><u>Yokosuka O.</u></b>	Prevalence of hepatitis C virus subgenotypes 1a and 1b in Japanese patients: ultra-deep sequencing analysis of HCV NS5B genotype-specific region.	PLoS One	8(9)	e73615	2013
*Miyauchi T, Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Kato K, Arai M, Mikami S, Sugiura N, Kimura M, Goto N, Imazeki F, <b><u>Yokosuka O.</u></b>	Efficacy of lamivudine or entecavir against virological rebound after achieving HBV DNA negativity in chronic hepatitis B patients.	Int J Med Sci	10(6)	647-52	2013
Kamezaki H, Kanda T, Arai M, Wu S, Nakamoto S, Chiba T, Maruyama H, Fujiwara K, Kanai F, Imazeki F, Nomura F, <b><u>Yokosuka O.</u></b>	Adherence to medication is a more important contributor to viral breakthrough in chronic hepatitis B patients treated with entecavir than in those with Lamivudine.	Int J Med Sci	10(5)	567-74	2013
Harigai M, <b><u>Mochida S.</u></b> , Mimura T, <b><u>Koike T.</u></b> , Miyasaka N.	The proposal for management of rheumatic disease patients with hepatitis B virus infection receiving immunosuppressive therapy.	Mod Rheumatol	24	1-7	2014
Ge X, Leung TM, Arriazu E, Lu Y, Urtasun R, Christensen B, Fiel MI, <b><u>Mochida S.</u></b> , Sørensen ES, Nieto N.	Osteopontin binding to lipopolysaccharide lower tumor necrosis factor-a and prevents early alcohol-induced liver injury in mice.	Hepatology		doi: 10.1002/hep.26931.	2013 Nov 9 [Epub ahead of print].

*Uchida Y, Kouyama J, Naiki K, Sugawara K, Inao M, Nakayama N, <b><u>Mochida S.</u></b>	Novel hepatitis B virus strain developing due to recombination between genotypes H and B strains isolated from a Japanese patient	Hepatol Res		Doi: 10.1111/hepr.12238	2013 Sep 10.
Hamaoka K, Nagoshi S, Sugawara K, Naiki K, Uchida Y, Inao M, Nakayama N, Fujiwara K, <b><u>Mochida S.</u></b>	SNPs in the promoter region of osteopontin gene as a possible host factor for sex difference in hepatocellular carcinoma development in patients with HCV.	Hepatol Int	7	683-692	2013
Oketani M, Ide A, Nakayama N, Takikawa Y, Naiki T, Yamagishi Y, Ichida T, <b><u>Mochida S.</u></b> , Ohnishi S, Tsubouchi H	Etiology and prognosis of fulminant hepatitis and late-onset hepatic failure in Japan: Summary of the annual nationwide survey between 2004 and 2009.	Hepatol Res	43	97-105	2013
<b><u>Mochida S.</u></b> , Takikawa Y, Nakatama N, Oektani M, Maiki T, Yamagishi Y, Fujiwara K, Ichida K, Tsubouchi H.	Classification of the etiologies of acute liver failure in Japan: A report by the Intractable Hepato-Biliary Diseases Study Group of Japan.	Hepatol Res	in press		2014
Nakagawa H, Hikiba Y, Hirata Y, Font-Burgada J, Sakamoto K, Hayakawa Y, Taniguchi K, Umemura A, Kinoshita H, Sakitani K, Nishikawa Y, Hirano K, Ikenoue T, Ijichi H, Dhar D, Shibata W, Akanuma M, <b><u>Koike K.</u></b> , Karin M, Maeda S.	Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis.	Proc Natl Acad Sci U S A			[Epub ahead of print]
Otsuka M, Kishikawa T, Yoshikawa T, Ohno M, Takata A, Shibata C, <b><u>Koike K.</u></b>	The role of microRNAs in hepatocarcinogenesis: current knowledge and future prospects.	J Gastroenterol			[Epub ahead of print]
Uranbileg B, Enooku K, Soroida Y, Ohkawa R, Kudo Y, Nakagawa H, Tateishi R, Yoshida H, Shinzawa S, Moriya K, Ohtomo N, Nishikawa T, Inoue Y, Tomiya T, Koijima S, Matsuura T, <b><u>Koike K.</u></b> , Yatomi Y, Ikeda H.	High ubiquitous mitochondrial creatine kinase expression in hepatocellular carcinoma denotes a poor prognosis with highly malignant potential.	Int J Cancer			[Epub ahead of print]

Shibata C, Kishikawa T, Otsuka M, Ohno M, Yoshikawa T, Takata A, Yoshida H, <b>Koike K.</b>	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression.	Biochem Biophys Res Commun			[Epub ahead of print]
Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Fushimi K, <b>Koike K.</b>	Acute liver disease in Japan: a nationwide analysis of the Japanese Diagnosis Procedure Combination database.	J Gastroenterol			[Epub ahead of print]
Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, <b>Mizokami M</b> , Miyakawa Y, <b>Koike K.</b>	High levels of HBV after the onset lead to chronic infection in patients with acute hepatitis B.	Clin Infect Dis	57(7)	935-942	2013
Mikoshiba N, Miyashita M, Sakai T, Tateishi R, <b>Koike K.</b>	Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life.	Psychoncology			[Epub ahead of print]
Ohki T, Tateishi R, Akahane M, Mikami S, Sato M, Uchino K, Arano T, Enooku K, Kondo Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Matsuyama Y, Omata M, Ohtomo K, <b>Koike K.</b>	CT with hepatic arteriopgraphy as a pretreatment examination for hepatocellular carcinoma patients: a randomized controlled trial.	Am J Gastroenterol	108	1305-1313	2013
Inoue Y, Tomiya T, Nishikawa T, Ohtomo N, Tanoue Y, Ikeda H, <b>Koike K.</b>	Induction of p53-Dependent p21 Limits Proliferative Activity of Rat Hepatocytes in the Presence of Hepatocyte Growth Factor.	PLoS One	8(11)	e78346	2013
He G, Dhar D, Nakagawa H, Font-Burgada J, Ogata H, Jiang Y, Shalapour S, Seki E, Yost SE, Jepsen K, Frazer KA, Harismendy O, Hatziapostolou M, Iliopoulos D, Suetsugu A, Hoffman RM, Tateishi R, <b>Koike K.</b> , Karin M.	Identification of liver cancer progenitors whose malignant progression depends on autocrine IL-6 signaling.	Cell	155(2)	384-396	2013
*Kishikawa T, Otsuka M, Yoshikawa T, Ohno M, Takata A, Shibata C, Kondo Y, Akanuma M, Yoshida H, <b>Koike K.</b>	Regulation of the expression of the liver cancer susceptibility gene MICA by microRNAs.	Sci Rep	3	2739	2013

Liu Y, Higashitsuji H, Higashitsuji H, Itoh K, Sakurai T, <b>Koike K</b> , Hirota K, Fukumoto M, Fujita J.	Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing factor inhibiting hypoxia-inducible factor-1 (FIH-1) and activating hypoxia-inducible factor-1.	Biochem Biophys Res Commun	432(1)	22-27	2013
Ohno M, Shibata C, Kishikawa T, Yoshikawa T, Takata A, Kojima K, Akanuma M, Kang YJ, Yoshida H, Otsuka M, <b>Koike K</b> .	The flavonoid apigenin improves glucose tolerance through inhibition of microRNA maturation in miRNA103 transgenic mice.	Sci Rep	3	2553	2013
Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, <b>Koike K</b> , Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res	43(6)	596-604	2013
Tateishi R, Shiina S, Akahane M, Sato J, Kondo Y, Masuzaki R, Nakagawa H, Asaoka Y, Goto T, Otomo K, Omata M, Yoshida H, <b>Koike K</b> .	Frequency, risk factors and survival associated with an intrasubsegmental recurrence after radiofrequency ablation for hepatocellular carcinoma.	PLoS One	8(4)	e59040	2013
Ikeda H, Enooku K, Ohkawa R, <b>Koike K</b> , Yatomi Y.	Plasma lysophosphatidic acid levels and hepatocellular carcinoma.	Hepatology	57	417-418	2013
Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Hikiba Y, Obi S, Goto T, Kang YJ, Maeda S, Yoshida H, Omata M, Asahara H, <b>Koike K</b> .	MiRNA-140 acts as a liver tumor suppressor by controlling NF-κB activity via directly targeting Dnmt1 expression.	Hepatology	57	162-170	2013
*Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, <b>Sakamoto M</b> .	Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of hepatocellular carcinoma cells.	Exp Cell Res.	319	113-121	2013
Effendi K, Yamazaki K, Mori T, Masugi Y, Makino S, <b>Sakamoto M</b> .	Involvement of hepatocellular carcinoma biomarker, cyclase-associated protein 2 in zebrafish body development and cancer progression.	Exp Cell Res.	319	35-44	2013

<b>Shirabe K</b> , Toshima T, <b>Taketomi A</b> , Taguchi K, Yoshizumi T, Uchiyama H, Harimoto N, Kajiyama K, Egashira A, Maehara Y.	Hepatic aflatoxin B1-DNA adducts and TP53 mutations in patients with hepatocellular carcinoma despite low exposure to aflatoxin B1 in southern Japan.	Liver Int.	31(9)	1366-7 2	2011
<b>Taketomi A</b> , Takeishi K, Mano Y, Toshima T, Motomura T, Aishima S, Uchiyama H, Yoshizumi T, <b>Shirabe K</b> , Maehara Y.	Total resection of the right hepatic vein drainage area with the aid of three-dimensional computed tomography.	Surg Today.	42(1)	46-51	2012
Motomura T, Koga E, <b>Taketomi A</b> , Fukuhara T, Mano Y, Muto J, Konishi H, Toshima T, Uchiyama H, Yoshizumi T, <b>Shirabe K</b> , Maehara Y.	Efficacy of splenectomy in preventing anemia in patients with recurrent hepatitis C following liver transplantation is not dependent on inosine triphosphate pyrophosphatase genotype.	Hepatol Res.	42(3)	288-95	2012
<b>Taketomi A</b> , <b>Shirabe K</b> , Toshima T, Morita K, Hashimoto N, Kayashima H, Ikegami T, Yoshizumi T, Soejima Y, Maehara Y.	The long-term outcomes of patients with hepatocellular carcinoma after living donor liver transplantation: a comparison of right and left lobe grafts.	Surg Today.	42(6)	559-64	2012
Harada N, <b>Shirabe K</b> , Ijichi H, Matono R, Yoshizumi T, <b>Taketomi A</b> , Soejima Y, Maehara Y.	Acoustic radiation force impulse imaging predicts postoperative ascites resulting from curative hepatic resection for hepatocellular carcinoma.	<a href="#">Surgery</a> .	151(6)	837-43	2012
Matono R, Yoshiya S, Motomura T, Toshima T, Kayashima H, Masuda T, Yoshizumi T, <b>Taketomi A</b> , <b>Shirabe K</b> , Maehara Y.	Factors linked to longterm survival of patients with hepatocellular carcinoma accompanied by tumour thrombus in the major portal vein after surgical resection.	HPB (Oxford)	14(4)	247-53	2012
*Takeishi K, <b>Taketomi A</b> , <b>Shirabe K</b> , Toshima T, Motomura T, Ikegami T, Yoshizumi T, Sakane F, Maehara Y.	Diacylglycerol kinase alpha enhances hepatocellular carcinoma progression by activation of Ras-Raf-MEK-ERK pathway.	J Hepatol.	57(1)	77-83	2012

Kamiyama T, Nakanishi K, Yokoo H, Kamachi H, Tahara M, Kakisaka T, Tsuruga Y, Todo S, <b><u>Taketomi A.</u></b>	Analysis of the risk factors for early death due to disease recurrence or progression within 1 year after hepatectomy in patients with hepatocellular carcinoma.	World J Surg Oncol			2012
Chuma M, Sakamoto N, Nakai A, Hige S, Nakanishi M, <b><u>Natsuzuka</u></b> M, Suda G, ho T, Hatanaka K, Matsuno Y, Yokoo H, Kamiyama T, <b><u>Taketomi A.</u></b> , Fujii G, Tashiro K, Hikiba Y, Fujimoto M, Asaka M, Maeda S.	Heat shock factor 1 accelerates hepatocellular carcinoma development by activating nuclear factor- $\kappa$ B/mitogen-activated protein kinase.	Carcinogenesis.	35(2)	272-81	2014
Honda S, Miyagi H, Suzuki H, Minato M, Haruta M, Kaneko Y, Hatanaka KC, Hiyama E, Kamijo T, Okada T, <b><u>Taketomi A.</u></b>	RASSF1A methylation indicates a poor prognosis in hepatoblastoma patients.	Pediatr Surg Int.	29(11)	1147-5 2	2013
Wakayama K, Kamiyama T, Yokoo H, Kakisaka T, Kamachi H, Tsuruga Y, Nakanishi K, Shimamura T, Todo S, <b><u>Taketomi A.</u></b>	Surgical management of hepatocellular carcinoma with tumor thrombi in the inferior vena cava or right atrium.	World J Surg Oncol.			2013
Shibasaki S, Takahashi N, Toi H, Tsuda I, Nakamura T, Hase T, Minagawa N, Homma S, Kawamura H, <b><u>Taketomi A.</u></b>	Percutaneous transhepatic gallbladder drainage followed by elective laparoscopic cholecystectomy in patients with moderate acute cholecystitis under antithrombotic therapy.	J Hepatobiliary Pancreat			2013
Okada T, Honda S, Miyagi H, Kubota KC, Cho K, <b><u>Taketomi A.</u></b>	Liver fibrosis in prenatally diagnosed choledochal cysts.	J Pediatr Gastroenterol Nutr.	57(2)		2013
Kamiyama T, Yokoo H, Furukawa J, Kuroguchi M, Togashi T, Miura N, Nakanishi K, Kamachi H, Kakisaka T, Tsuruga Y, Fujiyoshi M, <b><u>Taketomi A.</u></b> , Nishimura S, Todo S.	Identification of novel serum biomarkers of hepatocellular carcinoma using glycomic analysis.	Hepatology.	57(6)	2314-2 5	2013

<b>Shirabe K</b> , Motomura T, Takeishi K, Morita K, Kayashima H, <b>Taketomi A</b> , Ikegami T, Soejima Y, Yoshizumi T, Maehara Y.	Human early liver regeneration after hepatectomy in patients with hepatocellular carcinoma: special reference to age.	Scand J Surg.	102(2)	101-5	2013
Ijichi H, <b>Shirabe K</b> , <b>Taketomi A</b> , Yoshizumi T, Ikegami T, Mano Y, Aishima S, Abe K, Honda H, Maehara Y.	Clinical usefulness of (18)F-fluorodeoxyglucose positron emission tomography/computed tomography for patients with primary liver cancer with special reference to rare histological types, hepatocellular carcinoma with sarcomatous change and combined hepatocellular and cholangiocarcinoma.	Hepatol Res.	43(5)	481-7	2013
Shimada S, Kamiyama T, Yokoo H, Wakayama K, Tsuruga Y, Kakisaka T, Kamachi H, <b>Taketomi A</b> .	Clinicopathological characteristics and prognostic factors in young patients after hepatectomy for hepatocellular carcinoma.	World J Surg Oncol.			2013
<b>Taketomi A</b> , <b>Shirabe K</b> , Muto J, Yoshiya S, Motomura T, Mano Y, Ikegami T, Yoshizumi T, Sugio K, Maehara Y.	A rare point mutation in the Ras oncogene in hepatocellular carcinoma.	Surg Today	43(3)	289-92	2013
Mano Y, Aishima S, Fujita N, <b>Tanaka Y</b> , Kubo Y, Motomura T, <b>Taketomi A</b> , <b>Shirabe K</b> , Maehara Y, Oda Y.	Tumor-associated macrophage promotes tumor progression via STAT3 signaling in hepatocellular carcinoma.	Pathobiology.	80(3)	146-54	2013
* <b>Kurosaki M</b> , Tsuchiya K, Nakanishi H, Itakura J, Izumi N.	Serum HBV RNA as a possible marker of HBV replication in the liver during nucleot(s)ide analogue therapy.	Journal of Gastroenterology	48	777-778	2013
*Tomiyama Y, Nishina S, Hara Y, Kawase T, <b>Hino K</b>	Hepatic oxidative stress in ovariectomized transgenic mice expressing the hepatitis C virus polyprotein is augmented through suppression of AMPK/PGC-1alpha signaling	Hepatol Res	DOI: 10.1111/hepr.12254		2013

<u>Hino K</u> , Hara Y, Nishina S	Mitochondrial reactive oxygen species as a mystery voice in hepatitis C	Hepatol Res		DOI: 10.1111/hepr.12247	2013
<u>Hino K</u> , Nishina S, Hara Y	Iron metabolic disorder in chronic hepatitis C: Mechanisms and relevance to hepatocarcinogenesis	J Gastroenterol Hepatol	28 Suppl 4	1993/8/1	2013
Tomiyama Y, Takenaka K, Kodama T, Kawanaka M, sasaki K, Nishina S, Yoshioka N, Hara Y, <u>Hino K</u>	Risk factors for survival and the development of hepatocellular carcinoma in patients with primary biliary cirrhosis	Intern Med	52	1553-9	2013
Korenaga K, Korenaga M, Teramoto F, Suzuki T, Nishina S, Sasaki K, Nakashima Y, Tomiyama Y, Yoshioka N, Hara Y, Moriya T, <u>Hino K</u>	Clinical usefulness of non-protein respiratory quotient measurement in non-alcoholic fatty liver disease	Hepatol Res	43	1284-94	2013
Nakamura M, Nakashima H, Tsutsumi K, Matsumoto H, Muta Y, Ueno D, Yoshida K, <u>Hino K</u> , Urakami A, Tanaka M	First jejunal vein oriented mesenteric excision for pancreatoduodenectomy	J Gastroenterol	48	989-95	2013
Kawanaka M, Nishino K, Suehiro M, Goto D, Urata N, Oka T, Kawamoto H, Nakamura H, Yodoi J, <u>Hino K</u> , Yamada G	Treatment of nonalcoholic steatohepatitis with vitamins E and C: a pilot study	Hepatic Medicine: Evidence and Research	5	11-16	2013
<u>Natsuzaka M</u> , Kinugasa H, Kagawa S, Whelan KA, Naganuma S, Subramanian H, Chang S, Nakagawa KJ, Rustgi NL, Kita Y, Natsugoe S, Basu D, Gimotty PA, Klein-Szanto AJ, Diehl JA, Rustgi AK, Nakagawa H.	IGFBP3 promotes esophageal cancer growth by suppressing oxidative stress in hypoxic tumor microenvironment.	Am J Cancer Res	4(1)	29	2014
Ijichi H, Yoshizumi T, Ikegami T, Soejima Y, Ikeda T, Kawanaka H, Uchiyama H, Yamashita Y, Morita M, Oki E, Mimori K, Sugimachi K, Saeki H, Watanabe M, <u>Shirabe K</u> , Maehara Y	Recurrent hepatitis B following recurrence of hepatocellular carcinoma after living donor liver transplantation.	Fukuoka Igaku Zasshi.	104( 10 )	376-82	2013

Zhang B, Jia WH, Matsuo K, Shin A, Xiang YB, <b>Matsuda K</b> , Jee SH, Kim DH, Cheah PY, Ren Z, Cai Q, Long J, Shi J, Wen W, Yang G, Ji BT, Pan ZZ, Matsuda F, Gao YT, Oh JH, Ahn YO, Kubo M, Thean LF, Park EJ, Li HL, Park JW, Jo J, Jeong JY, Hosono S, Nakamura Y, Shu XO, Zeng YX, Zheng W.	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians.	Int J Cancer.	doi: 10.1002/ijc.28733.		2014 [Epub ahead of print]
*Lo PH, Urabe Y, Kumar V, Tanikawa C, <b>Koike K</b> , Kato N, Miki D, Chayama K, Kubo M, Nakamura Y, <b>Matsuda K</b> .	Identification of a functional variant in the MICA promoter which regulates MICA expression and increases HCV-related hepatocellular carcinoma risk.	PLoS One.	8(4)	e61279	2013
Urabe Y, Ochi H, Kato N, Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, <b>Koike K</b> , Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, <b>Matsuda K</b> .	A genome-wide association study of HCV-induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at the MHC region.	J Hepatol.	58(5)	875-82.	2013
Tanikawa C, Matsuo K, Kubo M, Takahashi A, Ito H, Tanaka H, Yatabe Y, Yamao K, Kamatani N, Tajima K, Nakamura Y, <b>Matsuda K</b> .	Impact of PSCA variation on gastric ulcer susceptibility.	Plos one	8(5)	E63698	2013
Wang J, Carvajal-Carmona LG, Chu JH, Zauber AG; APC Trial Collaborators, Kubo M, <b>Matsuda K</b> , Dunlop M, Houlston RS, Sieber O, Lipton L, Gibbs P, Martin NG, Montgomery GW, Young J, Baird PN, Ratain MJ, Nakamura Y, Weiss ST, Tomlinson I, Bertagnolli MM.	Germline variants and advanced colorectal adenomas: adenoma prevention with celecoxib trial genome-wide association study.	Clin Cancer Res.	19(23)	6430-7	2013
*Zeng SS, Yamashita T, Kondo M, Nio K, Hayashi T, Hara Y, Nomura Y, Yoshida M, Hayashi T, Oishi N, Ikeda H, <b>Honda M</b> , Kaneko S.	The transcription factor SALL4 regulates stemness of EpCAM-positive hepatocellular carcinoma.	J Hepatol	60(1)	127-134	2014

Takeshita Y, Takamura T, <b>Honda M</b> , Kita Y, Zen Y, Kato KI, Misu H, Ota T, Nakamura M, Yamada K, Sunagozaka H, Arai K, Yamashita T, Mizukoshi E, Kaneko S.	The effects of ezetimibe on non-alcoholic fatty liver disease and glucose metabolism: a randomised controlled trial.	Diabetologia	in press		2014
<b>Honda M</b> , Shirasaki T, Shimakami T, Sakai A, Horii R, Arai K, Yamashita T, Sakai Y, Yamashita T, Okada H, Murai K, Nakamura M, Mizukoshi E, Kaneko S.	Hepatic interferon-stimulated genes are differentially regulated in the liver of chronic hepatitis C patients with different interleukin 28B genotypes.	Hepatology	in press		2013
Terashima T, Yamashita T, Arai K, Sunagozaka H, Kitahara M, Nakagawa H, Kagaya T, Mizukoshi E, <b>Honda M</b> , Kaneko S.	Feasibility and efficacy of hepatic arterial infusion chemotherapy for advanced hepatocellular carcinoma after sorafenib.	Hepatol Res	in press		2013
Spaniel C, <b>Honda M</b> , Selitsky SR, Yamane D, Shimakami T, Kaneko S, Lanford RE, Lemon SM.	MicroRNA-122 abundance in hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection.	PLoS One	in press		2013
<b>Honda M</b> , Yamashita T, Yamashita T, Arai K, Sakai Y, Sakai A, Nakamura M, Mizukoshi E, Kaneko S.	Peretinoin, an acyclic retinoid, improves the hepatic gene signature of chronic hepatitis C following curative therapy of hepatocellular carcinoma.	BMC Cancer	in press		2013
Miyahara K, Nouso K, Morimoto Y, Takeuchi Y, Hagiwara H, Kuwaki K, Onishi H, Ikeda F, Miyake Y, Nakamura S, Shiraha H, Takaki A, <b>Honda M</b> , Kaneko S, Sato T, Sato S, Obi S, Iwadou S, Kobayashi Y, Takaguchi K, Kariyama K, Takuma Y, Takabatake H, Yamamoto K; Okayama Liver Cancer Group.	Pro-angiogenic cytokines for prediction of outcomes in patients with advanced hepatocellular carcinoma.	Br J Cancer	109(8)	2072-2 078	2013
Higashimoto M, Sakai Y, Takamura M, Usui S, Nasti A, Yoshida K, Seki A, Komura T, <b>Honda M</b> , Wada T, Furuichi K, Ochiya T, Kaneko S.	Adipose tissue derived stromal stem cell therapy in murine ConA-derived hepatitis is dependent on myeloid-lineage and CD4+ T-cell suppression.	Eur J Immunol	43(11)	2956-2 968	2013

Seki A, Sakai Y, Komura T, Nasti A, Yoshida K, Higashimoto M, <b>Honda M</b> , Usui S, Takamura M, Takamura T, Ochiya T, Furuichi K, Wada T, Kaneko S.	Adipose tissue-derived stem cells as a regenerative therapy for a mouse steatohepatitis-induced cirrhosis model.	Hepatology	58(3)	1133-1 142	2013
Komura T, Sakai Y, <b>Honda M</b> , Takamura T, Wada T, Kaneko S.	ER stress induced impaired TLR signaling and macrophage differentiation of human monocytes.	Cell Immunol	282(1)	44-52	2013
Shirasaki T, <b>Honda M</b> , Shimakami T, Horii R, Yamashita T, Sakai Y, Sakai A, Okada H, Watanabe R, Murakami S, Yi M, Lemon SM, Kaneko S.	MicroRNA-27a regulates lipid metabolism and inhibits hepatitis C virus replication in human hepatoma cells.	J Virol	87(9)	5270-5 286	2013
Hodo Y, <b>Honda M</b> , Tanaka A, Nomura Y, Arai K, Yamashita T, Sakai Y, Yamashita T, Mizukoshi E, Sakai A, Sasaki M, Nakanuma Y, Moriyama M, Kaneko S.	Association of interleukin-28B genotype and hepatocellular carcinoma recurrence in patients with chronic hepatitis C.	Clin Cancer Res	19(7)	1827-1 837	2013
Yamashita T, <b>Honda M</b> , Nakamoto Y, Baba M, Nio K, Hara Y, Zeng SS, Hayashi T, Kondo M, Takatori H, Yamashita T, Mizukoshi E, Ikeda H, Zen Y, Takamura H, Wang XW, Kaneko S.	Discrete nature of EpCAM+ and CD90+ cancer stem cells in human hepatocellular carcinoma.	Hepatology	57(4)	1484-1 497	2013
Nishino J, <b>Mano S</b>	The Number of Candidate Variants in Exome Sequencing for Mendelian Disease under No Genetic Heterogeneity	Computational and Mathematical Methods in Medicine	2013	179761 . 13pp.	2013
間野修平	ポストゲノム時代に遺伝疫学を考える	生物の科学「遺伝」	67(3)	368-37 1	2013
Jo Nishino, Masaya Sugiyama, <b>Nao Nishida</b> , <b>Katsushi Tokunaga</b> , <b>Masashi Mizokami</b> , <b>Shuhei Mano</b>	The SNP × age interaction on response to interferon-α and ribavirin therapy in hepatitis C woman patients	Journal of Medical Virology		in press	
Ahn S, Tamai M, Nakashima K, Ito M, <b>Suzuki T</b> , Tagawa Y.	An in vitro liver model consisting of endothelial vascular networks surrounded by human hepatoma cell lines allows for improved hepatitis B virus replication.	J Biosci. Bioeng.		in press	2014

*Posuwan N, Payungporn S, Tangkijvanich P, Ogawa S, Murakami S, Iijima S, Matsuura K, Shinkai N, Watanabe T, Poovorawan Y, <b>Tanaka Y.</b>	Genetic association of human leukocyte antigens with chronicity or resolution of hepatitis B infection in thai population.	PLoS One.	9(1)	e86007	
Elkady A, Aboulfotuh S, Ali EM, Sayed D, Abdel-Aziz NM, Ali AM, Murakami S, Iijima S, <b>Tanaka Y.</b>	Incidence and characteristics of HBV reactivation in hematological malignant patients in south Egypt.	World J Gastroenterol.	19(37)	6214-20	

\*研究成果の別刷あり