

【雑誌】

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	<u>正木尚彦</u>	ウイルス肝炎に関する国の対策事業、公費助成や受診勧奨など	診断と治療	101(9)	1375-1380	2013
	村田一素、 <u>正木尚彦</u>	C型肝炎の自然予後 無治療住民検診における 長期予後の検討	肝胆膵	66(3)	417-422	2013
	<u>正木尚彦</u>	治療状況からみたC型肝炎の疫学：全国調査による検討	肝胆膵	67(6)	819-823	2013
	正木尚彦、坂口孝作、 海嶋照美、荒尾元博、 須田烈史、 <u>島上哲朗</u> 。	座談会：肝炎ウイルス陽性患者に対する診療体制をどうするか。	日本内科学会雑誌	103(1)	123-140	2014
	Tsuchiya K, Asahina Y, Matsuda S, Muraoka M, Nakata T, Suzuki Y, Tamaki N, Yasui Y, Suzuki S, Hosokawa T, Nishimura T, Ueda K, Kuzuya T, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, <u>Izumi N.</u>	Changes in plasma vascular endothelial growth factor at 8 weeks after sorafenib administration as predictors of survival for advanced hepatocellular carcinoma.	Cancer	In press		2014
	Ikeda K, <u>Izumi N.</u> , Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Tsubouchi H, Kumada H.	Discrimination of fibrotic staging of chronic hepatitis C using multiple fibrotic markers.	Hepatol Res	In press		2014
	Abe T, Hashiguchi A, Yamazaki K, Ebinuma H, Saito H, Kumada H, <u>Izumi N.</u> , Masaki N, Sakamoto M.	Quantification of collagen and elastic fibers using whole-slide images of liver biopsy specimens.	Pathol Int	63	305-10	2013
	Tamaki N, Kurosaki M, Matsuda S, Nakata T, Muraoka M, Suzuki Y, Yasui Y, Suzuki S, Hosokawa T, Nishimura T, Ueda K, Tsuchiya K, Nakanishi H, Itakura J, Takahashi Y, Matsunaga K, Taki K, Asahina Y, <u>Izumi N.</u>	Prospective comparison of real-time tissue elastography and serum fibrosis markers for the estimation of liver fibrosis in chronic hepatitis C patients.	Hepatol Res	In press		2014
	Nakanishi H, Kurosaki M, Nakanishi K, Tsuchiya K, Noda T, Tamaki N, Yasui Y, Hosokawa T, Ueda K, Itakura J, Anami K, Asahina Y, Enomoto N, Higuchi T, <u>Izumi N.</u>	Impaired brain activity in cirrhotic patients with minimal hepatic encephalopathy: Evaluation by near-infrared spectroscopy.	Hepatol Res	In press		2014

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Asahina Y, Tsuchiya K, Nishimura T, Muraoka M, Suzuki Y, Tamaki N, Yasui Y, Hosokawa T, Ueda K, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, Nakagawa M, Kakinuma S, Watanabe M, <u>Izumi N.</u>	$\alpha$ -fetoprotein levels after interferon therapy and risk of hepatocarcinogenesis in chronic hepatitis C.	Hepatology	58	1253-62	2013
	Kurosaki M, Tsuchiya K, Nakanishi H, Itakura J, <u>Izumi N.</u>	Serum HBV RNA as a possible marker of HBV replication in the liver during nucleot(s)ide analogue therapy.	J Gastroenterol	48	777-8	2013
	Aoki T, Kokudo N, Matsuyama Y, <u>Izumi N.</u> , Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Makuuchi M.	Prognostic Impact of Spontaneous Tumor Rupture in Patients With Hepatocellular Carcinoma: An Analysis of 1160 Cases From a Nationwide Survey.	Ann Surg	In press		2014
	Takayasu K, Arii S, Sakamoto M, Matsuyama Y, Kudo M, Ichida T, Nakashima O, Matsui O, <u>Izumi N.</u> , Ku Y, Kokudo N, Makuuchi M; Liver Cancer Study Group of Japan.	Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3 cm.	Liver Int	33	762-70	2013
	Kudo M, Matsui O, Sakamoto M, Kitao A, Kim T, Ariizumi S, Ichikawa T, Kobayashi S, Imai Y, <u>Izumi N.</u> , Fujinaga Y, Arii S.	Role of gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging in the management of hepatocellular carcinoma: consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan.	Oncology	84S	7月21日	2013
	Toyota J, Ozeki I, Karino Y, Asahina Y, <u>Izumi N.</u> , Takahashi S, Kawakami Y, Chayama K, Kamiya N, Aoki K, Yamada I, Suzuki Y, Suzuki F, Kumada H.	Virological response and safety of 24-week telaprevir alone in Japanese patients infected with hepatitis C virus subtype 1b.	J Viral Hepat	20	167-73	2013
	Hosokawa T, Kurosaki M, Tsuchiya K, Matsuda S, Muraoka M, Suzuki Y, Tamaki N, Yasui Y, Nakata T, Nishimura T, Suzuki S, Ueda K, Nakanishi H, Itakura J, Takahashi Y, <u>Izumi N.</u>	Hyperglycemia is a significant prognostic factor of hepatocellular carcinoma after curative therapy.	World J Gastroenterol	19	249-57	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Izumi N, Asahina Y, Kurosaki M, Yamada G, Kawai T, Kajiwara E, Okamura Y, Takeuchi T, Yokosuka O, Kariyama K, Toyota J, Inao M, Tanaka E, Moriwaki H, Adachi H, Katsuyama S, Kudo M, Takaguchi K, Hiasa Y, Cahyama K, Yatsuhashi H, Oketani M, Kumada H.	Inhibition of hepatocellular carcinoma by PegIFN $\alpha$ -2a in patients with chronic hepatitis C : a nationwide multicenter cooperative study.	J gastroenterol		In press	2013
	Oze T, Hiramatsu N, Mita E, Akuta N, Sakamoto N, Nagano H, Itoh Y, Kaneko S, Izumi N, Nomura H, Hayashi N, Takehara T.	A multicenter survey of re-treatment with pegylated interferon plus ribavirin combination therapy for patients with chronic hepatitis C in Japan.	Hepato Res	43	35-43	2013
	Tamaki N, Kurosaki M, Tanaka K, Suzuki Y, Hoshioka Y, Kato T, Yasui Y, Hosokawa T, Ueda K, Tsuchiya K, Nakanishi H, Itakura J, Asahina Y, Izumi N.	Noninvasive estimation of fibrosis progression overtime using the FIB-4 index in chronic hepatitis C.	J Viral Hepat	20	Jun-72	2013
	Hasegawa K, Kokudo N, Makuuchi M, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y.	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey.	J Hepato Res	In press		2013
	Toyoda H, Kumada T, Shimada N, Takaguchi K, Ide T, Sata M, Ginba H, Matsuyama K, Izumi N.	Baseline factors and early viral response (week 4) to antiviral therapy with peginterferon and ribavirin for predicting sustained virologic response in patients infected with hepatitis C virus genotype 1: a multicenter study.	J Med Virol	85	65-70	2013
	Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepato Res	In press		2013
	Osaki Y, Ikeda K, Izumi N, Yamashita S, Kumada H, Hatta S, Okita K.	Clinical effectiveness of bipolar radiofrequency ablation for small liver cancer.	J Gastroenterol	In press		2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Matsuura K, Asahina Y, Nakagawa M, Watanabe M, Sakamoto M, Maekawa S, Tokunaga K, Mizokami M, <u>Izumi N.</u>	A model incorporating the ITPA genotype identifies patients at high risk of anemia and treatment failure with pegylated-interferon plus ribavirin therapy for chronic hepatitis C.	J Med Virol	85	449-58	2013
○	Taura N, Ichikawa T, Miyaaki H, Ozawa E, Tsutsumi T, Tsuruta S, Kato Y, Goto T, Kinoshita N, Fukushima M, Kato H, Ohata K, Ohba K, Masuda J, Hamasaki K, <u>Yatsuhashi H.</u> Nakao K.	Frequency of elevated biomarkers in patients with cryptogenic hepatocellular carcinoma	Med Sci Monit.	19	742-50	2013
○	Ito K, Yotsuyanagi H, <u>Yatsuhashi H.</u> Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, Tanaka Y, Sugiyama M, Murata K, Masaki N, Mizokami M; Japanese AHB Study Group	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults	Hepatology.	59(1)	89-97	2013
○	<u>八橋 弘</u>	特集ノウイルス性肝性肝炎治療の新たな展開，治療選択肢拡大で求められる適時・適切治療	Japan Medicine Monthly	41	1	2013
○	<u>八橋 弘</u>	C型肝炎薬物治療の可能性，プロテアーゼ阻害薬含む3剤併用療法の時代に，インターフェロンプリーの可能性も	Japan Medicine Monthly	41	2	2013
○	水田敏彦，藤崎邦夫，梶原英二，杉 和洋，中尾一彦，渡邊 洋，道免和文，藤山重俊，東 雅司，丸山俊博，佐田通夫，林 純，向坂彰太郎，佐々木裕， <u>八橋 弘</u> ，原田 大，石橋大海，桶谷 眞，坪内博仁	I型高ウイルス量C型慢性肝炎に対するPEG-IFN $\alpha$ -2a + Ribavirin療法の治療成績 - 九州多施設共同研究 -	肝臓	54(4)	266-276	2013
○	<u>八橋 弘</u> ，中村実可，釘山有希，佐々木龍，戸次鎮宗，橋元 悟，斐 成寛，大谷正史，佐伯 哲，長岡進矢，小森敦正，阿比留正剛	全自動生物化学発光免疫測定装置「BLEIA®-1200」専用試薬「BLEIA®栄研HCV抗体」の性能評	医学と薬学	69(4)	643-653	2013
○	<u>八橋 弘</u>	特集ノウイルス肝炎 - 治療の最前線 - ，《トピックス》データマイニングを用いた治療効果予測	Modern Phisician	33(4)	491-494	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
○	八橋 弘, 浜田るみこ, 中村実可, 玉田陽子, 釘山有希, 佐々木龍, 戸次鎮宗, 橋元悟, 裴 成寛, 大谷正史, 佐伯 哲, 長岡進矢, 小森敦正, 阿比留正剛	HCV 抗体検出試薬「エクルーシス試薬 Anti-HCV II」の基本的性能評価	医学と薬学	69(2)	319-327	2013
○	八橋 弘	ウイルス肝炎と肝癌の撲滅を目指した実地診療のすすめかた, B型肝炎の自然経過と治療の進歩 - 実地医家はどのように対処すればよいのか -	Medical Practice	30(2)	186-193	2013
○	玉田陽子, 八橋 弘	ウイルス肝炎の臨床の最新の知識と実地診療への応用, A型肝炎の現状と今後の展望 - 診療のすすめかた -	Medical Practice	30(2)	236-241	2013
○	八橋 弘, 玉田陽子, 山崎一美, 長岡進矢, 小森敦正, 阿比留正剛	特集 / 肝炎から肝硬変・肝癌まで, ウイルス性急性肝炎の診療	臨床と研究	90(2)	13-18	2013
	新保卓郎	診療ガイドラインの社会的意義と問題点 3) ガイドライン作成の社会的 意義と評価および法的側 面: 信頼されるガイドラインへ	日内会誌	102	2307-2312	2013
	Shimbo T, Suzuki T, Takahashi O and Tanaka Y.	Use of clinical practice guidelines by physicians in Japan.	Value Health	16	A485	2013
	Nagaoki Y, Aikata H, Kobayashi T, Fukuhara T, Masaki K, Tanaka M, Naeshiro N, Nakahara T, Honda Y, Miyaki D, Kawaoka T, Takaki S, Tsuge M, Hiramatsu A, Imamura M, Hyogo H, Kawakami Y, Takahashi S, Ochi H, Chayama K.	Risk factors for the exacerbation of esophageal varices or portosystemic encephalopathy after sustained virological response with IFN therapy for HCV-related compensated cirrhosis.	J Gastroenterol	48(7)	847-55.	2013
	Shirasaki T, Honda M, Shimakami T, Horii R, Yamashita T, Sakai Y, Sakai A, Okada H, Watanabe R, Murakami S, Yi M, Lemon SM, Kaneko S.	MicroRNA-27a regulates lipid metabolism and inhibits hepatitis C virus replication in human hepatoma cells.	J Virol	87	5720-86	2013
	Spaniel C, Honda M, Selitsky SR, Yamane D, Shimakami T, Kaneko S, Lanford RE, Lemon SM.	microRNA-122 abundance in hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection.	PLoS One	8	e76867	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Honda M, Shirasaki T, Shimakami T, Sakai A, Horii R, Arai K, Yamashita T, Sakai Y, Yamashita T, Okada H, Murai K, Nakamura M, Mizukoshi E, Kaneko S.	Hepatic interferon-stimulated genes are differentially regulated in the liver of chronic hepatitis C patients with different interleukin 28B genotypes.	Hepatology	in press	in press	2013
	Hai H, Tamori A, Enomoto M, Morikawa H, Uchida-Kobayashi S, Fujii H, Hagihara A, Kawamura E, Thuy le TT, Tanaka Y, Kawada N.	Relationship between inosine triphosphate genotype and outcome of extended therapy in hepatitis C virus patients with a late viral response to pegylated-interferon and ribavirin.	J Gastroenterol Hepatol.	29	201-7	2014
	Enomoto M, Tamori A, Murakami Y, Kawada N.	Interferon- $\alpha/\beta$ for treatment of chronic hepatitis C infection in the era of direct-acting antiviral agents.	Hepatology Res			
	Sasaki Y, Ohfuji S, Fukushima W, Tamori A, Enomoto M, Habu D, Iwai S, Uchida-Kobayashi S, Fujii H, Shiomi S, Kawada N, Hirota Y.	Effect of caffeine-containing beverage consumption on serum alanine aminotransferase levels in patients with chronic hepatitis C virus infection: a hospital-based cohort study.	PLoS One.	8	e83382	2013
	Enomoto M, Morikawa H, Murakami Y, Tamori A, Kawada N.	Adjuvant epoetin- $\beta$ with peginterferon- $\alpha$ and ribavirin in Japanese ribavirin-intolerant relapsed patients with chronic hepatitis C genotype 2.	Hepatology Res.			
	Tamori A, Kawada N.	HLA class II associated with outcomes of hepatitis B and C infections	World J Gastroenterol.	19	5395-401	2013
	Enomoto M, Tamori A, Kobayashi S, Iwai S, Morikawa H, Kawada N.	Treatment guidelines for HCV genotype 1: mono for low, triple for high, and dual for 'middle'?	J Gastroenterol.	48	555-6	2013
	Morikawa H, Kozuka R, Fujii H, Iwai S, Enomoto M, Tamori A, Saito S, Kawada N.	Combination therapy of natural human interferon-beta and ribavirin for chronic hepatitis C patients with injection drug use.	Hepatology Res.	43	1013-9	2013
	Enomoto M, Tamori A, Nishiguchi S, Kawada N.	Combination therapy with a nucleos(t)ide analogue and interferon for chronic hepatitis B: simultaneous or sequential.	J Gastroenterol.	48	999-1005	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Yamaguchi T, Matsuzaki K, Inokuchi R, Kawamura R, Yoshida K, Murata M, Fujisawa J, Fukushima N, Sata M, Kage M, Nakashima O, <u>Tamori A</u> , <u>Kawada N</u> , Tsuneyama K, Dooley S, Seki T, Okazaki K.	Phosphorylated Smad2 and Smad3 signaling: Shifting between tumor suppression and fibro-carcinogenesis in chronic hepatitis C.	Hepatol Res.	43	1327-42	2013
	Hayashi F, Matsumoto Y, Momoki C, Yuikawa M, Okada G, Hamakawa E, Kawamura E, Hagihara A, Toyama M, Fujii H, <u>Kobayashi S</u> , Iwai S, Morikawa H, Enomoto M, <u>Tamori A</u> , <u>Kawada N</u> , Habu D.	Physical inactivity and insufficient dietary intake are associated with the frequency of sarcopenia in patients with compensated viral liver cirrhosis.	Hepatol Res.	43	1264-75	2013
	Hasebe T, Sawada K, Nakajima S, Maeda S, Abe M, Suzuki Y, Ohtake T, Hasebe C, Fujiya M, <u>Kohgo Y</u> .	Effective control of relapsing disseminated intravascular coagulation in a patient with decompensated liver cirrhosis by recombinant soluble thrombomodulin.	Intern Med	53(1)	29-33	2014
	Sasaki Y, Shimonaka Y, Ikuta K, Hosoki T, Sasaki K, Torimoto Y, Kanada H, Moriguchi Y, <u>Kohgo Y</u> .	Hepcidin production in response to iron is controlled by monocyte-derived humoral factors.	Int J Hematol	99(1)	12-20	2014
	Kawaguchi T, Shiraishi K, Ito T, Suzuki K, Koreeda C, Ohtake T, Iwasa M, Tokumoto Y, Endo R, Kawamura NH, Shiraki M, Habu D, Tsuruta S, Miwa Y, Kawaguchi A, Kakuma T, Sakai H, Kawada N, Hanai T, Takahashi SI, Kato A, Onji M, et al.	Branched-chain Amino Acids Prevent Hepatocarcinogenesis and Prolong Survival of Patients With Cirrhosis.	Clin Gastroenterol Hepatol	doi:pii: S1542-3565(13)	01312-8	2013
	Ichiki K, Ikuta K, Addo L, Tanaka H, Sasaki Y, Shimonaka Y, Sasaki K, Ito S, Shindo M, Ohtake T, Fujiya M, Torimoto Y, <u>Kohgo Y</u> .	Upregulation of iron regulatory hormone hepcidin by interferon a.	J Gastroenterol Hepatol	29(2)	387-94	2014
	Sawada K, Ohtake T, Hasebe T, Abe M, Tanaka H, Ikuta K, Suzuki Y, Fujiya M, Hasebe C, <u>Kohgo Y</u> .	Augmented hepatic Toll-like receptors by fatty acids trigger the pro-inflammatory state of non-alcoholic fatty liver disease in mice.	Hepatol Res		doi: 10.1111/hepr.12199	2013
	Suzuki Y, Ohtake T, Nishiguchi S, Hashimoto E, Aoyagi Y, Onji M, <u>Kohgo Y</u> ; Japan Non-B, Non-C Liver Cirrhosis Study Group.	Survey of non-B, non-C liver cirrhosis in Japan.	Hepatol Res	43(10)	1020-31	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Yoneda M, Imajo K, Eguchi Y, Fujii H, Sumida Y, Hyogo H, Ono M, Suzuki Y, Kawaguchi T, Aoki N, Sata M, Kanemasa K, <u>Kohgo Y</u> , Saibara T, Chayama K, Itoh Y, Yoshikawa T, Anzai K, Fujimoto K, Okanoue T, Nakajima A; Japan Study Group of Nonalcoholic Fatty Liver Disease (JSG-NAFLD).	Noninvasive scoring systems in patients with nonalcoholic fatty liver disease with normal alanine aminotransferase levels.	J Gastroenterol	48(9)	1051-60	2013
	Shima T, Uto H, Ueki K, Takamura T, <u>Kohgo Y</u> , Kawata S, Yasui K, Park H, Nakamura N, Nakatou T, Tanaka N, Umemura A, Mizuno M, Tanaka J, Okanoue T.	Clinicopathological features of liver injury in patients with type 2 diabetes mellitus and comparative study of histologically proven nonalcoholic fatty liver diseases with or without type 2 diabetes mellitus.	J Gastroenterol	48(4)	515-25	2013