

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
鈴木哲朗	C型肝炎ウイルスのゲノム複製や粒子形成を制御するしくみ		化学の領域	医薬ジャーナル	大阪市	2013	97-103

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ahn S, Tamai M, Nakashima K, Ito M, <u>Suzuki T</u> , Tagawa Y.	An in vitro liver model consisting of endothelial vascular networks surrounded by human hepatoma cell lines allows for improved hepatitis B virus replication.	J Biosci. Bioeng.		in press	
Pei Z, Shi G, Kondo S, Ito M, Maekawa A, Saito I, <u>Suzuki T</u> , Kanegae Y.	Adenovirus vectors lacking virus-associated RNA expression enhance shRNA activity to suppress hepatitis C virus replication.	Sci Rep		in press	
Mawatari S, Uto H, Ido A, Nakashima K, <u>Suzuki T</u> , Kanmura S, Kumagai K, Oda K, Tabu K, Tamai T, Moriuchi A, Oketani M, Shimada Y, Sudoh M, <u>Shoji I</u> , Tsubouchi H.	Hepatitis C virus NS3/4A protease inhibits complement activation by cleaving complement component 4.	PLOS ONE		in press	
Murakami Y, Fukasawa M, Kaneko Y, <u>Suzuki T</u> , Wakita T, Fukazawa H.	Retinoids and rexinoids inhibit hepatitis C virus independently of retinoid receptor signaling.	Microbes Infect		in press	
Suzuki R, Matsuda M, Watashi K, Aizaki H, <u>Matsuura Y</u> , Wakita T, <u>Suzuki T</u> .	Signal peptidase complex subunit 1 participates in the assembly of hepatitis C virus through an interaction with E2 and NS2	PLOS Pathog	9	e1003589	2013
Matsumoto Y, Matsuura T, Aoyagi H, Matsuda M, Hmwe SS, Date T, Watanabe N, Watashi K, Suzuki R, Ichinose S, Wake K, <u>Suzuki T</u> , Miyamura T, Wakita T, Aizaki H.	Antiviral activity of glycyrrhizin against hepatitis C virus in vitro.	PLOS ONE	8	e68992	2013
Sakata K, Hara M, Terada T, Watanabe N, Takaya D, Yaguchi SI, Matsumoto T, Matsuura T, Shirouzu M, Yokoyama S, Yamaguchi T, Miyazawa K, Aizaki H, <u>Suzuki T</u> , Wakita T, Imoto M, Kojima S.	HCV NS3 protease enhances liver fibrosis via binding to and activating TGF- β type I receptor.	Sci Rep	3	3243	2013
Murakami Y, Fukasawa M, Kaneko Y, <u>Suzuki T</u> , Wakita T, Fukazawa H.	Selective estrogen receptor modulators inhibit hepatitis C virus infection at multiple steps of the virus life cycle.	Microbes Infect	15	45-55	2013
Dansako H,	Class A scavenger receptor 1				

(加藤)	(MSR1) restricts hepatitis C virus replication by mediating toll-like receptor 3 recognition of viral RNAs produced in neighboring cells.	PLoS Pathogens	9	e1003345	2013
Mori K, (加藤)	Adenosine kinase is a key determinant for the anti-HCV activity of ribavirin.	Hepatology	58	1236-1244	2013
Ueda Y, (加藤)	New preclinical antimalarial drugs potently inhibit hepatitis C virus genotype 1b RNA replication.	PLoS ONE	8	e72519	2013
Shinohara Y, (加藤)	Unfolded protein response pathways regulate Hepatitis C virus replication via modulation of autophagy.	Biochemical and Biophysical Research Communications	432	326-332	2013
Tanaka T, (加藤)	Hepatitis C virus NS4B targets lipid droplets through hydrophobic residues in the amphipathic helices.	Journal of Lipid Research	54	881-892	2013
Sato A, (加藤)	Suppressive effect of the histone deacetylase inhibitor, suberoylanilide hydroxamic acid (SAHA), on hepatitis C virus replication via epigenetic changes in host cells.	Journal of Cell Biochemistry	114	1987-1996	2013
Tanaka T, (加藤)	Direct targeting of proteins to lipid droplets demonstrated by time-lapse live cell imaging.	Journal of Bioscience and Bioengineering	116	620-623	2013
Ding Q, (加藤)	Hepatitis C virus NS4B blocks the interaction of STING and TBK1 to evade host innate immunity.	Journal of Hepatology	59	52-58	2013
Shinohara Y, (加藤)	Hepatic triglyceride lipase plays an essential role in changing the lipid metabolism in genotype 1b hepatitis C virus replicon cells and hepatitis C patients.	Hepatology Research	43	1190-1198	2013
Ban S, (加藤)	Peroxisome proliferator-activated receptor delta antagonists inhibit hepatitis C virus RNA replication.	Bioorganic & Medicinal Chemistry Letters	23	4774-4778	2013
Shen H, (加藤)	Inhibitory effects of caffeic acid phenethyl ester derivatives on replication of hepatitis C virus.	PLoS ONE	8	E82299	2013
Katoh H, Okamoto T, Fukuhara T, Kambara H, Morita E, Mori Y, Kamitani W, Matsuura Y.	Japanese Encephalitis Virus Core Protein Inhibits Stress Granule Formation through an Interaction with Caprin-1 and Facilitates Viral Propagation	J Virol	87	489-502	2013
Lee H, Komano J, Saitoh Y, Yamaoka S, Kozaki T, Misawa T, Takahama M, Satoh T, Takeuchi O, Yamamoto N, Matsuura Y, Saitoh T, Akira S.	Zinc-finger antiviral protein mediates retinoic acid inducible gene I-like receptor-independent antiviral response to murine leukemia virus	Proc Natl Acad Sci U S A	110	12379-12384	2013
Yoshio S, Kanto T, Kuroda S, Matsubara T, Higashitani K, Kakita N, Ishida H,	Human BDCA3 (+) dendritic cells are a potent producer of IFN- λ in response to hepatitis C virus	Hepatology	57	1705-1715	2013

Hiramatsu N, Nagano H, Sugiyama M, Murata K, Fukuhara T, <u>Matsuura Y</u> , Hayashi N, Mizokami M, Takehara T.					
Kimura T, Katoh H, Kayama H, Saiga H, Okuyama M, Okamoto T, Umemoto E, <u>Matsuura Y</u> , Yamamoto M, Takeda K.	Ifit1 inhibits Japanese encephalitis virus replication through binding to 5' capped 2'-O unmethylated RNA	J Virol	87	9997-10003	2013
Tripathi LP, Kambara H, Chen YA, Nishimura Y, <u>Moriishi K</u> , Okamoto T, Morita E, Abe T, Mori Y, <u>Matsuura Y</u> , Mizuguchi K.	Understanding the biological context of NS5A-host interactions in HCV infection: a network-based approach	J Proteome Res	12	2537-2551	2013
Shen H, Yamashita A, Nakakoshi M, Yokoe H, Sudo M, Kasai H, Tanaka T, Fujimoto Y, Ikeda M, Kato N, Sakamoto N, Shindo H, Maekawa S, Enomoto N, Tsubuki M, <u>Moriishi K</u>	Inhibitory effects of caffeic Acid phenethyl ester derivatives on replication of hepatitis C virus	PLOS ONE	8	e82299	2013
Tani J, Shimamoto S, Mori K, Kato N, <u>Moriishi K</u> , Matsuura Y, Tokumitsu H, Tsuchiya M, Fujimoto T, <u>Kato K</u> , Miyoshi H, Masaki T, Kobayashi R	Ca(2+) /S100 proteins regulate HCV NS5A-FKBP8/FKBP38 interaction and HCV virus RNA replication., 33: 1008-1018, 2013	Liver Int.	33,	1008-1018	2013
Ogawa Y, Kawamura T, Matsuzawa T, Aoki R, Gee P, Yamashita A, <u>Moriishi K</u> , Yamasaki K, Koyanagi Y, Blauvelt A, Shimada S	Antimicrobial Peptide LL-37 Produced by HSV-2-Infected Keratinocytes Enhances HIV Infection of Langerhans Cells	Cell Host Microbe	13	77-86	2013
Miura M, Maekawa S, Takano S, Komatsu N, Tatsumi A, Asakawa Y, Shindo K, Amemiya F, Nakayama Y, Inoue T, Sakamoto M, Yamashita A, <u>Moriishi K</u> , Enomoto N	Deep-Sequencing Analysis of the Association between the Quasispecies Nature of the Hepatitis C Virus Core Region and Disease Progression	J. Virol	87:	12541-12551	2013
Matsuzawa T, Kawamura T, Ogawa Y, Takahashi M, Aoki R, <u>Moriishi K</u> , Koyanagi Y, Gatanaga H, Blauvelt A, Shimada S	Oral administration of the CCR5 inhibitor, maraviroc, blocks HIV ex vivo infection of Langerhans cells within epithelium.	J. Invest. Dermatol.	133	2803-2805	2013
Hashimoto K, Yamada S, Katano H, Fukuchi S, Sato Y, Kato M, Yamaguchi T, <u>Moriishi K</u> , Inoue N	Effects of immunization of pregnant guinea pigs with guinea pig cytomegalovirus glycoprotein B on viral spread in the placenta	Vaccine	31:	3199-3205	2013
Aoki R, Kawamura T, Goshima F, Ogawa Y, Nakae S, Nakao A, <u>Moriishi K</u> , Nishiyama Y, Shimada S	Mast Cells Play a Key Role in Host Defense against Herpes Simplex Virus Infection through TNF-alpha and IL-6 Production	J. Invest. Dermatol	133	2170-2179	2013
Ratnoglik SL., Aoki C., Sudarmono P., Komoto M., Deng L., <u>Shoji I.</u> , Fuchino H., Kawahara N., and Hotta H.	Antiviral activity of extracts from Morinda citrifolia leaves and chlorophyll catabolites pheophorbide a and pyropheophorbide a, against hepatitis C virus.	Microbiol. Immunol.		doi: 10.1111/1348-0421.12133	2014

Adianti M., Aoki C., Komoto M., Deng L., <u>Shoji I.</u> , Wahyuni T., Lusida M., Soetjipto S., Fuchino H., Kawahara N., and Hotta H.	Anti-hepatitis C virus compounds obtained from Glycyrrhiza uralensis and other Glycyrrhiza species.	Microbiol. Immunol.		doi: 10.1111/1348-0421.12127	2014
Tao RR, Huang JY, Lu YM, Hong LJ, Wang H, Masood MA, Ye WF, Zhu DY, Huang Q, Fukunaga K, Lou YJ, <u>Shoji I.</u> , Wilcox CS, Lai EY, Han F.	Nitrosative stress induces peroxiredoxin 1 ubiquitination during ischemic insult via E6AP activation in endothelial cells both in vitro and in vivo.	Antioxid & Redox Sign.		doi: 10.1089/ars.2013.5381	2013
Wahyuni TS., Tumewu L., Permanasari AA., Apriani E., Adianti M., Rahman A., Widyawaruyanti A., Lusida MI., Fuad A., Soetjipto, Nasronudin, Fuchino H., Kawahara N., <u>Shoji I.</u> , Deng L., Aoki C., and Hotta H.	Antiviral activities of Indonesian medicinal plants in the East Java region against hepatitis C virus.	Viro. J.	10	259, 1-9	2013
Ichimura T, Taoka M, <u>Shoji I.</u> , Kato H, Hatakeyama S, Isobe T, and Hachiya N.	14-3-3 Proteins sequester a pool of soluble TRIM32 ubiquitin ligase to repress autoubiquitination and cytoplasmic body formation.	J. Cell. Sci.	126	2014-2026	2013
El-Shamy A, Shindo M, <u>Shoji I.</u> , Deng L, Okuno T, and Hotta H.	Polymorphisms of the Core, NS3 and NS5A proteins of hepatitis C virus genotype 1b associate with development of hepatocellular carcinoma.	Hepatology	58	555-563	2013
Ratnoglik SL., Aoki C., Sudarmono P., Komoto M., Deng L., <u>Shoji I.</u> , Fuchino H., Kawahara N., and Hotta H.	Antiviral activity of extracts from Morinda citrifolia leaves and chlorophyll catabolites pheophorbide a and pyropheophorbide a, against hepatitis C virus.	Microbiol. Immunol.		doi: 10.1111/1348-0421.12133	2014
Mori K, Hiraoka O, Ikeda M, <u>Ariumi Y.</u> , Hiramoto A, Wataya Y, <u>Kato N.</u>	Adenosine kinase is a key determinant for the anti-HCV activity of ribavirin.	Hepatology	58	1236-1244	2013
Yasuda-Inoue M, Kuroki M, <u>Ariumi Y.</u>	DDX3 RNA helicase is required for HIV-1 Tat function.	Biochem. Biophys. Res. Commun.	441	607-611	2013
Yasuda-Inoue M, Kuroki M, <u>Ariumi Y.</u>	Distinct DDX DEAD-box RNA helicases cooperate to modulate the HIV-1 Rev function.	Biochem. Biophys. Res. Commun.	434	803-808	2013
Yagita Y, Kuse N, Kuroki K, Gatanaga H, Carlson JM, Chikata T, Brumme ZL, Murakoshi H, Akahoshi T, Pfeifer N, Mallal S, John M, Ose T, Matsubara H, Kanda R, Fukunaga Y, Honda K, Kawashima Y, <u>Ariumi Y.</u> , Oka S, Maenaka K, Takiguchi M.	Distinct HIV-1 escape patterns selected by cytotoxic T cells with identical epitope specificity	J. Virol.	87	2253-2263	2013
Kuroki M, <u>Ariumi Y.</u> , Hijikata M, Ikeda M, Dansako H, Wakita T, Shimotohno K, <u>Kato N.</u>	PML tumor suppressor protein is required for HCV production.	Biochem. Biophys. Res. Commun.	430	592-597	2013