

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
Lo PH, Urabe Y, Kumar V, Tanikawa C, <u>Koike K</u> , <u>Kato N</u> , Miki D, Chayama K, Kubo M, Nakamura Y, <u>Matsuda K</u> .	Identification of a functional variant in the mica promoter which regulates mica expression and increases HCV-related hepatocellular carcinoma risk.	PLoS One	8(4)	e61279	2013
Urabe Y, Ochi H, <u>Kato N</u> , Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, Koike K, Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y, <u>Matsuda K</u> .	A genome-wide association study of HCV induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at MHC region.	J Hepatol	58(5)	875-882	2013
Goto K, Lin W, Zhang L, Jilg N, Shao RX, Schaefer EA, Zhao H, Fusco DN, Peng LF, <u>Kato N</u> , Chung RT.	The AMPK-related kinase SNARK regulates hepatitis C virus replication and pathogenesis through enhancement of TGF- β signaling.	J Hepatol	59(5)	942-948	2013
Sato M, <u>Kato N</u> , Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shiina S, Yoshida H, Omata M, <u>Koike K</u> .	IL28B minor allele is associated with a younger age of onset of hepatocellular carcinoma in patients with chronic hepatitis C virus infection.	J Gastroenterol	49(4)	748-754	2014

Sato M, Kondo M, Tateishi R, Fujiwara N, <u>Kato N</u> , Yoshida H, Taguri M, <u>Koike K</u> .	Impact of IL28B genetic variation on HCV-induced liver fibrosis, inflammation, and steatosis: a meta-analysis.	PLoS One	9(3)	e91822	2014
Sato M, <u>Kato N</u> , Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shiina S, Yoshida H, Omata M, <u>Koike K</u> .	Impact of PNPLA3 polymorphisms on the development of hepatocellular carcinoma in patients with chronic hepatitis C virus Infection.	Hepatology Res			[Epub ahead of print]
Kanda T, Jiang X, Nakamoto S, Nakamura M, Miyamura T, Wu S, <u>Yokosuka O</u> .	Different effects of three interferons L on Toll-like receptor-related gene expression in HepG2 cells.	Cytokine	64(2)	577-83	2013
Jiang X, Kanda T, Tanaka T, Wu S, Nakamoto S, Imazeki F, <u>Yokosuka O</u> .	Lipopolysaccharide blocks induction of unfolded protein response in human hepatoma cell lines.	Immunol Lett	152(1)	8-15	2013
Wu S, Kanda T, Nakamoto S, Jiang X, Miyamura T, Nakatani SM, Ono SK, Takahashi-Nakaguchi A, Gono T, <u>Yokosuka O</u> .	Prevalence of hepatitis C virus subgenotypes 1a and 1b in Japanese patients: ultra-deep sequencing analysis of HCV NS5B genotype-specific region.	PLoS One	8(9)	e73615	2013
Miyauchi T, Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Kato K, Arai M, Mikami S, Sugiura N, Kimura M, Goto N, Imazeki F, <u>Yokosuka O</u> .	Efficacy of lamivudine or entecavir against virological rebound after achieving HBV DNA negativity in chronic hepatitis B patients.	Int J Med Sci	10(6)	647-52	2013

Kamezaki H, Kanda T, Arai M, Wu S, Nakamoto S, Chiba T, Maruyama H, Fujiwara K, Kanai F, Imazeki F, Nomura F, <u>Yokosuka O.</u>	Adherence to medication is a more important contributor to viral breakthrough in chronic hepatitis B patients treated with entecavir than in those with Lamivudine.	Int J Med Sci	10(5)	567-74	2013
Jiang X, Kanda T, Wu S, Nakamura M, Miyamura T, Nakamoto S, Banerjee A, <u>Yokosuka O.</u>	Regulation of miRNA by HBV infection and their possible association with control of innate immunity	World J Gastroenter ol			2014 (in press)
Enooku K, Nakagawa H, Soroida Y, Ohkawa R, Kageyama Y, Uranbileg B, Watanabe N, Tateishi R, Yoshida H, <u>Koike K</u> , Yatomi Y, Ikeda H.	Increased serum mitochondrial creatine kinase activity as a risk for hepatocarcinogenesis in chronic hepatitis C patients.	Int J Cancer			[Epub ahead of print]
Nakagawa H, Hikiba Y, Hirata Y, Font-Burgada J, Sakamoto K, Hayakawa Y, Taniguchi K, Umemura A, Kinoshita H, Sakitani K, Nishikawa Y, Hirano K, Ikenoue T, Ijichi H, Dhar D, Shibata W, Akanuma M, <u>Koike K</u> , Karin M, Maeda S.	Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis.	Proc Natl Acad Sci U S A			[Epub ahead of print]
Otsuka M, Kishikawa T, Yoshikawa T, Ohno M, Takata A, Shibata C, <u>Koike K.</u>	The role of microRNAs in hepatocarcinogenesis : current knowledge and future prospects.	J Gastroenter ol			[Epub ahead of print]

Horiuchi Y, Takagi A, Kobayashi N, Moriya O, Nagai T, Moriya K, Tsutsumi T, <u>Koike K.</u> Akatsuka T.	The effect of the infectious dose and the presence of HCV core gene on mouse intrahepatic CD8 T-cells.	Hepatol Res			[Epub ahead of print]
Uranbileg B, Enooku K, Soroida Y, Ohkawa R, Kudo Y, Nakagawa H, Tateishi R, Yoshida H, Shinzawa S, Moriya K, Ohtomo N, Nishikawa T, Inoue Y, Tomiya T, Kojima S, Matsuura T, <u>Koike K.</u> Yatomi Y, Ikeda H.	High ubiquitous mitochondrial creatine kinase expression in hepatocellular carcinoma denotes a poor prognosis with highly malignant potential.	Int J Cancer			[Epub ahead of print]
Uchino R, Isayama H, Tsuji no T, Sasahira N, Ito Y, Matsubara S, Takahara N, Arizumi T, Toda N, Mohri D, Togawa O, Yagioka H, Yanagihara Y, Nakajima K, Akiyama D, Hamada T, Miyabayashi K, Mizuno S, Kawakubo K, Kogure H, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Tada M, <u>Koike K.</u>	Results of the Tokyo Trial of Prevention of Post-ERCP Pancreatitis with Risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial.	Gastrointest Endosc			[Epub ahead of print]

Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, <u>Koike K</u> , Hayashi N, Tsubouchi H, Kumada H.	Discrimination of fibrotic staging of chronic hepatitis C using multiple fibrosis markers.	Hepatol Res				[Epub ahead of print]
Shibata C, Kishikawa T, Otsuka M, Ohno M, Yoshikawa T, Takata A, Yoshida H, <u>Koike K</u> .	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression.	Biochem Biophys Res Commun				[Epub ahead of print]
Minami T, Tateishi R, Shiina S, Fujiwara N, Mikami S, Sato M, Uchino K, Enooku K, Asaoka Y, Kondo Y, Yoshida H, <u>Koike K</u> .	Spontaneous clearance of serum hepatitis C virus RNA during the clinical course of hepatocellular carcinoma in patients with chronic hepatitis C.	Hepatol Res				[Epub ahead of print]
Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Fushimi K, <u>Koike K</u> .	Acute liver disease in Japan: a nationwide analysis of the Japanese Diagnosis Procedure Combination database.	J Gastroenterol				[Epub ahead of print]
Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, Mizokami M, Miyakawa Y, <u>Koike K</u> .	High levels of HBV after the onset lead to chronic infection in patients with acute hepatitis B.	Clin Infect Dis	57(7)	935-942	2013	

Mikoshiha N, Miyashita M, Sakai T, Tateishi R, <u>Koike K.</u>	Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life.	Psychooncology			[Epub ahead of print]
Ohki T, Tateishi R, Akahane M, Mikami S, Sato M, Uchino K, Arano T, Enooku K, Kondo Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Matsuyama Y, Omata M, Ohtomo K, <u>Koike K.</u>	CT with hepatic arteriography as a pretreatment examination for hepatocellular carcinoma patients: a randomized controlled trial.	Am J Gastroenterol	108	1305-1313	2013
Inoue Y, Tomiya T, Nishikawa T, Ohtomo N, Tanoue Y, Ikeda H, <u>Koike K.</u>	Induction of p53-Dependent p21 Limits Proliferative Activity of Rat Hepatocytes in the Presence of Hepatocyte Growth Factor.	PLoS One	8(11)	e78346	2013
Hikita H, Enooku K, Satoh Y, Yoshida H, Nakagawa H, Masuzaki R, Tateishi R, Soroida Y, Sato M, Suzuki A, Gotoh H, Iwai T, Yokota H, <u>Koike K.</u> Yatomi Y, Ikeda H.	Perihepatic lymph node enlargement is a negative predictor for sustained responses to pegylated interferon- α and ribavirin therapy for Japanese patients infected with hepatitis C virus genotype 1.	Hepatol Res	43(10)	1005-1012	2013

He G, Dhar D, Nakagawa H, Font-Burgada J, Ogata H, Jiang Y, Shalapour S, Seki E, Yost SE, Jepsen K, Frazer KA, Harismendy O, Hatziapostolou M, Iliopoulos D, Suetsugu A, Hoffman RM, Tateishi R, <u>Koike K</u> , Karin M.	Identification of liver cancer progenitors whose malignant progression depends on autocrine IL-6 signaling.	Cell	155(2)	384-396	2013
Kishikawa T, Otsuka M, Yoshikawa T, Ohno M, Takata A, Shibata C, Kondo Y, Akanuma M, Yoshida H, <u>Koike K</u> .	Regulation of the expression of the liver cancer susceptibility gene MICA by microRNAs.	Sci Rep	3	2739	2013
Liu Y, Higashitsuji H, Higashitsuji H, Itoh K, Sakurai T, <u>Koike K</u> , Hirota K, Fukumoto M, Fujita J.	Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing factor inhibiting hypoxia-inducible factor-1 (FIH-1) and activating hypoxia-inducible factor-1.	Biochem Biophys Res Commun	432(1)	22-27	2013
<u>Koike K</u> .	The oncogenic role of hepatitis C virus.	Recent Results Cancer Res	193	97-111	2014
Uchino K, Tateishi R, Nakagawa H, Shindoh J, Sugawara Y, Akahane M, Shibahara J, Yoshida H, <u>Koike K</u> .	Uninodular combined hepatocellular and cholangiocarcinoma with multiple non-neoplastic hypervascular lesions appearing in the liver of a patient with HIV and HCV coinfection.	J Clin Virol	57(2)	173-177	2013

Ohno M, Shibata C, Kishikawa T, Yoshikawa T, Takata A, Kojima K, Akanuma M, Kang YJ, Yoshida H, Otsuka M, <u>Koike K.</u>	The flavonoid apigenin improves glucose tolerance through inhibition of microRNA maturation in miRNA103 transgenic mice.	Sci Rep	3	2553	2013
Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, <u>Koike K.</u> , Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res	43(6)	596-604	2013
Hikita H, Nakagawa H, Tateishi R, Masuzaki R, Enooku K, Yoshida H, Omata M, Soroida Y, Sato M, Gotoh H, Suzuki A, Iwai T, Yokota H, <u>Koike K.</u> , Yatomi Y, Ikeda H.	Perihepatic lymph node enlargement is a negative predictor of liver cancer development in chronic hepatitis C patients.	J Gastroenterol	48(3)	366-373	2013
Tateishi R, Shiina S, Akahane M, Sato J, Kondo Y, Masuzaki R, Nakagawa H, Asaoka Y, Goto T, Otomo K, Omata M, Yoshida H, <u>Koike K.</u>	Frequency, risk factors and survival associated with an intrasubsegmental recurrence after radiofrequency ablation for hepatocellular carcinoma.	PLoS One	8(4)	e59040	2013
Minami T, Kishikawa T, Sato M, Tateishi R, Yoshida H, <u>Koike K.</u>	Meta-analysis: mortality and serious adverse events of peginterferon plus ribavirin therapy for chronic hepatitis C.	J Gastroenterol	48(2)	254-268	2013
Ikeda H, Enooku K, Ohkawa R, <u>Koike K.</u> , Yatomi Y.	Plasma lysophosphatidic acid levels and hepatocellular carcinoma.	Hepatology	57	417-418	2013

Takata A, Otsuka M, Yoshikawa T, Kishikawa T, Hikiba Y, Obi S, Goto T, Kang YJ, Maeda S, Yoshida H, Omata M, Asahara H, <u>Koike K.</u>	MiRNA-140 acts as a liver tumor suppressor by controlling NF-κB activity via directly targeting Dnmt1 expression.	Hepatology	57	162-170	2013
Zhang B, Jia WH, Matsuo K, Shin A, Xiang YB, <u>Matsuda K.</u> , Jee SH, Kim DH, Cheah PY, Ren Z, Cai Q, Long J, Shi J, Wen W, Yang G, Ji BT, Pan ZZ, Matsuda F, Gao YT, Oh JH, Ahn YO, Kubo M, Thean LF, Park EJ, Li HL, Park JW, Jo J, Jeong JY, Hosono S, Nakamura Y, Shu XO, Zeng YX, Zheng W.	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians.	Int J Cancer.	doi: 10.1002/ijc.28733. [Epub ahead of print]		2014
Tanikawa C, Matsuo K, Kubo M, Takahashi A, Ito H, Tanaka H, Yatabe Y, Yamao K, Kamatani N, Tajima K, Nakamura Y, <u>Matsuda K.</u>	Impact of PSCA variation on gastric ulcer susceptibility.	Plos one	8(5)	E63698	2013
<u>Jinushi M.</u> , Yagita H, Yoshiyama H, Tahara H	Putting the brakes on anticancer therapies: suppression of innate immune pathways by tumor-associated myeloid cells.	Trends in Molecular Medicine	19 (9)	536-545	2013

Baghdadi M, Yoneda A, Yamashina T, Nagao H, Komohara Y, Nagai S, Akiba H, Foretz M, Yoshiyama H, Kinoshita I, Dosaka-Akita H, Takeya M, Viollet B, Yagita H & <u>Jinushi M.</u>	TIM-4 glycoprotein-mediated degradation of dying tumor cells by autophagy leads to reduced antigen presentation and increased immune tolerance.	Immunity	39(6)	1070-1081	2013
Baghdadi M & <u>Jinushi M</u>	The impact of TIM gene family on tumor immunity and immunosuppression.	Cellular and Molecular Immunology	11(1)	1-48	2014
<u>Jinushi M</u>	Yin and yang of tumor inflammation: how innate immune suppressors shape the tumor microenvironments.	International Journal of Cancer	Published online 2013 Nov 22. doi: 10.1002/ijc.28626.		
Komohara Y, <u>Jinushi M</u> , Takeya M.	Clinical significance of macrophage heterogeneity in human malignant tumors.	Cancer Science	Published online 2013 Oct 30. doi: 10.1111/cas.12314.		
Okamoto T, Hayashi Y, Mizuno H, Yanai H, Nishikawa J, Nakazawa T, Iizasa H, <u>Jinushi M</u> , Sakaida I, Yoshiyama H.	Colonization of an acid resistant <i>Kingella denitrificans</i> in the stomach may contribute to gastric dysbiosis by <i>Helicobacter pylori</i> .	Journal of Infection and Chemotherapy	Published 2013 Dec 11. pii: S1341-321X(13)00036-6. doi: 10.1016/j.jiac.2013.09.007.		