

## 研究成果の刊行に関する一覧表（平成25年度）

### 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
西本憲弘	リウマチ性疾患10.1総論1) 免疫・炎症に 関与する細胞・分子	矢崎義雄編	朝倉書店	2013
		内科学第十版	東京	1227-1231
西本憲弘、村上美帆	BMS945429・Brodalumab・Ixekizumab・ Sarilimab・Secukinumab・Siltuximab・ Sirukumab・Tocilizumab	田中良哉編	羊土社	2013
		免疫・アレルギー疾患の 分子標的と治療薬事典 生物学的製剤、低分子 化合物のターゲット分子 と作用機序、薬効のすべ て	東京	274・277・ 314・346・ 348・351・ 352・358
西本憲弘、村上美帆	生物学的製剤使用時のWBC減少	七川歡次監修	永井書店	2013
		リウマチ病セミナーXXIV	大阪	217
小守壽文	メカニカルストレスによる骨量制御のメカ ニズム	原田瞳子、西永朋美、市 原達矢編	医薬ジャーナル社	2013
		CLINICAL CALCIUM	大阪	1559-1567
小守壽文	骨芽細胞・骨細胞	竹内靖博、杉本利嗣、成 瀬光栄編	診断と治療社	2013
		副甲状腺・骨代謝疾患 診療マニュアル	東京	6-7
小守壽文	骨代謝調節における骨細胞の役割	大畑秀穂編	医歯薬出版社	2013
		医学のあゆみ	東京	27-32
小守壽文	骨細胞ネットワークを介した骨量制御	折茂肇、太田博明編	メディカルレビュー社	2013
		O.i.v.e.	東京	68-70
小守壽文	骨細胞ネットワークと副甲状腺・腎臓関 連：カルシウム・リン・スクレロチン制御	折茂肇、太田博明編	メディカルレビュー社	2014
		O.i.v.e.	東京	60-62

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishimoto N, Amano K, Hirabayashi Y, Horiuchi T, Ishii T, Iwahashi M, Iwamoto M, Kohsaka H, Kondo M, Matsubara T, Mimura T, Miyahara H, Ohta S, Saeki Y, Saito K, Sano H, Takasugi K, Takeuchi T, Tohma S, Tsuru T, Ueki Y, Yamana J, Hashimoto J, Matsutani T, Murakami M, Takagi N	Drug free REmission/low disease activity after cessation of tocilizumab (Actemra) Monotherapy (DREAM) study.	Mod Rheumatol	24(1)	17-25	2014
Fujita R, Kawano F, Ohira T, Nakai N, Shibaguchi T, Nishimoto N, Ohira Y	Anti-interleukin-6 receptor antibody (MR16-1) promotes muscle regeneration via modulation of gene expressions in infiltrated macrophages.	Biochim Biophys Acta	10	1016	2014
Nishimoto N, Amano K, Hirabayashi Y, Horiuchi T, Ishii T, Iwahashi M, Iwamoto M, Kohsaka H, Kondo M, Matsubara T, Mimura T, Miyahara H, Ohta S, Saeki Y, Saito K, Sano H, Takasugi K, Takeuchi T, Tohma S, Tsuru T, Ueki Y, Yamana J, Hashimoto J, Matsutani T, Murakami M, Takagi N	Retreatment efficacy and safety of tocilizumab in patients with rheumatoid arthritis in recurrence (RESTORE) study.	Mod Rheumatol	24(1)	26-32	2014
Schoels MM, van der Heijde D, Breedveld FC, Burmester GR, Dougados M, Emery P, Ferraccioli G, Gabay C, Gibofsky A, Gomez-Reino JJ, Jones G, Kvien TK, Murakami M, Nishimoto N, Smolen JS	Blocking the effects of interleukin-6 in rheumatoid arthritis and other inflammatory rheumatic diseases: systematic literature review and meta-analysis informing a consensus statement	Ann Rheum Dis	72(4)	583-9	2013

Smolen JS, Schoels MM, <u>Nishimoto N</u> , Breedveld FC, Burmester GR, Dougados M, Emery P, Ferraccioli G, Gabay C, Gibofsky A, Gomez-Reino JJ, Jones G, Kvien TK, Murakami M, Betteridge N, Bingham C 3rd, Bykerk V, Choy EH, Combe B, Cutolo M, Graninger W, Lanas A, Martin-Mola E, Montecucco C, Ostergaard M, Pavelka K, Rubbert-Roth A, Sattar N, Scholte-Voshaar M, Tanaka Y, Trauner M, Valentini G, Winthrop KL, de Wit M, van der Heijde D	Consensus statement on blocking the effects of interleukin-6 and in particular by interleukin-6 receptor inhibition in rheumatoid arthritis and other inflammatory conditions.	Ann Rheum Dis	72(4)	482-92	2013
Yokota S, Imagawa T, Mori M, Miyamae T, Takei S, Iwata N, Umebayashi H, Murata T, Miyoshi M, Tomiita M, <u>Nishimoto N</u> , Kishimoto T.	Long-term treatment of systemic juvenile idiopathic arthritis with tocilizumab: results of an open-label extension study in Japan.	Ann Rheum Dis	72(4)	627-8	2013
Shimane K, Kochi Y, Suzuki A, Okada Y, Ishii T, Horita T, Saito K, Okamoto A, <u>Nishimoto N</u> , Myouzen K, Kubo M, Hirakata M, Sumida T, Takasaki Y, Yamada R, Nakamura Y, Kamatani N, Yamamoto K.	An association analysis of HLA-DRB1 with systemic lupus erythematosus and rheumatoid arthritis in a Japanese population: effects of *09:01 allele on disease phenotypes.	Rheumatology (Oxford)	52(7)	1172-82	2013
Chang Q, Boumazou E, Sansone P, Berishaj M, Gao SP, Daly L, Wels J, Theilen T, Granitto S, Zhang X, Cotari J, Alpaugh ML, de Stanchina E, Manova K, Li M, Bonafe M, Ceccarelli C, Taffurelli M, Santini D, Altan-Bonnet G, Kaplan R, Norton L, <u>Nishimoto N</u> , Huszar D, Lyden D, Bromberg J	The IL-6/JAK/Stat3 Feed-Forward Loop Drives Tumorigenesis and Metastasis.	Neoplasia	15(7)	848-62	2013
Fiala M, Mizwicki MT, Weitzman R, Magpantay L, <u>Nishimoto N</u>	Tocilizumab infusion therapy normalizes inflammation in sporadic ALS patients.	Am J Neurodegener Dis	2(2)	129-39	2013

西本憲弘、村上美帆	炎症性自己免疫疾患における治療標的としてのIL-6	日本臨床増刊号「血管炎」	71(増刊号1)	623-629	2013
西本憲弘	IL-6標的薬・特集/関節リウマチ治療における分子標的薬の進歩	臨床薬理	44(1)	9-14	2013
松谷隆治、村上美帆、西本憲弘	水銀による自己抗体産生誘導	臨床免疫・アレルギー科	59(5)	611-613	2013
西本憲弘、村上美帆	成人病発症Still病	内科	112(1)	73-76	2013
西本憲弘	技術革新で既存の治療法の枠組みを変える可能性	Medical ASAHI	42(10)	16-18	2013
西本憲弘	キャッスルマン病とIL-6	血液内科	67(4)	467-471	2013
<u>Komori T</u>	Function of the osteocyte network in the regulation of bone mass.	Cell Tissue Res.	352	191-198	2013
Moriishi T, Kawai Y, Komori H, Rokutanda S, Eguchi Y, Tsujimoto Y, Asahina I, <u>Komori T</u>	Bcl2 Deficiency Activates FoxO through Akt Inactivation and Accelerates Osteoblast Differentiation.	PLoS One.	9(1)	e86629	2014
Morishima T, Watanabe KI, Niwa A, Hirai H, Saida S, Tanaka T, Kato I, Umeda K, Hiramatsu H, Saito MK, Matsubara K, Adachi S, Kobayashi M, <u>Nakahata T</u> , Heike T.	Genetic correction of HAX1 in induced pluripotent stem cells from a patient with severe congenital neutropenia improves defective granulopoiesis.	Haematologica.	99	19-27	2014

Saida S, Watanabe KI, Sato-Otsubo A, Terui K, Yoshida K, Okuno Y, Toki T, Wang R, Shiraishi Y, Miyano S, Kato I, Morishima T, Fujino H, Umeda K, Hiramatsu H, Adachi S, Ito E, Ogawa S, Ito M, <u>Nakahata T</u> , Heike T.	Clonal selection in xenografted TAM recapitulates the evolutionary process of myeloid leukemia in Down syndrome.	Blood	121	4377-4387	2013
Yanagimachi MD, Niwa A, Tanaka T, Ozaki F, Nishimoto S, Murata Y, Yasumi T, Ito J, Tomida S, Oshima K, Asaka I, Goto H, Heike T, <u>Nakahata T</u> , Saito MK	Robust and highly-efficient differentiation of functional monocytic cells from human pluripotent stem cells under serum- and feeder cell- free conditions.	PLoS ONE.	8	e59243	2013
Nakazawa Y., Saito S., Yanagisawa R., Suzuki T., Toshiro Ito T., Ishida F., Muramatsu H., Matsumoto K., Kato K., Ishida H., Umeda K., Souichi Adachi S., <u>Nakahata T</u> , Koike K.	Recipient seropositivity for adenovirus type 11 is a highly predictive factor for the development of AdV11-induced hemorrhagic cystitis after allogeneic hematopoietic SCT.	Bone Marrow Transplant	48	737-739	2013
Tomizawa D., Akio Tawa A., MD/PhD, Watanabe T., Saito A.M., Kudo K., Taga T., Iwamoto S., Shimada A., Terui K., Moritake H., Kinoshita A., Takahashi H., Nakayama H., Koh K., Kigasawa H., Kosaka Y., Miyachi H., Horibe K., <u>Nakahata T</u> , Adachi S.	Excess reduction of anthracyclines results in inferior event-free survival in core binding factor acute myeloid leukemia in children; a report from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG).	Leukemia		in press	
Kodera Y, Yamamoto K, Harada M, Morishima Y, Dohy H, Asano S, Ikeda Y, <u>Nakahata T</u> , Imamura M, Kawa K, Kato S, Tanimoto M, Kanda Y, Tanosaki R, Shiobara S, Kim SW, Nagafuji K, Hino M, Miyamura K, Suzuki R, Hamajima N, Fukushima M, Tamakoshi A; for the Japan Society for Hematopoietic Cell Transplantation, Halter J, Schmitz N, Niederwieser D, Gratwohl A.	PBSC collection from family donors in Japan: a prospective survey.	Bone Marrow Transplant		in press	

齋藤潤、中畑龍俊	疾患特異的iPS細胞	再生医療	12	19-29	2013
Mitsunaga S, Hosomichi K, Okudaira Y, Nakaoka H, Kunii N, Suzuki Y, <u>Kuwana M</u> , Sato S, Kaneko Y, Homma Y, Kashiwase K, Azuma F, Kulski JK, Inoue T, and Inoko H	Exome-sequencing identifies novel rheumatoid arthritis-susceptible variants in the BTNL2	J Hum Genet	58 (4)	210-215	2013
Seta N, Okazaki Y, Miyazaki H, Kato T, and <u>Kuwana M</u>	Platelet-derived stromal cell-derived factor-1 is required for the transformation of circulating monocytes into multipotential cells	PLoS One	8 (9)	e74246	2013
Hirose J, Masuda H, Tokuyama N, Omata Y, Matsumoto T, Yasui T, Kadono Y, Hennighausen L, <u>Tanaka S</u>	Bone resorption is regulated by cell-autonomous negative feedback loop of Stat5-Dusp axis in the osteoclast	J Exp Med	211	153-63	2014
Matsumoto T, Nagase Y, Hirose J, Tokuyama N, Yasui T, Kadono Y, Ueki K, Kadowaki T, Nakamura K, <u>Tanaka S</u>	Regulation of bone-resorption and sealing zone formation in osteoclasts occurs through Akt-mediated microtubule stabilization	J Bone Miner Res	28	1191-202	2013
<u>Tanaka S</u>	Regulation of bone destruction in rheumatoid arthritis through RANKL-RANK pathways	World J Orthop	18	1-6	2013
中田 研	半月板バイオマテリアルの開発	Clinical Calcium	23	39-47	2013
Matsuo T, Mae T, Kita K, Tachibana Y, <u>Yoshikawa H</u> , Nakata K	Bone Substitutes and Implantation Depths for Subchondral Bone Repair in Osteochondral Defects of Porcine	Knee Joints Knee Surg Sports Traumatol Arthrosc		in press	2014

Hirata, K. Kishida, H. Kobayashi, H. Nakatsuji, T. Funahashi, <u>I. Shimomura</u>	Correlation between serum C1q-adiponectin/total adiponectin ratio and polyvascular lesions detected by vascular ultrasonography in Japanese type 2 diabetics	Metabolism	62	376-385	2013
A. Hirata, K. Kishida, H. Nakatsuji, H. Kobayashi, T. Funahashi, <u>I. Shimomura</u>	High serum C1q-adiponectin/total adiponectin ratio correlates with coronary artery disease in Japanese type 2 diabetics	Metabolism	62	578-585	2013
K. Kishida, N. Kishida, M. Arima, H. Nakatsuji, H. Kobayashi, T. Funahashi, <u>I. Shimomura</u>	Serum C1q- binding adiponectin in maintenance hemodialysis patients	BMC Nephrol	14	50	2013
H. Nakatsuji, K. Kishida, H. Kobayashi, T. Funahashi, <u>I. Shimomura</u>	Three-month treatment with pioglitazone reduces circulating C1q-binding adiponectin complex to total-adiponectin ratio, without changes in body mass index, in people with type 2 diabetes	Diabetes Res Clin Pract	99	e14-17	2013
H. Nakatsuji, K. Kishida, H. Kobayashi, T. Nakagawa, T. Funahashi, <u>I. Shimomura</u>	Correlation of circulating C1q and C1q-binding adiponectin concentrations with aging in males: a preliminary report	Diabetol Metab Syndr	5	17	2013
H. Nakatsuji, H. Kobayashi, K. Kishida, T. Nakagawa, S. Takahashi, H. Tanaka, S. Akamatsu, T. Funahashi, <u>I. Shimomura</u>	Binding of adiponectin and C1q in human serum, and clinical significance of the measurement of C1q-adiponectin / total adiponectin ratio	Metabolism	62	109-120	2013