

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|------------------------------|-----|-----------|------|
| Kanda Y, Kanda J, Atsuta Y, Fuji S, Maeda Y, Ichinohe T, Takanashi M, Ohashi K, Fukuda T, Miyamura K, Mori T, Sao H, Kobayashi N, Iwato K, Sawada A, Mori S. | Changes in the clinical impact of high-risk HLA allele mismatch combinations on the outcome of unrelated bone marrow transplantation. | Biol Blood Marrow Transplant | 20 | 526-535 | 2014 |
| Kanda Y, Kanda J, Atsuta Y, Maeda Y, Ichinohe T, Ohashi K, Fukuda T, Miyamura K, Iida H, Mori T, Iwato K, Eto T, Kawa K, Morita S, Morishima Y. | Impact of a single HLA allele mismatch on the outcome of unrelated bone marrow transplantation over two time periods. A retrospective analysis of 3003 patients from the HLA Working Group of the Japan Society for Blood and Marrow Transplantation. | Br J Haematol | 161 | 566-577 | 2013 |
| Kanda Y, Oshima K, Kako S, Fukuda T, Uchida N, Miyamura K, Kondo Y, Nakao S, Nagafuji K, Miyamoto T, Kurokawa M, Okoshi Y, Chiba S, Ohashi Y, Takaue Y, Taniguchi S. | In vivo T-cell depletion with alemtuzumab in allogeneic hematopoietic stem cell transplantation: Combined results of two studies on aplastic anemia and HLA-mismatched haploidentical transplantation. | Am J Hematol | 88 | 294-300 | 2013 |
| Kanda Y. | Investigation of the freely-available easy-to-use software "EZR" (Easy R) for medical statistics. | Bone Marrow Transplant | 48 | 452-458 | 2013 |
| Kanda J, Ichinohe T, Kato S, Uchida N, Terakura S, Fukuda T, Hidaka M, Ueda Y, Kondo T, Taniguchi S, Takahashi S, Nagamura-Inoue T, Tanaka J, Atsuta Y, Miyamura K, Kanda Y. | Unrelated cord blood transplantation vs. related transplantation with HLA 1-antigen mismatch in the graft-versus-host direction. | Leukemia | 27 | 286-294 | 2013 |
| Kanda J, Saji H, Fukuda T, Kobayashi, Miyamura K, Eto T, Kurokawa M, Kanamori H, Mori T, Hidaka M, Iwato K, Yoshida T, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Suzuki R, Atsuta Y, Kanda Y. | Related transplantation with HLA 1-antigen mismatch in the graft-versus-host direction and HLA 8/8-allele-matched unrelated transplantation: A nationwide retrospective study. | Blood | 119 | 2409-2416 | 2012 |
| Fujioka T, Tamaki H, Ikegami K, Yoshihara S, Taniguchi K, Kaida K, Kato R, Inoue T, Nakata J, Ishii S, Soma T, Okada M, Ogawa H. | Frequency of CD4(+)FOXP3(+) regulatory T-cells at early stages after HLA-mismatched allogeneic hematopoietic SCT predicts the incidence of acute GVHD. | Bone Marrow Transplant | 48 | 859-864 | 2013 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻名 | ページ | 出版年 |
|---|---|----------------------------|-----|-----------|------|
| Yoshihara S, Ikegame K, Taniguchi K, Kaida K, Kim EH, Nakata J, Kato R, Inoue T, Fujioka T, Tamaki H, Okada M, Soma T, <u>Ogawa H.</u> | Salvage haploidentical transplantation for graft failure using reduced-intensity conditioning. | Bone Marrow Transplant | 47 | 369-373 | 2012 |
| Ikegame K, Yoshihara S, Taniguchi Y, Kaida K, Inoue T, Okada M, Taniguchi K, Hasei H, Tamaki H, Fujioka T, Kato R, Soma T, and <u>Ogawa H.</u> | Allogeneic stem cell transplantation as treatment for heavily-treated, refractory acute graft-versus-host disease after HLA-mismatched stem cell transplantation. | Exp Hematol | 39 | 880-890 | 2011 |
| Sakata-Yanagimoto M, <u>Chiba S.</u> | Notch2 and Immune Function. | Curr Top Microbiol Immunol | 360 | 151-161 | 2012 |
| Kusakabe M, Hasegawa K, Hamada M, Nakamura M, Ohsumi T, Suzuki H, Mai TT, Kudo T, Uchida K, Ninomiya H, <u>Chiba S</u> , Takahashi S. | c-Maf plays a crucial role for the definitive erythropoiesis that accompanies erythroblastic island formation in the fetal liver. | Blood | 118 | 1374-1385 | 2011 |
| Yoshida K, Sanada M, Shiraishi Y, Nowak D, Nagata Y, Yamamoto R, Sato Y, Sato-Otsubo A, Kon A, Nagasaki M, Chalkidis G, Suzuki Y, Shiosaka M, Kawahata R, Yamaguchi T, Otsu M, Obara N, Sakata-Yanagimoto M, Ishiyama K, Mori H, Nolte F, Hofmann WK, Miyawaki S, Sugano S, Haferlach C, Koeffler HP, Shih LY, Haferlach T, <u>Chiba S</u> , Nakauchi H, Miyano S, Ogawa S. | Frequent pathway mutations of splicing machinery in myelodysplasia. | Nature | 478 | 64-69 | 2011 |
| Matsuno N, Yamamoto H, Watanabe N, Uchida N, Ota H, Nishida A, Ikebe T, Ishiwata K, Nakano N, Tsuji M, Asano-Mori Y, Izutsu K, Masuoka K, Wake A, Yoneyama A, Nakauchi H, <u>Taniguchi S.</u> | Rapid T-cell chimerism switch and memory T-cell expansion are associated with pre-engraftment immune reaction early after cord blood transplantation. | Br J Haematol | 160 | 255-258 | 2013 |
| Yamamoto H, Kato D, Uchida N, Ishiwata K, Araoka H, Takagi S, Nakano N, Tsuji M, Asano-Mori Y, Matsuno N, Masuoka K, Izutsu K, Wake A, Yoneyama A, Makino S, and <u>Taniguchi S.</u> | Successful sustained engraftment after reduced-intensity umbilical cord blood transplantation for adult patients with severe aplastic anemia. | Blood | 117 | 3240-3242 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻名 | ページ | 出版年 |
|---|--|------------------------|-----|-----------|------|
| Uchida N, Wake A, Nakano N, Ishiwata K, Takagi S, Tsuji M, Yamamoto H, Kato D, Matsuno N, Masuoka K, Araoka H, Asano-Mori Y, Izutsu K, Makino S, Yoneyama A, and <u>Taniguchi S.</u> | Mycophenolate and tacrolimus for graft-versus-host disease prophylaxis for elderly after cord blood transplantation: a matched pair comparison with tacrolimus alone. | Transplantation | 92 | 366-371 | 2011 |
| <u>Tanaka J</u> , Morishima Y, <u>Takahashi Y</u> , Yabe T, Oba K, Takahashi S, <u>Taniguchi S</u> , Ogawa H, Onishi Y, Miyamura K, Kanamori H, Aotsuka N, Kato K, Kato S, <u>Atsuta Y</u> , <u>Kanda Y</u> . | Effects of KIR-ligand incompatibility on clinical outcomes of umbilical cord blood transplantation without ATG for acute leukemia in complete remission. | Blood Cancer Journal | | in press | |
| <u>Tanaka J</u> , Kanamori H, Nishiwaki S, Ohashi K, <u>Taniguchi S</u> , Eto T, Nakamae H, Minagawa K, Miyamura K, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishimoto N, Oba K, Masauzi N. | Reduced-intensity versus myeloablative conditioning allogeneic hematopoietic stem cell transplantation for patients aged over 45 years with acute lymphoblastic leukemia (ALL) in remission: A study from the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT). | Bone Marrow Transplant | 48 | 1389-1394 | 2013 |
| <u>Tanaka J</u> , Sugita J, Shiratori S, Shigematsu A, Imamura M. | Dasatinib enhances the expansion of CD56+CD3- NK cells from cord blood. | Blood | 119 | 6175-6176 | 2012 |
| Hiramoto N, Kurosawa S, Tajima K, Okinaka K, Tada K, Kobayashi Y, Shinohara A, Inoue Y, Ueda R, Tanaka T, Kim SW, <u>Yamashita T</u> , <u>Heike Y</u> and Fukuda T. | Positive impact of chronic graft-versus-host disease on the outcome of patients with de novo myelodysplastic syndrome after allogeneic hematopoietic cell transplantation: a single-center analysis of 115 patients. | Eur J Hematol | 92 | 137-146 | 2014 |
| Fuji S, Ueno N, Hiramoto N, Asakura Y, Yakushijin K, Kamiyama Y, Kurosawa S, Kim SW, <u>Heike Y</u> , <u>Yamashita T</u> and Fukuda T. | Reduced-intensity conditioning regimen with low-dose ATG-F for unrelated bone marrow transplant is associated with lower non-relapse mortality than a regimen with low-dose TBI: a single-center retrospective analysis of 103 cases. | Int J Hematol | 98 | 608-614 | 2013 |
| Morita-Hoshi Y, Mori SI, Soeda A, Wakeda T, Ohsaki Y, Shiwa M, Masuoka K, Wake A, <u>Taniguchi S</u> , Takaue Y, <u>Heike Y</u> . | Identification of molecular markers for pre-engraftment immune reactions after cordblood transplantation by SELDI-TOF MS. | Bone Marrow Transplant | 45 | 1594-1601 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻名 | ページ | 出版年 |
|---|--|------------------------------|-----|-----------|------|
| Miura Y, Yoshioka S, Yao H, Takaori-Kondo A, Maekawa T, Ichinohe T. | Chimerism of bone marrow mesenchymal stem/stromal cells in allogeneic hematopoietic cell transplantation: is it clinically relevant? | Chimerism | 4 | 78-83 | 2013 |
| Sakamoto S, Kawabata H, Kanda J, Uchiyama T, Mizumoto C, Kondo T, Yamashita K, Ichinohe T, Ishikawa T, Kadokami N, Takaori-Kondo A. | Differing impacts of pre-transplant serum ferritin and C-reactive protein levels on the incidence of chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. | Int J Hematol | 97 | 109-116 | 2013 |
| Kanda J, Hishizawa M, Utsunomiya A, Taniguchi S, Eto T, Moriuchi Y, Tanosaki R, Kawano F, Miyazaki Y, Masuda M, Nagafuji K, Hara M, Takanashi M, Kai S, Atsuta Y, Suzuki R, Kawase T, Matsuo K, Nagamura-Inoue T, Kato S, Sakamaki H, Morishima Y, Okamura J, Ichinohe T, Uchiyama T. | Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study. | Blood | 119 | 2141-2148 | 2012 |
| Sato T, Ichinohe T, Kanda J, Yamashita K, Kondo T, Ishikawa T, Uchiyama T, Takaori-Kondo A. | Clinical significance of subcategory and severity of chronic graft-versus-host disease evaluated by National Institutes of Health consensus criteria. | Int J Hematol | 93 | 532-541 | 2011 |
| Kato M, Takahashi Y, Tomizawa D, Okamoto Y, Inagaki J, Koh K, Ogawa A, Okada K, Cho Y, Takita J, Goto H, Sakamaki H, Yabe H, Kawa K, Suzuki R, Kudo K, Kato K. | Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia. | Biol Blood Marrow Transplant | 19 | 1690-1694 | 2013 |
| Takahashi Y, Muramatsu H, Sakata N, Hyakuna N, Hamamoto K, Kobayashi R, Ito E, Yagasaki H, Ohara A, Kikuchi A, Morimoto A, Yabe H, Kudo K, Watanabe K, Ohga S, Kojima S and Japan Childhood Aplastic Anemia Study G. | Rabbit antithymocyte globulin and cyclosporine as first-line therapy for children with acquired aplastic anemia. | Blood | 121 | 862-863 | 2013 |
| Shimada A, Takahashi Y, Muramatsu H, Hama A, Ismael O, Narita A, Sakaguchi H, Doisaki S, Nishio N, Tanaka M, Yoshida N, Matsumoto K, Kato K, Watanabe N, Kojima S. | Excellent outcome of allogeneic bone marrow transplantation for Fanconi anemia using fludarabine-based reduced-intensity conditioning regimen | Int J Hematol | 5 | 675-679 | 2012 |
| Sugiyama H, Maeda Y, Nishimori H, Yamasuji Y, Matsuoka K, Fujii N, Kondo E, Shinagawa K, Tanaka T, Takeuchi K, Teshima T, and Tanimoto M | mTOR inhibitors permit regulatory T cell reconstitution and inhibit chronic GVHD. | Biol Blood Marrow Transplant | | in press | |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻名 | ページ | 出版年 |
|--|---|------------------------------|-----|-----------|------|
| <u>Maeda Y</u> | Pathogenesis of graft-versus-host disease: innate immunity amplifying acute alloimmune responses. | Int J Hematol | 98 | 293-299 | 2013 |
| Nishimori H, <u>Maeda Y</u> , Teshima T, Sugiyama H, Kobayashi K, Yamasaji Y, Kadohisa S, Uryu H, Takeuchi K, Tanaka T, Yoshino T, Iwakura Y, and Tanimoto M. | Synthetic Retinoid Am80 Ameliorates Chronic Graft-Versus-Host Disease by Downregulating Th1 and Th17. | Blood | 119 | 285-295 | 2012 |
| Hironaka S, Ueda S, Yasui H, Nishina H, Tsuda M, Tsumura T, Sugimoto T, Shimodaira H, Tokunaga S, Moriwaki T, Esaki T, Nagase M, Fujitani K, Yamaguchi K, Ura T, Hamamoto Y, <u>Morita S</u> , Okamoto I, Boku N, Hyodo I. | A Randomized, Open-label, Phase III Study Comparing Irinotecan with Paclitaxel in Advanced Gastric Cancer Patients without Severe Peritoneal Metastasis after Failure of Prior Combination Chemotherapy using Fluoropyrimidine plus Platinum: WJOG4007 Trial. | J Clin Oncol | 31 | 4438-4444 | 2013 |
| Hayashi H, Okamoto I, <u>Morita S</u> , Taguri M, Nakagawa K. | Postprogression survival and overall survival for chemotherapy of patients with advanced non-small cell lung cancer. | Ann Oncol | 23 | 1537-1541 | 2012 |
| <u>Morita S</u> | Application of the continual reassessment method to a phase I dose-finding trial in Japanese patients: East meets West. | Stat Med | 30 | 2090-2097 | 2011 |
| <u>Atsuta Y</u> , Suzuki R, <u>Yamashita T</u> , Fukuda T, Miyamura K, <u>Taniguchi S</u> , Iida H, Uchida T, Ikegame K, Takahashi S, Kato K, Kawa K, Nagamura-Inoue T, Morishima Y, Sakamaki H, and Kodera Y. | Continuing increased risk of oral/esophageal cancer after allogeneic hematopoietic stem cell transplantation in adults in association with chronic graft-versus-host disease. | Ann Oncol | 25 | 435-441 | 2014 |
| <u>Atsuta Y</u> , Kanda J, Takanashi M, Morishima Y, <u>Taniguchi S</u> , Takahashi S, <u>Ogawa H</u> , Ohashi K, Ohno Y, Onishi Y, Aotsuka N, Nagamura-Inoue T, Kato K, <u>Kanda Y</u> . | Different effects of HLA disparity on transplant outcomes after single-unit cord blood transplantation between pediatric and adult patients with leukemia. | Haematologica | 98 | 814-822 | 2013 |
| <u>Atsuta Y</u> , Morishima Y, Suzuki R, Nagamura-Inoue T, <u>Taniguchi S</u> , Takahashi S, Kai S, Sakamaki H, Kouzai Y, Kobayashi N, Fukuda T, Azuma H, Takanashi M, Mori T, Tsuchida M, Kawase T, Kawa K, Kodera Y, and Kato S, for the Japan Marrow Donor Program and the Japan Cord Blood Bank Network. | Comparison of unrelated cord blood transplantation and HLA mismatched unrelated bone marrow transplantation for adults with leukemia. | Biol Blood Marrow Transplant | 18 | 780-787 | 2012 |