

- study through 24 weeks. Ann Rheum Dis (2013) 72, 1488-1495
20. Mori T, Kabashima K, Fukamachi S, Kuroda E, Sakabe JI, Kobayashi M, Nakajima S, Nakano K, Tanaka Y, Matsushita S, Nakamura M, Tokura Y. D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells. J Dermatol Sci (2013) 18, 608-619
 21. Hanami K, Nakano K, Saito K, Okada Y, Yamaoka K, Kubo S, Kondo M, Tanaka Y. Dopamine D2-like receptor signaling suppresses human osteoclastogenesis. Bone (2013) 56, 1-8
 22. Ikenouchi-Sugita A, Yoshimura R, Hori H, Umene-Nakano W, Katsuki A, Saito K, Tanaka Y, Nakamura J. Plasma catecholamine metabolite levels and the activities of psychiatric symptoms in systemic lupus erythematosus. Hum Psychopharm Clin (2013) 28, 198-202
 23. Hirata S, Driven L, Shen Y, Centola M, Cavet G, Lems WF, Tanaka Y, Huizinga TWJ, Allaart CF. A multi-biomarker score measures rheumatoid arthritis disease activity in the BeSt study. Rheumatology (2013) 52, 1202-1207
 24. Torimoto K, Okada Y, Mori H, Tanaka Y. Relationship between fluctuations in glucose levels measured by continuous glucose monitoring and vascular endothelial dysfunction in type 2 diabetes mellitus. Cardiovascular Diabetology (2013) 12:1. doi: 10.1186/1475-2840-12-1
 25. Takeuchi T, Yamanaka H, Ishiguro N, Miyasaka N, Mukai M, Matsubara T, Uchida s, Akama H, Kupper H, Aprora V, Tanaka Y. Adalimumab a human anti-TNF monoclonal antibody, outcome study for the prevention of joint damage in Japanese patients with early rheumatoid arthritis: the HOPEFUL 1 study. Ann Rheum Dis (2013) 72, 1488-1495
 26. Nakajima A, Saito K, Kojima T, Amano K, Yoshio T, Fukuda W, Inoue E, Momohara S, Minota S, Takeuchi T, Ishigura N, Tanaka Y, Yamanaka H. No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan. Mod Rheumatol (2013) 23, 945-952
 27. Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Hirose T, Yoshinaga T, Suzukawa M. Safety and effectiveness of 6 months etanercept monotherapy and combination therapy in Japanese patients with rheumatoid arthritis: effect of concomitant disease-modifying antirheumatic drugs J Rheumatol (2013) 40, 1658-1668
 28. Choo Q-Y, Ho P, Tanaka Y, Lin H-S. Histone Deacetylase Inhibitors MS-275 and SAHA Suppressed p38 Mitogen Activated Protein Kinase Signaling Pathway and Chemotaxis in Rheumatoid Arthritic Synovial Fibroblastic E11 cells. Molecules (2013) 18, 14085-14095
 29. Hirata S, Saito K, Kubo S, Fukuyo S, Mizuno Y, Iwata S, Nawata M, Sawamukai N, Nakano K, Yamaoka K, Tanaka Y. Discontinuation of adalimumab after attaining DAS28 (ESR) remission in patients with rheumatoid arthritis (HONOR study): and observational study. Arthritis Res Ther (2013) 15 (5): R135
 30. Kondo M, Yamaoka K, Sonomoto K, Fukuyo S, Oshita K, Okada Y, Tanaka Y. IL-17 inhibits chondrogenic differentiation of human mesenchymal stem cells. Plos ONE (2013) 8 (11): e79463
 31. Torimoto K, Okada Y, Mori H, Hajime M, Tanaka K, Kurozumi A, Narisawa M, Yamamoto S, Arao T, Matsuoka H, Inokuchi N, Tanaka Y. Efficacy of combination of Ezetimibe 10 mg and rosuvastatin 2.5 mg versus rosuvastatin 5 mg monotherapy for hypercholesterolemia in patients with type 2 diabetes. Lipids Health Disease (2013) 12(1):137. doi: 10.1186/1476-511X-12-137.
 32. Watanabe K, Sakai R, Koike R, Sakai f, Sugiyama H, Tanaka M, Komano y, Akiyama Y, Mimura T, Kaneko Y, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Murai M, Iwahashi M, Saito K, Tanaka Y, Nanki T, Miyasaka N, Harigai M. Clinical characteristics and risk factors for *Pneumocystis jirovecii* pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients. Mod Rheumatol (2013) 23: 1085-1093
 33. Yukawa S, Yamaoka K, Sawamukai N, Shimajiri S, Kubo S, Miyagawa I, Sonomoto K, Saito K, Tanaka Y. Dermal mast cell density in fingers reflects severity of skin sclerosis in systemic sclerosis. Mod Rheumatol (2013) 23: 1151-1157
 34. Tanaka Y, Kawai S, Takeuchi T, Yamamoto K, Miyasaka N. Prevention of joint destruction by tacrolimus in patients with early rheumatoid arthritis: a post-hoc analysis of a double-blind, randomized, placebo-controlled study. Mod Rheumatol (2013) 23: 1045-1052
 35. Sugisawa C, Okada Y, Arao T, Mori H, Nishida K, Isobe K, Takekoshi K, Tanaka Y. Juvenile-onset hereditary pheochromocytoma-paraganglioma syndrome Internal Medicine (2013) 52, 281-284
 36. Mori H, Okada Y, Arao T, Shimaziri S, Tanaka Y. A case of multiple brown tumors with primary hyperparathyroidism. J Bone Miner Metabolism (2013) 31, 123-127

37. Yamamoto S, Okada Y, Mori H, Kurozumi A, Torimoto K, Arao T, Tanaka Y. Iatrogenic osteomalacia: report of two cases J UOEH (2013) 35, 25-31
38. Yamamoto S, Okada Y, Mori H, Saito K, Inokuchi N, Tanaka Y. Successful treatment of osteomalacia caused by renal tubular acidosis associated with Sjögren's syndrome. A case report Mod Rheumatol (2013) 23, 401-405
39. Kurozumi A, Okada Y, Arao T, Nakamoto Y, Togashi K, Tanaka Y. A case of multiple endocrine neoplasia 2B with probable ectopic adrenocorticotrophic hormone-secreting liver metastasis from medullary thyroid carcinoma J UOEH (2013) 35, 193-199
40. Kurozumi A, Okada Y, Arao T, Endo I, Matsumoto T, Tanaka Y. Extrapyramidal symptoms and advanced calcification of the basal ganglia in a patient with autosomal dominant hypocalcemia Internal Medicine (2013) 52, 2077-2081
41. Yamaoka K, Tanaka Y. Targeting the JAKs in rheumatoid arthritis: focus on tofacitinib Expert Opinion on Pharmacotherapy (2014) 15, 103-113
42. Kubo S, Saito K, Hirata S, Fukuyo S, Yamaoka K, Sawamukai N, Nawata M, Iwata S, Mizuno Y, Tanaka Y. Abatacept inhibits radiographic progression in patients with rheumatoid arthritis: A retrospective analysis of 6 months of abatacept treatment in routine clinical practice. The ALTAIR study. Mod Rheumatol (2014) 24: 42-51
43. Fukuyo S, Saito K, Yamaoka K, Sawamukai N, Hirata S, Nawata M, Iwata S, Tanaka Y. Efficacy and safety of reducing duration of infliximab infusion. Mod Rheumatol (2014) 24, 273-280
44. Futatsuya K, Kakeda S, Kaichi Y, Moriya J, Ohnari N, Saito K, Tanaka Y, Korogi Y. Systemic lupus erythematosus: prediction by MRI of the subsequent development of brain lesions. Acad Radiol (2014) 21: 617-23
45. Katsuyama T, Saito K, Kubo S, Nawata M, Tanaka Y. The prophylaxis for Pneumocystis pneumonia in patients with rheumatoid arthritis treated with biologics, based on risk factors found in a retrospective study. Arthritis Res Ther (2014) 16: R43.
46. Aoki T, Fujii M, Yamashita Y, Takahashi H, Oki H, Hayashida Y, Saito K, Tanaka Y, Korogi Y. Tomosynthesis of the wrist and hand in patients with rheumatoid arthritis: comparison with radiography and MRI. AJR Am J Roentgenol (2014) 202: 386-90.
47. Sonomoto K, Yamaoka K, Kubo S, Hirata S, Fukuyo S, Maeshima K, Suzuki K, Saito K, Tanaka Y. Effects of tofacitinib on lymphocytes in rheumatoid arthritis: Relation to efficacy and infectious adverse events. Rheumatology (Oxford) (2014) 53: 914-8
48. Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Sano Y, Yaguramaki H, Yamanaka H. Characteristics related with good effectiveness and safety with tocilizumab: Postmarketing surveillance of 7901 rheumatoid arthritis patients in Japan J Rheumatol (2014) 41:15-23.
49. Yamanaka H, Ishiguro N, Takeuchi T, Miyasaka N, Mukai M, Matsubara T, Uchida S, Akama H, Kupper H, Arora V, Tanaka Y. Receipt of clinical but not radiographic outcomes by the delayed addition of adalimumab to methotrexate-treated Japanese patients with early rheumatoid arthritis: 52 week results of the HOPEFIL-1 trial. Rheumatology (Oxford). (2014) 53: 904-13
50. Torimoto K, Okada Y, Arao T, Mori H, Yamamoto S, Narisawa M, Kurozumi A, Tanaka Y. Glucose variability before and after treatment of a patient with Graves' disease complicated by diabetes mellitus: assessment by continuous glucose monitoring. Endocrine J (2014) 61, 321-328
51. Yamaoka K, Tanaka Y. Janus kinase (JAK) inhibitors in rheumatoid arthritis Curr Rheumatol Rev (in press)
52. Kubo S, Yamaoka K, Tanaka Y. Role of JAKs in myeloid cells and autoimmune diseases. Inflammation and Regeneration (in press)
53. Sonomoto K, Yamaoka K, Tanaka Y. The non-canonical wnt5a/rors signaling pathway in bone metabolism. Inflammation and Regeneration (in press)
54. Tanaka Y, Martin Mola E. Can IL-6-targeting catch up TNF-targeting in rheumatoid arthritis: from studies of olokizumab, sarilumab and sirukumab. Ann Rheum Dis (in press)
55. Miyagawa I, Nakayamada S, Saito K, Hanami K, Nawata M, Sawamukai N, Nakano K, Yamaoka K, Tanaka Y. Study on the safety and efficacy of tocilizumab, an anti-IL-6 receptor antibody, in patients with rheumatoid arthritis complicated with AA amyloidosis. Mod Rheumatol (in press)
56. Tanaka Y, Takeuchi T, Amano K, Saito K, Hanami K, Nawata M, Fukuyo S, Kameda H, Kaneko Y, Kurasawa T, Nagaswa H, Hoshi D, Sato E, Yamanaka H. Effect of interleukin-6 receptor inhibitor, tocilizumab, in preventing joint destruction in patients with rheumatoid arthritis showing inadequate response to TNF inhibitors. Mod Rheumatol (in press)
57. Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Haruna S, Uchida N, Kawana K, Tanaka Y. Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing

- surveillance report of 7,740 patients. *Mod Rheumatol* (in press)
58. Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hitota T, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Mariyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Ohta A, Matsumoto I, Sumida T. Primary and secondary surveys on epidemiology of Sjögren's syndrome in Japan. *Mod Rheumatol* (in press)
 59. Mori H, Okada Y, Arao T, Tanaka Y. Sitagliptin improves albuminuria in patients with type 2 diabetes mellitus. *J Diabetes Invest* (in press)
 60. Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, Tanaka Y. The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells. *Ann Rheum Dis* (in press)
 61. Tanaka Y, Hirata S, Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayamada S, Yamaoka K, Sawamura F, Saito K. Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study. *Ann Rheum Dis* (in press)
 62. Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watababe A, Origasa H, Shoji T, Sakamaki Y, van der Heigde D, Miyasaka N, Koike T. Efficacy and safety of certolizumab pegol plus methotrexate in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: the J-RAPID randomized, placebo-controlled trial. *Mod Rheumatol* (in press)
 63. Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watababe A, Origasa H, Shoji T, Sakamaki Y, van der Heigde D, Miyasaka N, Koike T. Efficacy and safety of certolizumab pegol without methotrexate co-administration in Japanese patients with active rheumatoid arthritis: the HIKARI randomized, placebo-controlled trial. *Mod Rheumatol* (in press)
 64. Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watababe A, Origasa H, Shoji T, Miyasaka N, Koike T.
 65. Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients who could not receive methotrexate: 52-week results from an open-label extension of HIKARI study. *Mod Rheumatol* (in press)
 66. Fukuyo S, Yamaoka K, Sonomoto K, Oshita K, Okada Y, Saito K, Yoshida Y, Kanazawa T, Minami Y, Tanaka Y. IL-6-accelerated calcification by induction of ROR2 in human adipose tissue-derived mesenchymal stem cells is STAT3-dependent. *Rheumatology* (in press)
 67. Tanaka Y, Kubo S, Yamanaka H, Amano K, Hirata S, Tanaka E, Nagasawa H, Yasuoka H, Takeuchi T. Efficacy and safety of abatacept in routine care of patients with rheumatoid arthritis: Orencia® as Biological Intensive Treatment for RA (ORBIT) study. *Mod Rheumatol* (in press)
 68. Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.
 69. Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: 52-week results from an open-label extension of the J-RAPID study. *Mod Rheumatol* (in press)
 70. Cho SK, Sakai R, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Tanaka Y, Nakajima A, Yasuda S, Ihata A, Ezawa K, Won S, Choi CB, Sung YK, Kim TH, Jun JB, Yoo DH, Miyasaka N, Bae SC, Harigai M; for the RESEARCH investigators; the REAL Study Group. A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan. *Mod Rheumatol* (in press)
 71. Takeuchi T, Tanaka Y, Close D, Godwood A, Wu C-Y, Saureigny D. Efficacy and safety of mavrilimumab in Japanese subjects with rheumatoid arthritis: Findings from a Phase 2a study. *Mod Rheumatol* (in press)
 72. Yamamoto S, Okada Y, Mori H, Nishida K, Uriu K, Tanaka Y. The type 2 diabetes mellitus complicated by hypertension in Japanese patients: switching treatment from high-dose angiotensin II receptor blockers to losartan plus hydrochlorothiazide. *Intern Med* (in press).
 73. Suzuki Y, Nawata H, Soen S, Fujiwara S, Nakayama H, Tanaka I, Ozono K, Sagawa A, Takayanagi R, Tanaka H, Miki T, Masunari N, Tanaka Y. Guidelines on the Management and Treatment of Glucocorticoid-induced Osteoporosis of the Japanese Society for Bone and Mineral Research: 2014 update. *J Bone Miner Metabolism* (in press)
 74. Nakamura T, Matsumoto T, Sugimoto T, Hosoi T, Miki T, Gorai I, Yoshikawa H, Tanaka Y, Tanaka S, Sone T, Nakano T, Ito M, Matsui S, Yoneda T, Takami H, Watanabe K, Osakabe T, Shiraki M, Fukunaga M. Fracture risk reduction with denosumab in Japanese postmenopausal women and men with osteoporosis: Denosumab fracture intervention randomized placebo controlled trial (DIRECT). *J Clin Endocrinol Metabolism* (in press)
 75. Takeuchi T, Yamamoto K, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.
 76. Early response to certolizumab pegol predicts long-term outcomes in patients with active

- rheumatoid arthritis: results from the Japanese studies. *Mod Rheumatol* (in press)
77. Sakai R, Cho S-K, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Amano K, Y. Tanaka, Y. Sumida T, Ihata A, Yasuda S, Nakajima A, Suhihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M, and for the REAL study group.
78. The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients for long-term safety (REAL) database. *Rheumatol Int* (in press)
2. 学会発表
1. Tanaka Y, Hirata S. Novel multi-biomarkers for estimating disease activity in rheumatoid arthritis. The 22nd International Rheumatology Symposium Tokyo, Japan 平成 25 年 4 月 18-21 日
 3. Tanaka Y. Prevention of joint damage by TCZ and its differences from TNF-inhibitors. The 1st Trans-pacific collaborative meeting for tocilizumab (workshop) Los Angeles, USA 平成 25 年 5 月 4 日～5 日
 4. Tanaka Y. The Development of Anti-TNF Agents in Rheumatoid Arthritis. EAGOR2013, The 5th East Asian Group of Rheumatology (symposium) Seoul, Korea 平成 25 年 5 月 31 日～6 月 1 日
 5. T. Takeuchi, Y. Kaneko, T. Atsumi, Y. Tanaka, M. Inoh, H. Kobayashi, K. Amano, M. Miyata, Y. Murakawa, T. Fujii, A. Kawakami, H. Yamanaka, K. Yamamoto, N. Miyasaka, T. Mimori ADDING TOCILIZUMAB OR SWITCHING TO TOCILIZUMAB MONOTHERAPY IN RA PATIENTS WITH INADEQUATE RESPONSE TO METHOTREXATE: 24-WEEK RESULTS FROM A RANDOMIZED CONTROLLED STUDY (SURPRISE STUDY) The Annual European Congress of Rheumatology 2013, (workshop) Madrid, Spain 平成 25 年 6 月 12-16 日
 6. M. Kondo, K. Yamaoka, K. Sonomoto, S. Fukuyo, K. Oshita Y. Okada, K. Saito, Y. Tanaka
 7. INHIBITORY EFFECTS OF IL-17 ON CHONDROGENIC DIFFERENTIATION OF HUMAN MESENCHYMAL STEM CELLS THROUGH THE PHOSPHORYLATION OF SOX9 The Annual European Congress of Rheumatology 2013, (workshop) Madrid, Spain 平成 25 年 6 月 12-16 日
 8. S.-P. Wang, S. Iwata, K. Yamaoka, H. Niilo, S. Nakayamada, S. J. Tabrizi, S. Kubo, M. Kondo, K. Akashi, Y. Tanaka AMPLIFICATION OF IL-21 SIGNALING PATHWAY THROUGH BRUTON'S TYROSINE KINASE (BTK) IN HUMAN B CELLS The Annual European Congress of Rheumatology 2013, (workshop) Madrid, Spain 平成 25 年 6 月 12-16 日
 9. T Takeuchi, S. Komatsu, T. Muramatsu, T. Kubo, A. Kuroki, T. Tango, Y. Tanaka. A LARGE-SCALE PROSPECTIVE SINGLE COHORT STUDY OF WORK PRODUCTIVITY AND ACTIVITY IMPAIRMENT IN JAPANESE PATIENTS WITH RHEUMATOID ARTHRITIS RECEIVING ADALIMUMAB: ANALYSIS OF 24-WEEKS DATA FROM THE ANOUEAU STUDY The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12-16 日
 10. Y. Tanaka, T. Takeuchi, T. Mimori, N. Miyasaka, T. Koike, RRR study investigators. THE POSSIBILITY AND PREDICTIVE FACTORS OF MAINTAINING LOW DISEASE ACTIVITY AND JOINT STRUCTURE AFTER DISCONTINUATION OF INFliximab IN RA PATIENTS: RESULTS FROM 3-YEAR EXPERIENCE OF RRR STUDY The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12-16 日
 11. T. Takeuchi, K. Yamamoto, H. Yamanaka, N. Ishiguro, Y. Tanaka, K. Eguchi, A. Watanabe, H. Origasa, Y. Wada, T. Shoji, N. Miyasaka, T. Koike. IMMUNOGENICITY OF CERTOLIZUMAB PEGOL WITHOUT CONCOMITANT METHOTREXATE AND CLINICAL RESPONSE IN RHEUMATOID ARTHRITIS PATIENTS: POST-HOC ANALYSIS OF THE HIKARI STUDY The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12-16 日
 12. H. Yamanaka, K. Yamamoto, T. Takeuchi, N. Ishiguro, Y. Tanaka, K. Eguchi, A. Watanabe, H. Origasa, T. Shoji, S. Onodera, N. Miyasaka. WEEK 12 CLINICAL RESPONSE TO CERTOLIZUMAB PEGOL PREDICTS LONG-TERM OUTCOMES REGARDLESS OF CONCOMITANT MEDICATIONS AND BASELINE DISEASE CHARACTERISTICS IN JAPANESE PATIENTS WITH ACTIVE RHEUMATOID ARTHRITIS The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12-16 日
 13. T. Takeuchi, T. Matsubara, S. Ohta, M. Mukai, K. Amano, S. Tohma, Y. Tanaka, H. Yamanaka, N. Miyasaka, on behalf of ORION study group

- ABATACEPT BIOLOGIC-FREE REMISSION STUDY IN ESTABLISHED RHEUMATOID ARTHRITIS PATIENTS ORION STUDY The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12—16 日
14. M. Harigai, S. Inokuma, N. Ishiguro, J. Ryu, T. Takeuchi, S. Takei, Y. Tanaka, H. Yamanaka, Y. Sano, H. Yaguramaki, T. Koike CHARACTERISTICS ASSOCIATED WITH BETTER EFFECTIVENESS AND SAFETY IN RHEUMATOID ARTHRITIS PATIENTS TREATED WITH INTRAVENOUS TOCILIZUMAB: RESULTS FROM FULL ANALYSIS OF ALL-PATIENT POSTMARKETING SURVEILLANCE IN JAPAN The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12—16 日
15. Y. Tanaka, M. Harigai, T. Takeuchi, H. Yamanaka, N. Ishiguro, K. Yamamoto, Y. Murakami, T. Yoshinari, D. Baker, N. Miyasaka, T. Koike GOLIMUMAB ADMINISTERED SUBCUTANEOUSLY EVERY FOUR WEEKS IN PATIENTS WITH ACTIVE RHEUMATOID ARTHRITIS DESPITE METHOTREXATE THERAPY: LONG-TERM CLINICAL, RADIOGRAPHIC AND SAFETY RESULTS, INCLUDING EVALUATION OF REMISSION USING THE NEW ACR/EULAR CRITERIA The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12—16 日
16. T. Takeuchi, M. Harigai, Y. Tanaka, H. Yamanaka, N. Ishiguro, K. Yamamoto, Y. Murakami, T. Yoshinari, D. Baker, N. Miyasaka, T. Koike GOLIMUMAB MONOTHERAPY IN PATIENTS WITH ACTIVE RHEUMATOID ARTHRITIS DESPITE DMARD THERAPY: WEEK 104 RESULTS OF CLINICAL, RADIOGRAPHIC AND SAFETY ASSESSMENTS INCLUDING EVALUATION OF REMISSION USING THE NEW ACR/EULAR CRITERIA The Annual European Congress of Rheumatology 2013 Madrid, Spain 平成 25 年 6 月 12—16 日
17. Tanaka Y A potential of human mesenchymal stem cells for the treatment of Rheumatoid Arthritis The First ARISE WITH APLAR(教育講演) Seoul, Korea 平成 25 年 9 月 27—28 日
18. Tanaka Y Certolizumab pegol and biologics for the treatment of rheumatic diseases 12th International symposium on Sjögren's syndrome (シンポジウム) Kyoto, Japan 平成 25 年 10 月 9—12 日
19. Yoshiya Tanaka, Kahaku Emoto, Mika Tsujimoto, Douglas E. Schlichting and William Macias 12-Week Results Of a Phase 2b Dose-Ranging Study Of Baricitinib, An Oral JAK1/ JAK2 Inhibitor In Japanese Patients With Rheumatoid Arthritis On Background Methotrexate Therapy 第 79 回米国リウマチ学会 ACR 2013 (concurrent workshop) San Diego, USA 平成 25 年 10 月 26—30 日
20. Yoshiya Tanaka, Hisashi Yamanaka, Naoki Ishiguro, Nobuyuki Miyasaka, Katsuyoshi Kawana, Tadamichi Kubo, Aki Kuroki and Tsutomu Takeuchi. Clinical Remission After 52 Weeks Of Treatment Is a Predictor Of Adalimumab-Free Disease Control In Patients With Early Rheumatoid Arthritis: Hopeful 2 Study. 第 79 回米国リウマチ学会 ACR 2013 (concurrent workshop) San Diego, USA 平成 25 年 10 月 26—30 日
21. Jidong Zhao, Kunihiro Yamaoka, Satoshi Kubo, Shingo Nakayamada and Yoshiya Tanaka. Distinct Role Of Plasmacytoid Dendritic Cells and Mast Cells In The Pathogenesis Of Sjögren's Syndrome. 第 79 回米国リウマチ学会 ACR 2013 (concurrent workshop) San Diego, USA 平成 25 年 10 月 26—30 日
22. Tsutomu Takeuchi, Yoshiya Tanaka, Naoki Ishiguro, Hisashi Yamanaka, Toshiyuki Yoneda, Harry K. Genant and Desiree van der Heijde. Dose-Response Effects Of Denosumab, a Novel Subcutaneous RANKL Inhibitor, On The Progression Of Bone Erosion In Japanese Patients With Rheumatoid Arthritis Treated With Methotrexate: Results Of Phase II DRIVE Study—A Twelve Month Placebo Controlled, Randomized, Double Blind Study. 第 79 回米国リウマチ学会 ACR 2013 (concurrent workshop) San Diego, USA 平成 25 年 10 月 26—30 日
23. Yoshiya Tanaka, Kazuhiko Yamamoto, Tsutomu Takeuchi, Nobuyuki Miyasaka, Takayuki Sumida, Tsuneyo Mimori, Takao Koike and Kazuhiro Endo Efficacy Of Rituximab In Patients With Refractory Lupus Nephritis, a Post-Hoc Analysis From Phase II Trial In Japan 第 79 回米国リウマチ学会 ACR 2013 San Diego, USA 平成 25 年 10 月 26—30 日
24. Yoshiya Tanaka, Tsutomu Takeuchi, Naoki Ishiguro, Hisashi Yamanaka, Toshiyuki Yoneda, Harry K. Genant and Desiree van der Heijde Estimation Of The Effect Of Denosumab On Bone Loss From The Results Of The 12-Month Phase II Study In Patients With Rheumatoid Arthritis (RA) On Background Methotrexate (MTX). 第 79 回米国リウマチ学会 ACR 2013 San Diego, USA 平成 25 年 10 月 26—30 日
25. Takao Koike, Masayoshi Harigai, Naoki Ishiguro, Shigeko Inokuma, Junnosuke Ryu, Syuji Takei, Tsutomu Takeuchi, Y. Tanaka, Masahiko Watanabe and Hisashi Yamanaka Safety and Effectiveness Of Abatacept In 3985 Japanese Patients With Rheumatoid Arthritis; Japan All-Cases Post-Marketing Surveillance. 第 79 回

- 米国リウマチ学会 ACR 2013 San Diego, USA
平成 25 年 10 月 26—30 日
26. Yoshiya Tanaka, Kazuhiko Yamamoto, Tsutomu Takeuchi, Hisashi Yamanaka, Naoki Ishiguro, Katsumi Eguchi, Akira Watanabe, Hideki Origasa, Mariko Kobayashi, Toshiharu Shoji, Nobuyuki Miyasaka and Takao Koike. Comprehensive Disease Remission Achieved By Certolizumab Pegol Treatment, and Factors Associated With Certolizumab Pegol Comprehensive Disease Remission, In Rheumatoid Arthritis Patients With Predominantly High Disease Activity. 第 79 回米国リウマチ学会 ACR 2013 San Diego, USA 平成 25 年 10 月 26—30 日
 27. Tsutomu Takeuchi, Kazuhiko Yamamoto, Hisashi Yamanaka, Naoki Ishiguro, Yoshiya Tanaka, Katsumi Eguchi, Akira Watanabe, Hideki Origasa, Mariko Kobayashi, Toshiharu Shoji, Nobuyuki Miyasaka and Takao Koike. Post-Hoc Analysis Showing Better Clinical Response With The Loading Dose Of Certolizumab Pegol In Japanese Patients With Active Rheumatoid Arthritis. 第 79 回米国リウマチ学会 ACR 2013 San Diego, USA 平成 25 年 10 月 26—30 日
 28. Yoshiya Tanaka, Yasuhiko Shinmura, Ryo Nakajima, Takahiro Muramatsu, Shuichi Komatsu, Tadamichi Kubo, Aki Kuroki, Ataru Igarashi, Toshiro Tango and Tsutomu Takeuchi. Economic Impact Of Adalimumab Treatment In Japanese Patients With Rheumatoid Arthritis: Analysis Of 24 Weeks Data From The Anouveau Study. 第 79 回米国リウマチ学会 ACR 2013 San Diego, USA 平成 25 年 10 月 26—30 日
 29. Tanaka Y and Pope J. Treatment discontinuation in RA when and how. 2014 International Immunology Summit (教育シンポジウム) Prague, Czech 平成 26 年 3 月 14-16 日
 30. Tanaka Y. Accumulated clinical evidence of tocilizumab. The 9th International Congress on Autoimmunity (教育講演) Nice, France 平成 26 年 3 月 25-30 日
 31. Tanaka Y. Stopping biologic DMARDs. Advances in Targeted Therapies 2014 (シンポジウム) Athens, Greece 平成 26 年 3 月 26-30 日
 32. Tanaka Y. Stretching your Expectation on Biosimilar infliximab. 16th Asia Pacific league of associations for rheumatology congress (シンポジウム) Cebu, Philippines 平成 26 年 3 月 31 日～4 月 4 日

H. 知的財産権の出願・登録状況

(予定を含む)

1. 特許取得
なし
2. 実用新案登録
なし
3. その他

III. 研究成果の刊行に関する一覧

研究成果の刊行に関する一覧表
【H25.4.1～H26.3.31】

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kanazawa T, Nishino J, Tohma S, <u>Tanaka S</u>	Analysis of the affected joints in rheumatoid arthritis patients in a large Japanese cohort.	Mod Rheumatol	23	44-49	2013
Jujo Y, <u>Yasui T</u> , Nagase Y, <u>Kadono Y</u> , <u>Oka H</u> , <u>Tanaka S</u>	Patellar fracture after total knee arthroplasty for rheumatoid arthritis.	J Arthroplasty	28	40-43	2013
Muraki S, Akune T, Ishimoto Y, Nagata K, Yoshida M, <u>Tanaka S</u> , <u>Oka H</u> , Kawaguchi H, Nakamura K, <u>Yoshimura N</u>	Risk factors for falls in a longitudinal population-based cohort study of Japanese men and women: the ROAD Study.	Bone	52	516-523	2013
Fujii T, Matsudaira K, <u>Yoshimura N</u> , Hirai M, <u>Tanaka S</u>	Associations between neck and shoulder discomfort (Katakori) and job demand, job control, and worksite support.	Mod Rheumatol	23	1198-1204	2013
<u>Tanaka S</u>	Regulation of bone destruction in rheumatoid arthritis through RANKL-RANK pathways.	World J Orthop	4	1-6	2013
Ono K, <u>Ohashi S</u> , <u>Tanaka S</u>	[Rheumatoid arthritis and bone - periarticular and systemic bone loss-].	Clin Calcium	23	249-255	2013
Inui H, Taketomi S, Nakamura K, Sanada T, <u>Tanaka S</u> , Nakagawa T	An additional reference axis improves femoral rotation alignment in image-free computer navigation assisted total knee arthroplasty.	J Arthroplasty	28	766-771	2013
Matsumoto T, Nagase Y, Hirose J, Tokuyama N, <u>Yasui T</u> , Kadono Y, Ueki K, Kadowaki T, Nakamura K, <u>Tanaka S</u>	Regulation of bone resorption and sealing zone formation in osteoclasts occurs through protein kinase B-mediated microtubule stabilization.	J Bone Miner Res	28	1191-1202	2013
Sugita S, Chikuda H, Ohya J, Taniguchi Y, Takeshita K, Haga N, Ushiku T, <u>Tanaka S</u>	Cervical canal stenosis caused by progressive fusion and enlargement of cervical vertebrae with features of Proteus syndrome and Klippel-Feil syndrome.	Skeletal Radiol	42	1743-1746	2013
Ono K, <u>Ohashi S</u> , <u>Tanaka S</u> , Matsumoto T	[Bone structure in rheumatoid arthritis].	Clin Calcium	23	983-991	2013
<u>Oka H</u> , Akune T, Muraki S, <u>Tanaka S</u> , Kawaguchi H, Nakamura K, <u>Yoshimura N</u>	The mid-term efficacy of intra-articular hyaluronic acid injections on joint structure: a nested case control study.	Mod Rheumatol	23	722-728	2013
Taketomi S, Inui H, Hirota J, Nakamura K, Sanada T, Masuda H, <u>Tanaka S</u> , Nakagawa T	Iliotibial band irritation caused by the EndoButton after anatomic double-bundle anterior cruciate ligament reconstruction: report of two cases.	Knee	20	291-294	2013

Ono K, <u>Ohashi S</u> , <u>Tanaka S</u>	[Secondary Osteoporosis or Secondary Contributors to Bone Loss in Fracture. Therapeutic intervention of rheumatoid arthritis bone loss].	Clin Calcium	23	1345-1352	2013
Saito T, Yano F, Mori D, Ohba S, Hojo H, Otsu M, Eto K, Nakauchi H, <u>Tanaka S</u> , Chung UI, Kawaguchi H	Generation of Col2a1-EGFP iPS cells for monitoring chondrogenic differentiation.	PLoS One	8	e74137	2013
Ogura K, Yasunaga H, Horiguchi H, Ohe K, Shinoda Y, <u>Tanaka S</u> , Kawano H	Impact of hospital volume on postoperative complications and in-hospital mortality after musculoskeletal tumor surgery: analysis of a national administrative database.	J Bone Joint Surg Am	95	1684-1691	2013
Miyamoto H, Miura T, Morizaki Y, Uehara K, Ohe T, <u>Tanaka S</u>	Comparative study on the stiffness of transverse carpal ligament between normal subjects and carpal tunnel syndrome patients.	Hand Surg	18	209-214	2013
Matsubayashi Y, Takeshita K, Sumitani M, Oshima Y, Tonosu J, Kato S, Ohya J, Oichi T, Okamoto N, <u>Tanaka S</u>	Validity and reliability of the Japanese version of the painDETECT questionnaire: a multicenter observational study.	PLoS One	8	e68013	2013
Uehara K, Chikuda H, Higurashi Y, Ohkusu K, Takeshita K, Seichi A, <u>Tanaka S</u>	Pyogenic discitis due to <i>Abiotrophia adiacens</i>	Int J Surg Case Rep	4	1107-1109	2013
<u>Yoshimura N</u> , Muraki S, <u>Oka H</u> , Morita M, Yamada H, <u>Tanaka S</u> , Kawaguchi H, Nakamura K, Akune T	Profiles of vitamin D insufficiency and deficiency in Japanese men and women: association with biological, environmental, and nutritional factors and coexisting disorders: the ROAD study	Osteoporos Int	24	2775-2787	2013
<u>Chikuda H</u> , <u>Yasunaga H</u> , <u>Horiguchi H</u> , <u>Takeshita K</u> , <u>Sugita S</u> , <u>Taketomi S</u> , <u>Fushimi K</u> , <u>Tanaka S</u>	Impact of age and comorbidity burden on mortality and major complications in older adults undergoing orthopaedic surgery: an analysis using the Japanese diagnosis procedure combination database.	BMC Musculoskelet Disord	14	doi:10.1186/1471-2474-14-173	2013
Inui H, Taketomi S, Nakamura K, Takei S, Takeda H, <u>Tanaka S</u> , Nakagawa T	Influence of navigation system updates on total knee arthroplasty.	BMC Sports Sci Med Rehabil	5	doi:10.1186/2052-1847-5-10	2013
Taketomi S, Inui H, Nakamura K, Hirota J, Sanada T, Masuda H, Takeda H, <u>Tanaka S</u> , Nakagawa T	Clinical outcome of anatomic double-bundle ACL reconstruction and 3D CT model-based validation of femoral socket aperture position.	Knee Surg Sports Traumatol Arthrosc.			2013 [Epub ahead of print]

Akune T, Muraki S, <u>Oka H</u> , <u>Tanaka S</u> , Kawaguchi H, Tokimura F, Yoshida H, Suzuki T, Nakamura K, <u>Yoshimura N</u>	Incidence of certified need of care in the long-term care insurance system and its risk factors in the elderly of Japanese population-based cohorts: The ROAD study.	Geriatr Int			2013 [Epub ahead of print]
Omata Y, Hagiwara F, Nishino J, Matsudaira K, <u>Kadono Y</u> , Juji T, Mori T, Nakayama H, Nagase Y, Hirose J, <u>Yasui T</u> , Matsumoto T, Matsui T, Tohma S, <u>Tanaka S</u>	Vertebral fractures affect functional status in postmenopausal rheumatoid arthritis patients.	J Bone Miner Metab			2013 [Epub ahead of print]
Muraki S, <u>Yoshimura N</u> , Akune T, <u>Tanaka S</u> , Takahashi I, Fujiwara S	Prevalence, incidence and progression of lumbar spondylosis by gender and age strata.	Mod Rheumatol			2013 [Epub ahead of print]
<u>Tanaka S</u> , Kuroda T, Yamazaki Y, Shiraki Y, <u>Yoshimura N</u> , Shiraki M	Serum 25-hydroxyvitamin D below 25 ng/mL is a risk factor for long bone fracture comparable to bone mineral density in Japanese postmenopausal women.	J Bone Miner Metab			2013 [Epub ahead of print]
Chikuda H, Yasunaga H, Takeshita K, Horiguchi H, Kawaguchi H, Ohe K, Fushimi K, <u>Tanaka S</u>	Mortality and morbidity after high-dose methylprednisolone treatment in patients with acute cervical spinal cord injury: a propensity-matched analysis using a nationwide administrative database.	Emerg Med J	31	201-206	2014
Muraki S, Akune T, En-Yo Y, Yoshida M, <u>Tanaka S</u> , Kawaguchi H, Nakamura K, <u>Oka H</u> , Yoshimura N	Association of dietary intake with joint space narrowing and osteophytosis at the knee in Japanese men and women: the ROAD study.	Mod Rheumatol	24	236-242	2014
Moro T, Kyomoto M, Ishihara K, Saiga K, Hashimoto M, <u>Tanaka S</u> , Ito H, Tanaka T, Oshima H, Kawaguchi H, Takatori Y	Grafting of poly(2-methacryloyloxyethyl phosphorylcholine) on polyethylene liner in artificial hip joints reduces production of wear particles.	J Mech Behav Biomed Mater	31	100-106	2014
Kawata M, Inui H, Taketomi S, Nakamura K, Nakagawa T, <u>Tanaka S</u>	Recurrent hemarthrosis after total knee arthroplasty caused by the impingement of a remnant lateral meniscus: A case report.	Knee	21	617-619	2014
Kobayashi H, Saito T, <u>Tanaka S</u>	Biomineralization. Mineralization of cartilage in growth plate.	Clin Calcium	24	177-184	2014
Nakamoto H, Oshima Y, Takeshita K, Chikuda H, Ono T, Taniguchi Y, <u>Tanaka S</u>	Usefulness of QuickDASH in patients with cervical laminoplasty.	J Orthop Sci	19	218-222	2014
Tokuyama N, <u>Tanaka S</u>	New Development in Osteoporosis Treatment. Updates of denosumab, anti-RANKL antibody for osteoporosis.	J Clin Calcium	24	85-91	2014

Hirose J, Masuda H, Tokuyama N, Omata Y, Matsumoto T, <u>Yasui T</u> , <u>Kadono Y</u> , Hennighausen L, <u>Tanaka S</u>	Bone resorption is regulated by cell-autonomous negative feedback loop of Stat5-Dusp axis in the osteoclast.	J Exp Med	211	153-163	2014
Matsumoto T, <u>Kadono Y</u> , Nishino J, Nakamura K, <u>Tanaka S</u> , <u>Yasui T</u>	Midterm results of resection arthroplasty for forefoot deformities in patients with rheumatoid arthritis and the risk factors associated with patient dissatisfaction.	J Foot Ankle Surg	53	41-46	2014
Masuda H, Hirose J, Omata Y, Tokuyama N, <u>Yasui T</u> , <u>Kadono Y</u> , Miyazaki T, <u>Tanaka S</u>	Anti-apoptotic Bcl-2 family member Mcl-1 regulates cell viability and bone-resorbing activity of osteoclasts.	Bone	58	1-10	2014
Ono K, <u>Ohashi S</u> , <u>Tanaka S</u>	Anti-osteoporosis drugs based on the guidelines for the Prevention and Treatment of Osteoporosis (2011 edition)	Clin Calcium	24	401-406	2014
Akune T, Muraki S, <u>Oka H</u> , <u>Tanaka S</u> , Kawaguchi H, Nakamura K, <u>Yoshimura N</u>	Exercise habits during middle age are associated with lower prevalence of sarcopenia: the ROAD study.	Osteoporos Int	25	1081-1088	2014
<u>Yoshimura N</u> , Nagata K, Muraki S, <u>Oka H</u> , Yoshida M, Enyo Y, Kagotani R, Hashizume H, Yamada H, Ishimoto Y, Teraguchi M, <u>Tanaka S</u> , Kawaguchi H, Toyama Y, Nakamura K, Akune T	Prevalence and progression of the radiographic ossification of posterior longitudinal ligament and its associated factors in the Japanese populations: A 3-year follow-up of the ROAD study.	Osteoporos Int	25	1089-1098	2014
Miyazaki T, Tokimura F, <u>Tanaka S</u>	A review of denosumab for the treatment of osteoporosis.	Patient Prefer Adherence	8	463-471	2014
Akune T, Muraki S, <u>Oka H</u> , <u>Tanaka S</u> , Kawaguchi H, Tokimura F, Yoshida H, Suzuki T, Nakamura K, <u>Yoshimura N</u>	Association of physical activities of daily living with the incidence of certified need of care in the long-term care insurance system of Japan: the ROAD study.	J Orthop Sci.			2014 [Epub ahead of print]
Chikuda H, Ohya J, Horiguchi H, Takeshita K, Fushimi K, <u>Tanaka S</u> , Yasunaga H	Ischemic stroke after cervical spine injury: analysis of 11,005 patients using the Japanese Diagnosis Procedure Combination database.	Spine J			2014 [Epub ahead of print]
Muraki S, Akune T, Nagata K, Ishimoto Y, Yoshida M, Tokimura F, <u>Tanaka S</u> , <u>Oka H</u> , Kawaguchi H, Nakamura K, <u>Yoshimura N</u>	Association of knee osteoarthritis with onset and resolution of pain and physical functional disability: The ROAD study.	Mod Rheumatol			2014 [Epub ahead of print]

Kagotani R, Yoshida M, Muraki S, <u>Oka</u> H, Hashizume H, Yamada H, Enyo Y, Nagata K, Ishimoto Y, Teraguchi M, <u>Tanaka</u> S, Nakamura K, Kawaguchi H, Akune T, <u>Yoshimura</u> N	Prevalence of diffuse idiopathic skeletal hyperostosis (DISH) of the whole spine and its association with lumbar spondylosis and knee osteoarthritis: the ROAD study.	J Bone Miner Metab			2014 [Epub ahead of print]
Ogura K, Yasunaga H, Horiguchi H, Fushimi K, <u>Tanaka</u> S, Kawano H	Nomogram Predicting Severe Adverse Events After Musculoskeletal Tumor Surgery: Analysis of a National Administrative Database.	Ann Surg Oncol			2014 [Epub ahead of print]
Muraki S, <u>Oka</u> H, Akune T, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, <u>Yoshimura</u> N	Physical performance, bone and joint diseases, and incidence of falls in Japanese men and women: A longitudinal cohort study.	Osteoporos Int	24	459-466	2013
Ishimoto Y, <u>Yoshimura</u> N, Muraki S, Yamada H, Nagata K, Hashizume H, Takiguchi N, Minamide A, <u>Oka</u> H, Kawaguchi H, Nakamura K, Akune T, Yoshida M	Associations between radiographic lumbar spinal stenosis and clinical symptoms in the general population: The Wakayama Spine Study.	Osteoarthritis Cartilage	21	783-788	2013
Teraguchi M, <u>Yoshimura</u> N, Hashizume H, Muraki S, Yamada H, Minamide A, <u>Oka</u> H, Ishimoto Y, Nagata K, Kagotani R, Takiguchi N, Akune T, Kawaguchi H, Nakamura K, Yoshida M	Prevalence and distribution of intervertebral disc degeneration over the entire spine in a population-based cohort: the Wakayama Spine Study.	Osteoarthritis Cartilage	22	104-110	2014
<u>Yoshimura</u> N, Akune T, Fujiwara S, Nishiwaki Y, Shimizu Y, Yoshida H, Sudo A, Omori G, Yoshida M, Shimokata H, Suzuki T, Muraki S, <u>Oka</u> H, Nakamura K	Prevalence of knee pain, lumbar pain and its co-existence in Japanese men and women: The Longitudinal Cohorts of Motor System Organ (LOCOMO) study.	J Bone Miner Metab			2014 [Epub ahead of print]
<u>Yoshimura</u> N, Akune T, Fujiwara S, Shimizu Y, Yoshida H, Nishiwaki Y, Sudo A, Omori G, Yoshida M, Shimokata H, Suzuki T, Muraki S, <u>Oka</u> H, Nakamura K	Incidence of disability and its associated factors in Japanese men and women: The Longitudinal Cohorts of Motor System Organ (LOCOMO) study.	J Bone Miner Metab			2014 [Epub ahead of print]

Nagata K, <u>Yoshimura N</u> , Muraki S, Hashizume H, Ishimoto Y, Yamada H, Takiguchi N, Nakagawa Y, <u>Oka H</u> , Kawaguchi H, Nakamura K, Akune T, Yoshida M	The prevalence of cervical myelopathy among subjects with narrow cervical spinal canal in a population-based MRI study: The Wakayama Spine Study.	Spine Journal			2014 [Epub ahead of print]
Nishizawa Y, Ohta H, Miura M, Inaba M, Ichimura S, Shiraki M, Takada J, Chaki O, Hagino H, Fujiwara S, Fukunaga M, Miki T, <u>Yoshimura N</u> , for the Committee on the Guidelines for the Use of Biochemical Markers of Bone Turnover in Osteoporosis, Japan Osteoporosis Society Committee organization	Guidelines for the use of bone metabolic markers in the diagnosis and treatment of osteoporosis (2012 Edition).	J Bone Miner Metab	31	1-15	2013
Ishimoto Y, Yoshida M, Nagata K, Yamada H, Hashizume H, <u>Yoshimura N</u>	Consuming breakfast and exercising longer during high school increases bone mineral density in young Japanese men.	J Bone Miner Metab	31	329-336	2013

Coggon D, Ntani G, Palmer KT, Felli VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Serra C, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Masood Kadir M, Warnakulasuriya SS, Matsudaira K, Nyantumbu B, Sim MR, Harcombe H, Cox K, Marziale MH, Sarquis LM, Harari F, Freire R, Harari N, Monroy MV, Quintana LA, Rojas M, Salazar Vega EJ, Harris EC, Vargas-Prada S, Martinez JM, Delclos G, Benavides FG, Carugno M, Ferrario MM, Pesatori AC, Chatzi L, Bitsios P, Kogevinas M, Oha K, Sirk T, Sadeghian A, Peiris-John RJ, Sathiakumar N, Wickremasinghe AR, <u>Yoshimura N</u> , Kelsall HL, Hoe VC, Urquhart DM, Derrett S, McBride D, Herbison P, Gray A	Disabling musculoskeletal pain in working populations: Is it the job, the person or the culture?	Pain	154	856-863	2013
Mithal A, Boonen S, Bonjour J-P, Burckhardt P, Degens H, Hajj Fuleihan G El, Josse R, Lips P, Morales Torres J, Rizzoli R, <u>Yoshimura N</u> , Wahl DA, Cooper C, Dawson-Hughes B for the IOF CSA Nutrition Working Group	Impact of nutrition on muscle mass, strength, and performance in older adults.	Osteoporos Int	24	1555-1566	2013
Tsutsui S, <u>Yoshimura N</u> , Watanuki A, Yamada H, Nagata K, Ishimoto Y, Enyo Y, Yoshida M	Risk factors and natural history of de novo degenerative lumbar scoliosis in a community-based cohort: The Miyama Study.	Spine deformity	1	287-292	2013

Coggon D, Ntani G, Vargas-Prada S, Martinez JM, Serra C, Benavides FG, Palmer KT and other members of the CUPID Collaborators (Felli VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Kadir MM, Warnakulasuriya SS, Matsudaira K, Nyantumbu B, Sim MR, Harcombe H, Cox K, Marziale MH, Sarquis LM, Harari F, Freire R, Harari N, Monroy MV, Quintana LA, Rojas M, Vega EJ, Harris EC, Delclos G, Carugno M, Ferrario MM, Pesatori AC, Chatzi L, Bitsios P, Kogevinas M, Oha K, Sirk T, Sadeghian A, Peiris-John RJ, Sathiakumar N, Wickremasinghe AR, <u>Yoshimura N</u> , Kelsall HL, Hoe VC, Urquhart DM, Derrett S, McBride D, Herbison P, Gray A)	International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study.	Occup Med	Environ	70	575-584	2013
--	--	-----------	---------	----	---------	------

Coggon D, Ntani G, Palmer KT, Felli VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Vargas-Prada S, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Masood Kadir M, Warnakulasuriya SS, Matsudaira K, Nyantumbu B, Sim MR, Harcombe H, Cox K, Marziale MH, Sarquis LM, Harari F, Freire R, Harari N, Monroy MV, Quintana LA, Rojas M, Salazar Vega EJ, Clare Harris E, Serra C, Miguel Martinez J, Delclos G, Benavides FG, Carugno M, Ferrario MM, Pesatori AC, Chatzi L, Bitsios P, Kogevinas M, Oha K, Sirk T, Sadeghian A, Peiris-John RJ, Sathiakumar N, Rajitha Wickremasinghe A, <u>Yoshimura N</u> , Kelsall HL, Hoe VC, Urquhart DM, Derrett S, McBride D, Herbison P, Gray A	Patterns of multi-site pain and associations with risk factors.	Pain	154	1769-1777	2013
Yoshida T, Kato J, Inoue I, <u>Yoshimura N</u> , Deguchi H, Mukoubayashi C, Oka M, Watanabe M, Enomoto S, Niwa T, Maekita T, Iguchi M, Tamai H, Utsunomiya H, Yamamichi N, Fujishiro M, Iwane M, Takeshita T, Ushijima T, Ichinose M	Cancer development based on chronic active gastritis and resulting gastric atrophy as assessed by serum levels of pepsinogen and Helicobacter pylori antibody titer.	Int J Cancer	134	1445-1457	2014

Johansson H, Kanis JA, Odén A, McCloskey E, Chapurlat RD, Christiansen C, Cummings SR, Diez-Perez A, Eisman JA, Fujiwara S, Glüer CC, Goltzman D, Hans D, Khaw KT, Krieg MA, Kröger H, Lacroix AZ, Lau E, Leslie WD, Mellström D, Melton LJ 3rd, O'Neill TW, Pasco JA, Prior JC, Reid DM, Rivadeneira F, van Staa T, <u>Yoshimura N</u> , Zillikens MC	A meta-analysis of the association of fracture risk and body mass index in women.	J Bone Miner Res	29	223-233	2014
Inoue I, Kato J, Tamai H, Iguchi M, Maekita T, <u>Yoshimura N</u> , Ichinose M	Helicobacter pylori -related chronic gastritis as a risk factor for colonic neoplasms.	World J Gastroenterol	20	1485-1492	2014
Kanis JA, Johansson H, Oden A, Cooper C, McCloskey EV; Epidemiology and Quality of Life Working Group of IOF (Kanis JA, Cooper C, Adachi J, Borgström F, Clark P, Cummings S, Diaz-Curiel M, Dimai HP, Harvey N, Hiligsmann M, Lau E, Lewiecki M, Lips P, Lorenc R, McCloskey E, Ortolani S, Papioannou A, Silverman S, Sosa M, Szulc P, <u>Yoshimura N</u>)	Worldwide uptake of FRAX.	Arch Osteoporos	166		2014 [Epub ahead of print]
Hashizume H, <u>Yoshimura N</u> , Nagata K, Miyazaki N, Ishimoto Y, Nishiyama R, Yamada H, Yoshida M	Development and evaluation of a video exercise program for locomotive syndrome in the elderly.	Mod Rheumatol			2014 [Epub ahead of print]
Nagata K, Yoshida M, Ishimoto Y, Hashizume H, Yamada H, <u>Yoshimura N</u>	Skipping breakfast and less exercise are risk factors for bone loss of Japanese young adults: a 3-year follow-up for medical students.	J Bone Miner Metab			2014 [Epub ahead of print]
Inoue I, Kato J, <u>Yoshimura N</u> , Maeda Y, Moribata K, Shingaki N, Deguchi H, Enomoto S, Maekita T, Ueda K, Iguchi M, Tamai H, Fujishiro M, Uamamichi N, Takeshita T, Ichinose M	Elevated risk of recurrent colorectal neoplasia with Helicobacter pylori-associated chronic atrophic gastritis: A follow-up study of patients with endoscopically resected colorectal neoplasia.	Molecular and Clinical Oncology			2014 [Epub ahead of print]

Tanaka Y	Next stage of RA treatment: TNF-inhibitor-free remission will be a possible treatment goal?	Ann Rheum Dis	27	ii124-ii127	2013
Smolen JS, Schoels MM, Nishimoto N, Breedveld FC, Burmester G, Dougados M, Emery P, Ferraccioli G, Gabay C, Gibofsky A, Gomez-Reino JJ, Jones G, Kvien TK, Murakami M, Betteridge N, Bingham III C, Bykerk V, Choy E, Combe B, Cutolo M, Graninger W, Lanas A, Martin-Mola E, Montecucco C, Ostergaard M, Pavelka K, Rubbert-Roth A, Sattar N, Scholte-Voshaar M, Tanaka Y, Trauner M, Valentini G, Winthrop K, de Wit M, van der Heijde D	Consensus statement on blocking the effects of interleukin-6 and in particular by interleukin-6 receptor inhibition in rheumatoid arthritis and other inflammatory conditions.	Ann Rheum Dis	72	482-492	2013
Tanaka Y, Yamaoka K	A Jak inhibitor tofacitinib for the treatment of rheumatoid arthritis from basic to clinic.	Mod Rheumatol	23	415-424	2013
O'Shea JJ, Kontzias A, Yamaoka K, Tanaka Y, Laurence A	Janus kinase inhibitors in autoimmune diseases.	Ann Rheum Dis	72	ii111-ii115	2013
Tanaka Y, Hirata S, Saleem B, Emery P	Discontinuation of biologics in patients with rheumatoid arthritis.	Clin Exp Rheumatol (Suppl . 78)	31	S22-S27	2013
Tanaka Y, Hirata S	Is it possible to withdraw biologics from therapy in rheumatoid arthritis?	Clinical Therapeutics	35	2028-2035	2013
Mori H, Okada Y, Kishikawa H, Inokuchi N, Sugimoto H, Tanaka Y	Effects of raloxifene on lipid and bone metabolism in postmenopausal women with type 2 diabetes.	J Bone Miner Metabolism	31	89-95	2013
Kameda H, Kanbe K, Sato e, Ueki Y, Saito K, Nagaoka S, Hidaka T, Atsumi T, Tsukano M, Kasama T, Shiozawa S, Tanaka Y, Yamanaka H, Takeuchi T	A merged presentation of clinical and radiographic data using probability plots in a clinical trial, the JESMR study.	Ann Rheum Dis	72	310-312	2013
Aoki T, Yamashita Y, Saito K, Tanaka Y, Korogi Y	Diagnosis of early-stage rheumatoid arthritis: usefulness of unenhanced and gadolinium-enhanced MR images at 3 T.	Clin Imaging	37	348-353	2013

van der Heijde D, <u>Tanaka Y</u> , Fleischmann R, Keystone E, Kremer J, Zerbini C, Cardiel MH, Cohen S, Nash P, Song YW, Tegzová D, Wyman BT, Gruben D, Benda B, Wallenstein G, Krishnaswami S, Zwillich SH, Bradley JD, Connell CA and the ORAL Scan investigators	Tofacitinib (CP-690,550) in patients with rheumatoid arthritis on methotrexate: 12 month data from a 24 month Phase 3 randomized radiographic study.	Arthritis Rheum	65	559-570	2013
Tsuboi H, Hagiwara S, Asashima H, umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama S, Takeuchi T, <u>Tanaka Y</u> , Hirata S, Mimori T, Matsumoto I, Sumida T	Validation of diagnostic criteria for Sjogren's syndrome in Japanese patients.	Mod Rheumatol	23	219-225	2013
Toyota T, Akamatsu N, Tanaka A, Shouzaki T, Tsuji S, Saito K, <u>Tanaka Y</u>	Mesial temporal lobe epilepsy as a neuropsychiatric syndrome of systemic lupus erythematosus.	Epilepsia	54	e33-e36	2013
Iwata S, Saito K, Tokunaga M, <u>Tanaka Y</u>	Persistent memory B cell down-regulation after 6-year remission induced by rituximab therapy in patients with systemic lupus erythematosus.	Lupus	22	538-540	2013
Arao T, Okada Y, Mori H, Nishida K, <u>Tanaka Y</u>	Antihypertensive and metabolic effects of high-dose olmesartan and telmisartan in type 2 diabetes patients with hypertension.	Endocrine J	60	563-570	2013
Aoki T, Yamashita Y, Oki H, Takahashi H, Hayashida Y, Saito K, <u>Tanaka Y</u> , Korogi Y	Iterative decomposition of water and fat with echo asymmetry and least-squares estimation (IDEAL) of the wrist and finger at 3T: Comparison with chemical shift selective fat suppression images.	J Magn Reson Imaging	37	733-738	2013
Li X, Yamagata K, Nishita M, Endo M, Arfian N, Rikitake Y, Emoto N, Hirata K, <u>Tanaka Y</u> , Minami Y	Activation of Wnt5a-Ror2 signaling associated with epithelial-to-mesenchymal transition (EMT) of tubular epithelial cells during renal fibrosis.	Genes Cells	18	608-619	2013
Kurozumi A, Okada Y, Mori H, Arao T, <u>Tanaka Y</u>	Efficacy of α -glucosidase inhibitors combined with dipeptidyl-peptidase-4 inhibitor (Alogliptin) for glucose fluctuation in patients with type 2 diabetes mellitus by continuous glucose monitoring.	J Diabetes Invest	4	393-398	2013

Mori H, Okada Y, <u>Tanaka Y</u>	Effects of pravastatin, atorvastatin, and rosuvastatin in patients with type 2 diabetes mellitus and hypercholesterolemia.	Diabetology International	4	117-125	2013
Takeuchi T, Harigai M, Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-MONO study group	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying anti-rheumatic drugs: results of the Phase 2/3, multicenter, randomized, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis	72	1488-1495	2013
Mori T, Kabashima K, Fukamachi S, Kuroda E, Sakabe JI, Kobayashi M, Nakajima S, Nakano K, <u>Tanaka Y</u> , Matsushita S, Nakamura M, Tokura Y	D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells.	J Dermatol Sci	18	608-619	2013
Hanami K, Nakano K, Saito K, Okada Y, Yamaoka K, Kubo S, Kondo M, <u>Tanaka Y</u>	Dopamine D2-like receptor signaling suppresses human osteoclastogenesis.	Bone	56	1-8	2013
Ikenouchi-Sugita A, Yoshimura R, Hori H, Umene-Nakano W, Katsuki A, Saito K, <u>Tanaka Y</u> , Nakamura J	Plasma catecholamine metabolite levels and the activities of psychiatric symptoms in systemic lupus erythematosus.	Hum Psychopharm Clin	28	198-202	2013
Hirata S, Driven L, Shen Y, Centola M, Cavet G, Lems WF, <u>Tanaka Y</u> , Huizinga TWJ, Allaart CF	A multi-biomarker score measures rheumatoid arthritis disease activity in the BeSt study.	Rheumatology	52	1202-1207	2013
Torimoto K, Okada Y, Mori H, <u>Tanaka Y</u>	Relationship between fluctuations in glucose levels measured by continuous glucose monitoring and vascular endothelial dysfunction in type 2 diabetes mellitus.	Cardiovasc Diabetol	12	doi: 10.1186/1475-2840-12-1	2013
Takeuchi T, Yamanaka H, Ishiguro N, Miyasaka N, Mukai M, Matsubara T, Uchida s, Akama H, Kupper H, Aprora V, <u>Tanaka Y</u>	Adalimumab a human anti-TNF monoclonal antibody, outcome study for the prevention of joint damage in Japanese patients with early rheumatoid arthritis: the HOPEFUL 1 study.	Ann Rheum Dis	72	1488-1495	2013
Nakajima A, Saito K, Kojima T, Amano K, Yoshio T, Fukuda W, Inoue E, Momohara S, Minota S, Takeuchi T, Ishigura N, <u>Tanaka Y</u> , Yamanaka H	No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan.	Mod Rheumatol	23	945-952	2013