

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小池隆夫

1/2

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Koike T	The new era of autoimmune disease research.	Arthritis Research&Therapy	13	113	2011
2 Kato M,Atsumi T,Kurita T,Odani T,Fujieda Y,Otomo K,Horita T,Yasuda S, <u>Koike T</u> .	Hepatitis B virus reactivation by immunosuppressive therapy in patients with autoimmune diseases:Risk analysis in hepatitis B surface antigen-negative cases.	J.Rheumatol	38(10)	2209-14	2011
3 Takeuchi T, Miyasaka N, Tatsuki Y, Yano T, Yoshinari T, Abe T, <u>Koike T</u> .	Inhibition of plasma IL-6 in addition to maintenance of an efficacious trough level of infliximab associated with clinical remission in patients with rheumatoid arthritis: analysis of the RISING Study.	Ann Rheum Dis	71(9)	1583-5	2012
4 Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, <u>Koike T</u> , Ihata A, Ishigatsubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasawa K, Miyasaka N, Harigai M	REAL Study Group. Time-dependent increased risk for serious infection from continuous use of tumor necrosis factor antagonists over three years in patients with rheumatoid arthritis.	Arthritis Care Res	64(8)	1125-34	2012
5 Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatsubo Y, Atsumi T, <u>Koike T</u> , Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, Harigai M	REAL Study Group. Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis	71(11)	1820-6	2012
6 Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int	32(6)	1617-24	2012
7 Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int	32(6)	1511-9	2012
8 Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, <u>Koike T</u> , Kanazawa M, Oba T, Yoshinari T, Baker D	the GO-FORTH Study Group. Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis	71(6)	817-24	2012
9 Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol	22(4)	498-508	2012
10 Koike T	IFN $\gamma$ independent suppression of Th-17 differentiation by T-bet expression in autoimmune arthritis mice.	Arthritis Rheum	64(1)	40-41	2012
11 Kamishima T, Kato M, Atsumi T, <u>Koike T</u> , Onodera Y, Terae S.	Contrast-enhanced whole body joint MR imaging in rheumatoid patients on tumour necrosis factor-alpha agents: a pilot study to evaluate novel scoring system for MR synovitis.	Clin Exp Rheumatol	31(1)	154	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 小池隆夫

2/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
12	Koike T.	IgG4-related disease: why high IgG4 and fibrosis.	Arthritis Res Ther	15(1)	103	2013
13	Fukae J, Isobe M, Kitano A, Henmi M, Sakamoto F, Narita A, Ito T, Mitsuzaki A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, Atsumi T, Koike T.	Positive synovial vascularity in patients with low disease activity indicates smouldering inflammation leading to joint damage in rheumatoid arthritis: time-integrated joint inflammation estimated by synovial vascularity in each finger joint.	Rheumatology	52	523-528	2013
14	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, Harigai M	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol	23(2)	297-303	2013
15	Harigai M, Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol	23(2)	284-96	2013
16	Ikeda K, Koike T., Wakefield R, Emery P.	Is the glass half full or half empty?	Arthritis Rheum		in press	
17	Ikeda K, Seto Y, Ohno S, Sakamoto F, Henmi M, Fukae J, Narita A, Nakagomi D, Nakajima H, Tanimura K, Koike T.	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures - a pilot multicenter exercise in Japan.	Mod Rheumatol		in press	
18	Fukae J, Tanimura K, Atsumi T, Koike T.	Sonographic synovial vascularity of synovitis in rheumatoid arthritis.	Rheumatology		Epub ahead of print	
19	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, Koike T.	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multi-plane images of the 2nd metacarpophalangeal joint - Identification of the components which are reliable and influential on the global assessment of the whole joint.	Arthritis Rheum		in press	
20						
21						
22						
23						
24						
25						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小池隆夫

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 坊垣 幸、小池隆夫	抗リン脂質抗体症候群	免疫・アレルギー疾患	株)羊土社	2013
		イラストレイテッド	東京	141-145
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋俊久

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Masayo Kojima MD, PhD, Toshihisa Kojima MD, PhD, Sadao Suzuki MD, PhD, Nobunori Takahashi MD, PhD, Koji Funahashi MD, PhD, Daizo Kato MD, Masahiro Hanabayashi MD, Shinya Hirabara MD, PhD, Shuji Asai MD, PhD, and Naoki Ishiguro MD, PhD	Alexithymia, Depression, Inflammation and Pain in Patients with Rheumatoid Arthritis.	Arthritis Care & Research.	in press		2013
2	Takahashi N, Kojima T, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Ishikawa H, Hayashi M, Tsuibo S, Kanayama Y, Kato D, Funahashi K, Matsubara H, Hattori Y, Hanabayashi M, Hirabara S, Terabe K, Yoshioka Y, Ishiguro N.	Clinical efficacy of abatacept compared to adalimumab and tocilizumab in rheumatoid arthritis patients with high disease activity.	Clin Rheumatol.	Epub ahead of print		2013
3	小嶋俊久	特集【TNF $\alpha$ 阻害薬の10年】関節手術を減らすことができたか	分子リウマチ治療	6(3)	19-21	2013
4	小嶋俊久	(最新基礎科学)【知っておきたい】JAK阻害剤トファシチニブ(tofacitinib)	臨床整形外科	48(6)	564-569	2013
5	Hayashi M, Kuraishi H, Masubuchi T, Furihata K, Aida Y, Kobayakawa T, Deguchi M, Kojima T, Ishiguro N, Kanamono T.	A Fatal Case of Relapsing Pneumonia Caused by Legionella pneumophila in a Patient with Rheumatoid Arthritis After Two Injections of Adalimumab.	Clin Med Insights Case Rep.	12	101-6	2013
6	小嶋俊久、石黒直樹	(特集)関節リウマチ治療における生物学的製剤治療-薬剤中止寛解の可能性を中心に-【バイオフリー寛解がいいのか、長期継続がいいのかー現在の治療成績から考える-】	リウマチ科	48(6)	664-668	2012
7	Nakajima A, Saito K, Kojima T, Amano K, Yoshio T, Fukuda W, Inoue E, Taniguchi A, Momohara S, Minota S, Takeuchi T, Ishiguro N, Tanaka Y, Yamanaka H.	No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan.	Mod Rheumatol.	23(5)	945-52	2012
8	Toshihisa Kojima, Yuichiro Yabe, Atsushi Kaneko, Yuji Hirano, Hisato Ishikawa, Masatoshi Hayashi, Hiroyuki Miyake, Hideki Takagi, Takefumi Kato, Kenya Terabe, Tsuyoshi Wanatabe, Hiroki Tsuchiya, Daihei Kida, Tomone Shioura, Koji Funahashi, Daizo Kato, Hiroyuki Matsubara, Nobunori Takahashi, Yosuke Hattori, Nobuyuki Asai, and Naoki Ishiguro	Monitoring C-reactive protein levels to predict favourable clinical outcomes from tocilizumab treatment in patients with rheumatoid arthritis.	Mod Rheumatol.	23(5)	977-85	2012
9	Takahashi N, Kojima T, Terabe K, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Ishikawa H, Hayashi M, Tsuibo S, Kato D, Funahashi K, Matsubara H, Hattori Y, Hanabayashi M, Hirabara S, Yoshioka Y, Ishiguro N.	Clinical efficacy of abatacept in Japanese rheumatoid arthritis patients.	Mod Rheumatol.	23(5)	904-12	2012
10	Kaneko A, Hirano Y, Fujibayashi T, Hattori Y, Terabe K, Kojima T, Ishiguro N.	Twenty-four-week clinical results of adalimumab therapy in Japanese patients with rheumatoid arthritis: retrospective analysis for the best use of adalimumab in daily practice.	Mod Rheumatol.	23(3)	466-77	2012
11	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, Harigai M.	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod Rheumatol.	22(6)	849-858	2012
12	Yabe Y, Kojima T, Kaneko A, Asai N, Kobayakawa T, Ishiguro N.	A review of tocilizumab treatment in 122 rheumatoid arthritis patients included in the Tsurumai Biologics Communication Registry (TBCR) Study.	Mod Rheumatol.	23(2)	245-53	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 小嶋俊久  
2/2

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
13 小嶋俊久、石黒直樹	総論15生物学的製剤使用中における手術の注意点とは?	正しい生物学的製剤の使い方【関節リウマチ】		93-97	2012
14 Hayashi M, Kojima T, Funahashi K, Kato D, Matsubara H, Shioura T, Kanayama Y, Hirano Y, Deguchi M, Kanamono T, Ishiguro N.	Pneumococcal polyarticular septic arthritis after a single infusion of infliximab in a rheumatoid arthritis patient: a case report.	J Med Case Reports.	6(1)	81	2012
15 小嶋俊久	(連載)X線診断Q&A	整形外科	63(2)	159-160	2012
16 Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Takagi H, Yabe Y, Kato T, Terabe K, Fukaya N, Tsuchiya H, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Ishiguro N.	Early aggressive intervention with tocilizumab for rheumatoid arthritis increases remission rate defined using a Boolean approach in clinical practice.	Mod Rheumatol.	22(3)	370-5	2011
17 Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Terabe K, Fukaya N, Kanayama Y, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Fujibayashi T, Kojima M, Ishiguro N; TBC.	Study protocol of a multicenter registry of patients with rheumatoid arthritis starting biologic therapy in Japan:Tsurumai Biologics Communication Registry (TBCR) Study.	Mod Rheumatol.	22(3)	339-345	2011
18 Hayashi M, Kojima T, Funahashi K, Kato D, Matsubara H, Shioura T, Kanayama Y, Hirano Y, Ishiguro N.	Effect of total arthroplasty combined with anti-tumor necrosis factor agents in attenuating systemic disease activity in patients with rheumatoid arthritis.	Mod Rheumatol.	22(3)	363-9	2011
19 Hirano Y, Kojima T, Kanayama Y, Shioura T, Hayashi M, Tsuboi S, Ishiguro N.	Anti-tumour necrosis factor therapy in rheumatoid arthritis patients with a history of deep prosthetic joint infection: a report of four cases.	Mod Rheumatol.	21(5)	542-7	2011
20 小嶋俊久	手術治療周術期に関するTNF阻害薬使用のガイドライン	分子リウマチ治療	4(2)	31-34	2011
21 小嶋俊久	関節リウマチと炎症性疾患—診断と治療のゴール	Orthopaedics	24(5)	111-118	2011
22 小嶋俊久	【テーマ①】肩関節周囲炎とRAの肩関節炎の鑑別法法を教えてください~高齢発症、大関節症状主体のRAの診断について	Frontiers in Rheumatology & Clinical Immunology	5(2)		2011
23					
24					
25					
26					
27					
28					
29					
30					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋俊久

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 小嶋俊久、石黒直樹	VII ケースから学ぶ上手な薬物療法 3. etanerceptが効果的であったケース【ケース1/ケース2/ケース3】		南江堂	2013
2 小嶋俊久、石黒直樹	I 押さえておくべき基本知識 6. 関節の構造と機能	関節リウマチ治療実践バイブル	東京	220-224
3 小嶋俊久	(特集)RAの新分類基準の時代におけるリウマチ性疾患の鑑別【変形性関節症と高齢発症RAの鑑別】	関節リウマチ治療実践バイブル	南江堂	2013
4		リウマチ科	東京	16-18
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 小嶋 雅代

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	小嶋 雅代, 小嶋 俊久, 難波 天夫, 茂木 七香, 大谷 尚, 高橋 伸典, 加藤 大三, 舟橋 康治, 松原 浩之, 服部 陽介, 石黒 直樹	関節リウマチ患者は薬物治療の変化をどのように感じているか フォーカスグループによる質的研究	中部リウマチ	43	17-20	2013
2	小嶋 雅代	周術期患者における死亡率と心血管イベントの発現	リウマチ科	49	471-478	2013
3	Kojima M, Kojima T, Suzuki S, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Hirabara S, Asai S, Ishiguro N.	Alexithymia, Depression, Inflammation and Pain in Patients with Rheumatoid Arthritis.	Arthritis Care Res			in Press
4	Kojima M.	Alexithymia as a prognostic risk factor for health problems: a brief review of epidemiological studies.	Biopsychosoc Med	17	21	2012
5	Kojima M.	Epidemiologic studies of psychosocial factors associated with quality of life among patients with chronic diseases in Japan.	J Epidemiol.	22	7-11	2012
6	Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Terabe K, Fukaya N, Kanayama Y, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Fujibayashi T, Kojima M, Ishiguro N; TBC.	Study protocol of a multicenter registry of patients with rheumatoid arthritis starting biologic therapy in Japan: Tsurumai Biologics Communication Registry (TBCR) study.	Mod Rheumatol.	22	339-4	2012
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:瀬戸洋平

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Y. Seto, E. Inoue, K. Shidara, D. Hoshi, N. Sugimoto, E. Sato, E. Tanaka, A. Nakajima, A. Taniguchi, S. Momohara, H. Yamanaka	Functional disability can deteriorate despite suppression of disease activity in patients with rheumatoid arthritis: a large observational cohort study.	Mod Rheumatol.	23	1179-1185	2013
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:中山健夫

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Higashi T, Fukuhara S, Nakayama T.	Opinion of Japanese rheumatology physicians on methods of assessing the quality of rheumatoid arthritis care.	J Eval Clin Pract.	2	290-5	2012
2 中山健夫	EBMの普及と医療リテラシー:情報と医師患者コミュニケーション.	日本内科学会雑誌	101(12)	3600-3606	2012
3 中山健夫	医療における診療ガイドライン:背景・現状・今後の展望.	賠償科学	38	6-14	2012
4 中山健夫	臨床研究における利益相反(COI)マネジメントの重要性	臨床栄養	122	408-9	2013
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:中山健夫

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 宮崎貴久子・中山健夫	(監訳)	宮崎貴久子、中山健夫 トムラングの医学論文「執筆・出版・発表」実践ガイド	シナジー 東京	2011
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 西田圭一郎

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 西田圭一郎、橋詰謙三、中原龍一	II.手術療法. 関節リウマチの上肢機能障害に対する人工関節全置換術—肩・肘—	関節外科	30(5)	94-101	2011
2 西田圭一郎、橋詰謙三、中原龍一.	関節リウマチに対する上肢人工関節置換術の進歩と今後	日整会誌	85	348-358	2011
3 Momohara S, Tanaka S, Nakamura H, Mibe J, Iwamoto T, Ikari K, Nishino J, Kadono Y, Yasui T, Takahashi K, Takenouchi K, Hashizume K, Nakahara R, Kubota A, Nakamura T, <u>Nishida K</u> , Suguro T	Recent trends in orthopedic surgery performed in Japan for rheumatoid arthritis	Mod Rheumatol	21	337-342	2011
4 Suzuki M, <u>Nishida K</u> , Soen S, Oda H, Inoue H, Kaneko A, Takagishi K, Tanaka T, Matsubara T, Mitsugi N, Mochida Y, Momohara S, Mori T, Suguro T	Risk of postoperative complications in rheumatoid arthritis relevant to treatment with biologic agents: a report from the Committee on Arthritis of the Japanese Orthopaedic Association	J Orthop Sci	16	778-784	2011
5 西田圭一郎、中原龍一、橋詰謙三、斎藤太一、金澤智子、小澤正嗣、那須義久、尾崎敏文。	生物学的製剤の登場による手術療法の動向と適応の変化について。	日整会誌	86	394-400	2012
6 Ozaki T, Hashizume K, Nakahara R, <u>Nishida K</u>	Radiographic remodeling of the shoulder joint in a patient with rheumatoid arthritis after 4 years of treatment with etanercept.	Mod Rheumatol.	22(4)	635-7	2012
7 那須 義久, <u>西田 圭一郎</u> .	上肢のリウマチ診断と治療. II 治療 生物学的製剤が与えたリウマチ関節外科手術の変化	関節外科	32(4)	382-388	2013
8 <u>Nishida K</u> , Nasu Y, Hashizume K, Nakahara R, Ozawa M, Harada R, Machida T, Ozaki T	Abatacept management during the perioperative period in patients with rheumatoid arthritis: report on eight orthopaedic procedures	Mod Rheumatol			2013
9					
10					
11					
12					
13					
14					
15					
16					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 西田圭一郎

書籍

著者氏名	論文タイトル名	書籍全体の編集者名		出版社名 出版地	出版年 ページ
		書籍名	神戸克明		
1 橋詰謙三、中原龍一、 <u>西田圭一郎</u>	生物学的製剤使用における整形外科手術の周術期合併症	手にとるようにわかる関節リウマチにおける生物学的製剤の実際. 5剤の臨床データによる治療最前線	ペクトル・コア 東京	2011 26-55	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

1/4

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 針谷正祥	日本の生物学的製剤使用ガイドライン(特集 世界のリウマチガイドラインをみわたす)。	分子リウマチ治療	4(2)	27(77)-30(80)	2011
2 針谷正祥	日常臨床とファーマコビジランス(薬害監視)(特集 全身性疾患と腎障害)	総合臨床	60(6)	1451-1452	2011
3 針谷正祥	治療目標—目標達成に向けた治療(Treat to Target)のエビデンスと実際	別冊・医学のあゆみ(関節リウマチ"治癒をめざす"最新治療コンセンサス)	別冊	14-19	2011
4 針谷正祥、野々村美紀、酒井良子	REALコホートにおける検証(特集2010関節リウマチ新分類基準を検証する)	分子リウマチ治療	4(4)	15-18 (193-196)	2011
5 渡部香織、針谷正祥	関節リウマチ患者が妊娠した場合に生物学的製剤は継続すべきか中止すべきか?(特集)内科診療における論点	内科	107(6)	1411-1416	2011
6 萩山裕之、針谷正祥	抗体療法の副作用対策	医学のあゆみ	238(6)	637-642	2011
7 長坂憲治、針谷正祥	生物学的製剤の利点と欠点(特集 ここまでわかった自己免疫疾患)	臨床検査(増刊号)	55(11)	1349-1358	2011
8 Yamazaki H, Nanki T, Miyasaka N, Harigai M.	Methotrexate and trimethoprim-sulfamethoxazole use for PCP prophylaxis.	J Rheumatol.	38(4)	777	2011
9 Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, Harigai M, for the REAL Study Group.	The REAL database reveals no significant risk for serious infection during treatment with methotrexate over 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	444-8	2011
10 Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, Harigai M, for the REAL Study Group.	Tacrolimus-induced Pulmonary Injury in Rheumatoid Arthritis Patients.	Pulmonary Pharmacology and Therapeutics	24 (4)	401-6	2011
11 Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Toma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashimoto A, Koike T, Ishigutubo Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, Harigai M, for the REAL Study Group.	Incidence and risk factors for serious infection in rheumatoid arthritis patients treated with tumor necrosis factor (TNF) inhibitors; a report from the Registry of Japanese Rheumatoid Arthritis Patients for Long-Term Safety (REAL).	J Rheumatol.	38(7)	1258-64	2011
12 Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Postmarketing surveillance of safety and effectiveness of etanercept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	343-51	2011
13 Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Ito K, Yamanaka H.	Postmarketing surveillance of tocilizumab for rheumatoid arthritis in Japan: interim analysis of 3881 patients.	Ann Rheum Dis.	70(12)	2148-51	2011
14 山崎隼人、針谷正祥	エタネルセプトは週1回投与が可能。(特集:生物学的製剤時代の関節リウマチ最新治療戦略)	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

2/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
15	Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-95	2012
16	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int.	32(6)	1617-24	2012
17	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-9.	2012
18	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-24	2012
19	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-9.	2012
20	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol.	22(4)	498-508	2012
21	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	814-22	2012
22	山崎隼人、針谷正祥	エタネルセプトは週1回投与が可能(特集:生物学的製剤時代の関節リウマチ最新治療戦略)	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012
23	Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-495	2012
24	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int.	32(6)	1617-1624	2012
25	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-1519	2012
26	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-824	2012
27	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol.	22(4)	498-508	2012
28	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	814-822	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

3/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
29	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N.	Erratum to: Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	823	2012
30	Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-495	2012
31	Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatubo Y, Atsumi T, Koike T, Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, Harigai M; for the REAL Study Group.	Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis.	71(11)	1820-1826	2012
32	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, Koike T, Ihata A, Ishigatubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasaki K, Miyasaka N, Harigai M; for the REAL Study Group.	Time-dependent increased risk for serious infection from continuous use of tumor necrosis factor antagonists over three years in patients with rheumatoid arthritis.	Arthritis Care Res (Hoboken)	64(8)	1125-1134	2012
33	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, Harigai M.	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod Rheumatol.	22(6)	849-858	2012
34	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol	22(4)	498-508	2012
35	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-1519	2012
36	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-824	2012
37	Kobayashi S, Harigai M, Mozaffarian N, Pangan AL, Sharma S, Brown LS, Miyasaka N	A multicenter, open-label, efficacy, pharmacokinetic, and safety study of adalimumab in Japanese patients with ankylosing spondylitis	Mod Rheumatol.	22(4)	589-97	2012
38	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients	Mod Rheumatol.	22(4)	498-508	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

4/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
39	Watanabe K, Sakai R, Koike R, Sakai F, Sugiyama H, Tanaka M, Komano Y, Akiyama Y, Mimura T, Kaneko M, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Mukai M, Iwahashi M, Saito K, Tanaka Y, Nanki T, Miyasaka N, <u>Harigai M</u> .	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients.	Mod Rheumatol.	23(6)	1085-93	2013
40	<u>Harigai M</u> , Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol.	23(2)	284-96	2013
41	Takeuchi T, <u>Harigai M</u> , Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-MONO study group.	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicentre, randomised, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis.	72(9)	1488-95	2013
42	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, <u>Harigai M</u> .	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol.	23(2)	297-303	2013
43	Takeuchi T, <u>Harigai M</u> , Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicentre, randomised, double-blind, placebo-controlled GO-MONO study through 24 weeks	Ann Rheum Dis.	72(9)	1488-95	2013
44	Kawasaki A, Inoue N, Ajimi C, Sada K, Kobayashi Y, Yamada H, Furukawa H, Sumida T, Tohma S, Miyasaka N, Matsuo S, Ozaki S, Hashimoto H, Makino H, <u>Harigai M</u> , Tsuchiya N	Association of IRF5 polymorphism with MPO-ANCA positive vasculitis in a Japanese population	Genes Immun	advance online publication	advance online publication	2013
45	針谷正祥	結節性多発動脈炎(特集 血管炎の診断と治療-新分類CHCC2012に沿って)	医学のあゆみ	246(1)	21-26	2013
46	Dougados M, Soubrier M, Antunez A, Balint P, Balsa A, Buch MH, Casado G, Detert J, El-Zorkany B, Emery P, Hajaj-Hassouni N, <u>Harigai M</u> , Luo SF, Kurucz R, Maciel G, Mola EM, Montecucco CM, McInnes I, Radner H, Smolen JS, Song YW, Vonkeman HE, Winthrop K, Kay J.	Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA).	Ann Rheum Dis.	73 (1)	Aug-66	2014
47	Cho SK, Sakai R, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Tanaka Y, Nakajima A, Yasuda S, Ihata A, Ezawa K, Won S, Choi CB, Sung YK, Kim TH, Jun JB, Yoo DH, Miyasaka N, Bae SC, <u>Harigai M</u> for the RESEARCH investigators and the REAL Study Group.	A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan.	Mod Rheumatol.	2013 [Epub ahead of print]		

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 針谷正祥	生物学的製剤のリスクマネジメントとインフォームドコンセントとは?	宮坂信之編	医薬ジャーナル社	2011
		関節リウマチ(生物学的製剤の正しい使い方とは?)	日本	66-73
2 針谷正祥	膠原病に用いる生物学的製剤による薬剤性肺障害	宮坂信之	医薬ジャーナル社	2012
		膠原病の肺合併症診療マニュアル	東京	177-185
3 針谷正祥	生物学的製剤で副作用が起こったら?~副作用の対処方法~	宮坂信之	医薬ジャーナル社	2012
		正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	57-65
4 針谷正祥	B型肝炎ウイルス再活性化への対処方法は?	宮坂信之	医薬ジャーナル社	2012
		正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	66-70
5 針谷正祥	ステロイドと他剤との相互作用とは?	宮坂信之	医薬ジャーナル社	2012
		正しいステロイド剤の使い方(1.内用剤編)改訂3版	東京	49-52
6 針谷正祥	続発性免疫不全症候群	門脇 孝、永井良三	西村書店	2012
		内科学(第1版)	東京	1334-1335
7 針谷正祥	ステロイドと他剤との相互作用	宮坂信之	新興医学出版社	2013
		ポケットサイズのステロイド診療マニュアル	東京	27-32
8 針谷正祥	治療につながる診断力	竹内勤	南江堂	2013
		関節リウマチ治療【実践バイブル】	東京	23-27
9 針谷正祥	既往感染例におけるHBV再活性化の実態と対策④リウマチ性疾患・自己免疫疾患	持田智	医薬ジャーナル社	2013
		de novo B型肝炎(HBV再活性化予防のための基礎知識)	大阪	146-153
10 針谷正祥	サイトカイン(基礎編 免疫のしくみ)	田中良哉	羊土社	2013
		免疫・アレルギー疾患イラストレイテッド	東京	77-86
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 平田信太郎

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Takeuchi T, Tanaka Y, Kaneko Y, Tanaka E, Hirata S, Kurasawa T, Kubo S, Saito K, Shidara K, Kimura N, Nagasawa H, Kameda H, Amano K, Yamanaka H.	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study).	Mod Rheumatol.	22	327-38.	2012
2	Hirakawa E, Saito K, Hirata S, Atsumi T, Koike T, Tanaka Y.	A case of catastrophic antiphospholipid antibody syndrome complicated with systemic lupus erythematosus, double positive for anti-cardiolipin/β <sub>2</sub> -glycoprotein I and anti-phosphatidylserine/prothrombin autoantibodies.	Mod Rheumatol.	22	769-73.	2012
3	Yoshimura R, Saito K, Terada T, Yunoue N, Umene-Nakano W, Hirata S, Saitoh K, Tanaka Y, Nakamura J.	Steroid psychosis in a polyarteritis nodosa patient successfully treated with risperidone: tracking serum brain-derived neurotrophic factor levels longitudinally.	Ann Gen Psychiatry.	11	2	2012
4	Iwata S, Saito K, Hirata S, Tanaka Y.	Phenotypic changes of lymphocyte in a patient with IgG4-related disease after corticosteroid therapy.	Ann Rheum Dis.	71	2058-9.	2012
5	平田信太郎, 田中良哉	【関節リウマチ(RA)診断と治療の進歩】評価 X線による関節破壊評価	日本内科学会雑誌	101	2893-2898	2012
6	平田信太郎, 山岡邦宏, 田中良哉	【もっと深くエビデンスを読む】どのように生物学的製剤を使うか BeSt & RRR	分子リウマチ治療	5	131-134	2012
7	平田信太郎, 斎藤和義, 澤向範文, 中野和久, 山岡邦宏, 田中良哉	関節リウマチ患者におけるCOX-2選択性阻害薬セレコキシブの上部消化管自覚症状に対する影響 非ステロイド性抗炎症薬(NSAIDs)切り替え効果の検討	九州リウマチ	32	17-25	2012
8	平田信太郎, 田中良哉	【関節リウマチ診療update-これだけは知っておきたい知識とは?】『治療にあたり内科医が知るべき知識』専門医に紹介するタイミングとは?	内科	109	615-620	2012
9	田中良哉, 平田信太郎, 斎藤和義	【関節リウマチの最新情報-寛解を目指した診断と治療の新展開-】治療戦略 生物学的製剤中止のタイミング	最新医学	67	237-243	2012
10	平田信太郎, 田中良哉	目でみるシリーズ 関節X線スコアリング van der Heijde modified Sharp scoreの実際	Frontiers in Rheumatology & Clinical Immunology	6	4-7	2012
11	平田信太郎, 田中良哉	【関節リウマチ治療における生物学的製剤治療-薬剤中止寛解の可能性を中心に】アダリムマブによるバイオフリー寛解の可能性	リウマチ科	48	636-640	2012
12	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, Harigai M.	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol.	23	297-303.	2013
13	Harigai M, Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol.	23	284-96.	2013
14	Yamamoto S, Okada Y, Mori H, Hirata S, Saito K, Inokuchi N, Tanaka Y.	Successful treatment of osteomalacia caused by renal tubular acidosis associated with Sjögren's syndrome.	Mod Rheumatol.	23	401-5.	2013
15	Tsuboi H, Hagiwara S, Asashima H, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Matsumoto I, Sumida T.	Validation of different sets of criteria for the diagnosis of Sjögren's syndrome in Japanese patients.	Mod Rheumatol.	23	219-25.	2013
16	Hirata S, Dirven L, Shen Y, Centola M, Cavet G, Lems WF, Tanaka Y, Huizinga TW, Allaart CF.	A multi-biomarker score measures rheumatoid arthritis disease activity in the BeSt study.	Rheumatology (Oxford).	52	1202-7.	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 平田信太郎

2/2

雑誌	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
17	Kubo S, Saito K, <u>Hirata S</u> , Fukuyo S, Yamaoka K, Sawamukai N, Nawata M, Iwata S, Mizuno Y, Tanaka Y.	Abatacept inhibits radiographic progression in patients with rheumatoid arthritis: a retrospective analysis of 6 months of abatacept treatment in routine clinical practice. The ALTAIR study.	Mod Rheumatol.	24	42-51	2013
18	Tanaka Y, <u>Hirata S</u> , Saleem B, Emery P.	Discontinuation of biologics in patients with rheumatoid arthritis.	Clin Exp Rheumatol.	31	S22-27	2013
19	<u>Hirata S</u> , Saito K, Kubo S, Fukuyo S, Mizuno Y, Iwata S, Nawata M, Sawamukai N, Nakano K, Yamaoka K, Tanaka Y.	Discontinuation of adalimumab after attaining disease activity score 28–erythrocyte sedimentation rate remission in patients with rheumatoid arthritis (HONOR study): an observational study.	Arthritis Res Ther.	15	R135.	2013
20	Tanaka Y, <u>Hirata S</u> .	Is It Possible to Withdraw Biologics From Therapy in Rheumatoid Arthritis?	Clin Ther.	35	2028-35	2013
21	平田信太郎, 田中良哉	【TNF阻害薬を見極める】アダリムマブ	Rheumatology Clinical Research	2	15-20	2013
22	平田信太郎, 田中良哉	【関節リウマチ治療における生物学的製剤に関する新知見】セルトリズマブ: 最近の新知見	リウマチ科	50	80-85	2013
23	平田信太郎、田中良哉	【話題】MBDAスコアによるRA活動性評価	リウマチ科	50	618-622	2013
24	Tanaka Y, <u>Hirata S</u> , Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayamada S, Yamaoka K, Sawamura F, Saito K.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Ann Rheum Dis.		in press	
25	Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, Umebara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, <u>Hirata S</u> , Mimori T, Yoshifiji H, Ohta A, Matsumoto I, Sumida T.	Primary and secondary surveys on epidemiology of Sjögren's syndrome in Japan.	Mod Rheumatol.		in press	
26	Sonomoto K, Yamaoka K, Kubo S, <u>Hirata S</u> , Fukuyo S, Maeshima K, Suzuki K, Saito K, Tanaka Y.	Effects of tofacitinib on lymphocytes in rheumatoid arthritis: Relation to efficacy and infectious adverse events.	Rheumatology (Oxford).		in press	
27	Fukuyo S, Saito K, Yamaoka K, Sawamukai N, <u>Hirata S</u> , Nawata M, Iwata S, Tanaka Y.	Efficacy and safety of reducing duration of infliximab infusion.	Mod Rheumatol.		in press	
28						
29						
30						
31						
32						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 平田信太郎

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 平田信太郎	解説編 リウマチ治療に関連する二 次性呼吸器合併症	田中良哉, 迎寛 編	永井書店	2011
		実践 リウマチ肺障害の診療	東京	38-47
2 平田信太郎, 田中良哉	症例編 実際の症例に基づく胸 部X線読影診断のホイント	田中良哉, 迎寛 編	永井書店	2011
		実践 リウマチ肺障害の診療	東京	51-89
3 平田信太郎, 田中良哉	II.治療につながる診断力 7.関節リ ウマチの画像診断と評価法 b.X線	竹内勤 編	南江堂	2013
		関節リウマチ治療 実践バイブル	東京	57-61
4 平田信太郎, 田中良哉	VII.ケースから学ぶ上手な薬物療 法 4. adalimumabが効果的であつ たケース	竹内勤 編	南江堂	2013
		関節リウマチ治療 実践バイブル	東京	225-227
5				
6				
7				
8				
9				
10				
11				
12				
13				