

研究成果の刊行に関する一覧表(平成23~25年度)

研究代表者氏名:宮坂信之

1/5

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Hashimoto J, Garnero P, van der Heijde D, Miyasaka N, Yamamoto K, Kawai S, Takeuchi T, Yoshikawa H, Nishimoto N.	Humanized anti-interleukin-6-receptor antibody (tocilizumab) monotherapy is more effective in slowing radiographic progression in patients with rheumatoid arthritis at high baseline risk for structural damage evaluated with levels of biomarkers, radiography, and BMI: data from the SAMURAI study.	Mod.Rheumatol.	21(1)	10-15	2011
2	Nakashioya H, Nakano K, Watanabe N, Miyasaka N, Matsushita S, Kohsaka H.	Therapeutic effect of D1-like dopamine receptor antagonist on collagen-induced arthritis of mice.	Mod.Rheumatol.	21(3)	260-266	2011
3	Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, Harigai M.	Tacrolimus-induced pulmonary injury in rheumatoid arthritis patients.	Pulm. Pharmacol. Ther.	24(4)	401-406	2011
4	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nakajima A, Atsumi T, Yasuda S, Tanaka Y, Saito K, Tohma S, Fujii T, Ihata A, Tamura N, Kawakami S, Sugihara T, Ito S, Miyasaka N, Harigai M.	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis.	Mod.Rheumatol.	21(4)	444-448	2011
5	Kawai S, Takeuchi T, Yamamoto K, Tanaka Y, Miyasaka N.	Efficacy and safety of additional use of tacrolimus in patients with early rheumatoid arthritis with inadequate response to DMARDs—a multicenter, double-blind, parallel-group trial.	Mod.Rheumatol.	21(5)	458-468	2011
6	Toyomoto M, Ishido S, Miyasaka N, Sugimoto H, Kohsaka H.	Anti-arthritis effect of E3 ubiquitin ligase, c-MIR, expression in the joints.	Int. Immunol.	23(3)	177-183	2011
7	Yamazaki H, Nanki T, Miyasaka N, Harigai M.	Methotrexate and trimethoprim-sulfamethoxazole for <i>Pneumocystis pneumonia</i> prophylaxis.	J. Rheumatol.	38(4)	777	2011
8	Takeuchi T, Miyasaka N, Tatsuki Y, Yano T, Yoshinari T, Abe T, Koike T.	Baseline tumour necrosis factor alpha levels predict the necessity for dose escalation of infliximab therapy in patients with rheumatoid arthritis.	Ann. Rheum. Dis.	70(7)	1208-1215	2011
9	Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Tohma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashiramoto A, Koike T, Ishigatsubo Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, Harigai M; REAL Study Group.	Incidence and risk factors for serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors: a report from the Registry of Japanese Rheumatoid Arthritis Patients for Longterm Safety.	J. Rheumatol.	38(7)	1258-1264	2011
10	Kaneko K, Miyabe Y, Takayasu A, Fukuda S, Miyabe C, Ebisawa M, Yokoyama W, Watanabe K, Imai T, Muramoto K, Terashima Y, Sugihara T, Matsushima K, Miyasaka N, Nanki T.	Chemerin activates fibroblast-like synoviocytes in patients with rheumatoid arthritis.	Arthritis Res. Ther.	13(5)	R158	2011
11	Komano Y, Yagi N, Onoue I, Kaneko K, Miyasaka N, Nanki T.	Arthritic joint-targeting small interfering RNA-encapsulated liposome: implication for treatment strategy for rheumatoid arthritis.	J. Pharmacol. Exp. Ther.	340(1)	109-113	2012
12	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D; the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann. Rheum. Dis.	71(6)	817-824	2012
13	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod.Rheumatol.	22(6)	814-822	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究代表者氏名:宮坂信之

2/5

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
14	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, Harigai M.	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod.Rheumatol.	22(6)	849-858	2012
15	Komano Y, Yagi N, Onoue I, Kaneko K, Miyasaka N, Nanki T.	Arthritic Joint- Targeting Small Interfering RNA-Encapsulated Liposome: Implication for Treatment Strategy for Rheumatoid Arthritis.	J. Pharmacol. Exp. Ther.	340(1)	109-113	2012
16	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod. Rheumatol.	22(6)	814-822	2012
17	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, Harigai M.	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod. Rheumatol.	22(6)	849-858	2012
18	Suzuki F, Kubota T, Miyazaki Y, Ishikawa K, Ebisawa M, Hirohata S, Ogura T, Mizusawa H, Imai T, Miyasaka N, Nanki T.	Serum level of soluble CX3CL1/fractalkine is elevated in patients with polymyositis and dermatomyositis, which is correlated with disease activity.	Arthritis Res. Ther.	14(2)		2012
19	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, Koike T, Ihata A, Ishigatubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasaki K, Miyasaka N, Harigai M; for the REAL Study Group.	Time-dependent increased risk for serious infection from continuous use of TNF antagonists during three years in rheumatoid arthritis patients.	Arthritis. Care Res.	64(8)	1125-1134	2012
20	Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatubo Y, Atsumi T, Koike T, Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, Harigai M; for the REAL Study Group.	Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann. Rheum. Dis.	71(11)	1820-1826	2012
21	Takeuchi T, Miyasaka N, Tatsuki Y, Yano T, Yoshinari T, Abe T, Koike T.	Inhibition of plasma IL-6 in addition to maintenance of an efficacious trough level of infliximab associated with clinical remission in patients with rheumatoid arthritis: analysis of the RISING Study.	Ann. Rheum. Dis.	71(9)	1583-1585	2012
22	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, Harigai M.	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod. Rheumatol.	23(2)	297-303	2013
23	Harigai M, Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod. Rheumatol.	23(2)	284-96	2013
24	Takeuchi T, Matsubara T, Nitobe T, Suematsu E, Ohta S, Honjo S, Abe T, Yamamoto A, Miyasaka N; The Japan Abatacept Study Group.	Phase II dose-response study of abatacept in Japanese patients with active rheumatoid arthritis with an inadequate response to methotrexate.	Mod. Rheumatol.	23(2)	226-35	2013
25	Matsubara T, Yamana S, Tohma S, Takeuchi T, Kondo H, Kohsaka H, Ozaki S, Hashimoto H, Miyasaka N, Yamamoto A, Hiraoka M, Abe T.	Tolerability and efficacy of abatacept in Japanese patients with rheumatoid arthritis: a phase I study.	Mod. Rheumatol.	23(4)	634-45	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究代表者氏名:宮坂信之

3/5

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
26	Takeuchi T, Miyasaka N, Zang C, Alvarez D, Fletcher T, Wajdula J, Yuasa H, Vlahos B.	A phase 3 randomized, double-blind, multicenter comparative study evaluating the effect of etanercept versus methotrexate on radiographic outcomes, disease activity, and safety in Japanese subjects with active rheumatoid arthritis.	Mod. Rheumatol.	23(4)	623-33.	2013
27	Murakami Y, Mizoguchi F, Saito T, Miyasaka N, Kohsaka H.	p16INK4a exerts an anti-inflammatory effect through accelerated IRAK1 degradation in macrophages.	J. Immunol.	189 (10)	5066-5072	2012
28	Watanabe K, Sakai R, Koike R, Sakai F, Sugiyama H, Tanaka M, Komano Y, Akiyama Y, Miura T, Kaneko M, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Mukai M, Iwahashi M, Saito K, Tanaka Y, Nanki T, Miyasaka N, Harigai M.	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients.	Mod. Rheumatol.	23(6)	1085-93	2013
29	Harigai M, Mochida S, Mimura T, Koike T, Miyasaka N.	A proposal for management of rheumatic disease patients with hepatitis B virus infection receiving immunosuppressive therapy.	Mod. Rheumatol.	24(1)	1-7	2014
30	Tanaka Y, Kawai S, Takeuchi T, Yamamoto K, Miyasaka N.	Prevention of joint destruction by tacrolimus in patients with early rheumatoid arthritis: a post hoc analysis of a double-blind, randomized, placebo-controlled study.	Mod. Rheumatol.	23(6)	1045-52	2013
31	Matsu Y, Mizoguchi F, Kohsaka H, Ito E, Eishi Y, Miyasaka N.	Tocilizumab-induced immune complex glomerulonephritis in a patient with rheumatoid arthritis.	Rheumatology(Oxford)	52(7)	1341-3	2013
32	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, Harigai M.	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod. Rheumatol.	23(2)	297-303	2013
33	Harigai M, Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological.	Mod. Rheumatol.	23(2)	284-296	2013
34	Takeuchi T, Matsubara T, Nitobe T, Suenatsu E, Ohta S, Honjo S, Abe T, Yamamoto A, Miyasaka N; Japan Abatacept Study Group.	Phase II dose-response study of abatacept in Japanese patients with active rheumatoid arthritis with an inadequate response to methotrexate.	Mod. Rheumatol.	23(2)	226-235	2013
35	Matsubara T, Yamana S, Takeuchi T, Kondo H, Kohsaka H, Ozaki S, Hashimoto H, Miyasaka N, Yamamoto A, Hiraoka M, Abe T.	Tolerability and efficacy of abatacept in Japanese patients with rheumatoid arthritis: a phase I study.	Mod. Rheumatol.	23(4)	634-645	2013
36	Takeuchi T, Harigai M, Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D; GO-MONO study group.	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicenter, randomized, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis.	72(9)	1488-1495	2013
37	Takeuchi T, Miyasaka N, Zang C, Alvarez D, Fletcher T, Wajdula J, Yuasa H, Vlahos B.	A phase 3 randomized, double-blind, multicenter comparative study evaluating the effect of etanercept versus methotrexate on radiographic outcomes, disease activity, and safety in Japanese subjects with active rheumatoid arthritis.	Mod. Rheumatol.	23(4)	623-633	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究代表者氏名:宮坂信之

4/5

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
38	Miyabe C, Miyabe Y, Miura NN, Takahashi K, Terashima Y, Toda E, Honda F, Morio T, Yamagata N, Ohno N, Shudo K, Suzuki J, Isobe M, Matsushima K, Tsuboi R, <u>Miyasaka N</u> , Nanki T.	Am80, a retinoic acid receptor agonist, ameliorates murine vasculitis through the suppression of neutrophil migration and activation.	Arthritis Rheum.	65(2)	503-512	2013
39	Watanabe K, Sakai R, Koike R, Sakai F, Sugiyama H, Tanaka M, Komano Y, Akiyama Y, Mimura T, Kaneko M, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Mukai M, Iwahashi M, Saito K, Tanaka Y, Nanki T, <u>Miyasaka N</u> , Harigai M.	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients.	Mod Rheumatol.	23(6)	1085-1093	2013
40	Tanaka Y, Kawai S, Takeuchi T, Yamamoto K, <u>Miyasaka N</u> .	Prevention of joint destruction by tacrolimus in patients with early rheumatoid arthritis: a post hoc analysis of a double-blind, randomized, placebo-controlled study.	Mod Rheumatol.	23(6)	1045-1052	2013
41	Takeuchi T, Yamanaka H, Ishiguro N, <u>Miyasaka N</u> , Mukai M, Matsubara T, Uchida S, Akama H, Kupper H, Arora V, Tanaka Y.	Adalimumab, a human anti-TNF monoclonal antibody, outcome study for the prevention of joint damage in Japanese patients with early rheumatoid arthritis: the HOPEFUL 1 study.	Ann Rheum Dis.	73(3)	536-43	2014
42	Matsu Y, Mizoguchi F, Kohsaka H, Ito E, Eishi Y, <u>Miyasaka N</u> .	Tocilizumab-induced immune complex glomerulonephritis in a patient with rheumatoid arthritis.	Rheumatology (Oxford)	52(7)	1341-1343	2013
43	Murakami M, Harada M, Kamimura D, Ogura H, Okuyama Y, Kumai N, Okuyama A, Singh R, Jiang JJ, Atsumi T, Shiraya S, Nakatsuji Y, Kinoshita M, Kohsaka H, Nishida M, Sakoda S, <u>Miyasaka N</u> , Yamauchi-Takahara K, Hirano T.	Disease-association analysis of an inflammation-related feedback loop.	Cell Rep.	3(3)	946-959	2013
44	Miyabe Y, Miyabe C, Iwai Y, Takayasu A, Fukuda S, Yokoyama W, Nagai J, Jona M, Tokuhara Y, Ohkawa R, Albers HM, Ovaa H, Aoki J, Chun J, Yatomi Y, Ueda H, Miyasaka M, <u>Miyasaka N</u> , Nanki T.	Necessity of lysophosphatidic acid receptor 1 for development of arthritis.	Arthritis Rheum.	65(8)	2037-2047	2013
45	Takeuchi T, Kawai S, Yamamoto K, Harigai M, Ishida K, <u>Miyasaka N</u> .	Post-marketing surveillance of the safety and effectiveness of tacrolimus in 3,267 Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	24(1)	8-16	2014
46	Takayasu A, Miyabe Y, Yokoyama W, Kaneko K, Fukuda S, <u>Miyasaka N</u> , Miyabe C, Kubota T, Nanki T.	CCL18 activates fibroblast-like synoviocytes in patients with rheumatoid arthritis.	J. Rheumatol.	40(6)	1026-1028	2013
47	Mizoguchi F, Murakami Y, Saito T, <u>Miyasaka N</u> , Kohsaka H.	miR-31 controls osteoclast formation and bone resorption by targeting RhoA.	Arthritis Res Ther.	15(5)	R102	
48	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Iwai K, Sakamaki Y, van der Heijde D, <u>Miyasaka N</u> , Koike T.	Efficacy and safety of certolizumab pegol without methotrexate co-administration in Japanese patients with active rheumatoid arthritis: the HIKARI randomized, placebo-controlled trial.	Mod Rheumatol.		2013 Nov 1 [Epub ahead of print]	
49	Harigai M, Mochida S, Mimura T, Koike T, <u>Miyasaka N</u> .	A proposal for management of rheumatic disease patients with hepatitis B virus infection receiving immunosuppressive therapy.	Mod. Rheumatol.	24(1)	1-7	2014

研究成果の刊行に関する一覧表(平成23~25年度)

研究代表者氏名:宮坂信之

5/5

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
50	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Sakamaki Y, van der Heijde D, Miyasaka N, Koike T.	Efficacy and safety of certolizumab pegol plus methotrexate in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: the J-RAPID randomized, placebo-controlled trial.	Mod. Rheumatol.		2013 Dec 9. [Epub ahead of print]	
51	Cho SK, Sakai R, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Tanaka Y, Nakajima A, Yasuda S, Ihata A, Ezawa K, Won S, Choi CB, Sung YK, Kim TH, Jun JB, Yoo DH, Miyasaka N, Bae SC, Harigai M; for the RESEARCH investigators; the REAL Study Group.	A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan.	Mod. Rheumatol.		2013 Dec 9. [Epub ahead of print]	
52	Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike T.	Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients who could not receive methotrexate: 52-week results from an open-label extension of the HIKARI study.	Mod Rheumatol.		2013 Dec 29. [Epub ahead of print]	
53	Yamanaka H, Ishiguro N, Takeuchi T, Miyasaka N, Mukai M, Matsubara T, Uchida S, Akama H, Kupper H, Arora V, Tanaka Y.	Recovery of clinical but not radiographic outcomes by the delayed addition of adalimumab to methotrexate-treated Japanese patients with early rheumatoid arthritis: 52-week results of the HOPEFUL-1 trial.	Rheumatology (Oxford).		2014 Jan 17. [Epub ahead of print]	

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:天野宏一

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yamanaka H, Tanaka Y, Inoue E, Hoshi D, Momohara S, Hanami K, Yunoue N, Saito K, <u>Amano K</u> , Kameda H, Takeuchi T	Efficacy and tolerability of tocilizumab in rheumatoid arthritis patients seen in daily clinical practice in Japan: results from a retrospective study (REACTION study)	Mod Rheumatol	21	122-133	2011
2	Takeuchi T, Tanaka Y, <u>Amano K</u> , Hoshi D, Nawata M, Nagasawa H, Sato E, Saito K, Kaneko Y, Fukuyo S, Kurashawa T, Hanami K, Kameda H, Yamanaka H	Clinical, radiographic and functional effectiveness of tocilizumab for rheumatoid arthritis patients - REACTION 52-week study	Rheumatology	50	1908-1915	2011
3	天野宏一	TNF阻害薬	日内会誌	100	2966-2971	2011
4	Tanaka Y, Yamanaka H, Saito K, Iwata S, Miyagawa I, Seto Y, Momohara S, Nagasawa H, Kameda H, Kaneko Y, Izumi K, <u>Amano K</u> , Takeuchi T	Structural damages disturb functional improvement in patients with rheumatoid arthritis treated with etanercept	Mod Rheumatol	22	186-194	2012
5	Takeuchi T, Tanaka Y, Kaneko Y, Tanaka E, Hirata S, Kurasawa T, Kubo S, Saito K, Shidara K, Kimura N, Nagasawa H, Kameda H, <u>Amano K</u> , Yamanaka H	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study)	Mod Rheumatol	22	327-338	2012
6	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, <u>Amano K</u> , Nakajima A, Atsumi T, Koike T, Ihata A, Ishigatubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasaki K, Miyasaka N, Harigai M; for the REAL Study Group.	Time-dependent increased risk for serious infection from continuous use of TNF antagonists during three years in rheumatoid arthritis patients.	Arthritis Care Res	64	1125-1134	2012
7	Sakai R, Tanaka M, Nanki T, Watanabe K, Tamazaki H, Koike R, Nagasawa H, <u>Amano K</u> , Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatubo Y, Atsumi T, Koike T, Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, Harigai M	Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis	71	1820-1826	2012
8	天野宏一	EULARのRA診療 recommendation	リウマチ科	48	14-18	2012
9	天野宏一	海外エビデンスから見たトリズマブの有効性	Frontiers in rheumatology & clinical immunology	6	26-30	2012
10	天野宏一	関節リウマチ(RA) : 診断と治療の進歩 2. 抗リウマチ薬 2)生物学的製剤	日内会誌	101	2880-2885	2012
11	天野宏一	イグラチモド	リウマチ科	48	304-308	2012
12	天野宏一	Cetolizumab pegol-他の製剤との違いと海外でのエビデンス	リウマチ科	49	375-384	2012
13	Nakajima A, Saito K, Kojima T, <u>Amano K</u> , Yoshio T, Fukuda W, Inoue E, Taniguchi A, Momohara S, Minota S, Takeuchi T, Ishiguro N, Tanaka Y, Yamanaka H	No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan.	Mod Rheumatol	23	945-952	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:天野宏一

2/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
14	Nishimoto N, Amano K, Hirabayashi Y, Horiuchi T, Ishii T, Iwahashi M, Iwamoto M, Kohsaka H, Kondo M, Matsubara T, Mimura T, Miyahara H, Ohta S, Saeki Y, Saito K, Sano H, Takasugi K, Takeuchi T, Tohma S, Tsuru T, Ueki Y, Yamana J, Hashimoto J, Matsutani T, Murakami M, Takagi N	Drug free REmission/low disease activity after cessation of tocilizumab (Actemra) Monotherapy (DREAM) study	Mod Rheumatol	24	17-24	2014
15	Nishimoto N, Amano K, Hirabayashi Y, Horiuchi T, Ishii T, Iwahashi M, Iwamoto M, Kohsaka H, Kondo M, Matsubara T, Mimura T, Miyahara H, Ohta S, Saeki Y, Saito K, Sano H, Takasugi K, Takeuchi T, Tohma S, Tsuru T, Ueki Y, Yamana J, Hashimoto J, Matsutani T, Murakami M, Takagi N	Retreatment efficacy and safety of tocilizumab in patients with rheumatoid arthritis in recurrence (RESTORE) study	Mod Rheumatol	24	26-32	2014
16	5. Tanaka Y, Takeuchi T, Amano K, Saito K, Hanami K, Nawata M, Fukuyo S, Kameda H, Kaneko Y, Kurasawa T, Nagasawa H, Hoshi D, Sato E, Yamanaka H	Effect of interleukin-6 receptor inhibitor, tocilizumab, in preventing joint destruction in patients with rheumatoid arthritis showing inadequate response to TNF inhibitors	Mod Rheumatol	in press		2014
17	6. Kurasawa T, Nagasawa H, Kishimoto M, Amano K, Takeuchi T, Kameda H.	Addition of another disease-modifying anti-rheumatic drug to methotrexate reduces the flare rate within 2 years after infliximab discontinuation in patients with rheumatoid arthritis: An open, randomized, controlled trial	Mod Rheumatol	in press		2014
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						

研究成果の刊行に関する一覧表(平成23～25年度)

研究分担者氏名:遠藤平仁

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	遠藤平仁	リツキシマブはshort-lived autoreactive plasmablastを特異的標的とする	リウマチ科	45	196-202	2011
2	遠藤平仁	ゴリムマブの有効性と安全性、関節リウマチ治療における生物学的製剤に関する最新の知見。	リウマチ科	46	26-32	2011
3	遠藤平仁	多関節炎をきたしている患者の適切な診断・治療をするには?	Modern Physician	31	1520-1521	2011
4	Hashimoto A, Endo H, Kondo H, Hirohata S.	Clinical features of 405 Japanese patients with systemic sclerosis.	Mod Rheumatol	22	272-279	2011
5	Hashimoto A, Tejima S, Tono T, Suzuki M, Tanaka S, Matsui T, Tohma S, Endo H, Hirohata S.	Predictors of survival and causes of death in Japanese patients with systemic sclerosis.	J Rheumatol	38	1931-1939	2011
6	Yoshino T, Kusunoki N, Tanaka N, Kaneko K, Kusunoki Y, Endo H, Hasunuma T, Kawai S.	Elevated serum levels of resistin, leptin, and adiponectin are associated with C-reactive protein and also other clinical conditions in rheumatoid arthritis.	Intern Med.	50	269-275	2011
7	遠藤平仁	強皮症に伴う腎障害の診断と治療、リウマチ性疾患の腎病変 - 診断と治療の最前線	リウマチ科	47	496 - 501	2012
8	遠藤平仁	免疫抑制薬をどう使うか、リウマチ診療のパラダイムシフト	治療	94	262-266	2012
9	遠藤平仁	関節リウマチにおけるインスリン抵抗性とアデイボカインの役割	リウマチ科	47	77-81	2012
10	遠藤平仁	日本発のエビデンスから学ぶことは: CHANGEvsSATORI.	分子リウマチ治療	5	21-24	2012
11	Hashimoto A, Arinuma Y, Nagai T, Tanaka S, Matsui T, Tohma S, Endo H, Hirohata S.	Incidence and the risk factor of malignancy in Japanese patients with systemic sclerosis.	Intern Med	51	1683-1688	2012
12	Shikanai H, Iwamitsu Y, Endo H, Hirohata S.	Factors associated with depression in patients with rheumatoid arthritis.	Clin Rheumatol	24	20-28	2012
13	Kaburaki M, Kusunoki N, Takahashi H, Tsuchiya K, Kawai S, Endo H	Expression and function of Chemerin in synovial tissues of patients with rheumatoid arthritis.	Toho Med Journal	60	3-14	2013
14	遠藤平仁	炎症収束因子:自然免疫から獲得免疫への橋梁	日本臨床免疫学会誌	36	156-161	2013
15	遠藤平仁	ベリムマブによるSLE治療	リウマチ科	50(5)	577-582	2013
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:遠藤平仁

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 遠藤平仁	Resolving Lipoxin	リウマチ病セミナーXX	永井書店	2012
		七川歓次	東京	132 - 140
2 遠藤平仁	好酸球性筋膜炎	今日の治療指針2013	医学書院	2013
		山口徹、北原光夫、福井次矢	東京	754
3 遠藤平仁	全身性硬化症(強皮症)	アレルギーリウマチ最新ガイドライン	総合医学社	2012
		足立満、笠間毅	170 - 172	170 - 172
4 遠藤平仁	全身性硬化症(強皮症)	永井良三、大田健編	南江堂	2013
		今日の治療と看護	東京	877 - 879
5 遠藤平仁	全身性強皮症、混合性結合組織病、多発性筋炎、皮膚筋炎	浦部晶夫、大田健、島田和幸、菅野健太郎	南江堂	2013
		今日の処方	東京	669 - 676
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:金子祐子

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Takeuchi T, Tanaka Y, Amano K, Hoshi D, Nawata M, Nagasawa H, Sato E, Saito K, <u>Kaneko Y</u> , Fukuyo S, Kurasawa T, Hanami K,	Clinical, radiographic and functional effectiveness of tocilizumab for rheumatoid arthritis patients--REACTION 52-week study.	Rheumatology (Oxford).	50	1908-1915	2011
2	<u>Kaneko Y</u> , Kuwana M, Kameda H, Takeuchi T.	Sensitivity and specificity of 2010 rheumatoid arthritis classification criteria.	Rheumatology (Oxford)	50	1268-1274	2011
3	Tanaka Y, Yamanaka H, Saito K, Iwata S, Miyagawa I, Seto Y, Momohara S, Nagasawa H, Kameda H, <u>Kaneko Y</u> , Izumi K, Amano K, Takeuchi T.	Structural damages disturb functional improvement in patients with rheumatoid arthritis treated with etanercept.	Mod Rheumatol.	22	186-194	2012
4	Takeuchi T, Tanaka Y, <u>Kaneko Y</u> , Tanaka E, Hirata S, Kurasawa T, Kubo S, Saito K, Shidara K, Kimura N, Nagasawa H, Kameda H, Amano K, Yamanaka H.	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study).	Mod Rheumatol.	22	327-338	2012
5	<u>Kaneko Y</u> , Kondo H, Takeuchi T.	American College of Rheumatology/European League Against Rheumatism remission criteria for rheumatoid arthritis maintain reliable performance when evaluated in 44 joints.	J Rheumatol	40	1254-1258	2013
6	Mitsunaga S, Hosomichi K, Okudaira Y, Nakaoaka H, Kunii N, Suzuki Y, Kuwana M, Sato S, <u>Kaneko Y</u> , Homma Y, Kashiwase K, Azuma F, Kulski JK, Inoue I, Inoko H.	Exome sequencing identifies novel rheumatoid arthritis-susceptible variants in the BTNL2.	J Hum Genet.	58	210-215	2013
7	Nishina N, <u>Kaneko Y</u> , Kameda H, Kuwana M, Takeuchi T.	Reduction of plasma IL-6 but not TNF- by methotrexate in patients with early rheumatoid arthritis: a potential biomarker for radiographic progression.	Clin Rheumatol	32	1661-1666	2013
8	Tanaka Y, Takeuchi T, Amano K, Saito K, Hanami K, Nawata M, Fukuyo K, Kameda H, <u>Kaneko Y</u> , Kurasawa T, Nagasawa H, Hoshi D, Sato E, Yamanaka H.	Effect of interleukin-6 receptor inhibitor, tocilizumab, in preventing joint destruction in patients with rheumatoid arthritis showing inadequate response to TNF inhibitors.	Mod Rheumatol.	Epub		2013
9	Nishimoto T, Seta N, Anan R, Yamamoto T, <u>Kaneko Y</u> , Takeuchi T, Kuwana M.	A single nucleotide polymorphism of TRAF1 predicts the clinical response to anti-TNF treatment in Japanese patients with rheumatoid arthritis.	Clin Exp Rheumatol	Epub		2013
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23～25年度)

研究分担者氏名: 鎌谷直之

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	鎌谷直之	確率を真に理解するには	BIO Clinica	28	13	2013
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:川上 純

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Kawashiri SY, Suzuki T, Nakashima Y, Horai Y, Okada A, Nishino A, Iwamoto N, Ichinose K, Arima K, Tamai M, Nakamura H, Origuchi T, Uetani M, Aoyagi K, Eguchi K, <u>Kawakami A.</u>	Synovial inflammation assessed by ultrasonography correlates with magnetic resonance imaging-proven osteitis in patients with rheumatoid arthritis.	Rheumatology		In Press	2013
2	Kawashiri SY, Suzuki T, Nakashima Y, Horai Y, Okada A, Iwamoto N, Ichinose K, Tamai M, Arima K, Nakamura H, Origuchi T, Uetani M, Aoyagi K, Eguchi K, <u>Kawakami A.</u>	Ultrasonographic examination of rheumatoid arthritis patients who are free of physical synovitis: power Doppler subclinical synovitis is associated with bone erosion.	Rheumatology		In Press	2013
3	Kawashiri SY, Arima K, Suzuki T, Nakashima Y, Horai Y, Okada A, Tamai M, Nakamura H, <u>Kawakami A.</u>	Presence of ultrasound subclinical synovitis and increment of serum vascular endothelial growth factor in a patient with rheumatoid arthritis achieved in sustained clinical remission by treatment with adalimumab and methotrexate.	Mod Rheumatol		In Press	2013
4	Kawashiri SY, Fujikawa K, Nishino A, Suzuki T, Okada A, Nakamura H, <u>Kawakami A.</u>	Usefulness of ultrasonography-proven tenosynovitis to monitor disease activity of a patient with very early rheumatoid arthritis treated by abatacept.	Mod Rheumatol	23 (3)	582-586	2013
5	Kawashiri SY, Suzuki T, Okada A, Yamasaki S, Tamai M, Nakamura H, Origuchi T, Mizokami A, Uetani M, Aoyagi K, Eguchi K, <u>Kawakami A.</u>	Musculoskeletal ultrasonography assists the diagnostic performance of the 2010 classification criteria for rheumatoid arthritis.	Mod Rheumatol	23 (1)	36-43	2013
6	Ohyama K, <u>Kawakami A.</u> , Tamai M, Baba M, Kishikawa N, Kuroda N.	Serum immune complex containing thrombospondin-1: a novel biomarker for early rheumatoid arthritis.	Ann Rheum Dis	71(11)	1916-1917	2012
7	Kita J, Tamai M, Arima K, Nakashima Y, Suzuki T, Kawashiri SY, Okada A, Koga T, Yamasaki S, Nakamura H, Origuchi T, Aramaki T, Nakashima M, Fujikawa K, Tsukada T, Ida H, Aoyagi K, Uetani M, Eguchi K, <u>Kawakami A.</u>	Delayed treatment with tumor necrosis factor inhibitors in incomplete responders to synthetic disease-modifying anti-rheumatic drugs shows an excellent effect in patients with very early rheumatoid arthritis with poor prognosis factors.	Mod Rheumatol	22(2)	195-201	2012
8	川尻真也, 青柳 潔, <u>川上 純</u> .	関節超音波と2010年分類基準を組み合わせた関節リウマチの診断	リウマチ科	48(5)	495-499	2012
9	川尻真也, 玉井慎美, 上谷雅孝, <u>川上 純</u> .	超音波、MRIによる評価	日本内科学会雑誌	101(10)	2899-2906	2012
10	玉井慎美, <u>川上 純</u> .	Leiden早期関節炎コホートによる2010RA新分類基準の検証	Frontiers in Rheumatology & Clinical Immunology	6(4)	200-203	2012
11	川尻真也, <u>川上 純</u> .	関節リウマチにおける骨・軟骨病変の画像評価 超音波	Clinical Calcium	22(2)	187-192	2012
12	Kawashiri SY, <u>Kawakami A.</u> , Iwamoto N, Fujikawa K, Satoh K, Tamai M, Nakamura H, Okada A, Koga T, Yamasaki S, Ida H, Origuchi T, Eguchi K.	The power Doppler ultrasonography score from 24 synovial sites or 6 simplified synovial sites, including the metacarpophalangeal joints, reflects the clinical disease activity and level of serum biomarkers in patients with rheumatoid arthritis.	Rheumatology (Oxford)	50(5)	962-965	2011
13	Kawashiri SY, <u>Kawakami A.</u> , Iwamoto N, Fujikawa K, Aramaki T, Tamai M, Yamasaki S, Nakamura H, Ueki Y, Migita K, Mizokami A, Origuchi T, Aoyagi K, Eguchi K.	Disease activity score 28 may overestimate the remission induction of rheumatoid arthritis patients treated with tocilizumab: comparison with the remission by the clinical disease activity index.	Mod Rheumatol	21(4):	365-369	2011
14	Kawashiri SY, <u>Kawakami A.</u> , Iwamoto N, Fujikawa K, Aramaki T, Tamai M, Yamasaki S, Nakamura H, Origuchi T, Ueki Y, Migita K, Mizokami A, Aoyagi K, Eguchi K.	In rheumatoid arthritis patients treated with tocilizumab, the rate of clinical disease activity index (CDAI) remission at 24 weeks is superior in those with higher titers of IgM-rheumatoid factor at baseline.	Mod Rheumatol	21(4):	370-374	2011
15	川上 純, 川尻真也, 玉井慎美, 寺田馨, 折口智樹, 上谷雅孝, 青柳 潔, 江口勝美.	ACR/EULAR提案のRA診断基準について関節リウマチの分類・診断 2010RA分類基準と画像診断	臨床リウマチ	23(4)	335-338	2011
16	川上 純, 川尻真也, 中村英樹, 玉井慎美, 寺田 馨, 折口智樹, 上谷雅孝, 青柳 潔, 江口勝美.	関節リウマチの診断 2010RA分類基準と画像診断	九州リウマチ	31(2)	93-97	2011

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:川人 豊

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	河野正孝、 <u>川人 豊</u>	消炎鎮痛薬の使い方	JOHNS	27 (9)	1278-1282	2011
2	<u>川人 豊</u>	グルココルチコイド治療と消化管障害	リウマチ科	46 (3)	228-231	2011
3	<u>川人 豊</u>	NSAIDs治療薬のPros &Cons, NSAIDs	内科	109(4)	585-588	2012
4	河野正孝、 <u>川人 豊</u>	抗TNF療法不応例をどうするか: ATTAIN vs, GO-AFTER.	分子リウマチ	5(3)	17-20	2012
5	<u>川人 豊</u>	運動器疾患に対するNSAIDsの上手な使い方、NSAIDsを長期投与する疾患 -関節リウマチ-	MB Orthop	25(12)	9-16	2012
6	<u>川人 豊</u>	Non biologic DMARDsとその併用療法	Rheumatology Clinical Research	1(1)	4-17	2012
7	Fujii W, Kohno M, Ishino H, Nakabayashi A, Fujioka K, Kida T, Nagahara H, Murakami K, Nakamura K, Seno T, Yamamoto A, <u>Kawahito Y</u> .	The rapid efficacy of abatacept in a patient with rheumatoid vasculitis.	Mod Rheumatol	22(4)	630-634	2012
8	山本相浩、 <u>川人 豊</u>	治療の実際 関節リウマチの早期診断と治療戦略	臨牀と研究	90(1)	114-118	2013
9	<u>川人 豊</u>	DMARDsの使い方 タクロリムス水和物 Tacrolimus hydrate(プログラフ)	クリニシャン	60(2)	177-18	2013
10	山本相浩、 <u>川人 豊</u>	関節リウマチの診断・治療: up to dateベストの寛解基準とは?	Mebio	30(2)	39-44	2013
11	河野正孝、 <u>川人 豊</u>	膠原病・リウマチ性疾患と腎病変	京都府立医科大学雑誌	122(2)	75-81	2013
12	<u>川人 豊</u>	インフリキシマブ	アレルギーと臨床	33(14)	17-21	2013
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23～25年度)

研究分担者氏名:川人 豊

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	川人 豊	関節リウマチの最新薬物療法	川人 豊	千葉	2012
			関節リウマチの最新薬物療法	医学と看護社	0-139
2	川人 豊	抗炎症作用、鎮痛作用	石黒直樹, 川合真一, 森田育男, 山中寿	メディカルレビュー社	2013
			ファーマナビゲーター COX-2阻害薬	東京	58-73
3	川人 豊	COX-2阻害薬Q&A 低容量アスピリンとの併用の是非について教えてください.	石黒直樹, 川合真一, 森田育男, 山中寿	メディカルレビュー社	2013
			ファーマナビゲーター COX-2阻害薬	東京	376-379
4	川人 豊	早期診断と確定診断	村澤 章、元木絵美	羊土社	2013
			リウマチ看護パーソナルマニュアル	東京	25-32
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23～25年度)

研究分担者氏名:岸本暢将

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yoshida K, Matsui K, Oshikawa H, Utsunomiya M, Kobayashi T, Kimura M, Deshpande GA, Kishimoto M.	A graphic demonstration that the Disease Activity Score in 28 joints using the erythrocyte sedimentation rate is overly sensitive when erythrocyte sedimentation rates are low: Comment on the article by Smolen and Aletaha.	Arthritis and Rheumatism	63	2149	2011(H23)
2	Yoshida K, Matsui K, Nakano H, Oshikawa H, Utsunomiya M, Kobayashi T, Kimura M, Deshpande GA, Kishimoto K.	Remission by Disease Activity Score 28-CRP and Disease Activity Score 28-ESR.	Arthritis Research and Therapy	13	405	2011(H23)
3	Yoshida K, Tokuda Y, Oshikawa H, Utsunomiya M, Kobayashi T, Kimura M, Deshpande GA, Matsui K, Kishimoto M.	An observational study of tocilizumab and TNF-alpha inhibitor use in a Japanese community hospital: different remission rates, similar drug survival and safety.	Rheumatology	50	2093-2099	2011(H23)
4	Kishimoto M. , Deshpande GA, Yokogawa N, Buyon J, Okada M.	Hydroxychloroquine in Japan: a newly rising sun.	J Rheumatol	39	1296	2012(H24)
5	Greenberg JD, Reed G, Decktor D, Harrold L, Furst D, Gibofsky A, Dehoratius R, Kishimoto M. , et al.	A comparative effectiveness study of adalimumab, etanercept and infliximab in biologically naive and switched rheumatoid arthritis patients: results from the US CORRONA registry.	Ann Rheum Dis	71	1134-42	2012(H24)
6	Yoshida K, Sung YK, Kavanaugh A, Bae SC, Weinblatt ME, Kishimoto M. , et al	Biologic discontinuation studies: a systematic review of methods	Ann Rheum Dis	online first on May 30	online first on May 30	2013(H25)
7	Yoshida K, Radner H, Kavanaugh A, Sung YK, Bae SC, Kishimoto M. , et al	Use of data from multiple registries in studying biologic discontinuation: challenges and opportunities.	Clin Exp Rheumatol	In press	In press	2013(H25)
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小池隆夫

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Koike T	The new era of autoimmune disease research.	Arthritis Research&Therapy	13	113	2011
2	Kato M,Atsumi T,Kurita T,Odani T,Fujieda Y,Otomo K,Horita T,Yasuda S, <u>Koike T</u>	Hepatitis B virus reactivation by immunosuppressive therapy in patients with autoimmune diseases:Risk analysis in hepatitis B surface antigen-negative cases.	J.Rheumatol	38(10)	2209-14	2011
3	Takeuchi T, Miyasaka N, Tatsuki Y, Yano T, Yoshinari T, Abe T, <u>Koike T</u>	Inhibition of plasma IL-6 in addition to maintenance of an efficacious trough level of infliximab associated with clinical remission in patients with rheumatoid arthritis: analysis of the RISING Study.	Ann Rheum Dis	71(9)	1583-5	2012
4	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, <u>Koike T</u> , Ihata A, Ishigatsubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasawa K, Miyasaka N, Harigai M	REAL Study Group. Time-dependent increased risk for serious infection from continuous use of tumor necrosis factor antagonists over three years in patients with rheumatoid arthritis.	Arthritis Care Res	64(8)	1125-34	2012
5	Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatsubo Y, Atsumi T, <u>Koike T</u> , Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, Harigai M	REAL Study Group. Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis	71(11)	1820-6	2012
6	<u>Koike T</u> , Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int	32(6)	1617-24	2012
7	<u>Koike T</u> , Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int	32(6)	1511-9	2012
8	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, <u>Koike T</u> , Kanazawa M, Oba T, Yoshinari T, Baker D	the GO-FORTH Study Group. Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis	71(6)	817-24	2012
9	<u>Koike T</u> , Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol	22(4)	498-508	2012
10	<u>Koike T</u>	IFN independent suppression of Th-17 differentiation by T-bet expression in autoimmune arthritis mice.	Arthritis Rheum	64(1)	40-41	2012
11	Kamishima T, Kato M, Atsumi T, <u>Koike T</u> , Onodera Y, Terae S.	Contrast-enhanced whole body joint MR Imaging in rheumatoid patients on tumour necrosis factor-alpha agents: a pilot study to evaluate novel scoring system for MR synovitis.	Clin Exp Rheumatol	31(1)	154	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小池隆夫

2/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
12	Koike T	IgG4-related disease: why high IgG4 and fibrosis.	Arthritis Res Ther	15(1)	103	2013
13	Fukae J, Isobe M, Kitano A, Henmi M, Sakamoto F, Narita A, Ito T, Mitsuzaki A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, Atsumi T, <u>Koike T</u> .	Positive synovial vascularity in patients with low disease activity indicates smouldering inflammation leading to joint damage in rheumatoid arthritis: time-integrated joint inflammation estimated by synovial vascularity in each finger joint.	Rheumatology	52	523-528	2013
14	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, <u>Koike T</u> , Miyasaka N, Harigai M	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol	23(2)	297-303	2013
15	Harigai M, Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, <u>Koike T</u> , Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol	23(2)	284-96	2013
16	Ikeda K, <u>Koike T</u> , Wakefield R, Emery P.	Is the glass half full or half empty?	Arthritis Rheum		in press	
17	Ikeda K, Seto Y, Ohno S, Sakamoto F, Henmi M, Fukae J, Narita A, Nakagomi D, Nakajima H, Tanimura K, <u>Koike T</u> .	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures - a pilot multicenter exercise in Japan.	Mod Rheumatol		in press	
18	Fukae J, Tanimura K, Atsumi T, <u>Koike T</u> .	Sonographic synovial vascularity of synovitis in rheumatoid arthritis.	Rheumatology		Epub ahead of print	
19	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, <u>Koike T</u>	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multi-plane images of the 2nd metacarpalphalangeal joint - Identification of the components which are reliable and influential on the global assessment of the whole joint.	Arthritis Rheum		in press	
20						
21						
22						
23						
24						
25						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小池隆夫

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 坊垣 幸、小池隆夫	抗リン脂質抗体症候群	免疫・アレルギー疾患	株)羊土社	2013
		イラストレイティッド	東京	141-145
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋俊久

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Masayo Kojima MD, PhD, Toshihisa Kojima MD, PhD, Sadao Suzuki MD, PhD, Nobunori Takahashi MD, PhD, Koji Funahashi MD, PhD, Daizo Kato MD, Masahiro Hanabayashi MD, Shinya Hirabara MD, PhD, Shuji Asai MD, PhD, and Naoki Ishiguro MD, PhD	Alexithymia, Depression, Inflammation and Pain in Patients with Rheumatoid Arthritis.	Arthritis Care & Research.	in press		2013
2	Takahashi N, <u>Kojima T</u> , Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Ishikawa H, Hayashi M, Tsuboi S, Kanayama Y, Kato D, Funahashi K, Matsubara H, Hattori Y, Hanabayashi M, Hirabara S, Terabe K, Yoshioka Y, Ishiguro N.	Clinical efficacy of abatacept compared to adalimumab and tocilizumab in rheumatoid arthritis patients with high disease activity.	Clin Rheumatol.	Epub ahead of print		2013
3	小嶋俊久	特集【TNF 阻害薬の10年】関節手術を減らすことができたか	分子リウマチ治療	6(3)	19-21	2013
4	小嶋俊久	(最新基礎科学)【知っておきたい】JAK阻害剤トファシチニブ(tofacitinib)	臨床整形外科	48(6)	564-569	2013
5	Hayashi M, Kuraishi H, Masubuchi T, Furuhata K, Aida Y, Kobayakawa T, Deguchi M, <u>Kojima T</u> , Ishiguro N, Kanamono T.	A Fatal Case of Relapsing Pneumonia Caused by Legionella pneumophila in a Patient with Rheumatoid Arthritis After Two Injections of Adalimumab.	Clin Med Insights Case Rep.	12	101-6	2013
6	小嶋俊久、石黒直樹	(特集)関節リウマチ治療における生物学的製剤治療-薬剤中止寛解の可能性を中心に-[バイオフリー寛解がいいのか、長期継続がいいのか-現在の治療成績から考える-]	リウマチ科	48(6)	664-668	2012
7	Nakajima A, Saito K, <u>Kojima T</u> , Amano K, Yoshio T, Fukuda W, Inoue E, Taniguchi A, Momohara S, Minota S, Takeuchi T, Ishiguro N, Tanaka Y, Yamanaka H.	No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan.	Mod Rheumatol.	23(5)	945-52	2012
8	Toshihisa Kojima, Yuichiro Yabe, Atsushi Kaneko, Yuji Hirano, Hisato Ishikawa, Masatoshi Hayashi, Hiroyuki Miyake, Hideki Takagi, Takefumi Kato, Kenya Terabe, Tsuyoshi Wanatabe, Hiroki Tsuchiya, Daihei Kida, Tomone Shioura, Koji Funahashi, Daizo Kato, Hiroyuki Matsubara, Nobunori Takahashi, Yosuke Hattori, Nobuyuki Asai, and Naoki Ishiguro	Monitoring C-reactive protein levels to predict favourable clinical outcomes from tocilizumab treatment in patients with rheumatoid arthritis.	Mod Rheumatol.	23(5)	977-85	2012
9	Takahashi N, <u>Kojima T</u> , Terabe K, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Ishikawa H, Hayashi M, Tsuboi S, Kato D, Funahashi K, Matsubara H, Hattori Y, Hanabayashi M, Hirabara S, Yoshioka Y, Ishiguro N.	Clinical efficacy of abatacept in Japanese rheumatoid arthritis patients.	Mod Rheumatol.	23(5)	904-12	2012
10	Kaneko A, Hirano Y, Fujibayashi T, Hattori Y, Terabe K, <u>Kojima T</u> , Ishiguro N.	Twenty-four-week clinical results of adalimumab therapy in Japanese patients with rheumatoid arthritis: retrospective analysis for the best use of adalimumab in daily practice.	Mod Rheumatol.	23(3)	466-77	2012
11	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, <u>Kojima T</u> , Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, Harigai M.	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod Rheumatol.	22(6)	849-858	2012
12	Yabe Y, <u>Kojima T</u> , Kaneko A, Asai N, Kobayakawa T, Ishiguro N.	A review of tocilizumab treatment in 122 rheumatoid arthritis patients included in the Tsurumai Biologics Communication Registry (TBCR) Study.	Mod Rheumatol.	23(2)	245-53	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋俊久

2/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
13	小嶋俊久、石黒直樹	総論15生物学的製剤使用中における手術の注意点とは?	正しい生物学的製剤の使い方 [関節リウマチ]		93-97	2012
14	Hayashi M, Kojima T, Funahashi K, Kato D, Matsubara H, Shioura T, Kanayama Y, Hirano Y, Deguchi M, Kanamono T, Ishiguro N.	Pneumococcal polyarticular septic arthritis after a single infusion of infliximab in a rheumatoid arthritis patient: a case report.	J Med Case Reports.	6(1)	81	2012
15	小嶋俊久	(連載)X線診断Q&A	整形外科	63(2)	159-160	2012
16	Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Takagi H, Yabe Y, Kato T, Terabe K, Fukaya N, Tsuchiya H, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Ishiguro N.	Early aggressive intervention with tocilizumab for rheumatoid arthritis increases remission rate defined using a Boolean approach in clinical practice.	Mod Rheumatol.	22(3)	370-5	2011
17	Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Terabe K, Fukaya N, Kanayama Y, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Fujibayashi T, Kojima M, Ishiguro N; TBC.	Study protocol of a multicenter registry of patients with rheumatoid arthritis starting biologic therapy in Japan:Tsurumi Biologics Communication Registry (TBCR) Study.	Mod Rheumatol.	22(3)	339-345	2011
18	Hayashi M, Kojima T, Funahashi K, Kato D, Matsubara H, Shioura T, Kanayama Y, Hirano Y, Ishiguro N.	Effect of total arthroplasty combined with anti-tumor necrosis factor agents in attenuating systemic disease activity in patients with rheumatoid arthritis.	Mod Rheumatol.	22(3)	363-9	2011
19	Hirano Y, Kojima T, Kanayama Y, Shioura T, Hayashi M, Tsuboi S, Ishiguro N.	Anti-tumour necrosis factor therapy in rheumatoid arthritis patients with a history of deep prosthetic joint infection: a report of four cases.	Mod Rheumatol.	21(5)	542-7	2011
20	小嶋俊久	手術治療周術期に関するTNF阻害薬使用のガイドライン	分子リウマチ治療	4(2)	31-34	2011
21	小嶋俊久	関節リウマチと炎症性疾患 診断と治療のゴール	Orthopaedics	24(5)	111-118	2011
22	小嶋俊久	[テーマ]肩関節周囲炎とRAの肩関節炎の鑑別法を教えてください~高齢発症、大関節症状主体のRAの診断について	Frontiers in Rheumatology & Clinical Immunology	5(2)		2011
23						
24						
25						
26						
27						
28						
29						
30						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋俊久

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	<u>小嶋俊久</u> 、石黒直樹	ケースから学ぶ上手な薬物療法 3. etanerceptが効果的であった ケース(ケース1/ケース2/ケース3)		南江堂	2013
			関節リウマチ治療実践バイブル	東京	220-224
2	<u>小嶋俊久</u> 、石黒直樹	I 押さえておくべき基本知識 6. 関節 の構造と機能		南江堂	2013
			関節リウマチ治療実践バイブル	東京	16-18
3	<u>小嶋俊久</u>	(特集)RAの新分類基準の時代に におけるリウマチ性疾患の鑑別【変形 性関節症と高齢発症RAの鑑別】		科学評論社	2012
			リウマチ科	東京	324-327
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:小嶋 雅代

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	小嶋雅代, 小嶋俊久, 難波大夫, 茂木七香, 大谷尚, 高橋伸典, 加藤大三, 舟橋康治, 松原浩之, 服部陽介, 石黒直樹	関節リウマチ患者は薬物治療の変化をどのように感じているか フォーカスグループによる質的研究	中部リウマチ	43	17-20	2013
2	小嶋雅代	周術期患者における死亡率と心血管イベントの発現	リウマチ科	49	471-478	2013
3	Kojima M, Kojima T, Suzuki S, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Hirabara S, Asai S, Ishiguro N.	Alexithymia, Depression, Inflammation and Pain in Patients with Rheumatoid Arthritis.	Arthritis Care Res			in Press
4	<u>Kojima M.</u>	Alexithymia as a prognostic risk factor for health problems: a brief review of epidemiological studies.	Biopsychosoc Med	17	21	2012
5	<u>Kojima M.</u>	Epidemiologic studies of psychosocial factors associated with quality of life among patients with chronic diseases in Japan.	J Epidemiol.	22	7-11	2012
6	Kojima T, Kaneko A, Hirano Y, Ishikawa H, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Terabe K, Fukaya N, Kanayama Y, Shioura T, Funahashi K, Hayashi M, Kato D, Matsubara H, Fujibayashi T, <u>Kojima M.</u> , Ishiguro N; TBC.	Study protocol of a multicenter registry of patients with rheumatoid arthritis starting biologic therapy in Japan: Tsurumai Biologics Communication Registry (TBCR) study.	Mod Rheumatol.	22	339-4	2012
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:瀬戸洋平

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Y. Seto, E. Inoue, K. Shidara, D. Hoshi, N. Sugimoto, E. Sato, E. Tanaka, A. Nakajima, A. Taniguchi, S. Momohara, H. Yamanaka	Functional disability can deteriorate despite suppression of disease activity in patients with rheumatoid arthritis: a large observational cohort study.	Mod Rheumatol.	23	1179-1185	2013
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:中山健夫

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Higashi T, Fukuhara S, Nakayama T.	Opinion of Japanese rheumatology physicians on methods of assessing the quality of rheumatoid arthritis care.	J Eval Clin Pract.	2	290-5	2012
2	中山健夫	EBMの普及と医療リテラシー:情報と医師患者コミュニケーション.	日本内科学会雑誌	101(12)	3600-3606	2012
3	中山健夫	医療における診療ガイドライン:背景・現状・今後の展望.	賠償科学	38	6-14	2012
4	中山健夫	臨床研究における利益相反(COI)マネジメントの重要性	臨床栄養	122	408-9	2013
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:中山健夫

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	宮崎貴久子・ 中山健夫	(監訳)	宮崎貴久子、中山健夫 トムラングの医学論文「執筆・出版・発表」実践ガイド	シナジー 東京	2011
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 西田圭一郎

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	西田圭一郎、橋詰謙三、中原龍一	II.手術療法. 関節リウマチの上肢機能障害に対する人工関節全置換術-肩・肘-	関節外科	30(5)	94-101	2011
2	西田圭一郎、橋詰謙三、中原龍一.	関節リウマチに対する上肢人工関節置換術の進歩と今後	日整会誌	85	348-358	2011
3	Momohara S, Tanaka S, Nakamura H, Mibe J, Iwamoto T, Ikari K, Nishino J, Kadono Y, Yasui T, Takahashi K, Takenouchi K, Hashizume K, Nakahara R, Kubota A, Nakamura T, <u>Nishida K</u> , Suguro T	Recent trends in orthopedic surgery performed in Japan for rheumatoid arthritis	Mod Rheumatol	21	337-342	2011
4	Suzuki M, <u>Nishida K</u> , Soen S, Oda H, Inoue H, Kaneko A, Takagishi K, Tanaka T, Matsubara T, Mitsugi N, Mochida Y, Momohara S, Mori T, Suguro T	Risk of postoperative complications in rheumatoid arthritis relevant to treatment with biologic agents: a report from the Committee on Arthritis of the Japanese Orthopaedic Association	J Orthop Sci	16	778-784	2011
5	西田圭一郎、中原龍一、橋詰謙三、斎藤太一、金澤智子、小澤正嗣、那須義久、尾崎敏文.	生物学的製剤の登場による手術療法の動向と適応の変化について.	日整会誌	86	394-400	2012
6	Ozaki T, Hashizume K, Nakahara R, <u>Nishida K</u> .	Radiographic remodeling of the shoulder joint in a patient with rheumatoid arthritis after 4 years of treatment with etanercept.	Mod Rheumatol.	22(4)	635-7	2012
7	那須 義久, <u>西田 圭一郎</u> .	上肢のリウマチ診断と治療. II 治療 生物学的製剤が与えたりウマチ関節外科手術の変化	関節外科	32(4)	382-388	2013
8	<u>Nishida K</u> , Nasu Y, Hashizume K, Nakahara R, Ozawa M, Harada R, Machida T, Ozaki T	Abatacept management during the perioperative period in patients with rheumatoid arthritis: report on eight orthopaedic procedures	Mod Rheumatol			2013
9						
10						
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:西田圭一郎

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	橋詰謙三、中原龍一、 西田圭一郎	生物学的製剤使用時における整形 外科手術の周術期合併症	神戸克明 手にとるようにわかる関節リウマチにおける生物学的製剤の実際、5剤の臨床 データによる治療最前線	ベクトル・コア 東京	2011 26-55
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

1/4

雑誌						
	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	針谷正祥	日本の生物学的製剤使用ガイドライン(特集世界のリウマチガイドラインをみわたす)。	分子リウマチ治療	4(2)	27(77)-30(80)	2011
2	針谷正祥	日常臨床とファーマコビジанс(薬害監視)(特集 全身性疾患と腎障害)	総合臨床	60(6)	1451-1452	2011
3	針谷正祥	治療目標 - 目標達成に向けた治療(Treat to Target)のエビデンスと実際	別冊・医学のあゆみ(関節リウマチ"治癒をめざす"最新治療コンセンサス)	別冊	14-19	2011
4	針谷正祥、野々村美紀、酒井良子	REALコホートにおける検証(特集2010関節リウマチ新分類基準を検証する)	分子リウマチ治療	4(4)	15-18 (193-196)	2011
5	渡部香織、針谷正祥	関節リウマチ患者が妊娠した場合に生物学的製剤は継続すべきか中止すべきか?(特集)内科診療における論点	内科	107(6)	1411-1416	2011
6	萩山裕之、針谷正祥	抗体療法の副作用対策	医学のあゆみ	238(6)	637-642	2011
7	長坂憲治、針谷正祥	生物学的製剤の利点と欠点(特集 ここまでわかった自己免疫疾患)	臨床検査(増刊号)	55(11)	1349-1358	2011
8	Yamazaki H, Nanki T, Miyasaka N, <u>Harigai M.</u>	Methotrexate and trimethoprim-sulfamethoxazole use for PCP prophylaxis.	J Rheumatol.	38(4)	777	2011
9	Ryoko Sakai, Yukiko Komano, Michi Tanaka, Toshihiro Nanki, Ryuji Koike, Atsuo Nakajima, Tatsuya Atsumi, Shinsuke Yasuda, Yoshiya Tanaka, Kazuyoshi Saito, Shigeto Tohma, Takao Fujii, Atsushi Ihata, Naoto Tamura, Atsushi Kawakami, Takahiko Sugihara, Satoshi Ito, Nobuyuki Miyasaka, Masayoshi Harigai, for the REAL Study Group.	The REAL database reveals no significant risk for serious infection during treatment with methotrexate over 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	444-8	2011
10	Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, <u>Harigai M.</u>	Tacrolimus-induced Pulmonary Injury in Rheumatoid Arthritis Patients.	Pulmonary Pharmacology and Therapeutics	24 (4)	401-6	2011
11	Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Toma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashiramoto A, Koike T, Ishigatubo Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, <u>Harigai M.</u> , for the REAL Study Group.	Incidence and risk factors for serious infection in rheumatoid arthritis patients treated with tumor necrosis factor (TNF) inhibitors; a report from the Registry of Japanese Rheumatoid Arthritis Patients for Long-Term Safety (REAL).	J Rheumatol.	38(7)	1258-64	2011
12	Koike T, <u>Harigai M.</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Postmarketing surveillance of safety and effectiveness of etanercept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	343-51	2011
13	Koike T, <u>Harigai M.</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Ito K, Yamanaka H.	Postmarketing surveillance of tocilizumab for rheumatoid arthritis in Japan: interim analysis of 3881 patients.	Ann Rheum Dis.	70(12)	2148-51	2011
14	山崎隼人、針谷正祥	エタネルセプトは週1回投与が可能。(特集:生物学的製剤時代の関節リウマチ最新治療戦略)	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012

研究成果の刊行に関する一覧表(平成23～25年度)

研究分担者氏名:針谷正祥

2/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
15	Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-95	2012
16	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int.	32(6)	1617-24	2012
17	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-9.	2012
18	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-24	2012
19	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-9.	2012
20	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol.	22(4)	498-508	2012
21	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	814-22	2012
22	山崎隼人、針谷正祥	エタネルセプトは週1回投与が可能(特集:生物学的製剤時代の関節リウマチ最新治療戦略)	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012
23	Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-495	2012
24	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int.	32(6)	1617-1624	2012
25	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-1519	2012
26	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-824	2012
27	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol.	22(4)	498-508	2012
28	Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	814-822	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

3/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
29	<u>Harigai M</u> , Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N.	Erratum to: Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.	22(6)	823	2012
30	<u>Harigai M</u> , Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.	39(3)	486-495	2012
31	Sakai R, Tanaka M, Nanki T, Watanabe K, Yamazaki H, Koike R, Nagasawa H, Amano K, Saito K, Tanaka Y, Ito S, Sumida T, Ihata A, Ishigatubo Y, Atsumi T, Koike T, Nakajima A, Tamura N, Fujii T, Dobashi H, Tohma S, Sugihara T, Ueki Y, Hashiramoto A, Kawakami A, Hagino N, Miyasaka N, <u>Harigai M</u> ; for the REAL Study Group.	Drug retention rates and relevant risk factors for drug discontinuation due to adverse events in rheumatoid arthritis patients receiving anticytokine therapy with different target molecules.	Ann Rheum Dis.	71(11)	1820-1826	2012
32	Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nagasawa H, Amano K, Nakajima A, Atsumi T, Koike T, Ihata A, Ishigatubo Y, Saito K, Tanaka Y, Ito S, Sumida T, Tohma S, Tamura N, Fujii T, Sugihara T, Kawakami A, Hagino N, Ueki Y, Hashiramoto A, Nagasaki K, Miyasaka N, <u>Harigai M</u> ; for the REAL Study Group.	Time-dependent increased risk for serious infection from continuous use of tumor necrosis factor antagonists over three years in patients with rheumatoid arthritis.	Arthritis Care Res (Hoboken)	64(8)	1125-1134	2012
33	Tanaka M, Sakai R, Koike R, Komano Y, Nanki T, Sakai F, Sugiyama H, Matsushima H, Kojima T, Ohta S, Ishibe Y, Sawabe T, Ota Y, Ohishi K, Miyazato H, Nonomura Y, Saito K, Tanaka Y, Nagasawa H, Takeuchi T, Nakajima A, Ohtsubo H, Onishi M, Goto Y, Dobashi H, Miyasaka N, <u>Harigai M</u> .	Pneumocystis jirovecii pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors.	Mod Rheumatol.	22(6)	849-858	2012
34	Koike T, <u>Harigai M</u> , Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol	22(4)	498-508	2012
35	Koike T, <u>Harigai M</u> , Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.	32(6)	1511-1519	2012
36	Tanaka Y, <u>Harigai M</u> , Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.	71(6)	817-824	2012
37	Kobayashi S, <u>Harigai M</u> , Mozaffarian N, Pangan AL, Sharma S, Brown LS, Miyasaka N	A multicenter, open-label, efficacy, pharmacokinetic, and safety study of adalimumab in Japanese patients with ankylosing spondylitis	Mod Rheumatol.	22(4)	589-97	2012
38	Koike T, <u>Harigai M</u> , Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients	Mod Rheumatol.	22(4)	498-508	2012

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

4/4

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
39	Watanabe K, Sakai R, Koike R, Sakai F, Sugiyama H, Tanaka M, Komano Y, Akiyama Y, Mimura T, Kaneko M, Tokuda H, Iso T, Motegi M, Ikeda K, Nakajima H, Taki H, Kubota T, Kodama H, Sugii S, Kuroiwa T, Nawata Y, Shiozawa K, Ogata A, Sawada S, Matsukawa Y, Okazaki T, Mukai M, Iwashashi M, Saito K, Tanaka Y, Nanki T, Miyasaka N, <u>Harigai M</u> .	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients.	Mod Rheumatol.	23(6)	1085-93	2013
40	<u>Harigai M</u> , Takamura A, Atsumi T, Dohi M, Hirata S, Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol.	23(2)	284-96	2013
41	Takeuchi T, <u>Harigai M</u> , Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, the GO-MONO study group.	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicentre, randomised, double-blind, placebo-controlled GO-MONO study through 24 weeks.	Ann Rheum Dis.	72(9)	1488-95	2013
42	Takamura A, Hirata S, Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, <u>Harigai M</u> .	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol.	23(2)	297-303	2013
43	Takeuchi T, <u>Harigai M</u> , Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D	Golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior treatment with disease-modifying antirheumatic drugs: results of the phase 2/3, multicentre, randomised, double-blind, placebo-controlled GO-MONO study through 24 weeks	Ann Rheum Dis.	72(9)	1488-95	2013
44	Kawasaki A, Inoue N, Ajimi C, Sada K, Kobayashi, Yamada H, Furukawa H, Sumida T, Tohma S, Miyasaka N, Matsuo S, Ozaki S, Hashimoto H, Makino H, <u>Harigai M</u> , Tsuchiya N	Association of IRF5 polymorphism with MPO-ANCA positive vasculitis in a Japanese population	Genes Immun	advance online publication	advance online publication	2013
45	針谷正祥	結節性多発動脈炎(特集 血管炎の診断と治療 新分類CHCC2012に沿って)	医学のあゆみ	246(1)	21-26	2013
46	Dougados M, Soubrier M, Antunez A, Balint P, Balsa A, Buch MH, Casado G, Detert J, El-Zorkany B, Emery P, Hajjaj-Hassouni N, <u>Harigai M</u> , Luo SF, Kurucz R, Maciel G, Mola EM, Montecucco CM, McInnes I, Radner H, Smolen JS, Song YW, Vonkeman HE, Winthrop K, Kay J.	Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA).	Ann Rheum Dis.	73 (1)	Aug-66	2014
47	Cho SK, Sakai R, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Tanaka Y, Nakajima A, Yasuda S, Ihata A, Ezawa K, Won S, Choi CB, Sung YK, Kim TH, Jun JB, Yoo DH, Miyasaka N, Bae SC, <u>Harigai M</u> for the RESEARCH investigators and the REAL Study Group.	A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan.	Mod Rheumatol.	2013 [Epub ahead of print]		

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:針谷正祥

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	針谷正祥	生物学的製剤のリスクマネジメントとインフォームドコンセントとは?	宮坂信之編	医薬ジャーナル社	2011
			関節リウマチ(生物学的製剤の正しい使い方とは?)	日本	66-73
2	針谷正祥	膠原病に用いる生物学的製剤による薬剤性肺障害	宮坂信之	医薬ジャーナル社	2012
			膠原病の肺合併症診療マニュアル	東京	177-185
3	針谷正祥	生物学的製剤で副作用が起こったら?~副作用の対処方法~	宮坂信之	医薬ジャーナル社	2012
			正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	57-65
4	針谷正祥	B型肝炎ウイルス再活性化への対処方法は?	宮坂信之	医薬ジャーナル社	2012
			正しい生物学的製剤の使い方(関節リウマチ)改訂版	東京	66-70
5	針谷正祥	ステロイドと他剤との相互作用とは?	宮坂信之	医薬ジャーナル社	2012
			正しいステロイド剤の使い方(1.内用剤編)改訂3版	東京	49-52
6	針谷正祥	続発性免疫不全症候群	門脇 孝、永井良三	西村書店	2012
			内科学(第1版)	東京	1334-1335
7	針谷正祥	ステロイドと他剤との相互作用	宮坂信之	新興医学出版社	2013
			ポケットサイズのステロイド診療マニュアル	東京	27-32
8	針谷正祥	治療につながる診断力	竹内勤	南江堂	2013
			関節リウマチ治療【実践バイブル】	東京	23-27
9	針谷正祥	既往感染例におけるHBV再活性化の実態と対策 リウマチ性疾患・自己免疫疾患	持田智	医薬ジャーナル社	2013
			de novo B型肝炎(HBV再活性化予防のための基礎知識)	大阪	146-153
10	針谷正祥	サイトカイン(基礎編 免疫のしくみ)	田中良哉	羊土社	2013
			免疫・アレルギー疾患イラストレイテッド	東京	77-86
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 平田信太郎

1/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Takeuchi T, Tanaka Y, Kaneko Y, Tanaka E, <u>Hirata S</u> , Kurasawa T, Kubo S, Saito K, Shidara K, Kimura N, Nagasawa H, Kameda H, Amano K, Yamanaka H.	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study).	Mod Rheumatol.	22	327-38.	2012
2	Hirakawa E, Saito K, <u>Hirata S</u> , Atsumi T, Koike T, Tanaka Y.	A case of catastrophic antiphospholipid antibody syndrome complicated with systemic lupus erythematosus, double positive for anti-cardiolipin/β ₂ glycoprotein I and anti-phosphatidylserine/prothrombin autoantibodies.	Mod Rheumatol.	22	769-73.	2012
3	Yoshimura R, Saito K, Terada T, Yunoue N, Umene-Nakano W, <u>Hirata S</u> , Saitoh K, Tanaka Y, Nakamura J.	Steroid psychosis in a polyarteritis nodosa patient successfully treated with risperidone: tracking serum brain-derived neurotrophic factor levels longitudinally.	Ann Gen Psychiatry.	11	2	2012
4	Iwata S, Saito K, <u>Hirata S</u> , Tanaka Y.	Phenotypic changes of lymphocyte in a patient with IgG4-related disease after corticosteroid therapy.	Ann Rheum Dis.	71	2058-9.	2012
5	平田信太郎, 田中良哉	【関節リウマチ(RA)診断と治療の進歩】評価X線による関節破壊評価	日本内科学会雑誌	101	2893-2898	2012
6	平田信太郎, 山岡邦宏, 田中良哉	【もっと深くエビデンスを読む】どのように生物学的製剤を使うか BeSt & RRR	分子リウマチ治療	5	131-134	2012
7	平田信太郎, 斎藤和義, 澤向範文, 中野和久, 山岡邦宏, 田中良哉	関節リウマチ患者におけるCOX-2選択性阻害薬セレコキシブの上部消化管自覚症状に対する影響 非ステロイド性抗炎症薬(NSAIDs)切り替え効果の検討	九州リウマチ	32	17-25	2012
8	平田信太郎, 田中良哉	【関節リウマチ診療update-これだけは知っておきたい知識とは?】『治療にあたり内科医が知るべき知識』専門医に紹介するタイミングとは?	内科	109	615-620	2012
9	田中良哉, 平田信太郎, 斎藤和義	【関節リウマチの最新情報-寛解を目指した診断と治療の新展開-】治療戦略 生物学的製剤中止のタイミング	最新医学	67	237-243	2012
10	平田信太郎, 田中良哉	目でみるシリーズ 関節X線スコアリング van der Heijde modified Sharp scoreの実際	Frontiers in Rheumatology & Clinical Immunology	6	4-7	2012
11	平田信太郎, 田中良哉	【関節リウマチ治療における生物学的製剤治療-薬剤中止寛解の可能性を中心に】アダリムマブによるバイオフリー寛解の可能性	リウマチ科	48	636-640	2012
12	Takamura A, <u>Hirata S</u> , Nagasawa H, Kameda H, Seto Y, Atsumi T, Dohi M, Koike T, Miyasaka N, Harigai M.	A retrospective study of serum KL-6 levels during treatment with biological disease-modifying antirheumatic drugs in rheumatoid arthritis patients: a report from the Ad Hoc Committee for Safety of Biological DMARDs of the Japan College of Rheumatology.	Mod Rheumatol.	23	297-303.	2013
13	Harigai M, Takamura A, Atsumi T, Dohi M, <u>Hirata S</u> , Kameda H, Nagasawa H, Seto Y, Koike T, Miyasaka N.	Elevation of KL-6 serum levels in clinical trials of tumor necrosis factor inhibitors in patients with rheumatoid arthritis: a report from the Japan College of Rheumatology Ad Hoc Committee for Safety of Biological DMARDs.	Mod Rheumatol.	23	284-96.	2013
14	Yamamoto S, Okada Y, Mori H, <u>Hirata S</u> , Saito K, Inokuchi N, Tanaka Y.	Successful treatment of osteomalacia caused by renal tubular acidosis associated with Sjögren's syndrome.	Mod Rheumatol.	23	401-5.	2013
15	Tsuboi H, Hagiwara S, Asashima H, Umebara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, <u>Hirata S</u> , Mimori T, Matsumoto I, Sumida T.	Validation of different sets of criteria for the diagnosis of Sjögren's syndrome in Japanese patients.	Mod Rheumatol.	23	219-25.	2013
16	<u>Hirata S</u> , Dirven L, Shen Y, Centola M, Cavet G, Lems WF, Tanaka Y, Huizinga TW, Allaart CF.	A multi-biomarker score measures rheumatoid arthritis disease activity in the BeSt study.	Rheumatology (Oxford).	52	1202-7.	2013

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名: 平田信太郎

2/2

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
17	Kubo S, Saito K, <u>Hirata S</u> , Fukuyo S, Yamaoka K, Sawamukai N, Nawata M, Iwata S, Mizuno Y, Tanaka Y.	Abatacept inhibits radiographic progression in patients with rheumatoid arthritis: a retrospective analysis of 6 months of abatacept treatment in routine clinical practice. The ALTAIR study.	Mod Rheumatol.	24	42-51	2013
18	Tanaka Y, <u>Hirata S</u> , Saleem B, Emery P.	Discontinuation of biologics in patients with rheumatoid arthritis.	Clin Exp Rheumatol.	31	S22-27	2013
19	<u>Hirata S</u> , Saito K, Kubo S, Fukuyo S, Mizuno Y, Iwata S, Nawata M, Sawamukai N, Nakano K, Yamaoka K, Tanaka Y.	Discontinuation of adalimumab after attaining disease activity score 28-erythrocyte sedimentation rate remission in patients with rheumatoid arthritis (HONOR study): an observational study.	Arthritis Res Ther.	15	R135.	2013
20	Tanaka Y, <u>Hirata S</u> .	Is It Possible to Withdraw Biologics From Therapy in Rheumatoid Arthritis?	Clin Ther.	35	2028-35	2013
21	平田信太郎, 田中良哉	[TNF阻害薬を見極める] アダリムマブ	Rheumatology Clinical Research	2	15-20	2013
22	平田信太郎, 田中良哉	[関節リウマチ治療における生物学的製剤に関する新知見] セルトリズマブ: 最近の新知見	リウマチ科	50	80-85	2013
23	平田信太郎, 田中良哉	[話題] MBDAスコアによるRA活動性評価	リウマチ科	50	618-622	2013
24	Tanaka Y, <u>Hirata S</u> , Kubo S, Fukuyo S, Hanami K, Sawamukai N, Nakano K, Nakayamada S, Yamaoka K, Sawamura F, Saito K.	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study.	Ann Rheum Dis.		in press	
25	Tsuboi H, Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, <u>Hirata S</u> , Mimori T, Yoshifuiji H, Ohta A, Matsumoto I, Sumida T.	Primary and secondary surveys on epidemiology of Sjögren's syndrome in Japan.	Mod Rheumatol.		in press	
26	Sonomoto K, Yamaoka K, Kubo S, <u>Hirata S</u> , Fukuyo S, Maeshima K, Suzuki K, Saito K, Tanaka Y.	Effects of tofacitinib on lymphocytes in rheumatoid arthritis: Relation to efficacy and infectious adverse events.	Rheumatology (Oxford).		in press	
27	Fukuyo S, Saito K, Yamaoka K, Sawamukai N, <u>Hirata S</u> , Nawata M, Iwata S, Tanaka Y.	Efficacy and safety of reducing duration of infliximab infusion.	Mod Rheumatol.		in press	
28						
29						
30						
31						
32						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:平田信太郎

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	平田信太郎	解説編 リウマチ治療に関連する二 次性呼吸器合併症	田中良哉, 迎寛 編	永井書店	2011
			実践 リウマチ肺障害の診療	東京	38-47
2	平田信太郎, 田中良哉	症例編 実際の症例に基づく胸部X 線読影診断のポイント	田中良哉, 迎寛 編	永井書店	2011
			実践 リウマチ肺障害の診療	東京	51-89
3	平田信太郎, 田中良哉	II.治療につながる診断力 7.関節リ ウマチの画像診断と評価法 b.X線	竹内勤 編	南江堂	2013
			関節リウマチ治療 実践バイブル	東京	57-61
4	平田信太郎, 田中良哉	VII.ケースから学ぶ上手な薬物療法 4. adalimumabが効果的であった ケース	竹内勤 編	南江堂	2013
			関節リウマチ治療 実践バイブル	東京	225-227
5					
6					
7					
8					
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:松井利浩

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Matsui T, Kuga Y, Nishino J, Kaneko A, Eto Y, Tohma S.	Comparison of composite disease activity indices for rheumatoid arthritis.	Mod Rheumatol	21(2)	134-43	2011
2	松井利浩	ACR/EULAR RA新分類基準Phase 1	Frontiers in Rheumatology & Clinical Immunology	1(5)	20-24	2011
3	Saeki Y, Matsui T, Saisho K, Tohma S.	Current treatments of rheumatoid arthritis: from the 'NinJa' registry.	Expert Rev Clin Immunol	8(5)	455-65	2012
4	松井利浩	新しい寛解基準とそれを用いたRAの評価	リウマチ科	47(1)	82-86	2012
5	Migita K, Sasaki Y, Ishizuka N, Arai T, Kiyokawa T, Suematsu E, Yoshimura M, Kawabe Y, Matsumura R, Akagawa S, Mori S, Shirai M, Watanabe Y, Minami N, Soga T, Owan I, Ohshima S, Yoshizawa S, Matsui T, Tohma S, Bito S.	Glucocorticoid Therapy and the Risk of Infection in Patients With Newly Diagnosed Autoimmune Disease.	Medicine (Baltimore)	92(5)	285-93	2013
6	Migita K, Arai T, Ishizuka N, Jiuchi Y, Sasaki Y, Izumi Y, Kiyokawa T, Suematsu E, Miyamura T, Tsutani H, Kawabe Y, Matsumura R, Mori S, Ohshima S, Yoshizawa S, Kawakami K, Suenaga Y, Nishimura H, Sugimoto T, Iwase H, Sawada H, Yamashita H, Kuratsu S, Ogushi F, Kawabata M, Matsui T, Furukawa H, Bito S, Tohma S.	Rates of serious intracellular infections in autoimmune disease patients receiving initial glucocorticoid therapy.	PLoS One	8(11)	e78699	2013
7						
8						
9						
10						
11						
12						
13						
14						
15						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:松下 功

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Matsushita I, Morita Y, Ito Y, Gejo R, Kimura T	Activities of daily living after total hip arthroplasty. Is a 32-mm femoral head superior to a 26-mm head for improving daily activities?	Int Orthop	35(1)	25-29	2011
2	松下 功、木村友厚	下肢荷重関節に対する生物学的製剤の有用性	MB orthop	24(9)	41-47	2011
3	松下 功、木村友厚	生物学的製剤による骨破壊抑制効果	関節外科	30(5)	33-41	2011
4	2) 杉森一仁、松下 功、他	化膿性肩関節炎に対する鏡視下デブリードマンと持続灌流.	中部整災誌	54 (5)	991-992	2011
5	永原詩乃、島田有加、松下功、元村拓、関英子、木村友厚	生物学的製剤使用中の関節リウマチ患者における上肢の誤用・過用の実態とりハビリテーション介入の効果	総合リハビリテーション	40	275-279	2012
6	Ito Y, Matsushita I, Watanabe H, Kimura T.	Anatomic Mapping of Short External Rotators Shows the Limit of Their Preservation During Total Hip Arthroplasty	Clin Orthop Relat Res	470	1690-1695	2012
7	松下 功、関英子、元村拓、木村友厚	TNF阻害療法下におけるRA荷重関節の変化	中部リウマチ	41	56-57	2012
8	Isao Matsushita, Yuji Morita, Yoshiaki Ito, Hiraku Motomura and Tomoatsu Kimura	Long-term clinical and radiographic results of cementless total hip arthroplasty for patients with rheumatoid arthritis: minimal 10-year follow-up.	Mod Rheumatol	Nov.5	Epub ahead of print	2013
9	Atsushi Kaneko, Isao Matsushita, Katsuaki Kanbe, Katsumitsu Arai, Yoshiaki Kuga, Asami Abe, Takeshi Matsumoto, Natsuko Nakagawa and Keiichiro Nishida	Development and validation of a new radiographic scoring system to evaluate bone and cartilage destruction and healing of large joints with rheumatoid arthritis: ARASHI (Assessment of rheumatoid arthritis by scoring of large joint destruction and healing in radiographic imaging) study.	Mod Rheumatol	23	1053-1062.	2013
10	Hiraku MOTOMURA, Isao MATSUSHITA, Eiko SEKI, Hayato MINE, and tomoatsu KIMURA	Inhibitory effect of tacrolimus on progression of joint damage in patients with rheumatoid arthritis.	Int J Rheumatic disease	Nov.20	Epub ahead of print	2013
11	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, Koike T	The Japan College of Rheumatology Committee for the Standardization of Musculoskeletal Ultrasonography (JCR-CoSMUS). Ultrasound assessment of synovial pathologies in rheumatoid arthritis using comprehensive multi-plane images of the 2nd metacarpophalangeal joint - Identification of the components which are reliable and influential on the global assessment of the whole joint.	Arthritis Rheum	Nov.18	Epub ahead of print	2013
12	松下 功	生物学的製剤治療によるRA股関節破壊の阻止とその限界.	Hip joint	39	82-87	2013
13	松下 功、木村友厚	生物学的製剤治療のストラテジー.	日本関節病学会誌	32	89-96	2013
14	松下 功	関節リウマチにおける骨破壊制御の試み . RA骨破壊の画像診断 .	Rheumatology Clinical Research	2	94-98	2013
15	松下 功	早期関節リウマチ治療を考える 2.関節リウマチにおける画像診断の進歩とその役割 1) X線検査 .	Prog.Med.	33	1887-1891	2013
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:松下 功

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	松下 功, 他	大関節(下肢荷重関節)における生物学的製剤の影響.	神戸克明	ベクトル・コア	2011
			手にとるようにわかる 関節リウマチにおける生物学的製剤の実際	東京	202-219
2	松下 功, 他	リウマチ診療のための関節エコー撮像法ガイドライン	日本リウマチ学会関節リウマチ超音波標準化委員会	羊土社	2011
			関節エコー撮像法ガイドライン	東京	
3	松下 功、木村友厚	関節リウマチの最新治療 手術療法の実際 - 各関節における手術 -	川合眞一	日本評論社	2012
			からだの科学	東京	98-102
4	松下 功	色素性絨毛結節性滑膜炎と関節リウマチとの鑑別	宮坂信之	科学評論社	2012
			リウマチ科	東京	358-363
5	松下 功、木村友厚	関節リウマチの画像診断	皆川洋至	全日本病院出版会	2012
			MB Med Rehab	東京	47-54
6	松下 功	関節リウマチの診かた 3 関節の見かた b) 下肢	村澤章、元木繪美	羊土社	2013
			リウマチ看護パーフェクトマニュアル	東京	48-54
7	松下 功、木村友厚	関節リウマチ(画像診断)	住田孝之	診断と治療社	2013
			Expert 膜原病・リウマチ	東京	160-167
8	松下 功	人工関節置換術	竹内勤	南江堂	2013
			関節リウマチ治療「実践バイブル」	東京	261-267
9					
10					
11					
12					
13					

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:山中 寿

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Rebecca L. Prowse, Nicola Dalbeth, Arthur Kavanaugh, Adewale O. Adebajo, Angelo L. Hisashi Yamanaka et al.	A delphi Exercise to Identify Characteristic Features of Gout-Opinions from Patients and Physicians,the First Stage in Developing New Classification Criteria.	J Rheumatol	40	498-505	2013
2	Yamanaka H, Seto Y, Tanaka E, Furuya T, Nakajima A, Ikari K, Taniguchi A, Momohara S.	Management of rheumatoid arthritis: the 2012 perspective.	Mod Rheumatol	23	1-7	2013
3	Yamanaka H	Essence of the Revised Guideline for the Management of Hyperuricemia and gout.	JMAJ	55	324-9	2012
4	Yamanaka H.	Japanese guideline for the management of hyperuricemia and gout: second edition.	Nucleosides Nucleotides Nucleic Acids	30	1018-29	2011
5	山中 寿	高尿酸血症治療のためのガイドライン;新薬の位置づけを含めて	Pharma Medica	30	47-50	2012
6	山中 寿	高尿酸血症・痛風の治療ガイドライン(第二版)の読み方	medecina	49	1308-12	2012
7	山中 寿	関節リウマチの診療ガイドライン	日本内科学会雑誌	10	2860-4	2012
8	山中 寿	高尿酸血症・痛風の治療ガイドライン第2版作成の経緯	高尿酸血症と痛風	19	16-20	2011
9	山中 寿	高尿酸血症・痛風の治療ガイドライン第2版改訂のポイント	日本医師会雑誌	140	269-73	2011
10	山中 寿	高尿酸血症・痛風の治療ガイドライン(第2版2010)の特徴	Mebio	28	236-40	2011
11						
12						
13						
14						
15						
16						

研究成果の刊行に関する一覧表(平成23~25年度)

研究分担者氏名:山中 寿

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	山中 寿	関節リウマチ	門脇孝、小室一誠、宮地良樹	メディカルレビュー社	2012
			診療ガイドライン UP-TO-DATE 2012-2013	東京	522-5
2	山中 寿	痛風の診断・治療指針	中村耕三	総合医学社	2012
			運動器診療 最新ガイドライン	東京	253-6
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					