

市民公開講座

難治性貧血

～最近の話題～

2014年


2月1日 土

13:30～16:50

ベルサール神保町
Room4+5

参加費無料

事前の参加申し込みは不要です。
当日、会場受付におこしください。



交通：「九段下駅」7番出口徒歩3分(東西線)
「九段下駅」5番出口徒歩4分(半蔵門線・新宿線)
「神保町駅」A2出口徒歩5分(半蔵門線・新宿線・三田線)

13:30 開会の挨拶 **黒川 峰夫** 東京大学大学院 医学系研究科 血液腫瘍内科学 教授

13:35 患者の会挨拶 **市川 賢司** 再生つばさの会

13:40 厚生労働省挨拶 厚生労働省 健康局 疾病対策課

13:45 骨髄異形成症候群 「骨髄異形成症候群の新しい国際予後スコアシステムについて」

宮崎 泰司 長崎大学原爆後障害医療研究所原爆・ヒパクシャ医療部門 血液内科学研究分野 教授

14:15 再生不良性貧血 「再生不良性貧血の診断と治療」

中尾 眞二 金沢大学医薬保健研究域医学系 細胞移植学(血液・呼吸器内科) 教授

14:45 自己免疫性溶血性貧血 「溶血性貧血の診断について」

亀崎 豊実 自治医科大学 地域医療学センター 教授

15:15 発作性夜間血色素尿症 「発作性夜間ヘモグロビン尿症の病態と治療」

西村 純一 大阪大学大学院医学系研究科 血液・腫瘍内科学 講師

16:15 骨髄線維症 「骨髄線維症-治療の進歩」

下田 和哉 宮崎大学医学部内科学講座 消化器血液学分野 教授

16:45 閉会の挨拶 **黒川 峰夫** 東京大学大学院 医学系研究科 血液腫瘍内科学 教授

共催

厚生労働省科学研究費補助金 難治性疾患等克服研究事業
特発性造血性障害に関する調査研究班 (代表 黒川 峰夫)

【事務局】 東京大学大学院 医学系研究科 血液腫瘍内科学

TEL: 03-3815-5411 (内線35609)・03-5800-8738 (直通)

再生つばさの会

【事務局】 関つたえ

TEL: 070-5543-1482 (携帯)

VI. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表レイアウト

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
黒川峰夫	内科学の課題とこれからの展望	門脇孝 永井良三	カラー版 内科学	西村書店	日本	2013	43-44
黒川峰夫	急性骨髄性白血病	門脇孝 永井良三	カラー版 内科学	西村書店	日本	2013	1379-1382
赤司浩一	真性赤血球増加症、本態性血小板血症、原発性骨髄線維症	山口徹、北原光夫、福井次矢	今日の治療指針	株式会社医学書院	日本	2013	599-600
宮崎泰司	IPSS-R：改訂を巡る議論とそのポイント	木崎昌弘 伊豆津宏二 柴山浩彦 張替秀郎 宮崎泰司	Hematology AGORA（血液の広場）	毘沙門堂	日本	2013	20-23
宮崎泰司	骨髄異形成症候群の病態	直江知樹	インフォームドコンセントのための図説シリーズ 白血病／骨髄異形成症候群	医薬ジャーナル社	日本	2013	14-17
富田章裕	発症機構、白血病幹細胞	金倉謙、松村到	ここまでの白血病／MDS（骨髄異形成症候群）治療、プリンシプル血液疾患の臨床	中山書店	日本	2013	12-26
長谷川大輔 真部淳	小児血液疾患	東條有伸	G-CSFの基礎と臨床	医薬ジャーナル社	大阪	2013	
亀崎豊実 梶井英治	Tn症候群		日本臨床別冊血液症候群III	日本臨床社	日本	2013	729-732
幣光太郎 下田和哉	G-CSFのシグナル伝達	東條有伸	G-CSFの基礎と臨床	医薬ジャーナル社	日本	2013	28-41
下田和哉	原発性骨髄線維症	矢崎義雄	内科学	朝倉書店	日本	2013	1995-1996
亀田拓郎 下田和哉	骨髄線維症	金倉謙	ここまでの白血病/MDS治療	(株)中山書店	日本	2013	280-285

Inoue N, Y Murakami and T Kinoshita.	Glycosylphosphatidylinositol-N-acylglucosaminyltransferase (GPI-GlcNAc transferase): A complex comprised of FIGA, FIGC, FIGH, FIGQ, FIGP, FIGY and DPM2.	N. Taniguchi, K. Honke, et. al	In Handbook of Glycosyltransferases and Related Genes, 2nd ed.,	Springer	ドイツ	2013	In press
原田結花, 原田浩徳	エピゲノム異常と発がん	木崎昌弘	新・カラーテキスト血液病学	中外医学社	日本	2013	印刷中
通山薫	MDSにおけるリスク分類	定平吉都 北川昌伸	腫瘍病理鑑別診断アトラス・造血器腫瘍	文光堂	日本	2013	249-252
通山薫	血液疾患 総論 4: 臨床検査 1) 骨髓穿刺・生検	矢崎義雄	内科学第10版	朝倉書店	日本	2013	1896-1897
通山薫	血液疾患 総論 4: 臨床検査 2) 特殊染色	矢崎義雄	内科学第10版	朝倉書店	日本	2013	1897-1899
通山薫	一般検査	金倉讓	プリンシプル血液疾患の臨床・ここまできた白血病/MDS治療	中山書店	日本	2013	40-42
通山薫	骨髓穿刺/骨髓生検	金倉讓	プリンシプル血液疾患の臨床・ここまできた白血病/MDS治療	中山書店	日本	2013	43-45
中熊秀喜	発作性夜間ヘモグロビン尿症	山口徹 北原光夫 福井次矢	今日の治療指針 2013	医学書院	東京	2013	596-597
田中宏和 松村到	初発慢性期の慢性骨髄性白血病	総編集 金倉讓	ここまできた白血病/MDS治療	中山書店	日本	2013	250-259
田中宏和 平瀬主税 松村到	イマチニブ抵抗性不耐容の慢性期の慢性骨髄性白血病	総編集 金倉讓	ここまできた白血病/MDS治療	中山書店	日本	2013	260-267

平瀬主税 田中宏和 松村到	移行期・急性転化期 の慢性骨髄性白血 病	総編集 金倉讓	ここまでの 白血病/MDS治療	中山書 店	日本	2013	268-272
芦田隆司 松村到	輸血	総編集 金倉讓	ここまでの 白血病/MDS治療	中山書 店	日本	2013	296-306
松村到 金倉讓	造血分子機構	小川聡	改訂版代8版 内科学書	中山書 店	日本	2013	8-10
豊嶋崇徳	GVHDのメカニズ ムとその克服に向 けた細胞療法の展 開	黒川峰夫	造血幹細胞移植 の最新動向	医歯薬 出版株 式会社	日本	2013	118-122
豊嶋崇徳	急性GVHDの病態 生理	豊嶋崇徳	みんなに役立つ GVHDの基礎と 臨床	医薬ジ ャーナ ル社	日本	2013	14-25
豊嶋崇徳	造血幹細胞移植時 のGVHDと免疫抑 制療法	田村和夫	血液疾患治療に おける合併症対 策	医薬ジ ャーナ ル社	日本	2013	136-147
豊嶋崇徳	GVHDとGVL	金倉讓	ここまでの白 血病/MDS治療	中山書 店	日本	2013	112-121

雑誌 (和文・英文とも)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kagoya Y, Yoshimi A, Kataoka K, Nakagawa M, Kumano K, Arai S, Kobayashi H, Saito T, Iwakura Y, and Kurokawa M.	NF- κ B/TNF- α positive feedback loop with active proteasome machinery supports myeloid leukemia initiating cell capacity	<i>J Clin Invest</i>	124(2)	528-542	2014
Nakazaki K, Nannya Y, and Kurokawa M.	Distribution of serum erythropoietin levels in lower risk myelodysplastic syndrome cases with anemia.	<i>Int J Hematol</i>	99(1)	53-6	2014
Nannya Y, Shinohara A, Ichikawa M, and Kurokawa M.	Serial Profile of Vitamins and Trace Elements during the Acute Phase of Allogeneic Stem Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>			[Epub ahead of print] PMID: 2433374 9

Nukina A, Kagoya Y, Watanabe-Okochi N, Arai S, Ueda K, Yoshimi A, Nannya Y, and Kurokawa M.	Single-cell gene expression analysis reveals clonal architecture of blast-phase chronic myeloid leukaemia.	<i>Br J Haematol</i>				[Epub ahead of print] PMID: 24401018
Ogura M, Ichikawa M, Masuda A, Kandabashi K, Nannya Y, and Kurokawa M.	A mixed-type autoimmune hemolytic anemia with immune thrombocytopenia related with myositis and post-transplantation lymphoproliferative disorder.	<i>Ann Hematol</i>				[Epub ahead of print] PMID: 24013519
Shinohara A, Imai Y, Nakagawa M, Takahashi T, Ichikawa M, and Kurokawa M.	Intracellular reactive oxygen species mark and influence the megakaryocyte-erythrocyte progenitor fate of common myeloid progenitors.	<i>Stem Cells</i>	32	548-57	2014	
Goyama S, Schibler J, Cunningham L, Zhang Y, Rao Y, Nishimoto N, Nakagawa M, Olsson A, Wunderlich M, Link KA, Mizukawa B, Grimes HL, Kurokawa M, Liu PP, Huang G, and Mulloy JC.	Transcription factor RUNX1 promotes survival of acute myeloid leukemia cells.	<i>J Clin Invest</i>	123	3876-88	2013	
Hangai S, Nakamura F, Kamikubo Y, Honda A, Arai S, Nakagawa M, Ichikawa M, and Kurokawa M	Erythroleukemia showing early erythroid and cytogenetic responses to azacitidine therapy.	<i>Ann Hematol</i>	92	993-4	2013	
Ichikawa M, Yoshimi A, Nakagawa M, Nishimoto N, Watanabe-Okochi N, and Kurokawa M.	A role for RUNX1 in hematopoiesis and myeloid leukemia.	<i>Int J Hematol</i>	97	726-34	2013	
Kobayashi T, Ichikawa M, Kamikubo Y, and Kurokawa M.	Acute myeloid leukemia with cryptic CBFβ-MYH11 type D.	<i>Int J Clin Exp Pathol</i>	6	110-2	2013	
Kobayashi T, Ichikawa M, Nannya Y, and Kurokawa M.	The effect of decreased-dose idarubicin for elderly patients with acute myeloid leukemia.	<i>Jpn J Clin Oncol</i>	43	1047-51	2013	

Kumano K, Arai S, and Kurokawa M.	Generation of iPS cells from normal and malignant hematopoietic cells.	<i>Int J Hematol</i>	98	145-52	2013
Shinohara A, Yoshiki Y, Masamoto Y, Hangaishi A, Nannya Y, and Kurokawa M.	Moxifloxacin is more effective than tosufloxacin in reducing chemotherapy-induced febrile neutropenia in patients with hematological malignancies.	<i>Leuk Lymphoma</i>	54	794-8	2013
Watanabe-Okochi N, Yoshimi A, Sato T, Ikeda T, Kumano K, Taoka K, Satoh Y, Shinohara A, Tsuruta T, Masuda A, Yokota H, Yatomi Y, Takahashi K, Kitaura J, Kitamura T, and Kurokawa M.	The shortest isoform of C/EBP β , liver inhibitory protein (LIP), collaborates with Evi1 to induce AML in a mouse BMT model.	<i>Blood</i>	121	4142-55	2013
Yoshizato T, Watanabe-Okochi N, Nannya Y, Ichikawa M, Takahashi T, Sato T, Masuda A, Yatomi Y, Tsuno NH, Kurokawa M, and Takahashi K.	Prediction model for CD34 positive cell yield in peripheral blood stem cell collection on the fourth day after G-CSF administration in healthy donors.	<i>Int J Hematol</i>	98	56-65	2013
Mimuro J, Mizukami H, Hishikawa S, Ikemoto T, Ishiwata A, Sakata A, Ohmori T, Madoiwa S, Ono F, Ozawa K, Sakata Y.	Minimizing the inhibitory effect of neutralizing antibody for efficient gene expression in the liver with adeno-associated virus 8 vectors.	<i>Mol. Ther.</i>	21(2):	318-323	2013
Uchibori R, Tsukahara T, Mizuguchi H, Saga Y, Urabe M, Mizukami H, Kume A, Ozawa K.	NF- κ B activity regulates mesenchymal stem cell accumulation at tumor sites.	<i>Cancer Res.</i>	73(1)	364-372	2013
Kanakura Y, Ohyashiki K, Shichishima T, Okamoto S, Ando K, Ninomiya H, Kawaguchi T, Nakao S, Nakakuma H, Nishimura J, Kinoshita T, Bedrosian C.L, Ozawa K, Omine M.	Long-term efficacy and safety of eculizumab in Japanese patients with PNH: AEGIS trial.	<i>Int. J. Hematol.</i>	98(4)	406-416	2013

Ohba R, Furuyama K, Yoshida K, Fujiwara T, Fukuhara N, Onishi Y, Manabe A, Ito E, Ozawa K, Kojima S, Ogawa S, Harigae H.	Clinical and genetic characteristics of congenital sideroblastic anemia: comparison with myelodysplastic syndrome with ring sideroblast (MDS-RS).	Ann. Hematol.	92(1)	1-9	2013
Yasumoto A, Madoiwa S, Kashiwakura Y, Ishiwata A, Ohmori T, Mizukami H, Ozawa K, Sakata Y, Mimuro J.	Overexpression of factor VII ameliorates bleeding diathesis of factor VIII-deficient mice with inhibitors.	Thromb Res.	131(5)	444-449	2013
Kobayashi H, Nagai T, Omine K, Sato K, Ozaki K, Suzuki T, Mori M, Muroi K, Yano T, Yamamoto H, Ozawa K.	Clinical outcome of non-surgical treatment for primary small intestinal lymphoma diagnosed with double-balloon endoscopy.	Leuk. Lymphoma	54(4)	731-736	2013
Fujiwara S, Muroi K, Hirata Y, Sato K, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Tanaka A, Ozawa K.	Clinical features of de novo CD25(+) diffuse large B-cell lymphoma.	Hematology	18(1)	14-19	2013
Uesawa M, Muroi K, Ozawa K.	Plasmapheresis-refractory transplantation-associated thrombotic microangiopathy successfully treated with pravastatin and limaprost alfadex.	Am. J. Hematol.	17(4)	462-465	2013
Muroi K, Miyamura K, Ohashi K, Murata M, Eto T, Kobayashi N, Taniguchi S, Imamura M, Ando K, Kato S, Mori T, Teshima T, Mori M, Ozawa K.	Unrelated allogeneic bone marrow-derived mesenchymal stem cells for steroid-refractory acute graft-versus-host disease: a phase I/II study.	Int. J. Hematol.	98(2)	206-213	2013
Tsukahara T, Ohmine K, Yamamoto C, Uchibori R, Ido H, Teruya T, Urabe M, Mizukami H, Kume A, Nakamura M, Mineno J, Takesako K, Riviere I, Sadelain M, Brentjens R, Ozawa K.	CD19 target-engineered T-cells accumulate at tumor lesions in human B-cell lymphoma xenograft mouse models.	Biochem. Biophys. Res. Commun.	438(1):	84-89	2013

Tatara R, Nagai T, Suzuki M, Oh I, Fujiwara S-I, Norizuki M, Muroi K, Ozawa K.	Sepsis and Meningoencephalitis Caused by Bacillus cereus in a Patient with Myelodysplastic Syndrome.	Int. Med.	52(17)	1987-1990	2013
Nagai T, Karakawa M, Komine M, Muroi K, Ohtsuki M, Ozawa K.	Development of psoriasis in a patient with chronic myelogenous leukaemia during nilotinib treatment.	Eur. J. Haematol.	91(3)	270-272	2013
Sugimoto M, Fujiwara S, Hosonuma R, Matsu H, Uehara E, Yamamoto C, Kobayashi H, Hatano K, Meguro A, Tatara R, Okabe H, Oh I, Matsuyama T, Ohmine K, Suzuk T, Mori M, Nagai T, Ozawa K, Muroi K.	Analysis of hemolysis in collected bone marrow for bone marrow transplantation.	Transfus. Apher. Sci.	49(1)	95-96	2013
Mimuro J, Mizukami H, Shima M, Matsushita T, Taki M, Muto S, Higasa S, Sakai M, Ohmori T, Madoiwa S, Ozawa K, Sakata Y.	The prevalence of neutralizing antibodies against adeno-associated virus capsids is reduced in young Japanese individuals.	J. Med. Virol.			In press
金倉 讓	発作性夜間ヘモグロビン尿症(PNH)の病態と新規抗体療法	日本検査血液学会雑誌	14	64-70	2013
Nishimura J, Yamamoto M, Hayashi S, Ohyashiki K, Ando K, Brodsky AL, Noji H, Kitamura K, Eto T, Takahashi T, Masuko M, Matsumoto T, Wano Y, Shichishima T, Shibayama H, Hase M, Li L, Johnson K, Lazarowski A, Tamburini P, Inazawa J, Kinoshita T, Kanakura Y.	Genetic Variants in C5 and Poor Response to Eculizumab in PNH.	New Engl J Med			in press
Sugiyama D, Nishikawa H, Maeda Y, Nishioka M, Tanemura A, Katayama I, Ezoe S, Kanakura Y, Sato E, Fukumori Y, Karbach J, Jäger E, Sakaguchi S.	Anti-CCR4 mAb selectively depletes effector-type FoxP3+CD4+ regulatory T cells, evoking antitumor immune responses in humans.	Proc Natl Acad Sci U S A	110(44)	17945-17950	2013

Yokota T, Sudo T, Ishibashi T, Doi Y, Ichii M, Orirani K, Kanakura Y.	Complementary regulation of early B-lymphoid differentiation by genetic and epigenetic mechanisms.	Int J Hematol	98(4)	382-389	2013
Kanakura Y, Ohyashiki K, Shichishima T, Okamoto S, Ando K, Ninomiya H, Kawaguchi T, Nakao S, Nakakuma H, Nishimura J, Kinoshita T, Bedrosian CL, Ozawa K, Omine M.	Long-term efficacy and safety of eculizumab in Japanese patients with PNH: AEGIS trial.	Int J Hematol	98(4)	406-416.	2013
Katsutani S, Tomiyama Y, Kimura A, Miyakawa Y, Okamoto S, Okoshi Y, Ninomiya H, Kosugi H, Ishii K, Ikeda Y, Hattori T, Katsura K, Kanakura Y.	Oral eltrombopag for up to three years is safe and well-tolerated in Japanese patients with previously treated chronic immune thrombocytopenia: an open-label, extension study.	Int J Hematol	98(3)	323-330	2013
Satoh Y, Yokota T, Sudo T, Kondo M, Lai A, Kincade PW, Kouro T, Iida R, Kokame K, Miyata T, Habuchi Y, Matsui K, Tanaka H, Matsumura I, Oritani K, Kohwi-Shigematsu T, Kanakura Y.	The Satb1 protein directs hematopoietic stem cell differentiation toward lymphoid lineages.	Immunity	38(6)	1105-1115	2013
Morita Y, Nishimura J, Shimada T, Tanaka H, Serizawa K, Taniguchi Y, Tsuritani M, Kanakura Y, Matsumura I.	Successful anticoagulant therapy for two pregnant PNH patients, and prospects for the eculizumab era.	Int J Hematol	97(4)	491-497	2013
Okamoto S, Miyakawa Y, Smith J, Hodgson I, Abhyankar B, Troy S, Kanakura Y.	Open-label, dose-titration and continuation study to assess efficacy, safety, and pharmacokinetics of anagrelide in treatment-naïve Japanese patients with essential thrombocythemia.	Int J Hematol	97(3)	360-368	2013

Nakazawa T, Tadokoro S, Kamae T, Kiyomizu K, Kashiwagi H, Honda S, Kanakura Y, Tomiyama Y.	Agonist stimulation, talin-1, and kindlin-3 are crucial for $\alpha(\text{IIb})\beta(3)$ activation in a human megakaryoblastic cell line, CMK.	Exp Hematol	41(1)	79-90	2013
Seiki Y, Sasaki Y, Hosokawa K, Saito C, Sugimori N, Yamazaki H, Takami A, Nakao S.	Increased plasma thrombopoietin levels in patients with myelodysplastic syndrome: a reliable marker for a benign subset of bone marrow failure	Haematologica	98	901-907	2013
Quoc Trung L, Espinoza JL, Takami A, Nakao S.	Resveratrol induces cell cycle arrest and apoptosis in malignant NK cells via JAK2/STAT3 pathway inhibition	PloS one	8	e55183	2013
Katagiri T, Kawamoto H, Nakakuki T, Ishiyama K, Okada-Hatakeyama M, Ohtake S, Seiki Y, Hosokawa K, Nakao S.	Individual hematopoietic stem cells in human bone marrow of patients with aplastic anemia or myelodysplastic syndrome stably give rise to limited cell lineages	Stem Cells	31	536-546	2013
Nara M, Teshima K, Watanabe A, Ito M, Iwamoto K, Kitabayashi A, Kume M, Hatano Y, Takahashi N, Iida S, Sawada K, Tagawa H.	Bortezomib reduces the tumorigenicity of multiple myeloma via downregulation of upregulated targets in clonogenic side population cells.	PLoS One.	8(3)	e56954.	2013
Michishita Y, Hirokawa M, Fujishima N, Abe Y, Fujishima M, Guo YM, Ubukawa K, Liu J, Yoshioka T, Kameoka Y, Saitoh H, Tagawa H, Takahashi N, Sawada K.	CDR3-independent expansion of V δ 1 T lymphocytes in acquired chronic pure red cell aplasia.	Immunol Lett.	150(1-2)	23-9.	2013

Ohyagi H, Onai N, Sato T, Yotsumoto S, Liu J, Akiba H, Yagita H, Atarashi K, Honda K, Roers A, Müller W, Kurabayashi K, Hosoi-Amaike M, Takahashi N, Hirokawa M, Matsushima K, Sawada K, Ohteki T.	Monocyte-derived dendritic cells perform hemophagocytosis to fine-tune excessive immune responses.	Immunity.	39(3)	584-98.	2013
Saitoh H, Takahashi N, Nanjo H, Kawabata Y, Hirokawa M, Sawada K.	Varicella-zoster virus-associated fulminant hepatitis following allogeneic hematopoietic stem cell transplantation for multiple myeloma.	Intern Med.	52(15)	1727-30.	2013
Shinohara Y, Takahashi N, Nishiwaki K, Hino M, Kashimura M, Wakita H, Hatano Y, Hirasawa A, Nakagawa Y, Itoh K, Masuoka H, Aotsuka N, Matsuura Y, Takahara S, Sano K, Kuroki J, Hata T, Nakamae H, Mugitani A, Nakane T, Miyazaki Y, Niioka T, Miura M, Sawada K.	A multicenter clinical study evaluating the confirmed complete molecular response rate in imatinib-treated patients with chronic phase chronic myeloid leukemia by using the international scale of real-time quantitative polymerase chain reaction.	Haematologica.	98(9)	1407-13.	2013
Teshima K, Nara M, Watanabe A, Ito M, Ikeda S, Hatano Y, Oshima K, Seto M, Sawada K, Tagawa H.	Dysregulation of BMI1 and microRNA-16 collaborate to enhance an anti-apoptotic potential in the side population of refractory mantle cell lymphoma.	Oncogene.			2013 (in press)
Hirokawa M, Fukuda T, Ohashi K, Hidaka M, Ichinohe T, Iwato K, Kanamori H, Murata M, Sakura T, Imamura M, Adachi S, Suzuki R, Morishima Y, Sakamaki H; PRCA Collaborative Study Group.	Efficacy and long-term outcome of treatment for pure red cell aplasia after allogeneic stem cell transplantation from major ABO-incompatible donors	Biol Blood Marrow Transplant	19(7)	1026-32.	2013
Tagawa H, Ikeda S, Sawada K.	Role of microRNA in the pathogenesis of malignant lymphoma.	Cancer Sci.	104(7)	801-9.	2013

Nara M, Takahashi N, Miura M, Niioka T, Kagaya H, Fujishima N, Saitoh H, Kameoka Y, Tagawa H, Hirokawa M, Sawada K.	Effect of itraconazole on the concentrations of tacrolimus and cyclosporine in the blood of patients receiving allogeneic hematopoietic stem cell transplants.	Eur J Clin Pharmacol.	69(6)	1321-9.	2013
Ng KP, Hillmer AM, Chuah CT, Juan WC, Ko TK, Teo AS, Ariyaratne PN, Takahashi N, Sawada K, Fei Y, Soh S, Lee WH, Huang JW, Allen JC Jr, Woo XY, Nagarajan N, Kumar V, Thalamuthu A, Poh WT, Ang AL, Mya HT, How GF, Yang LY, Koh LP, Chowbay B, Chang CT, Nadarajan VS, Chng WJ, Than H, Lim LC, Goh YT, Zhang S, Poh D, Tan P, Seet JE, Ang MK, Chau NM, Ng QS, Tan DS, Soda M, Isobe K, Nöthen MM, Wong TY, Shahab A, Ruan X, Cacheux-Rataboul V, Sung WK, Tan EH, Yatabe Y, Mano H, Soo RA, Chin TM, Lim WT, Ruan Y, Ong ST.	A common BIM deletion polymorphism mediates intrinsic resistance and inferior responses to tyrosine kinase inhibitors in cancer.	Nat Med.	18(4)	521-528	2012
廣川誠	骨髓不全ガイドライン	臨床血液	54	1585-1595	2013
廣川誠、澤田賢一	自己免疫病としての再生不良性貧血・赤芽球癆	血液内科	67	424-429	2013
廣川誠	貧血・実臨床に役立つ診療のポイントと最新の知見・赤芽球癆	内科	112	285-289	2013
Shima T, Miyamoto T, Kikushige Y, Mori Y, Kamezaki K, Takase K, Henzan H, Numata A, Ito Y, Takenaka K, Iwasaki H, Kamimura T, Eto T, Nagafuji K, Teshima T, Kato K, Akashi K	Quantitation of hematogones at the time of engraftment is a useful prognostic indicator in allogeneic hematopoietic stem cell transplantation	Blood	121	840-848	2013

Yamauchi T, Takenaka K, Urata S, Shima T, Kikushige Y, Tokuyama T, Iwamoto C, Nishihara M, Iwasaki H, Miyamoto T, Honma N, Nakao M, Matozaki T, Akashi K.	Polymorphic Sirpa is the genetic determinant for NOD-based mouse lines to achieve efficient human cell engraftment	Blood	121	1316-1325	2013
Chong Y, Shimoda S, Yakushiji H, Ito Y, Miyamoto T, Kamimura T, Shimono N, Akashi K.	Antibiotic rotation for febrile neutropenic patients with hematological malignancies: clinical significance of antibiotic heterogeneity.	PLoS One	8	e54190	2013
Nagafuji K, Miyamoto T, Eto T, Kamimura T, Taniguchi S, Okamura T, Ohtsuka E, Yoshida T, Higuchi M, Yoshimoto G, Fujisaki T, Abe Y, Takamatsu Y, Yokota S, Akashi K, Harada M.	Monitoring of minimal residual disease (MRD) is useful to predict prognosis of adult patients with Ph-negative ALL: results of a prospective study (ALL MRD2002 Study).	J Hematol Oncol	6	14	2013
Fukata M, Ishikawa F, Najima Y, Yamauchi T, Saito Y, Takenaka K, Miyawaki K, Shimazu H, Shimoda K, Kanemaru T, Nakamura K, Odashiro K, Nagafuji K, Harada M, Akashi K.	Contribution of bone marrow-derived hematopoietic stem/progenitor cells to the generation of donor-marker(+) cardiomyocytes in vivo.	PLoS One	8	e62506	2013
Shimoji S, Kato K, Eriguchi Y, Takenaka K, Iwasaki H, Miyamoto T, Oda Y, Akashi K, Teshima T.	Evaluating the association between histological manifestations of cord colitis syndrome with GVHD.	Bone Marrow Transplant	48	1249-1252	2013
Eto T, Takase K, Miyamoto T, Ohno Y, Kamimura T, Nagafuji K, Takamatsu Y, Teshima T, Gondo H, Taniguchi S, Akashi K, Harada M.	Autologous peripheral blood stem cell transplantation with granulocyte colony-stimulating factor combined conditioning regimen as a postremission therapy for acute myelogenous leukemia in first complete remission.	Int J Hematol	98	186-196	2013

Miyamoto T, Yoshimoto G, Kamimura T, Muta T, Takashima S, Ito Y, Shiratsuchi M, Choi I, Kato K, Takenaka K, Iwasaki H, Takamatsu Y, Teshima T, Akashi K.	Combination of high-dose melphalan and bortezomib as conditioning regimen for autologous peripheral blood stem cell transplantation in multiple myeloma.	Int J Hematol	98	337-345	2013
Eriguchi Y, Uryu H, Nakamura K, Shimoji S, Takashima S, Iwasaki H, Miyamoto T, Shimono N, Hashimoto D, Akashi K, Ayabe T, Teshima T.	Reciprocal expression of enteric antimicrobial proteins in intestinal graft-versus-host disease.	Biol Blood Marrow Transplant	19	1525-1529	2013
Hata T, Tsushima H, Baba M, Imaizumi Y, Taguchi J, Imanishi D, Nagai K, Tomonaga M, Miyazaki Y.	Long-term outcome of immunosuppressive therapy for Japanese patients with lower-risk myelodysplastic syndromes	Int J Hematol	98(6)	687-693	2013
Matsuda A, Jinnai I, Iwanaga M, Okamura D, Ishikawa M, Maeda T, Hata T, Kawai N, Miyazaki Y, Bessho M, Tomonaga M.	Correlation Between Dysplastic Lineage and Type of Cytopenia in Myelodysplastic Syndromes Patients With Refractory Anemia According to the FAB Classification	Am J Clin Pathol.	140(2)	253-257	2013
Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes.	Leuk Lymphoma	54(7)	1450-1458	2013

Matsuda A, Germing U, Miyazaki Y	Correlation between the low marrow blast cutpoint and WHO classification for myelodysplastic syndromes.	Eur J Haematol.	90(1)	79-80	2013
蓬萊真喜子, 宮崎泰司	総論：IPSS-R時代の低リスク MDS のマネジメント	血液内科	67(3)	273-276	2013
宮崎泰司	CML/MDS の新たな展開 骨髄異型成症候群の改訂 国際予後スコアリングシステム	臨床血液	54(6)	545-551	2013
松尾真稔, 宮崎泰司	MDSにおける IPSS-R：改訂のポイント	血液内科	66(6)	769-774	2013
澤山靖, 宮崎泰司	骨髄異形成症候群に対する経口 azacitidine と rigosertib	血液内科	66(1)	15-20	2013
Sakamoto S, Kawabata H, Kanda J, Uchiyama T, Mizumoto C, Kondo T, Yamashita K, Ichinohe T, Ishikawa T, Kadowaki N, Takaori-Kondo A	Differing impacts of pretransplant serum ferritin and c-reactive protein levels on the incidence of chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation.	Int J Hematol	97	109-116	2013
Miura Y, Yoshioka S, Yao H, Takaori-Kondo A, Maekawa T, Ichinohe T	Chimerism of bone marrow mesenchymal stem/stromal cells in allogeneic hematopoietic cell transplantation: Is it clinically relevant?	Chimerism	4	78-83	2013
Chonabayashi K, Hishizawa M, Matsui M, Kondo T, Ohno T, Ishikawa T, Takaori-Kondo A	Successful allogeneic stem cell transplantation with long-term remission of etv6/flt3-positive myeloid/lymphoid neoplasm with eosinophilia.	Ann Hematol			In press
Chonabayashi K, Hishizawa M, Kawamata S, Nagai Y, Ohno T, Ishikawa T, Uchiyama T, Takaori-Kondo A	Direct binding of grb2 has an important role in the development of myeloproliferative disease induced by etv6/flt3.	Leukemia	27	1433-1436	2013

Arai Y, Yamashita K, Mizugishi K, Watanabe T, Sakamoto S, Kitano T, Kondo T, Kawabata H, Kadowaki N, Takaori-Kondo A.	Serum neutrophil extracellular trap levels predict thrombotic microangiopathy after allogeneic stem cell transplantation.	Biol Blood Marrow Transplant	19	1683-1689	2013
Arai Y, Yamashita K, Mizugishi K, Takaori-Kondo A, Chiba T, Watanabe T.	The implications of myelodysplastic syndrome - associated chromosomal abnormalities in the development of graft-versus-host disease.	Eur J Haematol	90	525-530	2013
Saida S, Watanabe KI, Sato-Otsubo A, Terui K, Yoshida K, Okuno Y, Toki T, Wang R, Shiraishi Y, Miyano S, Kato I, Morishima T, Fujino H, Umeda K, Hiramatsu H, Adachi S, Ito E, Ogawa S, Ito M, Nakahata T, Heike T.	Clonal selection in xenografted TAM recapitulates the evolutionary process of myeloid leukemia in Down syndrome.	Blood	121(21)	4377-4387	2013
Nakazawa Y., Saito S., Yanagisawa R., Suzuki T., Toshiro Ito T., Ishida F., Muramatsu H., Matsumoto K., Kato K., Ishida H., Umeda K., Souichi Adachi S., Nakahata T., Koike K.	Recipient seropositivity for adenovirus type 11 is a highly predictive factor for the development of AdV11-induced hemorrhagic cystitis after allogeneic hematopoietic SCT.	Bone Marrow Transplant	48	737-739	2013
Yanagimachi MD, Niwa A, Tanaka T, Ozaki F, Nishimoto S, Murata Y, Yasumi T, Ito J, Tomida S, Oshima K, Asaka I, Goto H, Heike T, Nakahata T, Saito MK.	Robust and highly-efficient differentiation of functional monocytic cells from human pluripotent stem cells under serum- and feeder cell- free conditions.	PLoS ONE	8(4)	e59243	2013
Kojima C., Kubota M., Nagai A., Adachi S., Watanabe K., Nakahata T.	Adipocytokines in childhood cancer survivors and correlation with metabolic syndrome components.	Pediatr. Intern.	55	438-442	2013

Tomizawa D., Akio Tawa A., MD/PhD, Watanabe T., Saito A.M., Kudo K., Taga T., Iwamoto S., Shimada A., Terui K., Moritake H., Kinoshita A., Takahashi H., Nakayama H., Koh K., Kigasawa H., Kosaka Y., Miyachi H., Horibe K., Nakahata T., Adachi S.	Excess reduction of anthracyclines results in inferior event-free survival in core binding factor acute myeloid leukemia in children; a report from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG).	Leukemia				in press
Kodera Y, Yamamoto K, Harada M, Morishima Y, Dohy H, Asano S, Ikeda Y, Nakahata T, Imamura M, Kawa K, Kato S, Tanimoto M, Kanda Y, Tanosaki R, Shiobara S, Kim SW, Nagafuji K, Hino M, Miyamura K, Suzuki R, Hamajima N, Fukushima M, Tamakoshi A; for the Japan Society for Hematopoietic Cell Transplantation, Halter J, Schmitz N, Niederwieser D, Gratwohl A.	PBSC collection from family donors in Japan: a prospective survey.	Bone Marrow Transplant				in press
Tomizawa D., Tawa A., Watanabe T., Saito A.M., Kudo K., Taga T., Iwamoto S., Shimada A., Terui K., Moritake H., Kinoshita A., Takahashi H., Nakayama H., Kiyokawa N., Isoyama K., Mizutani S., Hara J., Horibe K., Nakahata T., Souichi Adachi S.	Appropriate dose modification in induction therapy is essential for the treatment of infants with acute myeloid leukemia: a report from the Japanese Pediatric Leukemia/Lymphoma Study Group.	Int. Hematol.				in press
Daifu T., Kato I., Kozuki K., Umeda K., Hiramatsu H., Watanabe K., Kamiya I., Taki T., Nakahata T., Heike T., Adachi S.	The clinical utility of genetic testing for t(8;16)(p11;p13) in congenital acute myeloid leukemia.	J. Pediatr. Hematol/Onc.				in press
斎藤潤、中畑龍俊	疾患特異的iPS細胞.	再生医療	12(1)	19-29	2013	
中畑龍俊、岡野光夫、高橋政代	再生医療の現状と将来	HUMAN SCIENCE	Vol.24 No.3	4-13	2013	

中畑龍俊	総論 疾患iPS細胞の樹立と臨床病態解析への応用	Medical Science Digest(MSD)	Vol.39 No.11 (通巻514号)	4(504)-6(506)	2013
Tokunaga T, Tomita A, Sugimoto K, Shimada K, Iriyama C, Hirose T, Shirahata-Adachi M, Suzuki Y, Mizuno H, Kiyoi H, Asano N, Nakamura S, Kinoshita T, Naoe T.	De novo DLBCL with a CD20 IHC(+) and FCM(-) phenotype: molecular mechanisms and correlation with rituximab sensitivity.	Cancer Sci	In press		
Kato S, Miyata T, Takata K, Shimada S, Ito Y, Tomita A, Elsayed AA, Takahashi E, Asano N, Kinoshita T, Kimura H, Nakamura S.	Epstein-Barr virus-positive cytotoxic T-cell lymphoma followed by chronic active Epstein-Barr virus infection-associated T/NK-cell lymphoproliferative disorder: a case report.	Hum Pathol	in press		
Tomita A, Kiyoi H, Naoe T.	Mechanisms of action and resistance to all-trans retinoic acid (ATRA) and arsenic trioxide (As ₂ O ₃) in acute promyelocytic leukemia.	Int J Hematol	97	717-725	2013
Ohashi H, Arita K, Suzuki Y, Tomita A, Naoe T, Hattori A, Tatsumi Y, Kato K, Nagai H.	Iron chelation therapy for a case of transfusion-independent MDS-RARS with significant iron overload.	Int J Hematol	97	151-153	2013
富田章裕	悪性リンパ腫における遺伝子変異 -その意義と治療開発への応用	臨床血液	54	691-698	2013
富田章裕、島田和之	リンパ腫に対する新しい治療戦略-新たな抗CD20モノクローナル抗体	腫瘍内科	11	332-341	2013
富田章裕	分子病理診断の現状と未来 - CD20	腫瘍内科	57	278-279	2013
島田和之、富田章裕	抗CD抗体治療とその耐性化機序	腫瘍内科	11	691-698	2013

Ohashi H, Arita K, Suzuki Y, Tomita A, Naoe T, Hattori A, Tatsumi Y, Kato K, Nagai H	Iron chelation therapy for a case of transfusion-independent MDS-RARS with significant iron overload.	Int J Hematol	Jan;97(1)	151-153	2013
Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F.	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes.	Leuk Lymphoma)	Jul;54(78)	1450-1458	2013
Ohba R, Furuyama K, Yoshida K, Fujiwara T, Fukuhara N, Onishi Y, Manabe A, Ito E, Ozawa K, Kojima S, Ogawa S, Harigae H.	Clinical and genetic characteristics of congenital sideroblastic anemia: comparison with myelodysplastic syndrome with ring sideroblast (MDS-RS)	Ann Hematol	92	1-9	2013
Yoshimi A, Kamachi Y, Imai K, Watanabe N, Nakadate H, Kanazawa T, Ozono S, Kobayashi R, Yoshida M, Kobayashi C, Hama A, Muramatsu H, Sasahara Y, Jakob M, Morio T, Ehl S, Manabe A, Niemeyer C, Kojima S	Wiskott-Aldrich syndrome presenting with a clinical picture mimicking juvenile myelomonocytic leukaemia	Pediatr Blood Cancer	60	836-841	2013
Kato M, Yasui N, Seki M, Kishimoto H, Sato-Otsubo A, Hasegawa D, Kiyokawa N, Hanada R, Ogawa S, Manabe A, Takita J, Koh K.	Aggressive transformation of juvenile myelomonocytic leukemia associated with duplication of oncogenic KRAS in consequence of acquired uniparental disomy	J Pediatr	162	1285-1288	2013