

研究成果の刊行に関する一覧表

<書籍>

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
安藤裕実、 小嶋哲人	新規抗凝固薬 (抗Xa、抗トロンピン約)のポテンシャル	編:直江知樹、小澤敬也、中尾眞二編	血液疾患 最新の治療 2014-2016	南江堂	東京	2014	54-58
Tomiyama Y	Thrombopoietin receptor agonists.	Salama A	Current & Emerging Treatments for Immune Thrombocytopenia.	Future Medicine	UK	2013	88-106
富山佳昭	特発性血小板減少性紫斑病.	山口徹, 北原光夫, 福井次矢	今日の治療指針 2013年版	医学書院	東京	2013	621-623
藤村欣吾	ループスアンチコアグラント (LA)	Medical Practice 編集員会 (和田攻、大久保昭行、矢崎義雄、大内尉義)	臨床検査ガイド 2013~2014	文光堂	東京	2013	651-653
藤村欣吾	出血性疾患	北村 聖	臨床病態学 1	ヌーヴェルヒロカワ	東京	2013	613-627
高木 明、 小嶋哲人	凝固因子	編:朝倉英策	臨床に直結する血栓止血学	中外医学社	東京	2013	67-69
小嶋哲人	凝固障害、線溶障害	編:小川聡	改訂第8版 内科学書 Vol.6 血液・造血器疾患、神経疾患	中山書店	東京	2013	187-192
小林隆夫	II. 各論 1. 産婦人科 A 産科	瀬尾憲正, 古家仁	周術期深部静脈血栓/肺血栓塞栓症	克誠堂出版	東京	2013	101-119
榛沢和彦	災害医療と肺血栓塞栓症	永井厚志 巽 浩一郎	Annual Review 呼吸器	中外医学社	東京	2013	146-152

富山佳昭	トロンボポエチン受容体作動薬の安全性と副作用をみる - 副作用の頻度とその対策 - .	池田康夫	トロンボポエチン受容体作動薬のすべて	先端医学社	東京	2012	62-74
富山佳昭	ITPにおけるTPO受容体作動薬の使い方.	高久史磨, 小澤敬也, 坂田洋一, 金倉 譲, 小島勢二	ITPにおけるTPO受容体作動薬の使い方.	中外医学社	東京	2012	198-206
藤村欣吾	ITP治療におけるトロンボポエチン受容体作動薬に期待される役割(臨床的意義)を教えてください	池田康夫	トロンボポエチン受容体作動薬のすべて	先端医学社	東京	2012	111
藤村欣吾	血液・造血器の疾患	日本薬学会編	スタンダード薬学シリーズ6 薬と疾病 II. 薬物治療(1) 第2版	東京化学同人	東京	2012	93-126
藤村欣吾	多発性骨髄腫	放射線被爆者医療国際協力推進協議会	原爆放射線の人体影響	文光堂	東京	2012	170 - 179
藤村欣吾	特発性血小板減少性紫斑病(2) 成人	正岡徹	静注用免疫グロブリン製剤ハンドブック	メディカルレビュー社	大阪	2012	79-90
藤村欣吾	特発性血小板減少性紫斑病(ITP)治療におけるトロンボポエチン受容体作動薬の位置付けを探る	池田康夫	トロンボポエチン受容体作動薬のすべて	先端医学社	東京	2012	76 - 86

川崎富夫	未熟児網膜症姫路日赤事件最高裁判決と医療現場感覚との落差 司法と医療の認識統合を求めて	甲斐克則	医事法講座 第3巻 医療事故と医事法	信山社	東京	2012	3-27
川崎富夫	肝硬変の治療にあたり、生体肝移植について説明すべき義務の違反があるとされた事例	日本医事法学会	年報医事法学	日本評論社	東京	2012	143-148
川崎富夫	混合診療	日本医事法学会	年報医事法学	日本評論社	東京	2012	208-213
榛沢和彦	災害時に起こりやすい循環器疾患-肺血栓塞栓症・深部静脈血栓症	心臓病学会	循環器内科医のための災害時医療ハンドブック	日本医事新報社	東京	2012	88-93.
涌井昌俊、 村田 満	線溶系分子マーカー（フィブリン/フィブリノゲン分解産物（FDP）、プラスミン 2 -プラスミンインヒビター複合体（PIC））		日本臨床検査ガイド 2011～2012	文光堂	東京	2011	625-360
藤村欣吾	ループスアンチコアグラント（LA）	Medical Practice 編集委員会	臨床検査ガイド 2011～2012	文光堂	東京	2011	637-639
杉原清香、 藤村欣吾	紫斑病	横田千津子、池田宇一、大越教夫	病気と薬パーフェクト BOOK 2011	南山堂	東京	2011	786-790
杉原清香、 藤村欣吾	出血傾向	横田千津子、池田宇一、大越教夫	病気と薬パーフェクト BOOK 2011	南山堂	東京	2011	158-159

藤村欣吾	特発性血小板減少性紫斑病 成人	正岡 徹	静注用免疫グロブリン製剤ハンドブック	メディカルレビュー社	大阪	2011	79 - 90
藤村欣吾	止血・凝固系の異常：特発性血小板減少性紫斑病	岡庭 豊、 荒瀬康司、 三角和雄	year note ATLAS 4th edition	MEDICMED IA	東京	2011	32
鈴木伸明、 小嶋哲人	先天性血栓性素因	小松則夫/ 片山直之/ 富山佳昭	専門医のための薬物療法 Q&A:血液	中外医学社	東京	2011	379-387
小嶋哲人	先天性凝固阻止因子欠乏症 (antithrombin, protein C, protein S 欠損症)	日本血栓止血学会 編集	わかりやすい血栓と止血の臨床	南江堂	東京	2011	107-109
中山享之、 小嶋哲人	ワルファリンの薬効評価 V 抗血栓療法の薬効評価は？	後藤信哉 編	-そこが知りたい 抗血栓療法-	メジカルビュー社	東京	2011	122-128

< 雑誌 >

著者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Murata M, Takagi A, Suzuki A, Okuyama E, Takagi Y, Ando Y, Kato I, Nakamura Y, Murate T, Matsushita T, Saito H, <u>Kojima T</u>	Development of a new laboratory test to evaluate antithrombin resistance in plasma.	Thromb Res	133 (2)	293-298	2014
Nakamura M, Miyata T, Ozeki Y, Takayama M, Komori K, Yamada N, Origasa H, Satokawa H, Maeda H, Tanabe N, Unno N, Shibuya T, Tanemoto K, Kondo K, <u>Kojima T</u>	Current venous thromboembolism management and its outcomes in Japan: the nationwide JAVA observational study.	Circ J		in press	2014
Sakata A. Ohmori T. Nishimura S. Suzuki H. Madoiwa S. Mimuro J. Kario, K. <u>Sakata Y.</u>	Paxillin is an intrinsic negative regulator of platelet activation in mice.	Thromb J		Epub ahead of print	2014
Koyama K. Madoiwa S. Nunomiya S. Koinuma T., Wada, M. Sakata, A. Ohmori T. Mimuro J. <u>Sakata Y.</u>	Combination of thrombin-antithrombin complex, plasminogen activator inhibitor-1, and protein C activity for early identification of severe coagulopathy in initial phase of sepsis: a prospective observational study.	Criti care		Epub ahead of print	2014
<u>高蓋寿朗</u>	特発性血小板減少性紫斑病 -病態と診断のすすめかた-	Medical Practice	31	53-57	2014
Asano J. Ueda R. Tanaka Y. Shinzato I. <u>Takafuta T.</u>	Effects of Immunosuppressive Therapy in a Patient with Aplastic Anemia-Paroxysmal Nocturnal Hemoglobinuria(AA-PNH) Syndrome during Ongoing Eculizumab Treatment.	Internal Med	53	125-128	2014

<u>Kuwana M</u>	Helicobacter pylori-associated immune thrombocytopenia: clinical features and pathogenic mechanisms	World J. Gastroenterol.	20(3)	714-723	2014
<u>Kuwana M</u> , Okazaki Y, and Ikeda Y	Detection of circulating B cells producing anti-GPIb autoantibodies in patients with immune thrombocytopenia	PLoS One.	9(1)	e86943	2014
Hirokazu Tanaka, Chiaki Tenkumo, Nobuhiro Mori, <u>Koichi Kokame</u> , Yoshihiro Fujimura, Toshiyuki Hata	Case of maternal and fetal deaths due to severe congenital thrombotic thrombocytopenic purpura (Upshaw-Schulman syndrome) during pregnancy	J Obstet Gynaecol Res	40 (1)	247-249	2014
<u>藤村吉博</u> , <u>松本雅則</u> , <u>石西綾美</u> , <u>八木秀男</u> , <u>小亀浩市</u> , <u>宮田敏行</u>	血栓性血小板減少性紫斑病	臨床血液	55 (1)	93-104	2014
<u>小亀浩市</u> , <u>樋口由佳</u>	Upshaw-Schulman症候群のADAMTS13遺伝子解析	細胞	46 (2)	61-63	2014
Kashiwakura Y. Ohmori T. Mimuro J. Madoiwa S. Inoue, M. Hasegawa M. Ozawa K, <u>Sakata Y.</u>	Production of functional coagulation factor VIII from iPSCs using a lentiviral vector.	Haemophilia	20	e40-e44	2014
Yamaguchi Y, Abe T, Sato Y, Matsubara Y, Moriki T, <u>Murata M</u>	Effects of VerifyNow P2Y12 test and CYP2C19*2 testing on clinical outcomes of patients with cardiovascular disease: A systematic review and meta-analysis.	Platelets.	24(5)	352-61	2013
Matsubara Y, Ono Y, Suzuki H, Arai F, Suda T, <u>Murata M</u> , Ikeda Y	P9 Bone Marrow Stroma Cells Differentiate into Megakaryocytes and Platelets.	PLoS One.	8(3)	e58123	2013

Yamaguchi Y, Moriki T, Igari A, Matsubara Y, Ohnishi T, Hosokawa K, <u>Murata M</u>	Studies of a microchip flow-chamber system to characterize whole blood thrombogenicity in healthy individuals.	Thromb Res.	32(2)	263-70	2013
<u>Murata M</u>	The future directions of clinical hematology in 2013 - hemostatic and thrombotic diseases-overview.	Rinsho Ketsueki	54(2)	177-8	2013
谷田部陽子、荒井智子、片桐尚子、清水長子、林文明、近藤民章、三ツ橋雄之、 <u>村田満</u>	新規多項目自動血球分析装置 X N-1000 の性能評価	日本検査血液学会雑誌	第 14 巻第 1 号	34-40	2013
Kashiwagi H, <u>Tomiyama Y.</u>	Pathophysiology and management of primary immune thrombocytopenia.	Int J Hematol	98(1)	24-33	2013
Honda S, Shirohani-Ikejima H, Tadokoro S, <u>Tomiyama Y.</u> , Miyata T.	The Integrin-Linked Kinase- PINCH-Parvin complex supports Integrin IIb 3 activation.	PLoS One	8(12)	e85498	2013
<u>富山佳昭</u>	急性特発性血小板減少性紫斑病 .血液症候群(第 2 版)II - その他の血液疾患を含めて -	別冊 日本臨牀 新領域別症候群シリーズ	No.22	338-340	2013
<u>富山佳昭</u>	難治性特発性血小板減少性紫斑病 .血液症候群(第 2 版)II - その他の血液疾患を含めて -	別冊 日本臨牀 新領域別症候群シリーズ	No.22	351-354	2013
<u>富山佳昭</u> , 清水一亘, 柏木浩和	特発性血小板減少性紫斑病の病態と診断 .	臨床血液	54(4)	343-349	2013
<u>富山佳昭</u> , 清水一亘, 柏木浩和	免疫性血小板減少性紫斑病の免疫病態	臨床免疫・アレルギー科	59(6)	649-657	2013
<u>富山佳昭</u>	特発性血小板減少性紫斑病 (ITP) .	検査と技術	41(12)	1114-1119	2013
柏木浩和, <u>富山佳昭</u>	特発性血小板減少性紫斑病 (ITP) の分子病態と新規治療法 .	血液フロンティア	23(3)	357-366	2013

清水一巨, 柏木浩和, <u>富山佳昭</u> .	Primary ITP における抗 IIb/3 自己抗体のエピ トープ解析: 抗 IIb/3 抗体は プロペラドメイン 内の高度に限定された 領域を認識する .	日本血栓止 血学会誌	24(4)	392-395	2013
<u>藤村欣吾</u>	H.pylori 感染症関連疾患 と除菌治療の意義 特発 性血小板減少性紫斑病 (ITP)	日本臨床	71	1436 - 1441	2013
<u>藤村欣吾</u>	内科 Q. 特発性血小板 減少性紫斑病で H.pylori 陰性例の除菌治療 A. H.pylori 陰性 ITP 症 例に対する除菌療法につ いて 6 つの報告を基にし た系統的レビュー報告に よると、血小板増加反応 が認められた頻度は有意 に H.pylori 陽性 ITP 症例 に高い	日本医事新 報	No4634	56-57	2013
Masuda A, Yasuoka H, Sato T, Okazaki Y, Yamaguchi Y, and <u>Kuwana M</u>	Versican is upregulated in circulating monocytes in patients with systemic sclerosis and amplifies a CCL2-mediated pathogenic loop	Arthritis Res. Ther.	15(4)	R74	2013
Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, <u>Kuwana M</u> , Ogawa F, Takahashi H, Tanaka S, Sato S, and Takehara K	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicentre, prospective, observational study	Mod. Rheumatol.	23(6)	1076-10 84	2013
Shirai Y, Yasuoka H, Takeuchi T, Sato T, and <u>Kuwana M</u>	Intravenous epoprostenol treatment of patients with connective tissue disease and pulmonary arterial hypertension at a single center	Mod. Rheumatol.	23(6)	1211-12 20	2013
Kaji K, Noreen F, Medsger TA Jr, Sato T, Hoshino K, Hamaguchi Y, Hasegawa M,	Autoantibodies to RuvBL1 and RuvBL2: a novel systemic	Arthritis Care Res.			In press

Lucus M, Schnure A, Ogawa F, Sato S, Takehara K, Fujimoto M, and <u>Kuwana M</u>	sclerosis-related antibody associated with diffuse cutaneous and skeletal muscle involvement				
Washio M, Fujii T, <u>Kuwana M</u> , Kawaguchi Y, Mimori A, Horiuchi T, Tada Y, Takahashi H, Mimori T, and Japan MCTD study group	Lifestyle and other related factors for the development of mixed connective tissue disease among Japanese females in comparison with systemic lupus erythematosus	Mod. Rheumatol.			In press
<u>Kuwana M</u> , and Okazaki Y	Impaired in vivo neovascularization capacity of endothelial progenitor cells in patients with systemic sclerosis	Arthritis Rheum			In press
Shirai Y, Tamura Y, Yasuoka H, Satoh T, and <u>Kuwana M</u>	IgG4-related disease in pulmonary arterial hypertension on longterm epoprostenol treatment (letter)	Eur. Respir. J.			In press
<u>Kuwana M</u>	Dysregulated negative immune regulators in immune thrombocytopenia	ISBT Sci. Ser.			In press
Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, <u>Kuwana M</u> , Ogawa F, Takahashi H, Tanaka S, Sato S, and Takehara K	Serum adhesion molecule levels as prognostic markers in patients with early systemic sclerosis: a multicentre, prospective, observational study	PLoS One.			In press
Fan X, Yoshida Y, Honda S, Matsumoto M, Sawada Y, Hattori M, Hisanaga S, Hiwa R, Nakamura F, Tomomori M, Miyagawa S, Fujimaru R, Yamada H, Sawai T, Ikeda Y, Iwata N, Uemura O, Matsukuma E, Aizawa Y, Harada H, Wada H, Ishikawa E, Ashida A,	Analysis of genetic and predisposing factors in Japanese patients with atypical hemolytic uremic syndrome.	Mol Immunol	54(2)	238-246	2013

Nangaku M, Miyata T, <u>Fujimura Y.</u>					
Bennett CL, Jacob S, Dunn BL, Georgantopoulos P, Zheng XL, Kwaan HC, McKoy JM, Magwood JS, Bandarenko N, Winters JL, Raife TJ, Carey PM, Sarode R, Kiss JE, Danielson C, Ortel TL, Clark WF, Ablin R, Rock G, Matsumoto M, <u>Fujimura Y.</u>	Ticlopidine-associated ADAMTS13 activity deficient thrombotic thrombocytopenic purpura in 22 persons in Japan: A Report from the Southern Network on Adverse Reactions (SONAR).	Br J Haematol	161	896-898	2013
Hori Y, Hayakawa M, Isonishi A, Soejima K, Matsumoto M, <u>Fujimura Y.</u>	ADAMTS13 unbound to larger von Willebrand factor multimers in cryosupernatant: Implications for selection of plasma preparations for TTP treatment.	Transfusion	53	3192-3202	2013
Fukushima H, Nishio K, Asai H, Watanabe T, Seki T, Matsui H, Sugimoto M, Matsumoto M, <u>Fujimura Y.</u> , Okuchi K.	Ratio of von Willebrand Factor propeptide to ADAMTS13 is associated with severity of sepsis.	Shock	39	409-414	2013
Kawano N, Yokota-Ikeda N, Sugio Y, Yoshida S, Ono N, Kuriyama T, Yamashita K, Makino S, Inoue Y, Himeji D, Kodama K, Uezono S, Shimao Y, Matsumoto M, Iino H, <u>Fujimura Y.</u>	Therapeutic modality of 11 patients with TTP: Experience in a single institution in Miyazaki during 2000-2011.	Intern Med	52	1883-1891	2013
Doi T, Ohga S, Ito N, Ishimura M, Suga N, Nomura A, Takada H, Matsumoto M, <u>Fujimura Y.</u> , Hara T.	Limited renal prophylaxis in regular plasmatherapy for heritable ADAMTS13 deficiency.	Pediatric Blood & Cancer.	60	1557-1558	2013
<u>Miyata T, Kokame K, Matsumoto M, Fujimura Y</u>	ADAMTS13 activity and genetic mutations in Japanese subjects.	Hämostaseologie	33	131-137	2013
Mise K, Ubara Y, Matsumoto M, Sumida K, Hiramatsu R, Hasegawa E, Yamanouchi M, Hayami N,	Long term follow up of congenital thrombotic thrombocytopenic purpura	BMC Nephrol	14	156	2013

Suwabe T, Hoshino J, Sawa N, Ohashi K, Kokame K, Miyata T, <u>Fujimura Y</u> , Takaichi K.	(Upshaw-Schulman syndrome) on hemodialysis for 19 years.				
Takahashi N, <u>Wada H</u> , Usui M, Kobayashi T, Habe-Ito N, Matsumoto T, Uemoto S, Nobori T, Isaji S	Behavior of ADAMTS13 and Von Willebrand factor levels in patients after living donor liver transplantation	Thromb Res	131 (3)	225 - 229	2013
Seki Y, <u>Wada H</u> , Kawasugi K, Okamoto K, Uchiyama T, Kushimoto S, Hatada T, Matsumoto T, Imai H; Japanese Society of Thrombosis Hemostasis/DIC Subcommittee	A prospective analysis of disseminated intravascular coagulation in patients with infections.	Intern Med	52 (17)	1893 - 1898.	2013
Hasegawa M, <u>Wada H</u> , Wakabayashi H, Yoshida K, Miyamoto N, Asanuma K, Matsumoto T, Ohishi K, Shimokariya Y, Yamada N, Uchida A, Sudo A	The relationships among hemostatic markers, the withdrawal of fondaparinux due to a reduction in hemoglobin and deep vein thrombosis in Japanese patients undergoing major orthopedic surgery	Clin Chim Acta	425	109 - 113	2013
Masanobu Morioka, <u>Masanori Matsumoto</u> , Makoto Saito, <u>Koichi Kokame</u> , <u>Toshiyuki Miyata</u> , <u>Yoshihiro Fujimura</u>	A first bout of thrombotic thrombocytopenic purpura triggered by herpes simplex infection in a 45-year-old nulliparous female with Upshaw-Schulman syndrome	Blood Transfus	-	-	印刷中
Masashi Akiyama, Daisuke Nakayama, Soichi Takeda, <u>Koichi Kokame</u> , Junichi Takagi, <u>Toshiyuki Miyata</u>	Crystal structure and enzymatic activity of an ADAMTS13 mutant with the East Asian-specific P475S polymorphism	J Thromb Haemost	11 (7)	1399-1406	2013

Yoshie Takizawa, Yukiko Kosuge, Hiroyo Awaji, Emi Tamura, Ayako Takai, Takaaki Yanai, Reiko Yamamoto, <u>Koichi Kokame</u> , <u>Toshiyuki Miyata</u> , Rieko Nakata, Hiroyasu Inoue	Up-regulation of endothelial nitric oxide synthase (eNOS), silent mating type information regulation 2 homologue 1 (SIRT1) and autophagy-related genes by repeated treatments with resveratrol in human umbilical vein endothelial cells	Brit J Nutr	110 (12)	2150-2155	2013
Yusuke Satoh, Takafumi Yokota, Takao Sudo, Motonari Kondo, Anne Lai, Paul W. Kincade, Taku Kouro, Ryuji Iida, <u>Koichi Kokame</u> , <u>Toshiyuki Miyata</u> , Yoko Habuchi, Keiko Matsui, Hirokazu Tanaka, Itaru Matsumura, Kenji Oritani, Terumi Kohwi-Shigematsu, Yuzuru Kanakura	The Satb1 protein directs hematopoietic stem cell differentiation toward lymphoid lineages	Immunity	38 (6)	1105-1115	2013
Koki Mise, Yoshifumi Ubara, Masanori Matsumoto, Keiichi Sumida, Rikako Hiramatsu, Eiko Hasegawa, Masayuki Yamanouchi, Noriko Hayami, Tatsuya Suwabe, Junichi Hoshino, Naoki Sawa, Kenichi Ohashi, <u>Koichi Kokame</u> , <u>Toshiyuki Miyata</u> , <u>Yoshihiro Fujimura</u> , Kenmei Takaichi	Long term follow up of congenital thrombotic thrombocytopenic purpura (Upshaw-Schulman syndrome) on hemodialysis for 19 years	BMC Nephrol	14	156	2013
Shohei Shinozaki, Tsuyoshi Chiba, <u>Koichi Kokame</u> , <u>Toshiyuki Miyata</u> , Eiji Kaneko, Kentaro Shimokado	A deficiency of Herp, an endoplasmic reticulum stress protein, suppresses atherosclerosis in apoE knockout mice by attenuating inflammatory responses	PLoS One	8	e75249	2013

Riccardo Bernasconi, Carmela Galli, <u>Koichi Kokame</u> , Maurizio Molinari	Auto-adaptive ER-associated degradation defines a pre-emptive unfolded protein response pathway	Mol Cell	52 (6)	783-793	2013
Jacob Larkin, Baosheng Chen, Xiao-Hua Shi, Takuya Mishima, <u>Koichi Kokame</u> , Yaacov Barak, Yoel Sadovsky	NDRG1 deficiency attenuates fetal growth and the intrauterine response to hypoxic injury	Endocrinology	-	-	印刷中
Yuka Eura, <u>Koichi Kokame</u> , Toshiro Takafuta, Ryojiro Tanaka, Hikaru Kobayashi, Fumihiro Ishida, Shuichi Hisanaga, <u>Masanori Matsumoto</u> , <u>Yoshihiro Fujimura</u> , and <u>Toshiyuki Miyata</u>	Candidate gene analysis using genomic quantitative PCR: Identification of ADAMTS13 large deletions in two patients with Upshaw-Schulman syndrome	Mol Genet Genomic Med	-	-	印刷中
<u>小亀浩市</u>	ADAMTS13と血栓性血小板減少性紫斑病	循環器病研究の進歩	34 (1)	69-75	2013
<u>小嶋哲人</u>	新しい経口抗凝固薬	検査と技術	41(5)	430-434	2013
鈴木敦夫、 <u>小嶋哲人</u>	新規抗凝固薬の薬力学的特徴	呼吸と循環	61(5)	402-409	2013
高木夕希、 <u>小嶋哲人</u>	活性化プロテインC(APC)レジスタンス	別冊 日本臨牀血液症候群(第2版)(III)-その他の血液疾患を含めて-	新領域別症候群シリーズ No.23	27-30	2013
竹下享典、 <u>小嶋哲人</u>	動脈硬化、血栓性疾患の発症と予防における抗凝固薬の役割	動脈硬化予防	12(2)	85-93	2013
村田萌、 <u>小嶋哲人</u>	アンチトロンビンレジスタンス	International Review of Thrombosis	8(4)	30-33	2013
<u>小嶋哲人</u>	血栓症・血栓性素因の臨床検査	日本内科学会雑誌	102 (12)	3147-3153	2013

Mizutani N, Kobayashi M, Sobue S, Ichihara M, Ito H, Tanaka K, Iwaki S, Fujii S, Ito Y, Tamiya-Koizumi K, Takagi A, <u>Kojima T</u> , Naoe T, Suzuki M, Nakamura M, Banno Y, Nozawa Y, Murate T	Sphingosine kinase 1 expression is downregulated during differentiation of Friend cells due to decreased c-MYB.	Biochim Biophys Acta. May;	1833 (5)	1006-1016	2013
Fukuda T, Kamisato C, Honda Y, Matsushita T, <u>Kojima T</u> , Furugohri T, Morishima Y, Shibano T	Impact of antithrombin deficiency on efficacy of edoxaban and antithrombin-dependent anticoagulants, fondaparinux, enoxaparin, and heparin.	Thromb Res	131 (6)	540-546	2013
Okuyama E, Suzuki A, Murata M, Ando Y, Kato I, Takagi Y, Takagi A, Murate T, Saito H, <u>Kojima T</u>	Molecular mechanisms of syndecan-4 upregulation by TNF- α in the endothelium-like EAhy926 cells. 0.	J Biochem	154 (1)	41-45	2013
Suzuki N, Kunishima S, Ikejiri M, Maruyama S, Sone M, Takagi A, Ikawa M, Okabe M, <u>Kojima T</u> , Saito H, Naoe T, Matsushita T	Establishment of Mouse Model of MYH9 Disorders: Heterozygous R702C Mutation Provokes Macrothrombocytopenia with Leukocyte Inclusion Bodies, Renal Glomerulosclerosis and Hearing Disability.	PLoS One	8 (8)	e71187	2013
Djordjevic V, Kovac M, Miljic P, Murata M, Takagi A, Pruner I, Francuski D, <u>Kojima T</u> , Radojkovic D	A novel prothrombin mutation in two families with prominent thrombophilia- the first cases of antithrombin resistance in a Caucasian population.	J Thromb Haemost	11 (10)	1936-1939	2013
Yasumoto A, Madoiwa S, Kashiwakura Y, Ishiwata A, Ohmori T, Mizukami H, Ozawa K, <u>Sakata Y</u> , Mimuro J.	Overexpression of factor VII ameliorates bleeding diathesis of factor VIII-deficient mice with inhibitors.	Thromb Res	131	444-449	2013

Watanabe H, Kikkawa I., Madoiwa S, Sekiya H, Hayasaka S, <u>Sakata Y.</u>	Changes in Blood Coagulation-Fibrinolysis Markers By Pneumatic Tourniquet During Total Knee Joint Arthroplasty With Venous Thromboembolism.	J Arthroplasty	29	569-573	2014
Mimuro J, Mizukami H, Shima M, Matsushita T, Taki M, Muto S, Higasa S, Sakai M, Ohmori T, Madoiwa S, Ozawa K, <u>Sakata Y.</u>	The prevalence of neutralizing antibodies against adeno-associated virus capsids is reduced in young Japanese individuals.	J Med Virol		Epub ahead of print	2013
Mimuro J, Mizukami H, Hishikawa S, Ikemoto T, Ishiwata A, Sakata A, Ohmori T, Madoiwa S, Ono F, Ozawa K, <u>Sakata Y.</u>	Minimizing the inhibitory effect of neutralizing antibody for efficient gene expression in the liver with adeno-associated virus 8 vectors.	Mol Ther	21	318-323	2013
Madoiwa S, Kitajima I, Ohmori T, <u>Sakata Y.</u> , Mimuro J	Distinct reactivity of the commercially available monoclonal antibodies of D-dimer and plasma FDP testing to the molecular variants of fibrin degradation products.	Thromb Res	132	457-464	2013
Koyama K, Madoiwa S, Tanaka S, Koinuma T, Wada M, Sakata A, Ohmori T, Mimuro J, Nunomiya S, <u>Sakata Y.</u>	Evaluation of hemostatic biomarker abnormalities that precede platelet count decline in critically ill patients with sepsis.	J Crit care	28	556-563	2013
Ashizawa M, Kimura S, Wada H, Sakamoto K, Sato M, Terasako K, Kikuchi M, Nakasone H, Okuda S, Kako S, Yamazaki R, Oshima K, Matsuura K, Ohmori T, Madoiwa S, Nishida J, Mimuro J, Tabei K, <u>Sakata Y.</u> , Kanda Y.	Acquired factor V inhibitor associated with life-threatening bleeding and a mixing test result that indicated coagulation factor deficiency.	Hematology	18	300-304	2013

Akiyama M, Nakayama D, Takeda S, Kokame K, Takagi J, <u>Miyata T</u>	Crystal structure and enzymatic activity of an ADAMTS-13 mutant with the East Asian-specific P475S polymorphism.	J Thromb Haemost	11(7)	1399-1406	2013
Mise K, Ubara Y, Matsumoto M, Sumida K, Hiramatsu R, Hasegawa E, Yamanouchi M, Hayami N, Suwabe T, Hoshino J, Sawa N, Ohashi K, Kokame K, <u>Miyata T</u> , <u>Fujimura Y</u> , Takaichi K	Long term follow up of congenital thrombotic thrombocytopenic purpura (Upshaw-Schulman syndrome) on hemodialysis for 19 years: a case report.	BMC Nephrol	14	156	2013
Liu W, Yin T, Okuda H, Harada KH, Li Y, Xu B, Yang J, Wang H, Fan X, Koizumi A, <u>Miyata T</u>	Protein S K196E mutation, a genetic risk factor for venous thromboembolism, is limited to Japanese.	Thromb Res	132	314-315	2013
Honda S, Shirogami H, Tadokoro S, Tomiyama Y, <u>Miyata T</u>	The integrin-linked kinase-PINCH-parvin complex supports integrin α IIb β 3 activation.	PLoS ONE	8(12)	e85498	2013
Yin T, <u>Miyata T</u>	Dysfunction of protein C anticoagulant system, main genetic risk factor for venous thromboembolism in Northeast Asians (review).	J Thromb Thrombolysis		Epub ahead of print	2013
<u>藤村吉博</u> 、 <u>吉田瑤子</u> 、 <u>範新萍</u> 、 <u>宮田敏行</u>	非典型溶血性尿毒症症候群 (aHUS)	臨床血液	54(10)	351(1897)-360(1906)	2013
<u>竹尾映美</u> 、 <u>末久悦次</u> 、 <u>川崎富夫</u> 、 <u>徳雅幸</u> 、 <u>林貞夫</u> 、 <u>日高洋</u>	凝固因子インヒビター測定法における血漿pHの安定化法	日本検査血液学会雑誌	第14巻第1号		2013
<u>川崎富夫</u>	生体移植と医師倫理規範	生命倫理	Vol123(通巻24号)	31-37	2013
<u>Yokoyama K</u>	Involvement of glycoprotein Ib, IIb/3 and von Willebrand	J Bone Marrow Res	1	102	2013

	factor in platelet production.				
<u>横山健次</u>	多発性骨髄腫治療の最近の動向について。	東京内科医学会誌	29	37-41	2013
<u>横山健次</u>	【抗血栓療法 基礎知識から最新のエビデンスまでを徹底解説!】抗血小板薬不応症患者に対する治療戦略	薬局	64	307-311	2013
<u>横山健次</u>	【血液症候群(第2版)-その他の血液疾患を含めて-】凝固・線溶異常による出血傾向 先天性凝固線溶異常症 血友病および類縁疾患 高分子キニノゲン欠損症	日本臨床別冊血液症候群	第2版 II	507-509	2013
<u>横山健次</u>	【血液症候群(第2版)-その他の血液疾患を含めて-】凝固・線溶異常による出血傾向 先天性凝固線溶異常症 血友病および類縁疾患 先天性第V、VIII因子合併欠乏症	日本臨床別冊血液症候群	第2版 II	510-512	2013
<u>横山健次</u>	【血液症候群(第2版)-その他の血液疾患を含めて-】凝固・線溶異常による出血傾向 先天性凝固線溶異常症 血友病および類縁疾患 先天性第V因子欠乏症・異常症	日本臨床別冊血液症候群	第2版 II	513-515	2013
<u>小林隆夫</u>	ヘパリン在宅自己注射療法の適応と指針	Thrombosis Medicine	3(4)	71-75	2013
<u>小林隆夫</u>	ヘパリン在宅自己注射療法の適応と導入方法	脈管学	53(No. November)	167-170	2013
<u>小林隆夫</u>	研修コーナー. 妊産婦救急疾患の管理 1)妊娠悪阻に対する肺塞栓症とウェルニッケ脳症の予防	日本産科婦人科学会誌	65(10) 別冊	N244-N249	2013
<u>小林隆夫</u>	妊婦の静脈血栓塞栓症	Medical Practice	30(9)	1621-1622	2013

<u>小林隆夫</u>	静脈血栓塞栓症発症の予知と早期診断	心臓	45(7)	924-927	2013
<u>小林隆夫</u>	深部静脈血栓症/肺塞栓症	臨床婦人科 産科	67(4)	73-77	2013
<u>小林隆夫</u>	ヘパリン在宅自己注射療法の適応と指針	International Review of Thrombosis	8(1)	78-81	2013
<u>小林隆夫</u>	肺塞栓症	周産期医学	43(1)	57-60	2013
<u>小林隆夫</u>	妊娠悪阻からの肺塞栓症	周産期医学	43(1)	61-63	2013
<u>小林隆夫</u>	妊娠時の血栓症の予防・治療	産科と婦人科	80(1)	77-83	2013
<u>K Hanzawa</u> , S Matsuoka, H Takahashi, H Takekawa, M Tsuchida et al.	frequency of Below-The-Knee Deep Vein Thrombosis in Japanese Residents: Control Study for Residents in the Area	International Angiology	Vol. 32, Suppl 1, No. 5	56	2013
<u>K Hanzawa</u> , M Ikura, T Nakajima, T Okamoto, M Tsuchida.	Pulmonary Embolism or Ischemic Stroke Increase 8-Year after Mid Niigata Prefecture Earthquake 2004 in the Residents with Asymptomatic Below-The-Knee Deep Vein Thrombosis.	International Angiology	Vol. 32, Supple 1, No. 5	78	2013
Koyama Y, Homma K, Fukami M, Miwa M, Ikeda K, Ogata T, Hasegawa T, <u>Murata M</u>	Two-step biochemical differential diagnosis of classic 21-hydroxylase deficiency and cytochrome P450 oxidoreductase deficiency in Japanese infants by GC-MS measurement of urinary pregnanetriolone/tetrahydrocortisone ratio and 11-hydroxyandrosterone.	Clin Chem.	58 (4)	741-7	2012
Igari A, Nakagawa T, Moriki T, Yamaguchi Y,	Identification of epitopes on ADAMTS13	Thromb Res.	130	79-83	2012

Matsumoto M, Fujimura Y, Soejima K, <u>Murata M</u>	Recognized by a panel of monoclonal antibodies with functional or non-functional effects On catalytic activity.				
Koyama Y, Homma K, Miwa M, Ikeda K, <u>Murata M</u> , Hasegawa T	Measurement of reference intervals for urinary free adrenal steroid levels in Japanese newborn infants by using stable isotope dilution gas chromatography/mass spectrometry.	Clin Chim Acta.	16;415	302-5	2012
Ono Y, Wang Y, Suzuki H, Okamoto S, Ikeda Y, <u>Murata M</u> , Poncz M, Matsubara Y	Induction of functional platelets from mouse and human fibroblasts by p45NF-E2/Maf.	Blood	1;120(18)	3812-21	2012
Ishizawa J, Mori T, Tsukada Y, Matsuki E, Yokoyama K, Shimizu T, Sugita K, <u>Murata M</u> , Iwata S, Okamoto S.	Recurrent cellulitis due to Helicobacter cinaedi after chemotherapy for malignant lymphoma.	Rinsho Ketsueki.	53(6)	623-7	2012
Tsukada Y, Hattori Y, Nakajima H, Yokoyama K, <u>Murata M</u> , Shimizu N, Kondo N, Okamoto S	B-cell acute lymphoblastic leukemia developed 5 years after autologous stem cell transplantation for multiple myeloma.	Rinsho Ketsueki.	53(2)	219-23	2012
Yokoyama K, Kojima T, Sakata Y, Kawasaki T, Tsuji H, Miyata T, Okamoto S, <u>Murata M</u>	A survey of the clinical course and management of Japanese patients deficient in natural anticoagulants.	Clin Appl Thromb Hemost.	18(5)	506-13	2012
Arai T, Kawamura A, Matsubara Y, Yokoyama K, Ikeda Y, Fukuda K, <u>Murata M</u>	Effect of chronic kidney disease on platelet reactivity to dual-antiplatelet therapy in patients treated with drug-eluting stents.	Heart Vessels.	27(5)	480-5	2012
<u>Yokoyama K, Murata M</u> , Ikeda Y, Okamoto S	Incidence and risk factors for developing venous thromboembolism	Thromb Res.	130(1)	7-11	2012

	in Japanese with diffuse large b-cell lymphoma.				
Koyama Y, Homma K, Fukami M, Miwa M, Ikeda K, Ogata T, Hasegawa T, <u>Murata M</u>	Two-step biochemical differential diagnosis of classic 21-hydroxylase deficiency and cytochrome P450 oxidoreductase deficiency in Japanese infants by GC-MS measurement of urinary pregnanetriolone/ tetrahydrocortisone ratio and 11-hydroxyandrosterone.	Clin Chem.	58(4)	741-7	2012
Mori T, Nakamura Y, Kato J, Sugita K, <u>Murata M</u> , Kamei K, Okamoto S	Fungemia due to Rhodotorula mucilaginosa after allogeneic hematopoietic stem cell transplantation.	Transpl Infect Dis.	14(1)	91-4.	2012
<u>村田満</u>	序～止血凝固障害ガイドラインupdateにあたって～	血液フロンティア	22(4)	17(483) - 20(486)	2012
<u>和田英夫</u> 、 <u>登勉</u> 、 <u>川杉和夫</u> 、 <u>関義信</u> 、 <u>久志本成樹</u> 、 <u>岡本好司</u> 、 <u>村田満</u>	D I C 診断基準の評価並びに検査項目のカットオフ値の検討	臨床化学	41(2)	166-173	
<u>中谷綾</u> 、 <u>村田満</u>	血液疾患 「貧血」	ビジュアル栄養療法「メカニズムからわかる治療戦略」		158 - 168	2012
<u>石澤丈</u> 、 <u>森毅彦</u> 、 <u>塚田唯子</u> 、 <u>松本絵里</u> 、 <u>横山健次</u> 、 <u>清水雄之</u> 、 <u>杉田香代子</u> 、 <u>村田満</u> 、 <u>岩田 敏</u> 、 <u>岡本真一郎</u>	悪性リンパ腫に対する化学療法後に発症し再燃を繰り返したHelicobacter cinaedi による蜂窩織炎	臨床血液	53(6)	623-627	2012
<u>猪狩敦子</u> 、 <u>村田満</u>	POCT(point of care testing)	International Review of Thrombosis	7(1)	78-80	2012

中川央充、小口修司、松本幸子、石橋みどり、菊池春人、 <u>村田満</u>	ピトロスHbA1c測定値における日常検査法(HLC 723G8)との整合性検討：ピトロスHbA1c測定値における日常検査法(HLC 723G8)との整合性検討	医学と自然	67(2)	271-277	2012
Kiyomizu K, Kashiwagi H, Nakazawa T, Tadokoro S, Honda S, Kanakura Y, <u>Tomiyama Y.</u>	Recognition of highly restricted regions in the α -propeller domain of IIb_3 by platelet-associated anti- IIb_3 autoantibodies in primary immune thrombocytopenia.	Blood	120(7)	1499-1509	2012
<u>富山佳昭</u>	特発性血小板減少性紫斑病(ITP)治療の参照ガイド.	血液フロンティア	22(4)	487-493	2012
<u>富山佳昭</u>	特発性血小板減少性紫斑病.	内科	109(6)	1111-1114	2012
<u>富山佳昭</u>	血小板増加薬としてのトロンボポエチン受容体作動薬とその使い方.	最新医学	67(9)	124-129	2012
<u>富山佳昭</u>	新規薬剤による免疫性血小板減少症の治療.	日本内科学会雑誌	101(9)	2725-2732	2012
<u>富山佳昭</u>	P2Y ₁₂ 受容体に関する遺伝子関連検査.	血栓止血誌	23(5)	450-456	2012
柏木浩和, <u>富山佳昭</u> .	血栓形成の分子機構; 血小板機能異常症の解析からみた最近の進歩.	Pharma Medica	30(4)	9~14	2012
<u>藤村欣吾</u> , <u>宮川義隆</u> , <u>倉田義之</u> , <u>桑名正隆</u> , <u>富山佳昭</u> , <u>村田満</u> .	成人特発性血小板減少性紫斑病治療の参照ガイド2012年版.	臨床血液	53(4)	433-442	2012
<u>Kuwana M</u> , and <u>Okazaki Y</u>	Quantification of circulating endothelial progenitor cells in systemic sclerosis: a direct comparison of protocols	Ann. Rheum. Dis.	71(4)	617-620	2012

Nishimoto T, Satoh T, Takeuchi T, Ikeda Y, and <u>Kuwana M</u>	Critical role of CD4 ⁺ CD25 ⁺ regulatory T cells in preventing murine autoantibody-mediated thrombocytopenia	Exp. Hematol.	40(4)	279-289	2012
Ichimura Y, Matsushita T, Hamaguchi Y, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, Hashimoto T, Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, <u>Kuwana M</u> , Takehara K, and Fujimoto M	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy	Ann. Rheum. Dis.	71(5)	710-713	2012
Mitsunaga S, Suzuki Y, <u>Kuwana M</u> , Sato S, Kaneko Y, Homma Y, Narita A, Kashiwase K, Okudaira Y, Inoue T, Kulski JK, and Inoko H	Associations between six classical HLA loci and rheumatoid arthritis: a comprehensive analysis	Tissue Antigens.	80(1)	16-25	2012
Suzuki S, Hayashi Y, <u>Kuwana M</u> , Tsuburaya R, Suzuki N, and Nishino I	Myopathy associated with antibodies to signal recognition particle: disease progression and neurological outcome	Arch. Neurol.	69(6)	728-732	2012
Koga T, Fujikawa K, Horai Y, Okada A, Kawashiri S, Iwamoto N, Suzuki T, Nakashima Y, Tamai M, Arima K, Yamasaki S, Nakamura H, Origuchi T, Hamaguchi Y, Fujimoto M, Ishimatsu Y, Mukae H, <u>Kuwana M</u> , Kohno S, Eguchi K, and Kawakami A	The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with dermatomyositis	Rheumatology	51(7)	1278-1284	2012
Satoh T, Tanaka Y, Okazaki Y, Kaburaki J, Ikeda Y, and <u>Kuwana M</u>	Heparin-dependent and -independent anti-platelet factor 4 autoantibodies in	Rheumatology	51(9)	1721-1728	2012

	patients with systemic lupus erythematosus				
Shirai Y, Yasuoka H, Okano Y, Takeuchi T, Satoh T, and <u>Kuwana M</u>	Clinical characteristics and survival of Japanese patients with connective tissue disease and pulmonary arterial hypertension: a single-center cohort	Rheumatology	51(10)	1846-1854	2012
Gono T, Kawaguchi Y, <u>Kuwana M</u> , Sugiura T, Furuya T, Takagi K, Ichida H, Katsumata Y, Hanaoka M, Ota Y, and Yamanaka H	Association of HLA-DRB1*0101/*0405 with susceptibility to anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis in the Japanese population	Arthritis Rheum.	64(11)	3736-3740	2012
Yamaguchi Y, and <u>Kuwana M</u>	Proangiogenic hematopoietic cells of monocytic origin: roles in vascular regeneration and pathogenic processes of systemic sclerosis	Histol. Histopathol.	28(2)	175-183	2013
Nishimoto T, Satoh T, Simpson EK, Ni H, and <u>Kuwana M</u>	Predominant autoantibody response to GPIb/IX in a regulatory T-cell-deficient mouse model for immune thrombocytopenia	J. Thromb. Haemost.			
藤村 欣吾	抗血栓薬・血液疾患治療薬 特発性血小板減少性紫斑病	薬局	63	76-81	2012
藤村 欣吾	成人特発性血小板減少性紫斑病治療の参照ガイド 2012年版	臨床血液	53	433-442	2012
藤村 欣吾	特発性血小板減少性紫斑病のヘリコバクター・ピロリ除菌療法は有効か	血液フロンティア	22	1702 - 1706	2012
藤村欣吾	特発性血小板減少性紫斑	血液フロン	22	1702 -	2012

	病のヘリコバクター・ピロリ除菌療法は有効か	ティア		1706	
Yagi H, <u>Matsumoto M</u> , <u>Fujimura Y</u> .	Paradigm shift of childhood TTP with severe ADAMTS13 deficiency.	La Presse Médicale	41	E137-155	2012
Takaya H, Uemura M, <u>Fujimura Y</u> , <u>Matsumoto M</u> , Matsuyama T, Kato S, Morioka C, Ishizashi H, Hori Y, Fujimoto M, Tsujimoto T, Kawaratani H, Kurumatani N, Fukui H.	ADAMTS13 activity may predict the cumulative survival of patients with liver cirrhosis in comparison with the Child-Turcotte-Pugh score and the Model for End-Stage Liver Disease score.	Hepatology Res	42	459-475	2012
Koyama N, <u>Matsumoto M</u> , Tamaki S, Yoshikawa M, <u>Fujimura Y</u> , Kimura H.	Reduced larger von Willebrand factor multimers at dawn in OSA plasmas reflect severity of apnetic episodes.	Eur Respir J	40	657-664	2012
<u>Matsumoto M</u> , Bennett CL, Qureshi Z, Isonishi A, Hori Y, Hayakawa M, Yoshida Y, Yagi H, <u>Fujimura Y</u> .	Acquired idiopathic ADAMTS13 activity deficient thrombotic thrombocytopenic purpura in a population from Japan.	PLoS ONE		e33029	2012
Tanabe S, Yagi H, Kimura T, Isonishi A, Kato S, Yoshida Y, Hayakawa M, <u>Matsumoto M</u> , Ohtaki S, Takahashi Y, <u>Fujimura Y</u> .	Two newborn-onset patients of Upshaw-Schulman syndrome with distinct subsequent clinical courses.	Int J Hematol	96	789-797	2012
Yagi H, Yamaguchi N, Shida Y, Hayakawa M, <u>Matsumoto M</u> , Sugimoto M, Wada H, Tsubaki K, <u>Fujimura Y</u> .	Cilostazol down-regulates the height of mural platelet thrombi formed under a high shear-rate flow in the absence of ADAMTS13.	Eur J Pharmacol	691	151-155	2012
Yoshida K, <u>Wada H</u> , Hasegawa M, Wakabayashi H, <u>Matsumoto T</u> , Shimokariya Y, Noma K, Yamada N, Uchida A, Nobori T, Sudo A	Increased fibrinolysis increases bleeding in orthopedic patients receiving prophylactic fondaparinux	Int J Hematol	95(2)	160-166	2012

Ikejiri M, Shindo A, Ii Y, Tomimoto H, Yamada N, Matsumoto T, Abe Y, Nakatani K, Nobori T, <u>Wada H</u>	Frequent association of thrombophilia in cerebral venous sinus thrombosis	Int J Hematol	95(3)	257-262	2012
Habe K, <u>Wada H</u> , Ito-Habe N, Hatada T, Matsumoto T, Ohishi K, Maruyama K, Imai H, Mizutani H, Nobori T	Plasma ADAMTS13, von Willebrand Factor (VWF) and VWF Propeptide Profiles in Patients with DIC and Related Diseases	Thromb Res	129(5)	598-602	2012
Masayuki Fujioka, Takafumi Nakano, Kazuhide Hayakawa, Keiichi Irie, Yoshiharu Akitake, Yuya Sakamoto, Kenichi Mishima, Carl Muroi, Yasuhiro Yonekawa, Fumiaki Banno, <u>Koichi Kokame</u> , Toshiyuki Miyata, Kenji Nishio, Kazuo Okuchi, Katsunori Iwasaki, Michihiro Fujiwara, Bo K. Siesjo	ADAMTS13 gene deletion enhances plasma high-mobility group box1 elevation and neuroinflammation in brain ischemia-reperfusion injury	Neurol Sci	33	1107-1115	2012
Yuka Eura, Hiroji Yanamoto, Yuji Arai, Tomohiko Okuda, Toshiyuki Miyata, <u>Koichi Kokame</u>	Derlin-1 deficiency is embryonic lethal, Derlin-3 deficiency appears normal, and Herp deficiency is intolerant to glucose load and ischemia in mice	PLoS One	7 (3)	e34298	2012
Takashi Sato, Yasuhiro Sako, Misato Sho, Mamiko Momohara, Mary Ann Suico, Tsuyoshi Shuto, Hideki Nishitoh, Tsukasa Okiyoneda, <u>Koichi Kokame</u> , Masayuki Kaneko, Manabu Taura, Masanori Miyata, Keisuke Chosa, Tomoaki Koga, Saori Morino-Koga, Ikuo Wada, Hirofumi Kai	STT3B-dependent posttranslational N-glycosylation as a surveillance system for secretory protein	Mol Cell	47 (1)	99-110	2012

Yongchol Shin, Masashi Akiyama, <u>Koichi Kokame</u> , Kenji Soejima, Toshiyuki Miyata	Binding of von Willebrand factor cleaving protease ADAMTS13 to Lys-plasmin(ogen)	J Biochem	152 (3)	251-258	2012
Masaaki Doi, Hideto Matsui, Yukiji Takeda, Yoshihiko Saito, Maiko Takeda, Yasunori Matsunari, Kenji Nishio, Midori Shima, Fumiaki Banno, Masashi Akiyama, <u>Koichi Kokame</u> , Toshiyuki Miyata, and Mitsuhiko Sugimoto	ADAMTS13 safeguards the myocardium in a mouse model of acute myocardial infarction	Thromb Haemost	108 (6)	1236-1238	2012
<u>宮田敏行</u> , <u>小亀浩市</u> , 秋山正志, 坂野史明, 中山大輔, 武田壮一	ADAMTS13研究の最先端	臨床血液	53 (7)	672-679	2012
<u>小亀浩市</u> , <u>宮田敏行</u>	小胞体ストレスと循環器疾患	生体の科学	63 (5)	390-391	2012
<u>小亀浩市</u>	重度高ホモシステイン血症マウスは血栓傾向を示さないというパラドックス	日本血栓止血学会誌	23 (4)	416	2012
<u>宮田敏行</u> , <u>小亀浩市</u> , 小久保喜弘	先天性ADAMTS13欠損症	臨床検査			
Suzuki A, Nakashima D, Miyawaki Y, Fujita J, Maki A, Fujimori Y, Takagi A, Murate T, Teranishi M, Matsushita T, Saito H, <u>Kojima T</u>	A novel ENG mutation causing impaired co-translational processing of endoglin associated with hereditary hemorrhagic telangiectasia.	Thromb Res.	129 (5)	e200-208	2012
Miyawaki Y, Suzuki A, Fujita J, Maki A, Okuyama E, Murata M, Takagi A, Murate T, Kunishima S, Sakai M, Okamoto K, Matsushita T, Naoe T, Saito H, <u>Kojima T</u>	Thrombosis from a prothrombin mutation conveying antithrombin resistance.	N Engl J Med.	366	2390-2396	2012
Fujita J, Miyawaki Y, Suzuki A, Maki A, Okuyama	A possible mechanism for Inv22-related F8 large	J Thromb Haemost.	10 (10)	2099-2107	2012

E, Murata M, Takagi A, Murate T, Suzuki N, Matsushita T, Saito H, <u>Kojima T</u>	deletions in severe hemophilia a patients with high responding factor VIII inhibitors.				
Mimuro J, Mizukami H, Hishikawa S, Ikemoto T, Ishiwata A, Sakata A, Ohmori T, Madoiwa S, Ono F, Ozawa K, <u>Sakata Y.</u>	Minimizing the inhibitory effect of neutralizing antibody for efficient gene expression in the liver with adeno-associated virus 8 vectors.	Mol Ther.	21(2)	318-323	2012
Makino N, Madoiwa S, Ohmori T, Katoh K, Ookawara S, Kanazawa T, Matsuo O, Ichikawa M, Mimuro J, Ichimura K, <u>Sakata Y.</u>	Tissue plasminogen activator deficiency promotes early phase regeneration in the olfactory epithelium after bulbegtomy.	Int Forum Allergy Rhinol.	In press		
Kashiwakura Y, Mimuro J, Onishi A, Iwamoto M, Madoiwa S, Fuchimoto D, Suzuki S, Suzuki M, Sembon S, Ishiwata A, Yasumoto A, Sakata A, Ohmori T, Hashimoto M, Yazaki S, <u>Sakata Y.</u>	Porcine model of hemophilia a.	PLoS One.	7(11)	e49450	2012
Makino N. Ookawara S. Madoiwa S. Ohta Y. Ishikawa T. Katho K. Takigami S. Kanazawa T. Matsuo O. Ichikawa M. Mimuro J. <u>Sakata Y.</u> Ichimura K.	Morphological assessment of the luminal surface of olfactory epithelium in mice deficient in tissue plasminogen activator following bulbectomy.	The Journal of Laryngology & Otology.	126 (11)	1114-1120	2012
Hosoya Y. Matsumura M. Madoiwa S. Zuiki T. Matsumoto S. Nunomiya S. Lefor A. Sata N. Yasuda Y.	Acquired hemophilia A caused by factor VIII inhibitors:report of a case .	Surg Today.			
Suzuki S. Iwamoto M. Saito Y. Fuchimoto D. Sembon S. Suzuki M. Mikawa S. Hashimoto M. Aoki Y. Najima Y. Takagi S. Suzuki N. Suzuki E. Kubo M. Mimuro J. Kashiwakura, Y. Madoiwa	l12rg gene-targeted severe combined immunodeficiency pigs.	Cell Stem Cell.	14;10(6)	753-758	2012

S. <u>Sakata Y.</u> Perry AC. Ishikawa F. Onishi A.					
Kashiwakura Y. Ohmori T. Mimuro J. Yasumoto A. Ishiwata A. Sakata A. Madoiwa S. Inoue M. Hasegawa M. Ozawa K. <u>Sakata Y.</u>	Intra-articular injection of mesenchymal stem cells expressing coagulation factor ameliorates hemophilic arthropathy in factor VIII-deficient mice.	J Thromb Haemost.	10(9)	1802-1813	2012
Norimatsu, Y. Ohmori T. Kimura A. Madoiwa S. Mimuro J. Seichi A. Yatomi Y. Hoshino Y. <u>Sakata Y.</u>	FTY720 improves functional recovery after spinal cord injury by primarily nonimmunomodulatory mechanisms.	Am J Pathol.	180(4)	1625-1635	2012
Ohmori T. Yano Y. Sakata A. Ikemoto T. Shimpo M. Madoiwa S. Katsuki T. Mimuro J. Shimada K. Kario K. <u>Sakata Y.</u>	Lack of association between serum paraoxonase-1 activity and residual platelet aggregation during dual anti-platelet therapy.	Thromb Res.	29(4)	36-40	2012
Madoiwa S. Kobayashi E. Kashiwakura Y. Sakata A. Yasumoto A. Ohmori T. Mimuro J. <u>Sakata Y.</u>	Immune response against serial infusion of factor VIII antigen through an implantable venous-access device system in haemophilia A mice.	Haemophilia.	18(3)	e323-330	2012
Kita T, Banno F, Yanamoto H, Nakajo Y, Iihara K, <u>Miyata T</u>	Large infarct and high mortality by cerebral ischemia in mice carrying the factor V Leiden mutation.	J Thromb Haemost.	10(7)	1453-1455	2012
Shin Y, Akiyama M, Kokame K, Soejima K, <u>Miyata T</u>	Binding of von Willebrand factor cleaving protease ADAMTS13 to Lys-plasmin(ogen).	J Biochem.	152(3)	251-258	2012
<u>川崎富夫</u>	法学的意思と意志の異同と患者の自己決定権	生命倫理	通巻23号	42-50	2012
<u>榛沢和彦</u>	避難所における肺塞栓症・深部静脈血栓症	日本医師会雑誌	141巻1号	84-85	2012

<u>榛沢和彦</u>	避難環境と深部静脈血栓症-東日本大震災による検診結果から-	臨床血液	53号10巻	1730-36	2012
<u>榛沢和彦</u>	新潟県中越地震6年後のDVT検診結果：DVTと高血圧との関連	静脈学	23号4巻	315-320	2012
Mayumi Ono, Yumiko Mtsubara, Toshiro shibano, Yasuo Ikeda, & <u>Mitsuru Mutara</u>	GSK-3 negatively regulates megakaryocyte differentiation and platelet production from primary human bone marrow cells in vitro.	Platelets	22(3)	196-203	2011
Yusuke Yamaguchi, Takanori Moriki, Atsuko Igari, Terumichi Nakagawa, Hideo Wada, Masanori Matsumoto, Yoshihiro Fujimura, <u>Mitsuru Mutara</u>	Epitope analysis of autoantibodies to ADAMTS13 in patients with acquired thrombocytopenic purpura .	Thrombosis Research	123	169-173	2011
Torita S, Suehisa E, Kawasaki T, Toku M, Takeo E, <u>Tomiyama Y</u> , Nishida S, Hidaka Y.	Development of a new modified Bethesda method for coagulation inhibitors: the Osaka modified Bethesda method.	Blood Coagul Fibrinolysis	22	185-189	2011
Kurata Y, Fujimura K, Kuwana M, <u>Tomiyama Y</u> , Murata M.	Epidemiology of primary immune thrombocytopenia in children and adults in Japan: a population-based study and literature review.	Int J Hematol	93(3)	329-335	2011
Kamae T, Kiyomizu K, Nakazawa T, Tadokoro S, <u>Kashiwagi H</u> , Honda S, Kanakura Y, <u>Tomiyama Y</u> .	Bleeding tendency and impaired platelet function in a patient carrying a heterozygous mutation in the thromboxane A ₂ receptor.	J Thromb Haemost	9(5)	1040-1048	2011
Kunishima S, <u>Kashiwagi H</u> , Otsu M, Takayama N, Eto K, Onodera M, Miyajima Y, Takamatsu Y, Suzumiya J, Matsubara K, <u>Tomiyama Y</u> ,	Heterozygous ITGA2B R995W mutation inducing constitutive activation of the $\alpha_{IIb} \beta_3$ receptor affects proplatelet	Blood	117(20)	2479-2484	2011

Saito H.	formation and causes congenital macrothrombocytopenia.				
<u>Kurata Y.</u> , <u>Fujimura K.</u> , et al	Epidemiology of primary immune thrombocytopenia in children and adults in Japan : a population-based study and literature review.	Int. J. Hematol.	93	329-335	2011
<u>Yamaguchi M.</u> , <u>Fujimura K.</u> , et al	Mislocalization or low expression of mutated Shwachman-Bodian-Diamond syndrome protein.	Int. J. Hematol.	94	54-62	2011
Kobayashi I, Okura Y, Yamada M, Kawamura N, <u>Kuwana M.</u> , and Ariga T	Anti-melanoma differentiation-associated gene 5 antibody is a diagnostic and predictive marker for interstitial lung diseases associated with juvenile dermatomyositis	J. Pediatr.	158(4)	675-677	2011
Hoshino K, Satoh T, Kawaguchi Y, and <u>Kuwana M</u>	Association of <i>Hepatocyte Growth Factor</i> promoter polymorphism with severity of interstitial lung disease in Japanese patients with systemic sclerosis	Arthritis Rheum.	63(8)	2465-2472	2011
Suzuki S, Utsugisawa K, Iwasa K, Satoh T, Nagane Y, Yoshikawa H, <u>Kuwana M.</u> , and Suzuki N	Autoimmunity to endoplasmic reticulum chaperone GRP94 in myasthenia gravis	J. Neuroimmunol.	237(1-2)	87-92	2011
Takahashi H, Kouno M, Nagao K, Wada N, Hata T, Nishimoto S, Iwakura Y, Yoshimura A, Yamada T, <u>Kuwana M.</u> , Fujii H, Koyasu S, and Amagai M	Desmoglein 3-specific CD4 ⁺ T cells induce pemphigus vulgaris and interface dermatitis in mice	J. Clin. Invest.	121(9)	3677-3688	2011
Furuya Y, and <u>Kuwana M</u>	Effect of bosentan on systemic sclerosis-associated	J. Rheumatol.	38(10)	2186-2192	2011

	interstitial lung disease ineligible for cyclophosphamide therapy: a prospective open-label study				
Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, <u>Kuwana M</u> , Muro Y, Ogawa F, Tanaka S, Takehara K, and Sato S	Investigation of prognostic factors for skin sclerosis and lung function in Japanese patients with early systemic sclerosis: a multicenter prospective observational study	Rheumatology	51(1)	129-133	2012
Hattori H, Suzuki S, Okazaki Y, Suzuki N, and <u>Kuwana M</u>	Intracranial transplantation of monocyte-derived multipotential cells enhances recovery after ischemic stroke in rats	J. Neurosci. Res.	90(2)	479-488	2012
Yamaguchi M, Fujimura K, Kanegane H, Toga-Yamaguchi H, Chopra R, Okamura N.	Mislocalization or low expression of mutated Shwachman-Bodian-Diamond syndrome protein.	Int. J. Hematol.	94	54-62	2011
<u>Fujimura Y</u> , Matsumoto M, Isonishi A, Yagi H, Kokame K, Soejima K, Murata M, Miyata T.	Natural history of Upshaw-Schulman syndrome based on ADAMTS13 gene analysis in Japan.	J Thromb Haemost.	9	283-301	2011
Akiyama R, Komori I, Hiramoto R, Isonishi A, Matsumoto M, <u>Fujimura Y</u> .	H1N1 influenza (swine flu)-associated thrombotic microangiopathy with a markedly high plasma ratio of von Willebrand factor to ADAMTS13.	Intern Med	50	643-647	2011
Uemura M, <u>Fujimura Y</u> , Ko S, Matsumoto M, Nakajima Y, Fukui H.	Determination of ADAMTS13 and Its Clinical Significance for ADAMTS13 supplementation therapy to improve the survival of patients with decompensated liver cirrhosis.	Int J Hepatol			

Takemitsu T, <u>Wada H</u> , Hatada T, Ohmori Y, Ishikura K, Takeda T, Sugiyama T, Yamada N, Maruyama K, Katayama N, Isaji S, Shimpo H, Kusunoki M, Nobori T	Prospective evaluation of three different diagnostic criteria for disseminated intravascular coagulation	Thromb Haemost.	105(1)	40-44	2011
Ito-Habe N, <u>Wada H</u> , Matsumoto T, Ohishi K, Toyoda H, Ishikawa E, Nomura S, Komada Y, Ito M, Nobori T, Katayama N:	Elevated Von Willebrand factor propeptide for the diagnosis of thrombotic microangiopathy and for predicting a poor outcome.	Int J Hematol	93(1)	47-52	2011
Kawasugi K, <u>Wada H</u> , Hatada T, Okamoto K, Uchiyama T, Kushimoto S, Seki Y, Okamura T, Nobori T	Japanese Society of Thrombosis Hemostasis/DIC subcommittee. Prospective evaluation of hemostatic abnormalities in overt DIC due to various underlying diseases.	Thromb Res.	128(2)	186-90	2011
Yoshida K, <u>Wada H</u> , Hasegawa M, Wakabayashi H, Ando H, Oshima S, Matsumoto T, Shimokariya Y, Noma K, Yamada N, Uchida A, Nobori T, Sudo A	Monitoring for anti-Xa activity for prophylactic administration of fondaparinux in patients with artificial joint replacement.	Int J Hematol.	94(4)	355-360	2011
Habe K, <u>Wada H</u> , Ito-Habe N, Hatada T, Matsumoto T, Ohishi K, Maruyama K, Imai H, Mizutani H, Nobori T	Plasma ADAMTS13, von Willebrand Factor (VWF) and VWF Propeptide Profiles in Patients with DIC and Related Diseases.	Thromb Res			2011
Yoshida K, <u>Wada H</u> , Hasegawa M, Wakabayashi H, Matsumoto T, Shimokariya Y, Noma K, Yamada N, Uchida A, Nobori T, Sudo A	Increased fibrinolysis increases bleeding in orthopedic patients receiving prophylactic fondaparinux.	Int J Hematol			2011
Ikejiri M, Shindo A, Ii Y, Tomimoto H, Yamada N,	Frequent association of thrombophilia in	Int J Hematol			2011

Matsumoto T, Abe Y, Nakatani K, Nobori T, <u>Wada H</u>	cerebral venous sinus thrombosis.				
Yuji Shono, Chiaki Yokota, Yuji Kuge, Shinsuke Kido, Akina Harada, <u>Koichi Kokame</u> , Hiroyasu Inoue, Mariko Hotta, Kenji Hirata, Hideo Saji, Nagara Tamaki, Kazuo Minematsu	Gene expression associated with an enriched environment after transient focal ischemia	Brain Res	1376	60-65	2011
Megumi Hatori, Tsuyoshi Hirota, Michiko Iitsuka, Nobuhiro Kurabayashi, Shogo Haraguchi, <u>Koichi Kokame</u> , Ryuichiro Sato, Akira Nakai, Toshiyuki Miyata, Kazuyoshi Tsutsui, and Yoshitaka Fukada	Light-dependent and circadian clock-regulated activation of SREBP, XBP1 and HSF pathways in the pineal gland	Proc Natl Acad Sci USA	108 (12)	4864-4869	2011
Kenji Hirata, Yuji Kuge, Chiaki Yokota, Akina Harada, <u>Koichi Kokame</u> , Hiroyasu Inoue, Hidekazu Kawashima, Hiroko Hanzawa, Yuji Shono, Hideo Saji, Kazuo Minematsu, and Nagara Tamaki	Gene and protein analysis of brain derived neurotrophic factor expression in relation to neurological recovery induced by an enriched environment in a rat stroke model	Neurosci Lett	495 (3)	210-215	2011
<u>Koichi Kokame</u> , Toshiyuki Sakata, Yoshihiro Kokubo, and Toshiyuki Miyata	von Willebrand factor-to-ADAMTS13 ratio increases with age in a Japanese population	J Thromb. Haemost	9 (7)	1426-1428	2011
Toshihiro Marutani, Tomoji Maeda, Chiaki, Tanabe, Kun Zou, Wataru Araki, <u>Koichi Kokame</u> , Makoto Michikawa, and Hiroto Komano	ER-stress-inducible Herp, facilitates the degradation of immature nicastrin	Biochim Biophys Acta	1810 (8)	790-798	2011
Hitomi Yamamoto, <u>Koichi Kokame</u> , Tomohiko Okuda, Yukako Nakajo, Hiroji Yanamoto, and Toshiyuki Miyata	NDRG4 protein-deficient mice exhibit spatial learning deficits and vulnerabilities to cerebral ischemia	J Biol Chem	286 (29)	26158-26165	2011

<u>Koichi Kokame</u> , Yoshihiro Kokubo, and Toshiyuki Miyata	Polymorphisms and mutations of ADAMTS13 in Japanese population and estimation of the number of patients with Upshaw-Schulman syndrome	J Thromb Haemost	9 (8)	1654-1656	2011
Toshiaki Takeichi, Mika Takarada-Iemata, Koji Hashida, Hirofumi Sudo, Tomohiko Okuda, <u>Koichi Kokame</u> , Taku Hatano, Masashi Takanashi, Sayaka Funabe, Nobutaka Hattori, Osamu Kitamura, Yasuko Kitao, and Osamu Hori	The effect of Ndr2 expression on astroglial activation	Neurochem Int	59 (1)	21-27	2011
Reiko Neki, Tomio Fujita, <u>Koichi Kokame</u> , Isao Nakanishi, Masako Waguri, Yuzo Imayoshi, Noriyuki Suehara, Tomoaki Ikeda, and Toshiyuki Miyata	Genetic analysis of patients with deep vein thrombosis during pregnancy and postpartum	Int J Hematol	94 (2)	150-155	2011
<u>Miyata T</u> , Hamasaki N, <u>Wada H</u> , <u>Kojima T</u> :	Venous thromboembolism and a race-specific genetic variation, protein S K196E, in Japanese.	J Thromb Haemost.	10(2)	319-320	2011
Saito H, Matsushita T, <u>Kojima T</u> ,	Historical perspective and future direction of coagulation research.	J Thromb Haemost.	Suppl 1	352-363	2011
Watanabe, H., Madoiwa, S., Sekiya, H., Nagahama, Y., Matsuura, S., Kariya, Y., Ohmori, T., Mimuro, J., Hoshino, Y., Hayasaka, S., <u>Sakata, Y.</u>	Predictive blood coagulation markers for early diagnosis of venous thromboembolism after total knee joint replacement.	Thromb Res.	128(6)	e137-143	2011
Dokai, M., Madoiwa, S, Yasumoto, A., Kashiwakura, Y., Ishiwata, A., Sakata, A., Makino, N., Ohmori, T., Mimuro, J., <u>Sakata, Y.</u>	Local regulation of neutrophil elastase activity by endogenous □□□antitrypsin in □□lipopolysaccharide□ primed hematological cells.	Thromb Res.	128.	283-292	2011

Madoiwa, S.,Tanaka, H., Nagahama, Y., Dokai, M., Kashiwakura ,Y. , Ishiwata, A., Sakata, A., Yasumoto, A., Ohmori, T., Mimuro, J., <u>Sakata, Y.</u>	Degradation of cross-linked fibrin by leukocyte elastase as alternative pathway for plasmin-mediated fibrinolysis in sepsis-induced disseminated intravascular coagulation.	Thromb Res.	127	349-355	2011
S. Kameda, T. Sakata, Y. Kokubo, M. Mitsuguro, A. Okamoto, M. Sano, <u>T. Miyata</u>	Association of platelet aggregation with lipid levels in the Japanese population: the Suita Study.	J AtherosclerThromb.	18(7)	560-567	2011
R. Neki, T. Fujita, K. Kokame, I. Nakanishi, M. Waguri, Y. Imayoshi, N. Suehara, T. Ikeda, <u>T. Miyata</u>	Genetic analysis of patients with deep vein thrombosis during pregnancy and postpartum.	Int J Hematol.	94(2)	150-155	2011
Ando M, Fukuda I, Ito M, <u>Kobayashi T</u> , Masuda M, Miyahara Y, Nakanishi N, Niwa K, Ohgi S, Tajima H; JCS Joint Working Group.	Guidelines for the diagnosis, treatment and prevention of pulmonary thromboembolism and deep vein thrombosis (JCS 2009) - digest version-.	Circ J	75(5)	1258-1281	2011
Yoshiyuki kurata,kingo fujimura,Masataka Kuwana,Yoshiaki Tomiyama, <u>Mitsuru Murata</u>	Epidemiology of primary immune thrombocytopenia in children and adults in Japan : a population-based study and literature review.	Int J Hematol.	93	329-335	2011
山口雄亮、 <u>村田 満</u>	抗血小板薬の薬効評価法の現状	循環器内科	69 (2)	177-182	2011
<u>村田 満</u>	「総論 今、なぜ「血小板」か」	特集 血小板-核のな“細胞”	43 (2)	48-50	2011
猪狩敦子、 <u>村田 満</u>	抗血小板療法モニタリング	抗血栓療法の新潮流 作用機序に基づく治療			2011

		戦略 抗血栓療法 の進歩			
西山美保、林 悟、兜森修、山西八郎、末久悦次、倉田義之、柏木浩和、 <u>富山佳昭</u>	多項目自動血球分析装置 XE - 5000 を用いた幼若血小板比率 (IPF%) 測定における抗凝固剤と保存温度の影響 - 抗凝固剤 CTAD と室温保存の有用性 -	臨床病理	59(5)	452-458	2011
<u>富山佳昭</u>	特発性血小板減少性紫斑病 - 最近の話題	細胞	43(2)	18-21	2011
<u>富山佳昭</u>	血小板の活性化機能: ADP の果たす役割	人工血液	18	151-153	2011
<u>富山佳昭</u>	特発性血小板減少性紫斑病 - 最近の話題	Medicament News	2049	5-6	2011
<u>富山佳昭</u>	P2Y ₁₂ 受容体阻害抗血小板薬	カレントセラピー	29(6)	59-63	2011
<u>富山佳昭</u>	今後の抗血小板療	血栓と循環	19	305-310	2011
<u>富山佳昭</u>	特発性血小板減少性紫斑病 (ITP) の治療戦略と血小板増加薬の適応	血液フロンティア	21(7)	997-1003	2011
<u>富山佳昭</u>	特発性血小板減少性紫斑病 (ITP) の病態と新規治療法	SRL 宝函	32(2)	33-42	2011
<u>富山佳昭</u>	トロンボポエチン受容体作動薬による難治性 ITP の治療	臨床血液	52(8)	627-632	2011
<u>富山佳昭</u>	新規抗血小板薬の開発	脈管学	51	301-307	2011
<u>藤村欣吾</u>	特発性血小板減少性紫斑病 (ITP) に対するヘリコバクターピロリ菌除菌療法	検査と技術	39	31 36	2011
<u>小亀浩市</u>	日本人の ADAMTS13	日本血栓止血学会誌	22	368-373	2011
<u>宮田敏行</u> 、川崎富夫、坂田洋一、村田 満、小嶋哲人	日本人の血栓性素因、特にプロテイン S 欠損症を中心に	日本産婦人科・新生児血液学会会誌	20(2)	75-82	2011

鈴木敦夫、 <u>小嶋哲人</u>	エストロゲンによる Protein S 産生抑制	日本血栓止 血学会誌	22(5)	285-288	2011
<u>小嶋哲人</u>	血栓性素因の病因と病態 臨床血液	肝胆膵	52(10)	1454-14 60	2011
<u>小嶋哲人</u>	基礎の立場からみた新規 抗凝固薬	日本血栓止 血学会誌	22(4)	151-155	2011
<u>小嶋哲人</u>	経口トロンビン阻害薬で は、なぜ頭蓋内出血の頻 度が少ないのか -基礎 の立場から-	日本心電学 会誌	31(3)	287-291	2011
菅原宏丈、鈴木宗三、惣宇 利正善、 <u>小嶋哲人</u> 、一瀬白 帝	東北地方に置ける血友病 インヒビター調査のまと め	山形医学	29(2)	37-44	2011
<u>川崎富夫</u>	法律用語としての意思の 成立と社会への影響	法律時報	9・10号	101-107	2011

研究成果の刊行物・別冊

